

U.

IE

U. S. DEPARTMENT OF AGRICULTURE.

DIVISION OF ECONOMIC ORNITHOLOGY AND MAMMALOGY.

BULLETIN 1.

4143

19

THE  
ENGLISH SPARROW  
(PASSER DOMESTICUS)

IN NORTH AMERICA,

ESPECIALLY IN ITS RELATIONS TO AGRICULTURE.

---

Prepared under the direction of  
DR. C. HART MERRIAM, ORNITHOLOGIST,

BY  
WALTER B. BARROWS,  
ASSISTANT ORNITHOLOGIST.

---

WASHINGTON:  
GOVERNMENT PRINTING OFFICE,  
1889.



U. S. DEPARTMENT OF COMMERCE

OFFICE OF THE SECRETARY

WASHINGTON, D. C.

WORLD'S FAIR

1904

ST. LOUIS, MO.

EXHIBITION OF THE

UNITED STATES

1904

WASHINGTON, D. C.

1904

I  
SIN  
order  
separ  
mam  
tion a  
It h  
in sep  
with,  
malog  
ter B.

Hon

## LETTER OF TRANSMITTAL.

U. S. DEPARTMENT OF AGRICULTURE,  
DIVISION OF ECONOMIC ORNITHOLOGY AND MAMMALOLOGY,  
*Washington, D. C., April 14, 1888.*

SIR: The investigations in economic ornithology and mammalogy ordered by Congress to be made under your direction consist of two separate inquiries, namely: (1) concerning the food habits of birds and mammals in their relation to agriculture; and (2) concerning the migration and geographical distribution of North American species.

It has been deemed best to publish the results of these investigations in separate bulletins. In accordance with this decision I transmit herewith, as Bulletin 1 of the Division of Economic Ornithology and Mammalogy, a report upon the English Sparrow in North America, by Walter B. Barrows, assistant ornithologist.

Respectfully,

C. HART MERRIAM,  
*Ornithologist.*

Hon. NORMAN J. COLMAN,  
*Commissioner of Agriculture.*

LETTER  
TABLE  
PREPARED  
INTRODUCTION

PART

SECTION  
( )

(B)

(C)

## TABLE OF CONTENTS.

LETTER OF TRANSMITTAL.....	Page. 3
TABLE OF CONTENTS.....	5
PREFATORY LETTER.....	9
INTRODUCTION.....	11

### PART I. SUMMARIES OF EVIDENCE—RECOMMENDATIONS—SPECIAL REPORTS.

SECTION FIRST: Summaries of evidence.....	17-149
(A) Importation; spread; increase; checks.....	17-40
1. Introduction of the Sparrow.....	17
2. Method of diffusion of the Sparrow.....	23
3. Rate of spread of the Sparrow and extent of area occupied at the close of the year 1886.....	26
4. Rate of increase of the Sparrow.....	27
5. Checks on the increase of the Sparrow.....	31
(a) Natural enemies of the Sparrow.....	31
(b) Relation of climate and food to the increase and spread of the Sparrow.....	32
(c) Direct influence of man in checking the increase of the Sparrow.....	35
(1) Public opinion.....	35
(2) Effect of legislation.....	36
(3) Shooting, poisoning, trapping, nest-destroying.....	36
(4) Use of the Sparrow for food.....	38
(5) How the farmers of Great Britain regard the Sparrow.....	39
(B) Injury to buds, blossoms, and foliage.....	40-48
1. Injury by filth.....	40
2. Destruction of buds and blossoms.....	42
(C) Injury to fruits, garden seeds, and vegetables.....	48-68
1. Injury to fruits.....	49
(a) Injury to grapes.....	49
(b) Injury to other small fruits.....	56
(c) Injury to apples, pears, peaches, and other fruits.....	57
2. Injury to garden vegetables.....	60
(a) Green vegetables.....	61
(1) Destruction of peas.....	61
(2) Destruction of garden corn.....	62
(3) Destruction of lettuce, cabbage, and other vegetables.....	63
(b) Garden seeds.....	64
(1) Destruction of seed of lettuce, cabbage, and turnip ..	65
(2) Destruction of sunflower seed.....	65
(3) Destruction of weed seed and grass seed.....	66

	Page.
SECTION FIRST: Summaries of evidence—Continued.	
(D) Injury to grain .....	68-78
1. Injury to wheat .....	69
2. Injury to oats .....	73
3. Injury to rye and barley .....	74
4. Injury to field corn .....	74
5. Injury to sorghum .....	75
6. Injury to rice .....	76
7. Injury to buckwheat .....	77
8. Negative evidence .....	77
(E) Relation of the Sparrow to other birds .....	78-98
1. List of native birds molested by the Sparrow .....	80
2. Relation of the Sparrow to birds which nest principally in cavities, natural or artificial, and often in boxes prepared by man .....	82
(a) Sparrow <i>versus</i> Bluebird and Purple Martin .....	82
(b) Negative evidence .....	86
(c) Sparrow <i>versus</i> Wrens .....	87
3. Relation of the Sparrow to birds which usually nest in trees, or at least in places not especially prepared for them by man .....	88
(a) Sparrow <i>versus</i> Cliff Swallow and Barn Swallow .....	88
(b) Sparrow <i>versus</i> Robin .....	90
(c) Sparrow <i>versus</i> Mockingbird .....	91
(d) Sparrow <i>versus</i> Vireos .....	92
4. Relation of the Sparrow to other birds, under such conditions that the question of nesting has no direct influence .....	92
(a) English Sparrow <i>versus</i> Chipping Sparrow .....	93
(b) The Sparrow "mobbing" other birds .....	93
5. Summary of the question of Sparrow <i>versus</i> native birds .....	95
(F) Relation of the Sparrow to insects .....	98-132
1. General summary of evidence .....	98
(a) Evidence derived from study of the contents of Sparrows' stomachs .....	100
(b) Evidence derived from observation of the bird, without subsequent examination of the stomach .....	101
(1) List of insects said to be eaten by the Sparrow .....	102
(c) Argument from all available data .....	103
(d) Seasonal variation in the insect food of the Sparrow .....	105
(e) Relation of the Sparrow to caterpillars .....	107
(1) Relation to the caterpillar of the Tussock Moth .....	107
(2) How the Sparrows protect the caterpillars .....	108
(3) Relation to Span-worms .....	109
2. Insectivorous habits of the English Sparrow, by Prof. C. V. Riley .....	111
(a) Report of material examined in 1887 .....	111
(1) Stomach contents .....	111
(2) Habits of the insects concerned .....	115
(3) Summary from the foregoing statements .....	120
(b) Survey of work done in Europe .....	123
(c) Review of work done in North America .....	125
(G) Tables of food as shown by dissection .....	133-146
1. Examined at the Department of Agriculture .....	134
2. Examined at West Chester, Pa. ....	144
(H) Miscellaneous injuries .....	146-149

# TABLE OF CONTENTS.

7

Page.		Page.
68-78	SECTION SECOND: Recommendations.....	150-166
69	(A) Recommendations for legislation .....	150
73	1. Suggestions as to the repeal of old laws and the enactment of new ones.....	150
74	2. Bounties .....	153
74	(a) Inexpediency of bounties in general .....	153
75	(b) Estimated cost of exterminating the Sparrows in Ohio by means of bounties.....	154
76	(c) Montana's bounty law on Prairie Dogs and Ground Squirrels.....	161
77	(d) Michigan's bounty law on English Sparrows .....	162
78-98	(B) Recommendations to the people .....	164
80	1. General suggestions .....	164
82	2. Use of fire-arms, traps, and poison .....	164
82	3. Destruction of nests and disturbance at roosting places .....	165
86	4. Sparrow clubs and shooting matches .....	166
87	5. The Sparrow as an article of food .....	166
88	SECTION THIRD: Legislation affecting the English Sparrow in the United States .....	167-173
88	SECTION FOURTH: Destruction of the Sparrow by poisons, by Dr. A. K. Fisher.....	174-178
90	1. The poisons used in experiments, and the formulæ for their preparation .....	174
91	2. Cost of poisoned grain .....	175
92	3. General suggestions .....	175
92	4. Precautions .....	175
92	5. Synopsis of experiments.....	176
93	(a) Experiments with strychnine .....	176
93	(b) Experiments with tincture of nux vomica.....	177
95	(c) Experiments with corrosive sublimate .....	177
98-132	(d) Experiments with white arsenic .....	177
98	(e) Experiments with arseniate of soda .....	177
100	(f) Experiments with Fowler's solution.....	177
101	(g) Experiments with London purple.....	177
102	(h) Experiments with Paris green .....	178
103	SECTION FIFTH: The trapping of Sparrows for sporting purposes, by W. T. Hill .....	178-191
105	1. History and details of the business .....	178
107	2. English Sparrow catching. Description of apparatus and methods employed. [Illustrated].....	183
107	SECTION SIXTH: History of the House Sparrow and the European Tree Sparrow ( <i>Passer montanus</i> ) at Saint Louis, Mo., by Otto Widmann.....	191-194
108		
109		
111		
111		
111		
115		
120		
123		
125		
133-146		
134		
144		
146-149		

## PART II. EVIDENCE.

SECTION FIRST: Original testimony in detail (previously unpublished).....	197-301
(A) Distribution by States .....	199
(B) Rate of increase; checks, natural and artificial.....	232
(C) Injury to buds and foliage .....	240
(D) Injury to fruits, garden seeds, and vegetables .....	243
(E) Injury to grain crops.....	252
(F) Relation to other birds.....	260
(G) Relation to insects.....	283

	Page.
SECTION SECOND: Published testimony.....	301-357
(A) Outline of the history of the Sparrow question.....	301
(B) Testimony relating mainly to the Sparrow in America .....	304
1. From the <i>American Naturalist</i> .....	304
2. From <i>Science</i> .....	305
3. From <i>Forest and Stream</i> .....	305
4. From other periodicals.....	318
5. From other sources .....	324
(C) Relating mainly to the Sparrow in Europe .....	330
1. From the evidence submitted to the select committee [of the British Parliament] on wild birds protection, 1873....	330
2. From "The House Sparrow" (relating mainly to England) .....	341
Part 1. By J. H. Garney, jr .....	341
Part 2. By Col. C. Russell.....	346
3. From other sources.....	347
(D) Relating mainly to the Sparrow in Australia .....	348
1. From the draft progress report of the board of investigation ap- pointed by the governor of South Australia in 1881...	348
2. From the <i>Adelaide Observer</i> (South Australia).....	353
3. From the <i>Taranaki Herald</i> (New Zealand).....	357
SECTION THIRD: List of all persons whose testimony appears in the Bulletin.....	358-388
INDEX.....	389
MAP.....	at end of volume.

T  
 seri  
 ural  
 mus  
 as in  
 ing,  
 fores  
 made  
 Econ  
 Th  
 ject  
 been  
 Th  
 taine  
 fallen  
 Br  
 and a  
 prod  
 Secti  
 recon  
 and  
 Pro  
 tri  
 Engl  
 mitte  
 Sec  
 by D  
 were  
 Sec  
 Hill,  
 The c  
 the a  
 14, 18



Page	
301-357	
301	
304	
304	
305	
305	
318	
324	
330	
the	330
	341
	341
	346
	347
	348
an ap-	348
31...	353
	357
tin. 358-388	388
	389
ume.	

## PREFATORY LETTER.

---

The English Sparrow question in North America has grown to be a serious problem in economic science, particularly so far as the agricultural interests of the country are concerned—and the term agriculture must be here understood in its broadest and most comprehensive sense as including the grain-growing industries, truck-gardening, fruit-growing, the cultivation of flowers and ornamental shrubs and vines, and even forestry. It was deemed proper, therefore, that this question should be made the subject of the first bulletin of the newly established Division of Economic Ornithology and Mammalogy.

The information necessary to a complete understanding of the subject has been collected with great care; the evidence submitted has been honestly weighed, and the results impartially stated.

The labor of collecting and arranging for publication the matter contained in Part II, together with the authorship of most of Part I, has fallen upon my assistant, Mr. Walter B. Barrows.

Brief portions of Part I, including the tables relating to the increase and spread of the Sparrow, were prepared by myself and are here reproduced without quotation marks from my annual report for 1886. Section 2 of Part I, consisting of recommendations for legislation and recommendations to the people, has been written jointly by Mr. Barrows and myself.

Prof. C. V. Riley, Entomologist of the Department, has kindly contributed a full and valuable report on the Insectivorous Habits of the English Sparrow, based chiefly on the examination of stomachs submitted to him by this Division.

Section 4, on the Destruction of Sparrows by Poisons, was prepared by Dr. A. K. Fisher, assistant ornithologist, by whom the experiments were conducted.

Section 5, on Trapping the Sparrow, was contributed by Mr. W. T. Hill, who makes a business of trapping Sparrows in Indianapolis, Ind. The cuts illustrating Mr. Hill's article, together with the description of the apparatus used, were taken from the American Field of January 14, 1883.



Section 6, treating of both the English Sparrow (*Passer domesticus*) and the European Tree Sparrow (*Passer montanus*) in Saint Louis, Missouri, was contributed by the well-known ornithologist, Mr. Otto Widmann. This article is particularly instructive inasmuch as it emphasizes the contrast in disposition and habits of two closely related European birds which were brought to Saint Louis at about the same time.

The present report, as a whole, is believed to be the most systematic, comprehensive, and important treatise ever published upon the economic relations of any bird.

C. HART MERRIAM.

Q  
circ  
ure  
dur  
upw  
It  
this  
poss  
pers  
from  
only  
ble a  
clima  
distr  
urali  
many  
throu  
reach  
their  
ing,  
from  
row a  
excep  
Th  
maste  
used  
In  
gists'  
sults  
ity of  
prising  
by Dr  
teered  
Nat  
past l

icus) and  
Missouri,  
Widmann.  
s the con-  
can birds

systematic,  
economic

ERIAM.

## INTRODUCTION.

---

Questions relating to the English Sparrow were contained in the first circular on economic ornithology issued by the Department of Agriculture (in July, 1885). Subsequently these questions were amplified, and during the year 1886 a special circular and schedule were prepared, upwards of 5,000 copies of which have been distributed.

It has been the aim of the Department, in collecting information on this question, to get as much direct, original, unpublished evidence as possible, and to this end the circulars sent out asked for "facts from personal observation." It was desired, furthermore, to obtain data from all parts of the country over which the Sparrow had spread, not only in order to map accurately its distribution, but to detect if possible any differences in character or habits which might be due to varied climatic or other conditions. In addition, therefore, to the systematic distribution of circulars of inquiry among the agriculturists and naturalists of the country, requests for information were published in many agricultural and scientific periodicals, as well as in newspapers throughout the country, in the hope that many persons not otherwise reached might become interested in the subject, and be led to detail their own experience. The result has been, in the main, very gratifying, and to date there have been received from all these sources replies from about 3,300 persons, nearly two-thirds of whom report the Sparrow already established in their immediate vicinity, and, with very few exceptions, steadily increasing in numbers.

The remainder of these 3,300 reports, coming principally from postmasters in sections which the Sparrow has not yet reached, have been used mainly in mapping the limits of its distribution.

In addition to the material thus collected, the American Ornithologists' Union has turned over to the Department of Agriculture the results of its investigations, begun in 1883, on the eligibility or ineligibility of the European House Sparrow in America. This material, comprising full replies from about 110 persons, was collated and arranged by Dr. F. H. Hoadley, who, from interest in the subject, kindly volunteered his services.

Naturally, the discussion of this subject in America for several years past has led to the publication, in scientific and other periodicals, of a

vast amount of valuable information besides that which has come directly into the possession of the Department of Agriculture; and when to this is added the voluminous and oftentimes valuable publications relating to the status of the Sparrow in other countries, it will be seen that the material available for a satisfactory investigation of the Sparrow problem is very full and measurably complete. The collation and comparison of such data have involved a large amount of care and patience, and in presenting the results of this investigation to the public it is believed that any one so disposed can find in the present report facts enough to set at rest all doubts as to the economic status of this well known species.

At the outset of the investigation the fact was recognized that doubters on either side of the question would not be likely to abandon their positions on the simple presentation of any amount of mere opinion; and it was therefore determined to print in detail all the evidence on which the conclusions were based, so that each reader might see for himself whether the facts had been fairly interpreted, and whether the verdict was just or unjust.

In accordance with this plan, the present Bulletin will be found to consist of two very distinct parts, viz, evidence and deduction, the former far exceeding the latter in volume. Under the head of evidence will be found in its appropriate place every scrap of information relevant to the inquiry, under the name of the person contributing it, and accompanied, whenever possible, by the exact date and locality to which the information relates.\*

Most of the information contributed was received in reply to questions contained in circulars of inquiry. Wherever possible these replies have been printed in the same form in which they were received, and when for any reason it has been found necessary to change the form of a reply, either in dismembering a statement relating to several subjects, or in condensing several statements relating to the same subject, the utmost care has been taken to preserve the exact meaning of the observer; while in all cases where the meaning has been obscure, the statements have been given verbatim. Perhaps it might have been better in such cases to omit the statement altogether, but the fact has been kept constantly in mind that all such omissions might be construed by some as evidence of partiality or prejudice.

The deductions from this evidence, which constitute the larger portion of Part I of this Bulletin, are the result of careful study and comparison, and have been made, it is believed, with perfect fairness to all

\* The amount of testimony thus arranged proved to be so large—more than treble the size of all the remainder of the Bulletin—that when submitted for publication it was found to be absolutely impossible to print it entire, and consequently it has been reduced very greatly. The utmost care has been taken, however, to preserve the impartial character of the evidence as a whole, by retaining both favorable and unfavorable testimony as nearly as possible in the same proportions in which they existed in the report as originally prepared.

sides of the question. The history of the Sparrow controversy in America shows plainly, however, that it would be folly to expect all friends of the Sparrow to accept our conclusions as to its character and habits. There are some persons whose minds are so constituted that nothing is evidence to them except what is derived from their own observation, and as this unfortunate mental infirmity is commonly correlated with the total inability to observe anything which interferes with their theories, it makes little difference whether their opportunities have been good or bad, their position is unassailable. With this class of observers we have nothing to do. No amount of evidence will change their opinion, and fortunately for the good of mankind it makes little difference what that opinion may be. But the mass of American agriculturists, mechanics, and professional men are reasonable beings, willing to believe the reports of other men whose opportunities for observation have been better than their own, and it is believed that a majority of these men will be glad to examine the large amount of evidence presented, and settle for themselves the question of the Sparrow's character.

For those who have not time to read the evidence in detail summaries of the evidence on each head have been prepared, including tables showing the alleged injuries to each crop, and briefer summaries showing the numbers of favorable and unfavorable reports on each question. No doubt these tables are often misleading, for in them a simple yes or no from a man whose observation has been limited carries the same weight as the mature results of half a life-time of observation by another; yet many facts are brought out strongly which might be overlooked otherwise, and the tendency to give undue weight to numbers alone is partly corrected by the samples of evidence submitted in connection with each summary.

In regard to these "samples of evidence" it should be stated that it has been the endeavor to select those which would give a fair idea of the character of the evidence, not simply those which support any one view of the case. Undoubtedly objection will be made on the one hand to the selection of so few favorable reports, and on the other to the printing of any at all; but the aim has been to give each side of the question a representation proportionate to the weight of evidence, and when any deviation from this rule has been made it generally has been in a direction favorable to the weaker side, that is, to the Sparrow. The selection of many examples of the same kind from any one section of the country has been avoided, as it seemed best in many cases to call attention to the similarity of the reports from widely separated localities.

SUMM


---

## PART I.

---

SUMMARIES OF EVIDENCE; RECOMMENDATIONS; SPECIAL REPORTS.

---



ENGLISH SPARROW, PASSER DOMESTICUS.

From Yarrell.

The  
auth  
when  
stitu  
As  
full M  
two l  
"I  
Engl  
We b  
month  
not th  
"In  
re-int  
"O  
1852,  
in Liv  
to be  
*Europ*  
Spar  
the re  
chape  
John  
during  
"In  
wood  
multi  
increa  
\*The  
row" is  
nearly  
came fr  
so wide

## SECTION FIRST.—SUMMARIES OF EVIDENCE.

### IMPORTATION; SPREAD; INCREASE; CHECKS.

#### INTRODUCTION OF THE SPARROW.

The English Sparrow\* was first brought to this country, so far as authentic information has reached the Department, in the fall of 1850, when the Hon. Nicolas Pike and other directors of the Brooklyn Institute imported eight pairs into Brooklyn, N. Y.

As this first importation of Sparrows is of much interest, we give in full Mr. Pike's account of it and of the following importation a year or two later. He says:

"It was not till 1850 that the first eight pairs were brought from England to the Brooklyn Institute, of which I was then a director. We built a large cage for them, and cared for them during the winter months. Early in the spring of 1851 they were liberated, but they did not thrive.

"In 1852 a committee of members of the Institute was chosen for the re-introduction of these birds, of which I was chairman.

"Over \$200 was subscribed for expenses. I went to England in 1852, on my way to the consul-generalship of Portugal. On my arrival in Liverpool I gave the order for a large lot of Sparrows and song birds to be purchased at once. They were shipped on board the steam-ship *Europa*, if I am not mistaken, in charge of an officer of the ship. Fifty Sparrows were let loose at the Narrows, according to instructions, and the rest on arrival were placed in the tower of Greenwood Cemetery chapel. They did not do well, so were removed to the house of Mr. John Hooper, one of the committee, who offered to take care of them during the winter.

"In the spring of 1853 they were all let loose in the grounds of Greenwood Cemetery, and a man hired to watch them. They did well and multiplied, and I have original notes taken from time to time of their increase and colonization over our great country."

---

\*The true name of this bird is the "House Sparrow." The name "English Sparrow" is a misnomer, as the species is not confined to England, but is native to nearly the whole of Europe. The fact that most of the birds brought to America came from England explains the origin of the misleading name by which it is now so widely known that any attempt to change it would be futile.



Col. William Rhodes, of Quebec, Canada, states that in 1854 he introduced English Sparrows at Portland, Me. (Forest and Stream, Vol. VIII, p. 165). Others were introduced there in 1853 by Mr. Thomas Amory Deblois, and about the same time Mr. Jos. Peace Hazard introduced them at Peace Dale, R. I. These last birds came from Liverpool, England, and some escaped in Boston where they were landed. Nothing seems to have been heard of the escaped birds, however, and ten years later they were first regularly introduced into Boston Common. In 1860, twelve birds were turned loose in Madison Square, New York City; in 1864, they were introduced to Central Park, and two years later two hundred were set free in Union Park, New York City. About the same time they were first fully established in the city of Quebec, Canada, although one or two apparently unsuccessful attempts had been made previously.

In 1867 forty pairs were imported at New Haven, Conn., and the same year a colony was established at Galveston, Tex. In 1868 about twenty Sparrows were liberated on Boston Common, followed by more the next year, while at the same time twenty were released in Charlestown, Mass., only a mile or two away. This year (1869) witnessed the importation, in one lot, of a thousand Sparrows by the city government of Philadelphia; and this probably is the largest single importation of Sparrows ever made to this country. The same year twenty pairs were brought from Europe to Cleveland, Ohio, and sixty-six pairs from New York to Cincinnati, Ohio. Within the next two or three years they were introduced at San Francisco, Cal.; in 1873 a colony was imported and liberated at Salt Lake City, Utah; and about two years later they were introduced at Halifax, Nova Scotia, and at various points in Ohio, Michigan, and Wisconsin.

In many of the cases thus far mentioned it is positively known that the Sparrows were brought to this country from the Old World, and mainly, if not entirely, from Great Britain and Germany. But no sooner had they become fairly numerous at any of these points than people began to take them thence to other places, sometimes in large numbers, but more often only a few pairs at a time. In most cases these few birds were carefully watched, protected, and fed, and so multiplied rapidly, forming new colonies from which the birds spread steadily without assistance, and more rapidly by successive transportations by man. This important factor in the rapid increase and wide distribution of the Sparrow in America has been too generally ignored, and it is only within the past year that we have come to realize something of the magnitude of the "craze" which led so many people to foster and distribute this serious pest. None of our circulars relating to the Sparrow asked distinctly for information about its importation or introduction, but only for the date of its first appearance. In most cases, therefore, correspondents have simply given the information asked, and only an occasional observer has alluded to the manner of its coming.

Y  
liab  
a h  
hav  
by t  
Fr  
be c  
the  
the  
tanc  
part  
has  
lists

TAI

Brookl  
Portlan  
Peace  
Boston  
New Y  
Roches  
New H  
Galvest  
Charles  
Cleveland  
Philade  
Salt La  
Akron,  
Fort Ho  
Sheboy  
Iowa Ci

TABLE

Alabam  
Fult  
Arkans  
Hot  
Califon  
San  
Stou  
Colorad  
Den

Connect  
Nor  
Por  
District  
Wa  
Georgia  
Ath  
Mac  
Ron  
We  
Illinois  
Bell  
Car  
Mon  
Qu

1851 he in-  
cream, Vol.  
r. Thomas  
zard intro-  
from Liver-  
ere landed.  
wever, and  
oston Com-  
on Square,  
Park, and  
New York  
in the city  
uccessful at

, and the  
1868 about  
ollowed by  
released in  
(1869) wit-  
by the city  
t single im-  
ear twenty  
ty-six pairs  
or three  
73 a colony  
about two  
at various

own that  
World, and  
But no  
oints than  
es in large  
ases these  
multiplied  
d steadily  
tations by  
istribution  
d it is only  
f the mag-  
distribute  
row asked  
ction, but  
efore, cor-  
ly an oc-

Yet from the occasional statements thus made, and from various reliable published records, we have been able to make a list of more than a hundred places in the United States and Canada to which Sparrows have been taken, either by direct importation from the Old World or by transportation from place to place after their arrival in America. From the casual manner in which these data have been obtained it may be considered certain that they represent but a very small fraction of the number of points at which the Sparrow has been introduced; but the early dates of many of the importations, as well as the great distances separating many of the places, are very significant as affording a partial explanation for the unparalleled rapidity with which this bird has overspread the inhabited part of the continent. The following lists explain themselves:

TABLE I.—Places where English Sparrows have been introduced directly from Europe.

Place.	Date.	No.
Brooklyn, N. Y.	1851 and 1852	100
Portland, Me.	1854 and 1858	.....
Pease Dale, R. I.	1858	.....
Boston, Mass.	1858, 1868, and 1870	10
New York, N. Y.	1860, 1861, and 1866	220
Rochester, N. Y.	Between 1865 and 1869	*100
New Haven, Conn.	1867	10
Galveston, Tex.	1867	.....
Charlestown, Mass.	1869	20
Cleveland, Ohio.	1869	40
Philadelphia, Pa.	1869 or earlier	1,000
Salt Lake City, Utah	1873 or 1874	50
Akron, Ohio	1875	.....
Port Howard, Wis.	1875	.....
Shobogyan, Wis.	1875	6
Iowa City, Iowa	1881	5

\* About.

TABLE II.—Places, not included in Table I, where English Sparrows have been introduced.

Place.	Date.	Number.	Where obtained.
Alabama:			
Fufala	1882	4 birds	.....
Arkansas:			
Hot Springs	Between 1876 and 1880	.....	.....
California:			
San Francisco	1871 or 1872	.....	San Francisco.
Stockton	1883	.....	.....
Colorado:			
Denver	1877	6 pairs (subse- quently disap- peared).	.....
Connecticut:			
Norwich	Between 1865 and 1870	.....	.....
Portland	1849	5 birds	New York City.
District of Columbia:			
Washington	1870 or earlier	.....	.....
Georgia:			
Athalia (country near)	1876	.....	.....
Macon (country near)	1878	.....	.....
Rome	1881 or 1882	13 birds	Griffin, Ga.
West Point	.....	.....	Do.
Illinois:			
Belleville	1868	2 pairs	New York City.
Carmel	1870	2 pairs	Evansville, Ind.
Monmouth	Between 1872 and 1874	About 100 birds	.....
Quincy	1870	6 pairs	.....

TABLE II.—Places, not included in Table I, where English Sparrows have been introduced—Continued.

Place.	Date.	Number.	Where obtained.
<b>Indiana:</b>			
Evansville	1873.		
Indianapolis	1871 and 1872.	Several hundred.	New York City.
La Fayette	About 1874.	2 pairs.	
Richmond	1899.		Philadelphia, Pa.
<b>Iowa:</b>			
Cedar Rapids	About 1874.		Massachusetts.
Davenport	1870.	10 pairs.	
Dubuque	1876.	20 pairs.	
<b>Kansas:</b>			
Lawrence	1876 or 1877.		
Topeka	1874.	5 birds.	New York City.
<b>Kentucky:</b>			
Louisville	1865 and 1870.		
<b>Louisiana:</b>			
New Orleans	Between 1874 and 1870.		
<b>Maine:</b>			
Bangor	1870 or earlier.		
Lewiston	1874.	12 birds.	
<b>Massachusetts:</b>			
Brookline	1868.		
Cottage City	About 1882.	About 24 birds.	
Somerville	1871.		Boston (?).
<b>Michigan:</b>			
Jackson	Between 1874 and 1876.		
Owaso	1876.	4 birds.	
<b>Minnesota:</b>			
Saint Paul	1876.		
<b>Mississippi:</b>			
West Point	1880.	10 or 12 pairs.	
<b>Missouri:</b>			
Brookfield	About 1883.		Hannibal, Mo.
Hermann	1874.	7 pairs.	Bellefonte, Ill.
Mexico	About 1870.		
Queen City	1883.		New York.
Saint Louis	1859.	A few pairs.	New York City.
<b>Nebraska:</b>			
Nebraska City			Philadelphia, Pa.
<b>New Jersey:</b>			
Tuckerton	About 1873.		
<b>New York:</b>			
Poughkeepsie	About 1864.		
<b>North Carolina:</b>			
Goldsbrough	1879 or 1830.		
Wilson	1870 or 1877.	About 50 birds.	
<b>Ohio:</b>			
Cincinnati	1869.	66 pairs.	
Coshocton	1874.	13 birds.	Washington, D. C.
Marietta	About 1870.		New York City.
Portsmouth	1874.	2 pairs.	
Steenbenville	1880 or 1881.		
Wapakoneta	About 1882.		
Warren	1869.	Several pairs.	New York City.
<b>Pennsylvania:</b>			
Erle	Between 1871 and 1874.	102 birds.	Philadelphia, Pa.
Germantown	1873 or earlier.		
Milford	About 1874.		New York City.
<b>Pennsylvania:</b>			
Shippensburg	About 1868.	1 pair.	Philadelphia, Pa.
Titusville	About 1871.	5 pairs.	
Washington	1874.	12 birds.	Philadelphia, Pa.
Waynesburgh	About 1871.		Do.
West Chester	About 1875.	6 birds.	Do.
<b>Rhode Island:</b>			
Newport	1874.	8 birds.	Boston, Mass.
Providence	1866 or earlier.	8 birds.	New York City.
<b>South Carolina:</b>			
Chester C. H.	1872 or 1873.		
Columbia	1869 or 1870.	A few pairs.	
<b>Tennessee:</b>			
Knoxville	1874.	4 pairs.	New York City.
Memphis	1871.	3 pairs.	
<b>Vermont:</b>			
Saint Johnsbury	Between 1874 and 1876.		
<b>Virginia:</b>			
Culpeper	1873 or 1874.		Washington, D. C.
Fredericksburgh	About 1878.	5 young.	Richmond, Va.
Lynchburgh	About 1870.		Do.
Norfolk	Between 1871 and 1874.		
Richmond	1872.		New York City.

TABLE

Virginia

Suffolk

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

Worcester

TABLE II.—Places, not included in Table I, where English Sparrows have been introduced—Continued.

Place	Date.	Number.	Where obtained.
Virginia:			
Salem.....	1870 or 1871.....	.....	Richmond, Va (?)
Suffolk.....	1874.....	.....	.....
Warrenton.....	Between 1876 and 1878.....	.....	.....
Walthville.....	1875 or 1876.....	.....	Richmond, Va.
Wisconsin:			
Fox Lake.....	1881 or 1882.....	5 or 6 birds.....	Milwaukee, Wis.
Hartford.....	1870.....	.....	Do.
Madison.....	1873.....	About 20 pairs.....	New York City.
Milwaukee.....	About 1871.....	.....	.....
Sauk City.....	Between 1876 and 1878.....	1 pair.....	.....
Stevens Point.....	1874.....	6 birds.....	Detroit, Mich.
Wausau.....	1880.....	.....	Milwaukee, Wis.
Canada:			
Halifax, N. S.....	1875 or 1876.....	.....	.....
Hamilton, Ont.....	About 1872.....	.....	.....
Oshawa, Ont.....	About 1876.....	.....	.....
Ottawa, Ont.....	About 1873.....	10 pairs.....	.....
Strathroy, Ont.....	1874.....	6 pairs.....	New York City.
Toronto, Ont.....	About 1875.....	.....	.....
Montreal, Q.....	1870.....	.....	.....
Quebec, Q.....	1864.....	.....	.....

TABLE III.—Places where English Sparrows are said to have appeared as early as 1870, and where they may have been introduced, although not so reported.

Place.	Date.	Place.	Date.
Connecticut:		New Jersey—Continued.	
Manchester.....	1869-1872.....	Caldwell.....	1870.
Meriden.....	1870.....	Chatham.....	About 1868.
Middletown.....	1870.....	Hackensack.....	About 1870.
Georgia:		New Providence.....	1866 or earlier.
Albany.....	1867.....	Trenton.....	1870.
Macon.....	1865-1870.....	New York:	
Illinois:		Dobbs Ferry.....	1863.
O'Fallen Depot.....	1869-1870.....	Fredonia.....	About 1870.
Pekin.....	About 1870.....	Oswego.....	1870-1872.
Indiana:		Sing Sing.....	1866.
Burlington.....	1870 or before.....	Syracuse.....	1863-1864.
Irrington.....	1870.....	Utica.....	1861.
Marengo.....	1863, (?).....	Ohio:	
New Albany.....	1865-1870.....	Dayton.....	1867.
Iowa:		Hamilton.....	About 1868.
Burlington.....	1869-1870.....	Pennsylvania:	
Kentucky:		Lancaster.....	1870 or earlier.
Bloomfield.....	1868-1869.....	Middleburgh.....	1868 or 1869.
Lexington.....	1868-1871.....	Pottstown.....	About 1870.
Maryland:		Wrightsville.....	1867 or 1868.
Cumberland.....	1868.....	Virginia:	
Hancock.....	About 1865.....	Staunton.....	1870 or 1871.
Williamsport.....	1870.....	Waterford.....	1870 or 1871.
Massachusetts:		West Virginia:	
Holyoke.....	1870 or earlier.....	Shepherdstown.....	1866.
Medford.....	1869-1872.....	Wisconsin:	
Springfield.....	1866.....	Berlin.....	About 1870.
New Jersey:		De Pere.....	Do.
Bridgeton.....	1868.....		

A study of these tables shows that even before 1875 there were many large Sparrow colonies throughout the United States, east of the Mississippi, as well as several in Canada, one or more in Utah, one at Galveston, Tex., and probably another in San Francisco, Cal. There were small colonies also in eastern Iowa and in Missouri, Kansas, and Nebraska.

From this time to the present, the marvelous rapidity of the Sparrow's multiplication, the surpassing swiftness of its extension, and the pro-

digious size of the area it has overspread are without parallel in the history of any bird. Like a noxious weed transplanted to a fertile soil, it has taken root and become disseminated over half a continent before the significance of its presence has come to be understood. The explanation of this phenomenal invasion must be found in part in the direct assistance given by man in carrying it from place to place intentionally; in part in the peculiar impetus usually given prolific species when carried to a new country where the conditions for existence are in every way favorable; and in part in its exceptional adaptability to a diversity of physical and climatic conditions. This adaptability has enabled it not only to endure alike the tropical heat of Australia and the frigid winter of Canada, but to thrive and become a burdensome pest in both of these widely separated lands.

At first sight it seems difficult to understand why man should have taken so much interest in this bird, and aided in its rapid increase and spread; but the consideration of a few points bearing upon the matter will render the case more intelligible.

A considerable part of our population, and especially that of the newer parts of the country, consisted of Europeans who naturally remembered with pleasure many of the surroundings of their former homes and doubtless often longed for the familiar chirp of the Sparrow. They had no strong associations connected with our American birds, and our treeless cities and uncultivated prairies contrasted strongly with the thickly settled country—half garden, half city—which so many of them had left. So, as opportunity offered, small lots of Sparrows and other European birds were brought to this country; or after the Sparrows became abundant in our Eastern cities they were carried inland to a large number of different places. There is little doubt that if we could obtain the data relating to the introduction of Sparrows at all points where they are now found in the Mississippi Valley, we should find that by far the larger part of these introductions had been accomplished by English, German, and French citizens, inspired by the recollections of the birds of their fatherland.

In addition, the prevailing ignorance of the average American citizen with regard to our native birds, joined to the totally erroneous, or at least grossly exaggerated, reports of the benefits conferred by the Sparrows in New York, Philadelphia, and other Eastern cities, tended to increase the interest which naturally attached to an imported bird, until many persons went to the expense of purchasing and shipping Sparrows to considerable distances in the belief that they were insectivorous birds and must prove beneficial wherever they could be naturalized. In this way a veritable Sparrow "boom" was started, and the price of Sparrows in New York went up to such a point that many people desirous of obtaining the birds found it cheaper to club together and import them direct from Europe; while in many cases this was doubtless done from the desire to obtain birds from the neighborhood of the im-

porter  
import  
the E  
tations  
introd  
birds i  
and th  
der th

In th  
ornitho

The H  
or habit  
ings tha  
not kno  
tending  
Russian

Thus c  
out the g  
native co  
several o  
nearly al  
and has  
which pr

This  
true wh  
expect  
howeve  
differs  
older co  
the met  
man is  
cities a  
farming

As the  
country,  
ever, it i  
box-cars  
home as  
1883, on  
nerved Ma  
number o

The c  
ing thos  
railroad  
great ra  
been so  
slowly f

porter's native place, or through distrust of the kind of Sparrow already imported, which, unfortunately, was widely known from the first as the English Sparrow. We can never know how many separate importations were thus made, nor how many thousands of individuals were introduced, but it is certain that the number of places thus supplied with birds is much greater than has been supposed, and considering this fact and the rapid rate at which the Sparrow breeds, we ought not to wonder that it has so completely overrun the country.

#### METHOD OF DIFFUSION OF THE SPARROW.

In the ninth edition of the *Encyclopedia Britannica* the distinguished ornithologist, Prof. Alfred Newton, makes the following statement:

The House Sparrow is far too well known to need any description of its appearance or habits, being found, whether in country or town, more attached to human dwellings than any other wild bird; nay, more than that, one may safely assert that it is not known to thrive anywhere far away from the habitations or works of men, extending its range in such countries as Northern Scandinavia and many parts of the Russian Empire as new settlements are formed and land brought under cultivation.

Thus questions arise as to whether it should not be considered a parasite throughout the greater portion of the area it now occupies, and as to what may have been its native country. Moreover, of late years it has been inconsiderately introduced to several of the large towns of North America and to many of the British colonies, in nearly all of which, as had been foreseen by ornithologists, it has multiplied to excess, and has become an intolerable nuisance, being unrestrained by the natural checks which partly restrict its increase in Europe and Asia.

This statement of the Sparrow's relations to man is unquestionably true wherever the bird is known, and hence in America we should not expect to find it except in settled portions of the country. The manner, however, in which it overruns a new country to which it is introduced differs somewhat from the way in which it extends its range in older countries as the area of cultivation is extended. In America, the method by which the Sparrows spread without the direct aid of man is peculiar. They first invade the larger cities, then the smaller cities and towns, then the villages and hamlets, and finally the populous farming districts.

As the towns and villages become filled to repletion the overflow moves off into the country, and the Sparrow's range is thus gradually extended. Occasionally, however, it is suddenly transported to considerable distances by going to roost in empty box-cars and traveling hundreds of miles. When let out again it is quite as much at home as in its native town. In this way it reached St. John, New Brunswick, in 1883, on board the railroad trains from the west. In like manner another colony arrived March 1, 1884, in grain cars from Montreal. Similarly it has appeared at a number of towns in the United States. (Hoadley MS.)

The cities and towns first invaded by the Sparrow (of course excluding those where they are actually carried by men) are in most cases railroad towns; and especially in the West there is no doubt that the great railways along which vast quantities of grain are transported have been so many great highways along which the Sparrows have traveled slowly from place to place. More or less scattered grain is always to

be found along these railways, and the Sparrows naturally follow wherever food is found. To a lesser degree carriage roads have served the same purpose, the food furnished in the latter case being mainly the partially digested grain in horse droppings.

This gradual spread may take place at any season of the year, but probably is most pronounced in late summer and autumn, for reasons which will at once appear. It has been repeatedly remarked that when Sparrows are first introduced to a new region it is impossible, without actual confinement, to keep them on a farm near a town or city. They soon abandon the country for the city, and, except at harvest time, seldom return to the farm where they were introduced *until the city becomes crowded*. This may mean until there is no longer an ample supply of food for all the Sparrows, or, more commonly, it means until there are no longer enough convenient breeding places for all. In most cases it is the young which are thus crowded out, and consequently in mid-summer and early autumn flocks of young birds may be met with far out in the country, wherever food is abundant, and when this food fails, or the ground becomes covered with snow, they retreat to the nearest towns, villages, or even farm-houses, often at considerable distances from the places where they were reared. But, in most cities, a time arrives at last when more Sparrows collect in winter than can possibly find nesting places in spring. Then, when all desirable places have been occupied, the remaining birds are forced to go to other towns or villages, or to nest in the country.

In this way the country for miles about large cities becomes fairly crowded with Sparrows, if the food conditions are favorable, and then the Sparrow shows his great power of adaptation by constructing nests for himself in trees. Twenty years ago there were few places in this country where any such Sparrow nests could be found, but to day they are common almost everywhere, and frequently they are used as places of shelter and retreat in severe winter weather, as well as for breeding places in summer. At first, evergreen trees are preferred, and a bulky nest, hardly more than a large, irregular heap of straw and rubbish, is built; but as such trees become crowded, or as the Sparrows gain skill in building, other trees are used, and often the nests are smaller and more symmetrical. The nests of native birds also are often utilized as foundations, the rightful owners being driven off first. In places where Sparrows find abundance of food and congenial surroundings, they increase to such an extent that these nests seriously disfigure the shade trees, and by their filth even injure them. Mr. Ridgway, of the Smithsonian Institution, says:

The English Sparrow has been in Wheatland, Ind., since 1877, and is now very abundant. I recently counted twenty-one of its large nests on one oak tree by the roadside, a little distance outside of the village. (Washington, D. C., February 11, 1888.)

It may seem superfluous to many readers to introduce any evidence showing that the Sparrow is not confined to cities, but so many persons



who ought to be well informed in such matters have made careless or inaccurate statements in this connection, that a few words may not be out of place here.

It is true, as has been shown already, that Sparrows *prefer* towns or cities so long as their numbers are not excessive and food is abundant there; but it is equally true that where the conditions are favorable they eventually spread over the country as well as the towns, not only going out from the city to the wheat-fields in flocks, but taking up their residence at farm-houses, many miles from any large town, and remaining there throughout the year. The time which must necessarily elapse between the first appearance of Sparrows in a town and their occupation of the surrounding country will vary very much according to circumstances, and doubtless there are places in which, owing to certain peculiar conditions, such a state of affairs never will be reached, but, nevertheless, *as a rule*, such a result is only a matter of time.

Mr. F. W. Giles, who first introduced the Sparrows in Kansas, in 1874, writes from Topeka, under date of October 6, 1886:

They do not go out into the country at all, but have gone to various towns, distant 20 to 100 miles from Topeka.

And Mr. Byron J. Peckham wrote from Westerly, R. I., early in 1884:

They do not extend their visits to farms and their produce, but prefer the cities and villages.

Doubtless these statements are the results of actual observation in the localities named; but the observations do not cover a sufficiently long period to justify any general conclusions of the same kind, or even to make it probable that the Sparrows will continue to be so restricted in those cities. For it is a matter of every day observation, in a multitude of localities, that the Sparrows sooner or later overflow the cities and towns, and spread over the surrounding country. From personal observation in the neighborhood of New York, Washington, and other cities, as well as in the country about small towns, we are able to state that Sparrows are abundant along the country roads for several miles beyond the suburbs. That the same thing is true in various parts of the country appears from the following testimonials.

Mr. H. J. Gaylord, of Binghamton, N. Y., writes:

He is no longer a city resident, but is finding his way to the small villages, and already is at the farmer's houses eight and nine miles in the country. He builds not only in crevices and holes he finds around buildings, but in evergreen trees and running vines, on trellises; and he adapts himself to whatever condition he finds.

Mr. Witmer Stone, of Germantown, Pa., writes:

The Sparrow is now found throughout the villages, and about all the farm-houses in Chester and Lancaster Counties. It appeared in the villages of Lancaster County some years before it was common in Chester County, but it has now been common at the farm-houses in the central parts of the latter county for three or four years. I find it has also made its appearance at all the villages and farm-houses situated along the Susquehanna River in Lancaster and York Counties, but as yet it is not abundant there. (November 9, 1886.)



Dr. W. S. Strode, of Bernadotte, Fulton County, Ill., writes:

In the spring of 1885 I first noticed four or five pairs in our little town, making the eaves of the flouring mill their headquarters, and here they brooded. By the next winter their number had increased to a score or more, and they staid with us. The next season they had become numerous, nesting wherever they could find a suitable place in barns and houses, no one molesting them or paying much attention to them. This season by their increasing numbers they demanded attention and commenced spreading out into the country to find nesting places. (September 7, 1887.)

From L. N. Bonham, Oxford, Butler County, Ohio:

Farm one mile from village. The Sparrows are very abundant here, and are spreading from farm to farm in every direction. They appeared in the village about eight years ago. (November 29, 1886.)

From S. R. Ross, Portsmouth, Scioto County, Ohio:

The city is overrun with Sparrows, and they are also finding their way to the adjoining farms and villages. (September 2, 1886. Present about twelve years.)

From S. C. Prout, Prout, Erie County, Ohio:

They are here in large flocks on each farm, whether large or small. (January 7, 1887. Present about ten years.)

From William H. Elgar, Platteville, Grant County, Wis.:

There are as many here in the city now as ever, but it has extended into the country more. (November 23, 1886. Present about five years.)

#### RATE OF SPREAD OF THE SPARROW, AND EXTENT OF AREA OCCUPIED AT THE CLOSE OF THE YEAR 1886.

In the year 1886 the English Sparrow was found to have established itself in thirty-five States and five Territories. Of these it occupies the whole or large parts of the following thirty-three States and two Territories: Alabama, Arkansas, California, Connecticut, Delaware, District of Columbia, Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Nebraska, New Hampshire, New Jersey, New York, North Carolina, Ohio, Pennsylvania, Rhode Island, South Carolina, Tennessee, Utah, Vermont, Virginia, West Virginia, and Wisconsin, and is found in a few towns in Florida, Texas, Wyoming, Idaho, and Arizona. Small, isolated colonies may exist in a few other Territories, but if so they have escaped the searching inquiry of the Department. In the United States the total area occupied at the close of the year 1886 is 885,000 square miles; in Canada it is not quite 148,000 square miles; in all, 1,033,000 square miles.\*

Some idea of the alarming rapidity with which it is at the present moment multiplying and extending its range may be had from the fact that in the United States alone it has spread during the past fifteen years at the average rate of 59,000 square miles per year, and in the United States and Canada together at the rate of 69,000 square miles per year. But this *average* rate manifestly is misleading, so far as both

\* The data on which the computation of the Canadian area is based are insufficient, consequently the size of the area here given must be regarded as approximate only. The United States area, however, may be looked upon as very nearly exact.

extremes are concerned, for species increase in geometrical ratio. The rate for some time after 1870 was comparatively slow, while during the present decade it has progressed with astonishing rapidity, till in the year 1886 the new territory invaded must have reached the enormous number of 516,500 square miles, as may be seen from the following:

*Table showing approximately the extension in square miles of the English Sparrow, in periods of five years each, from 1870 till 1885, and its extension during the year 1886.*

	Square miles.
From 1870 to 1875 it spread over.....	500
From 1875 to 1880 it spread over.....	15,640
From 1880 to 1885 it spread over.....	500,760
In the year 1886 it spread over.....	516,500

This table of necessity is largely theoretical, though the ratio of increase must be very nearly correct. Year by year much of the reproductive energy of the Sparrow is expended in filling up the smaller towns and villages of the area: which, so far as the larger towns and cities are concerned, it covered some time previously.

#### RATE OF INCREASE OF THE SPARROW.

In asking for information as to the number of broods and young annually reared by the Sparrow, we hoped to receive many statements of fact, but our expectations have been hardly realized, as most of the replies seem to be mere guesses, not based on actual observation.

The fact that more or less nest-building goes on during every month of the year has led many people to suppose that the Sparrow breeds continuously, but such is not the case, at least in temperate climates. Enough material bearing on this point has been collected to show that Sparrows rarely or never raise more than six broods in a year, and the great majority probably do not raise more than four, at least in the latitude of New York.

In Washington the first young out of the nests may be seen in April, but they are not abundant before the first week in May or after the last week in August, though doubtless a few leave the nest in September, or still more rarely in October.

It is possible that a few eggs may be laid even in December and January, but it is extremely improbable that any young are reared at that time. In the latter part of February, in some years, many Sparrows begin laying, and occasionally a young brood may leave the nest late in March, but such cases must be considered exceptional.

Moreover, although nesting-boxes may be steadily occupied by Sparrows with their young or eggs from the first of April to the first of September, it does not follow that such boxes are tenanted all this time by the same parent Sparrows, or that one brood follows another without any interval. On an average, about four weeks elapse from the laying of the first eggs to the time when the young brood leaves the nest. The number of eggs in a set varies from four to seven, but is usually either five or six, and these ordinarily would be deposited in one week. Twelve or thirteen days are required to hatch them, and the young are

fed in the nest for about a week, and then for several days (sometimes as many as ten) after leaving it. More eggs may be laid in the same nest as soon as the young leave it, and in this way it is *possible* for a pair of Sparrows to rear one brood each month for five or six months, but it seems probable that generally the broods do not follow each other quite so rapidly.

It has been claimed that Sparrows which are hatched in the early spring often pair and rear young during the ensuing summer or autumn, but although several of our correspondents state this to be the case, we have not received sufficient evidence to justify us in supporting these views. Another theory which would account in part for the rapid increase of Sparrows is advanced in the following communications:

Dr. W. H. Bergtold, of Buffalo, N. Y., writes:

As regards the number of broods and young reared by a pair of Sparrows in a year, I wish to make a statement and put forth a theory that I have never seen advanced before. I have repeatedly examined nests of this bird containing nearly full-fledged young, two or three young in more or less advanced stages of development, and several eggs of various degrees of incubation, some being nearly fresh, while others were about to break through. I gather from these facts that the Sparrow, at least in some cases, lays and continues to lay a succession of eggs so long as the weather is not too cold; and as the young attain a sufficient amount of strength they are expelled from the nest. Assuming such to be the case we can easily see how much of the incubation work is taken from the parents and thrown on the young, who, by their bodily heat and proximity, readily take up such duties (quite unintentionally, I imagine), and also how much work can be given to the proper maintenance of a generous food supply for both the old and young.

This constant stream of outpouring Sparrows accounts for the rapid manner in which this species multiplies. (August 21, 1886.)

J. B. Stockton, of Toronto, Kans., writes:

The Sparrow had a nest under the eaves, and all summer there seemed to be fresh or newly-hatched birds in the nest. There were eggs in the nest all the time, and the warmth of the unfledged young hatched the eggs, so that there was a continuous and uninterrupted stream of full-fledged birds coming from that same nest all the season, and unfledged ones of various degrees at the same time remaining in the nest. I have never known or noticed anything of the kind with any other bird. (October 6, 1886.)

Although such cases as the foregoing may occur with more or less frequency, they certainly are not the rule, as it is certain that in most cases all the eggs are laid before any are hatched, and all the young leave the nest at about the same time.

Moreover, it is not necessary to resort to such a theory to account for the rapidity with which the Sparrow increases. It is a hardy, prolific, and aggressive bird, possessed of much intelligence and more than ordinary cunning. It is domestic and gregarious in habit and takes advantage of the protection afforded by proximity to man, thus escaping nearly all the enemies which check the increase of our native birds. Moreover, for many years it was looked upon with favor, and both food and shelter were provided for it.

Its fecundity is amazing, and from the testimony submitted it is evident that it is no unusual thing for a single pair, in the latitude of New York,

or fu  
Asso  
whic  
sake  
be so  
983,6

Annua

First...  
Second...  
Third...  
Fourth...  
Fifth...  
Sixth...  
Seventh...  
Eighth...  
Ninth...  
Tenth...

Of d  
of the  
of wh  
the an  
are ma  
shall h  
In som  
so rapi  
in alme  
pairs, 4  
from n  
Galves  
resulte  
troduc  
centers

The  
the rap  
From

They  
(Novem

From

It rea  
1884.)

From

It usu  
six broo  
ber of e  
6, 1884.)

or further south, to rear twenty or thirty young in the course of a year. Assuming the annual product of a pair to be twenty-four young, of which half are females and half males, and assuming further, for the sake of computation, that all live, together with their offspring, it will be seen that in ten years the progeny of a single pair would be 275,716,983,698. This will appear in detail from the following table:

*Annual increase and total number of English Sparrows, the progeny of a single pair, in successive seasons for ten years, assuming that all lived.*

Years.	Number of pairs breeding.	Number of pairs of young.	Total number of pairs.	Total number of birds.
First.....	1	12	13	26
Second.....	13	156	169	338
Third.....	169	2,028	2,197	4,394
Fourth.....	2,197	26,364	28,561	57,122
Fifth.....	28,561	342,732	371,293	742,586
Sixth.....	371,293	4,455,516	4,826,809	9,653,618
Seventh.....	4,826,809	57,921,708	62,748,517	125,497,034
Eighth.....	62,748,517	751,982,204	815,730,721	1,631,461,442
Ninth.....	815,730,721	9,788,768,652	10,604,499,373	21,208,998,746
Tenth.....	10,604,499,373	127,253,992,476	137,858,491,849	275,716,983,698

Of course, the actual increase of the Sparrow is but a small fraction of the total shown in this table, which is based on assumptions, some of which at least are not likely ever to be realized. But if we reduce the annual number of young per pair to twelve, still assuming that half are males and half females, and allow that all live even five years, we shall have as the total increase of one pair in that time 33,614 birds. In some cases it would seem as if these figures had actually been reached, so rapid has been the increase at certain places, but it is probable that in almost all cases the original stock in any town consists of several pairs, and these are usually increased from time to time by accessions from neighboring cities. It seems probable that the large colonies at Galveston, Tex., Salt Lake City, Utah, and San Francisco, Cal., have resulted wholly or in very large part from the few pairs originally introduced at those places, but it is impossible to say this of most other centers of abundance.

The following examples of evidence will serve to give a slight idea of the rapidity with which the Sparrow increases.

From Norwood Giles, of Wilmington, N. C.:

They rear four broods here. They began nesting as early as January 22 this year. (November 13, 1886.)

From H. B. Bailey, of East Orange, N. J.:

It rears five or six broods yearly, with four to six young in a brood. (February 7, 1884.)

From Thomas Chalmers, of Holyoke, Mass.:

It usually rears five broods annually, and five birds to a brood. I have known of six broods in a season from one pair of birds. Its fecundity is astonishing; the number of eggs that can be taken from a mature female is something incredible. (March 6, 1884.)

**From William F. Lamb, of Holyoke, Mass.:**

A pair which have bred in a box near my window for seven successive years, have reared three broods each year, averaging five young to a brood. (February 29, 1884.)

**From Clarence L. Cate, of Spencer, Mass.:**

I know of one pair that raised six broods in 1884, and I believe that four or five is the number of broods regularly raised by a pair. (October, 1886.)

**From Elisha Slade, of Somerset, Mass.:**

Five broods are usually reared in a season, and the number of young in a brood varies from five to eight; the average is six or more. A single pair become the parents of thirty or more young in one season. They often have their first brood late in March or early in April, and nestlings are common in September and October, and in every intervening month. Young birds hatched in April frequently pair and rear a brood in early autumn. (August 20, 1886.)

**From John F. T. Edwards, of Ironton, Mo.:**

The three or four birds which were here about two years ago have multiplied into one or two hundred. (November 15, 1886.)

**From J. M. Fowlkes, of Memphis, Tenn.:**

In the fall of 1871 three pairs of Sparrows were introduced here by Col. C. J. Sedden, and judging from the present crop they have thriven well. No other importation of these birds has been made, but the progeny of this stock now infest the city and the suburbs for several miles. (November 13, 1886.)

**From W. T. Sledge, of Lawrenceville, Va.:**

Seven were first seen here (in 1876), but since that time they have miraculously increased. Two Sparrows have been known to hatch twenty-four young in one nest during the summer. (November 12, 1886.)

**From Walter B. Hull, of Milwaukee, Wis.:**

I have killed nearly five hundred, old and young, since January. I killed ten broods the first sitting, and more than twenty the second, but even now they are hatching. The 21st of this month I killed four broods aggregating fourteen young. (August 23, 1886.)

The following account of the introduction, increase, and spread of the English Sparrow in the neighborhood of Strathroy, Ontario, Canada, is furnished us by Mr. L. H. Smith, of that place. He writes:

In March, 1874, I sent to a New York bird dealer, and he forwarded me per express, twelve birds, six males and six females, at a cost to me of \$1 each. If all the Sparrows in our town are mine, and my neighbors all say they are, then I have at least plenty for my money. The six pairs of Sparrows I turned out in some farm buildings near town, where they stayed for a week or two. By and by, by ones and twos, they moved to town, and, singular to say, one pair built a nest in the cornice of the house of the man who wrote me in England, in 1873, to bring some out, and another pair built in the next house to my own. They are now in thousands in our town, and are plentiful in every town, city, and village in this part of Ontario. I do not think they all came from the six pairs of birds which I brought here in March, 1874, because I remember in the summer of 1873 seeing them as far west as Syracuse, and they might have been farther this way.

Strathroy is 20 miles west of London, and 40 miles east of Port Huron, Mich.

It was only a few years after 1874 I noticed them at Toronto and London and other places east of this. It is perhaps eight years since they spread west of this. I have no proof that all did not come from my six pairs. For several years they increased

very slowly and gradually here, only one small colony the first year, two or three the next, and so on, till in a few years almost all suitable premises had colonies of them. There are none yet, so far as I know, in far northern and western Ontario. No special protection was given them in our town, save that the general feeling amongst our citizens was to protect them, and they were not molested. (October 11, 1886.)

## CHECKS ON THE INCREASE OF THE SPARROW.

The checks which have operated in the past to limit the increase and spread of the Sparrow may be roughly classed under two heads, (a) natural, (b) artificial; including under the latter head all those hostile influences due solely to man, and under the former all others. Among the natural checks may be mentioned climate, food, natural enemies (such as cats, hawks, jays, etc.), and disease.

It is a general rule in the animal kingdom that excessive multiplication tends to disease, and nearly all animals are subject to epidemics and parasites which tend to reduce their numbers when they become extremely abundant. But nothing of this kind is known among Sparrows, and they seem to be among the hardiest and healthiest of birds. It is true that albinism is quite common, specimens which are more or less white being frequently seen on the streets of most large towns, but this can hardly be considered an indication of weakness or disease in the species, although it probably does result from living under more or less unnatural conditions.

## NATURAL ENEMIES OF THE SPARROW.

As regards natural enemies the Sparrow is remarkably favored, for, from its constant association with man, it escapes nearly all the perils which restrict the increase of native birds.

It is generally supposed that cats must catch many Sparrows, but in point of fact it is rare for an adult Sparrow to fall into the clutches of this enemy, and even the young are not often caught. The centuries of experience which have developed this bird into a parasite upon man have taught it how to avoid the other semi-domesticated animals surrounding him, and it is safe to say that cats have far better success in catching the wariest of our native birds than in catching the Sparrow.

A few of our native birds kill Sparrows or eat their eggs and young, but the number of species is very limited, and, except in rare cases, the number destroyed is insignificant.

Probably the most useful bird in this respect is the northern shrike (*Lanius borealis*), which visits most of our Northern cities in winter and feeds freely on the Sparrow. At one time this shrike became so abundant on the common and public gardens in Boston that it threatened to destroy all the Sparrows, but the short-sighted authorities kept a man busy in shooting the shrikes until several dozen had been killed, and the useless Sparrows were considered safe.

In many cities and towns of the Mississippi valley the bluejay (*Cyanocitta cristata*) is said to lessen the number of Sparrows somewhat by

eating their eggs and young, but in most of the Eastern States this bird is rarely seen in towns and villages in summer, and so has little effect on the Sparrow.

The crow-blackbird or purple grackle (*Quiscalus quiscula*) also kills some Sparrows. Mr. Robert Ridgway states that he once saw it engaged in eating the young on the Smithsonian grounds; and Mr. William Brewster, of Cambridge, Mass., states that in one case he saw a grackle follow and kill a Sparrow which had been slightly wounded, and it at once began to eat its victim. Mr. Brewster also states that in Cambridge the grackles have steadily increased in numbers, while the Sparrows at present do not seem to be increasing at all; and he suggests that the two facts may be correlated in some way.

The sparrow-hawk (*Falco sparverius*) and the screech owl (*Megascops asio*) prey upon Sparrows, and their presence in our parks and about our houses should be encouraged so long as the Sparrows are abundant. Both these birds eat large numbers of insects, and rarely attack native birds. Several other predatory birds, such as the sharp-shinned and Cooper's hawks (*Accipiter velox* and *cooperi*) and the pigeon-hawk (*Falco columbarius*), sometimes feed largely on the Sparrow; but, as they also destroy many native birds, their protection can not be advised, except under peculiar conditions.

#### THE RELATION OF CLIMATE AND FOOD TO THE INCREASE AND SPREAD OF THE SPARROW.

Sparrows thrive at Montreal, Canada, and at Galveston, Tex., but it is nevertheless true that they do not increase as rapidly or as steadily in cold climates as in temperate ones. Scores of observers testify to the fact that Sparrows die in large numbers during very severe winters, and this mortality is usually attributed to cold. This, however, is a mistake, for a healthy, well-fed Sparrow can resist, without serious inconvenience, the lowest temperatures ever experienced in the United States.

Sparrows are "winter killed" usually because their customary food is covered by snow, or frozen hard, and they are thus starved to death rather than frozen. This is proved by the fact that small numbers of Sparrows, which have been regularly fed, but not otherwise cared for, have repeatedly survived the severe winters of Minnesota, while hundreds of Sparrows have died in places which were much warmer, because they were not fed by man and could not get enough food by their own efforts. No doubt Sparrows thrive best in temperate climates, where the ground is seldom covered by snow for any length of time; yet, if provided with a good supply of food, they may survive long periods of deep snow and low temperature.

It will be shown later that the principal source of food supply for city Sparrows is the droppings of grain-fed horses, and this supply is usually as abundant and accessible in winter as in summer. It will be seen at once, however, that with a temperature many degrees below

zero the complete

Sparrow of 1870 noticed in place, likely the

Our state have no zero hours fine snow loose surface thing fall

Not many ground is and I do deposit a large quantity in manner of

The state felt in no suffice to At first

Canadian that they and also Canada; and, finally, Canadian towns

There large numbers with or without

table catastrophic storms enormous numbers of cities, where J., and V. jeet, and Media, I killed at

\*The ground throughout not only with the spring, or following heavy snow places all over less Sparrows food supply



zero this offal is frozen so quickly and thoroughly as to cut off almost completely the Sparrows' main reliance.\*

Sparrows were introduced at Saint Paul, Minn., as early as the fall of 1876; yet at the present time there are so few that they are seldom noticed. The following statement by an observant resident of that place, Mr. Morton Barrows, shows at least one cause, and that undoubtedly the principal one, for this state of things. He says:

Our streets are not cleaned in winter, sleds being used universally. Moreover, we have no thaws, and everything remains frozen solid until spring. At 30 degrees below zero horse droppings freeze almost instantly, and are generally covered with the loose, fine snow of the streets as they fall, that is, it is so cold that there is always a fine, loose surface snow, from 1 to 5 inches deep, even in the most used streets, and anything falling into that is quickly buried by passing teams.

Not much grain is moved here in any weather, especially not in winter. The ground is generally covered deep with snow from the middle of November until April, and I do not see what Sparrows can find to feed on. Again, we have more or less deposit each day, even in clear weather. When it is intensely cold spiculae fall in large quantities, generally in the morning, while snow-storms are very frequent. All manner of refuse is thus quickly covered.

The same check on the increase of the Sparrow has doubtless been felt in many other Northern cities, and it is possible that this alone will suffice to render the bird harmless near the northern limit of its range. At first sight it may seem that the abundance of Sparrows in some Canadian cities would be fatal to this theory; but we must remember that the climate of Minnesota is much more severe than that of Ontario, and also that Sparrows were originally introduced at many points in Canada; that they have been there much longer than in Minnesota; and, finally, that they have been cared for much more generally in Canadian towns than in those of Minnesota.

There is abundant evidence that Sparrows are killed sometimes in large numbers in summer as well as in winter. Severe thunder-storms, with or without hail, but accompanied by high wind, have proved veritable catastrophes to many Sparrow communities, especially where the storms come on at night or after the Sparrows have assembled in large numbers at their roosting places. The details of such Sparrow calamities, which occurred at Rockford, Ill., Baltimore, Md., Jersey City, N. J., and Washington, D. C., will be found in the evidence on this subject, and we have records of similar cases at Rochester, N. Y., and Media, Pa. In some instances thousands of Sparrows have been killed at a single locality by a single storm, the deaths resulting ap-

\*The great "blizzard" of March, 1838, doubtless killed vast numbers of Sparrows throughout the area in which it was most severe. In New York and Pennsylvania not only were hundreds found dead as the snow melted away, but their scarcity during the spring months was generally remarked. Although this storm was accompanied, or followed, by severe cold in many places, it was more remarkable for very heavy snow-falls and high winds; moreover, it lasted two or three days, and in many places all out-door traffic was suspended for several more. Thus, doubtless, numberless Sparrows survived the violence of the storm only to find all ordinary sources of food supply cut off, leaving them to die of starvation.



parently from a thorough drenching, followed by chill, and in some cases doubtless hastened by exhaustion.

Although, as already seen, climate may play an important part in aiding or preventing the increase and spread of the Sparrow, it is certain that the abundance or scarcity of food is even more important. Wherever Sparrows have been introduced by man they have been fed and housed to a certain extent, at all events at first. But soon they have been left to shift for themselves, which is usually the case when they spread unaided from town to town. Grain-eaters by nature and by preference, we have seen how they follow railroads and carriage roads from place to place, living by the way on good or refuse grain, and always tarrying longest in places where such food is most abundant. At harvest time they go out by day into the wheat fields near town, often coming back at night to roost; and when the grain fields are cleared or when snow covers them the Sparrows turn to the city streets with the certainty that a large amount of their favorite food will be found there. Wherever in civilized countries horses are used, more or less grain is necessary to keep them in working order. It may be wheat, rye, oats, barley, or corn, and they may eat much or little, crushed or whole, yet a certain proportion always remains more or less undigested, and much of this eventually becomes accessible to the Sparrows.

The most casual observer can not have failed to notice the eagerness with which the bird appropriates such food, and there is no reason to doubt that this food, more than all other attractions combined, has made the Sparrow what he is—primarily a bird of the street. Under ordinary circumstances this partly digested grain from horse-droppings doubtless forms at least 90 per cent. of the town Sparrow's food, and is not only an abundant and excellent food for the adults, but by virtue of its partial digestion is most admirably fitted for the first food of the young.

The practical bearing of this important fact is obvious: Sparrows introduced to any town at once find themselves provided with an abundance of nutritious food such as they have always preferred. The nooks and crannies about buildings furnish all necessary shelter and the best possible nesting places; proximity to man insures partial protection from the ordinary bird enemies; and so for a dozen generations their increase is rapid and steady.

As they increase in numbers the first check is likely to come from an insufficient number of good nesting places, and in case this want is met, the supply of food may at last become inadequate. Then follows a natural and gradual extension into the surrounding country, or along the roads to neighboring towns and cities. If these towns belong to grain-growing districts the increase may continue indefinitely, or until public apprehension is excited and measures are taken to suppress the threatened scourge. If the grain fails, or some other food becomes su-

perabundant, the Sparrows readily adapt themselves to circumstances, and, as they are always tasting of everything eatable, they frequently acquire a strong liking for some particular fruit or vegetable previously unnoticed. There is scarcely a vegetable product grown by farmer or gardener which the Sparrow can not eat, and there are very many to which it is disastrously partial. Even the most superficial examination of the evidence printed in this volume will satisfy any candid man of the truth of the statement.

And this brings us to the consideration of those checks to the Sparrow's increase which are due solely to the influence of man, and which may be denominated artificial.

#### DIRECT INFLUENCE OF MAN IN CHECKING THE INCREASE OF THE SPARROW.

*Public opinion.*—During the first fifteen years of the Sparrow's colonization of America, say from 1855 to 1870, the hostile influence of man was practically nothing. A few protests from intelligent naturalists who opposed its introduction; a few warnings from naturalized citizens who had spent many years fighting the bird in their native land—this was all. On the other hand, scores of enthusiastic "benefactors" of the country were urging its introduction in increased numbers, and aiding and protecting those already brought, by every possible means, even to the enactment of city ordinances and police regulations. During the next decade, however, more opposition was developed, and although Sparrow enthusiasts were still providing nesting boxes by the thousand and food by the barrel in many cities where Sparrows were few, still there was no little retrenchment in some of the cities where they had become abundant, and the disposition among practical citizens to let the invaders shift for themselves steadily increased. Toward the latter part of this period a few laws which had especially protected them were repealed, but in very few places were active measures adopted looking to the limitation or suppression of their increase.

It is impossible to mark the precise date at which the tide of public opinion turned against the Sparrow. There has been no sudden change, but a gradual falling away in the number of Sparrow adherents. One after another of its loudest advocates has become silent, and a few have honestly admitted their change of opinion.

In most cases such change of views has not been the direct result of any one argument, oral or written, but of the gradual accumulation of such an amount of evidence that at last it became irresistible. A man who has seen thousands of Sparrows at work on his own wheat-fields is convinced that the bird is not altogether harmless, whatever may have been his previous theories on the subject. If he subsequently suffers from its attacks upon his fruit, his preconceived notions of Sparrow habits are still further modified; and when he finds that native birds decrease as the Sparrows increase, he is constrained to believe that possibly some of those who have testified to similar experiences

were neither fools nor knaves. This leads to a re-examination of the facts on which he based his theories originally, and the result is that his former conclusions are reversed.

Unfortunately, the men whose experience thus qualifies them to speak authoritatively on the subject are not often the men who can and will publish widely their observations and conclusions. Nevertheless, such experiences have become so frequent in all parts of the country during the last few years that the weight of public opinion, especially among agriculturists, is very decidedly against the Sparrow. Since 1880 this change of sentiment has been marked.

*Effect of legislation.*—Little or no protective legislation has been enacted; many of the laws formerly protecting the Sparrow have been repealed; and in most cases such city regulations as have not been modified have become practically dead-letters.

Moreover, bounties have been offered by some towns and counties, and by one State (Michigan), which now pays a bounty of 1 cent per head on English Sparrows.

The question of the expediency of bounties is discussed elsewhere, and it is sufficient here to remark that as a rule they do not give satisfactory results.

The repeal of protective acts, however, certainly has done much to check the increase of the Sparrow, since it allows persons so disposed to wage open warfare on the bird. So long as it was protected by law little effective action could be taken toward its destruction, though much was done to prevent its increase.

*Shooting, poisoning, trapping, nest destroying.*—The filthy habits of the Sparrow about buildings everywhere, early led to the use of wire netting or some other protective device about cornices, window casings, etc., while all openings in which it could nest were carefully closed up. Later, these points were kept in mind when planning new buildings, and no available cavities were left. Many people removed the boxes originally put up for the Sparrow as soon as they became familiar with its habits and saw the danger to be expected from its increase. For the same reason food which was lavishly furnished at first was afterward withheld, and the birds were compelled to shift for themselves. Where ornamental vines were disfigured by filth and nesting rubbish the nests were sometimes torn down or the birds driven away by disturbing them repeatedly at night, though there is no doubt that in many cases they remained undisturbed in such places owing to the belief that any other course would be at the risk of prosecution by the town or city authorities.

Such frequent interruption in its domestic affairs naturally did much to prevent the most rapid increase of the Sparrow, but as such efforts were mainly isolated, and affected only certain restricted localities, they had little permanent effect. A Sparrow's preferences are one thing and its necessities another, and when persecuted in one place it has always

been  
distur

In t  
metho  
possib  
such o  
the us  
fully p  
and ap  
have b  
to the  
Mr. W  
years e  
rows in  
said to  
the gra  
The bir  
matche

We k  
kept fa  
atic des  
Pawlet,

On this  
two succ  
on neigh

So lon  
lowed u  
soon be

In Se

They ar  
enty-five

About

A war  
early in t  
coming in  
regard to  
thing, the

Under  
missione

Our cit  
purpose o  
thus affor  
Something

Simila  
individu  
but from  
where th

been easy to find another where, for a time at least, it could rest undisturbed.

In towns and cities where no direct protective legislation existed other methods of limitation, such as trapping, shooting, and poisoning, were possible, but in most cases these methods were limited practically by such city ordinances as forbid the use of fire-arms within city limits, or the use of poisons without special permission. Trapping can be successfully practiced only by a few persons who have the requisite knowledge and appliances, and there is little evidence that the numbers of Sparrows have been much lessened in this way. Much interesting information as to the best methods of trapping Sparrows will be found in the report of Mr. W. T. Hill on this subject. In spite of the fact that during the two years ending October 1, 1887, Mr. Hill trapped upwards of 40,000 Sparrows in Indianapolis, Ind., they are still superabundant there, though said to be considerably less numerous than formerly, especially about the grain elevators, warehouses, etc., his particular field of operations. The birds thus trapped have been used for the most part in shooting matches.

We know of instances in which a single garden or estate has been kept fairly free from Sparrows by continual shooting and the systematic destruction of nests and eggs. Thus Mr. Albert H. Phelps, of West Pawlet, Vt., wrote in 1881:

On this farm they have been destroyed by breaking up the nests and by shooting for two successive years, and now they do not come here. They are abundant, however, on neighboring farms where they have been undisturbed.

So long as they are destroyed only in a few places they must be followed up every year and not allowed to regain a foothold or they will soon become as numerous as ever.

In September, 1886, Mr. William Kaucher, of Oregon, Mo., wrote:

They are all shot every spring, but others come in to take their places later. Seventy-five or eighty were thus killed in our court-house park last spring.

About a year later (November 14, 1887) Mr. Kaucher wrote:

A war of extermination was waged by our citizens against the Sparrows, beginning early in the spring and extending into June, when they were all killed. They are coming in now from other places, but the same course will be followed next year in regard to them. Now, if communities around us could be induced to do the same thing, they could be kept in subjection, if not altogether destroyed.

Under date of March 2, 1888, Mr. Kaucher again wrote to the Commissioner of Agriculture as follows:

Our city council lately made an appropriation for the purchase of powder for the purpose of killing sparrows. Our sportsmen availed themselves of the opportunity thus afforded, and within the past ten days have killed nearly all that could be found. Something of this kind seems better than the use of poisoned grain.

Similar testimony has been received from a few other places, while individual efforts to exterminate the birds have been quite common, but from the nature of the case only temporarily successful. In places where the first few pairs of Sparrows have been shot or driven away on

their appearance, it seems to have been comparatively easy to keep others away as they came, for the Sparrow is naturally observant and suspicious, and only grows bold and aggressive as its numbers become formidable or its position assured.

To judge from the reports of our correspondents, poison has not been used very generally, and when used it has not always given satisfactory results. Still, undoubtedly it has had some effect in restricting the pest, and oftentimes the apparent failure of an experiment has been due to the imperfect methods of administering the poison. This subject is discussed in another place, and it need only be remarked here that the judicious use of poison in winter, especially in Northern cities, will probably afford one of the simplest solutions of the Sparrow problem.

The following examples of testimony serve to show that Sparrows are kept more or less in check in some places through the efforts of individuals, and mainly by the use of the gun.

From T. D. Barron, Saint Clair, Mich.:

I have known of almost entire flocks being killed by persistent shooting in the winter, when they are driven to the barn-yards for food. (October 7, 1886.)

From H. F. Barrell, New Providence, N. J.:

I shoot all I see on my premises in the spring; consequently I have very few. (August, 1885.)

From A. H. Wood, Painted Post, N. Y.:

Some are shot, a few poisoned by strychnine, but the increase is principally restricted by destroying the nests. (August 10, 1886.)

From Adolph Leue, Cincinnati, Ohio:

I have shot a great many, but it seemed to do no good. (October 12, 1886.)

From Dr. H. D. Moore, New Lexington, Somerset County, Pa.:

The shotgun has been our only remedy for them. By shooting a part the remainder become shy, and sometimes all leave for weeks at a time. (December, 1885.)

From J. F. C. DuPre, Abbeville C. H., South Carolina:

On my own place within twelve months I have killed over five hundred Sparrows by shooting them with shot cartridges from a 32-caliber rifle. This makes a small report and does not frighten the birds, but it is expensive. (August 30, 1887.)

From Rev. Henry Fairbanks, Saint Johnsbury, Vt.:

A few hundred were shot last summer, but only a private bounty has been paid for their destruction. (February 5, 1884.)

From W. W. Gilman, Stoughton, Dane County, Wis.:

For two or three years past people have been allowed to shoot them inside the city limits for a period of ten to fourteen days during the brooding season, and this summer they turned the hose on their nests and washed them out. (August 30, 1886.)

*Use of the Sparrow for food.*—During the last half dozen years Sparrows have been used as an article of food in many places in this country, as they have been in Europe for centuries, and the demand for them for this purpose has doubtless lessened their numbers somewhat.

in and about a few cities. The following examples of testimony illustrate this point.

From J. Percy Moore, Philadelphia, Pa.:

Immense numbers are killed in the autumn, when feeding on the seeds of reeds in the marshes, and prepared and sold as reed-birds by the restaurants. (September 27, 1886.)

In Albany, N. Y., Sparrows were regularly quoted in the market reports during the fall of 1887, bringing \$1 per hundred, or 25 cents per dozen.

The following extracts from the Albany Express show that the birds are appreciated there:

Sparrows are still a feature of the market, and one Albany lad, Charles Lambert by name, shot one hundred and thirty-five of the little pests Saturday, out of a single flock of about five hundred, on the outskirts of the city. A well-known game and poultry dealer took in one thousand seven hundred of them last week and sold about all. Yesterday the same man disposed of two hundred. (November 7, 1887.)

The Albany youth are still waging war on the Sparrows, and they are all gradually being driven from the city. One game and poultry dealer in town has thus far bought and then sold to others about three thousand eight hundred of the little pests. They are excellent pot-pie and are regarded as excellent eating by those who have made the trial. The flavor is said to be somewhat like that of reed-birds and much superior to quail. (November 18, 1887.)

It will appear from the foregoing statements, and still more forcibly from an examination of the testimony on which they are based, that although man originally did much to aid in the increase and spread of the Sparrow, he has done comparatively little as yet to restrain this increase and lessen or prevent the evil which his ignorance and thoughtlessness have caused.

*How the farmers of Great Britain regard the Sparrow.*—The very fact that in Europe the good and bad characteristics of the Sparrow had been discussed for centuries without any absolute settlement of the question should have made us cautious in introducing it to America; and when, later, the calamitous results of its introduction to Australia and New Zealand became evident, steps should have been taken at once to prevent its further spread in this country. The following statement of Mr. Jabez Webster, a practical nurseryman and fruit-grower, serves to show how much trouble might have been prevented by a little intelligent inquiry among the farmers of the Sparrow's native land, before bringing the bird to our shores.

Mr. Webster writes:

After twenty-two years' residence in the United States I visited England, Scotland, and Wales, traveling and observing in most of the counties of England and sister countries. I found that intelligent agriculturists and horticulturists everywhere I went were astonished that the American people should have introduced so destructive and worthless a bird into their country. One gentleman in the county of Norfolk said that in that county they had been spending money to destroy Sparrows for fifty years, and still had to spend money. I found the same opinion prevailed among well-informed persons in country and town in Bedfordshire, Huntington, Stafford, War-

wickshire, Yorkshire, Lancashire, in Scotland and Wales, and in the great small-fruit counties of Surrey and Kent. (Centralia, Ill., December 21, 1886.)

There can be no question that a thousand times as much energy and money have been spent already in fighting Sparrows in America as were expended in introducing and caring for them at first, but the results of the efforts in the two cases are painfully disproportionate.

The magnitude of the evil and the absolute necessity of taking active and comprehensive measures for its abatement will be better understood after an examination of the following seven sections which precede the recommendations which we hope may lead finally to the extermination of the European House Sparrow in America.

### INJURY TO BUDS, BLOSSOMS, AND FOLIAGE.

The direct evidence as to the alleged injury to buds, blossoms, and foliage by the Sparrow comes from 31 States, the District of Columbia, and Canada, and consists of reports from 584 observers. Of these, 265 allege positive damage of varying kind and degree; 12 are indeterminate; and the remaining 307 are favorable to the Sparrow, at least negatively, inasmuch as they report no damage of this kind observed. By far the greater part (294) of these negative reports, however, have little weight, being brief, often monosyllabic, negatives written in reply to the schedule questions, without anything to indicate the extent or closeness of the writer's observation. Less than one twentieth—scarcely more than a dozen reports, in fact—indicate that, in spite of good opportunities and careful observation, no injury to buds or foliage has been noted. Ninety observers report injuries to foliage of vines, shrubs, and trees through the Sparrow's roosting or nesting in them in large numbers. One hundred and twelve report injuries from the eating or wanton destruction of buds and blossoms of fruit trees. Forty-six report injuries to buds of other kinds; and thirty-four report injuries to trees or vines without specifying the nature or extent of the damage.

### INJURY BY FILTH.

The question of injury by filth can hardly be called a question at all, as it is one of the points against the bird which is universally conceded, even by its staunchest friends. It is perfectly safe to say that in every town or city in the Union where Sparrows are really abundant very many ornamental trees and vines are annually injured from this cause alone, and the statement that such damage is not known at any point may be taken as conclusive evidence that the Sparrow is by no means abundant there. A few scores of Sparrows may roost constantly in a large vine or group of trees without doing material injury, but when, as is frequently the case, several hundreds or even *thousands* roost together, so that the vines or branches are actually crowded with them, the beauty of the foliage is seriously marred or altogether destroyed and the life of the trees or vines is endangered.

A f  
Mr.

says:  
It is i  
The lux  
was thu

Dr.  
31, 188

All ev  
drop off

Erne

They  
and tho  
ment fro

Othe  
Fron

There  
Sparrow

From

It inju  
trees on a  
grape-vi

From

It inju  
had to cu

From  
the Dep

They se  
sis Veiteli  
respondin

The d

nest is to  
will giv

vorably

During  
pany with

Church, or  
ber at abo

I have r  
out my kn

The same  
Church, al

at one time.

Other  
ing, but

Dr. Geo

They roo  
leaves. I f  
by their ex



A few examples will suffice to illustrate this statement.

Mr. Robert Ridgway, Ornithologist of the Smithsonian Institution, says:

It is injurious to ornamental vines, etc., by the chemical action of its excrement. The luxuriant English ivy which once covered portions of the Smithsonian building was thus totally destroyed.

Dr. Frank H. Braymer, of West Pawlet, Vt., under date of August 31, 1886, writes:

All evergreen trees and hedges are injured by the birds roosting in them. The leaves drop off and in many instances large sections of a hedge die.

Ernest D. Wintle, of Montreal, Canada, writes:

They build their nests in the vines that are trained against walls of houses here, and the vines are killed by the large quantity of nesting material and by the excrement from the birds. (September 20, 1886.)

Other reports are:

From Fred. S. Odle, Lapeer, Mich.:

There are two large maple trees in our town which are particular haunts of the Sparrow, and which they have nearly ruined.

From L. M. Mottweiler, Georgetown, Ind.:

It injures trees and vines by roosting in them. I had to cut away my ornamental trees on account of the number of Sparrows near the house. They now roost in my grape-vines.

From Charles H. Lawton and John J. Peckham, Newport, R. I.:

It injures hardy ivies on buildings, also pine trees. We know of parties who have had to cut down trees on account of the Sparrows.

From William Saunders, superintendent of garden and grounds of the Department of Agriculture, Washington, D. C.:

They seriously disfigure ornamental vines by their nests and droppings. *Ampelopsis Veitchii* affords them one of the best nesting and roosting places, and suffers correspondingly.

The damage occasioned to vines in which large numbers of Sparrows nest is too well known to require comment, but the following statement will give some idea of the numbers which nest in such vines when favorably situated. Eli W. Blake, 3d, of Providence, R. I., says:

During the season of 1884, from April 22 to June 27, inclusive, I took, in company with a friend, 995 Sparrows' eggs from the ivy covering the walls of St. Stephen's Church, on George street, in this city. I did not count the nests, but estimate the number at about fifty-five or sixty \* \* \*

I have reason to suppose that eggs were occasionally taken during this period without my knowledge; the figures given, however, I can personally vouch for. \* \* \* The same year (1884) that I took the eggs from St. Stephen's, the sexton of St. John's Church, also in this city, took 970 eggs and two cart-loads of nests from that building, at one time. (April 20, 1886.)

Other kinds of injury, less general and not so serious as the preceding, but still not to be ignored, are specified in the following replies:

Dr. George J. Fisher, of Sing Sing, N. Y., writes:

They roost on my English ivy and injure it by picking off hundreds of fresh green leaves. I find the leaf stalks fairly chewed by them. They also disfigure the foliage by their excrement. (March 18, 1887.)



J. Percy Moore, of Philadelphia, Pa., writes:

A lady living in Doylestown, Pa., mentioned to me that she had seen the Sparrow wantonly pull off the leaves of a silver maple growing in front of her house. (August 11, 1885.)

October 11, 1885, I saw a number of the same species pulling off the leaves of the common locust tree. They seemed to be biting off and eating the fleshy bases of the leaf stems. Large numbers of leaves were thus treated and let fall to the ground.

Benjamin F. Hess, of Phoenix, N. Y., writes:

I have many times seen a flock in a shade tree biting off the leaves and letting them fall. (August 25, 1886.)

Dr. Howard Jones, of Circleville, Pickaway County, Ohio, writes:

They tear from walls by their weight the fin-leaved ivy, hundreds of them often alighting at one time among the branches. (August 19, 1886.)

Charles M. Clapp, of Albion, Ind., writes:

Last spring they would alight on the young grape-vine sprouts and break them off. (October 14, 1886.)

#### DESTRUCTION OF BUDS AND BLOSSOMS.

But serious as is the injury occasioned by the filthy habits of the Sparrow, it sinks into insignificance beside the destruction of buds and blossoms in winter and spring. This, like the preceding charge, is one which many of the Sparrow's friends admit without argument, but there are still a few who believe that in destroying buds the bird is only seeking and destroying insects hidden within, while a still smaller number deny that the Sparrow ever eats enough buds to do any harm.

The most which can be said for the Sparrow in extenuation of this habit is that the damage done does not *seem* to be serious in all cases; but, even if this be true, it is an extremely weak defense, for the injury is sure to increase as the Sparrows become more numerous. The greatest damage will result from the presence of large numbers of Sparrows among a few fruit trees, and where these relations are reversed little damage is like to ensue.

It has been claimed that the buds or blossoms taken by the Sparrow cause no loss of fruit, since only a small proportion of blossoms could develop fully under any circumstances. But this claim is based on the assumption that the bird takes but a small proportion of the buds on any tree, and that the loss is evenly distributed; whereas, in point of fact, there is no such equalization of the loss, but entire twigs or branches are stripped at a single visit, and the consequent loss of fruit is inevitable. A thousand blossoms might be picked by hand from a peach tree without lessening the crop in the least, but if the same number of blossoms were destroyed by Sparrows it could not fail to affect the yield of that tree materially.

A point more frequently made, and with far less evidence in its favor, is the claim that Sparrows select only the buds or blossoms which are infested with insects. There is scarcely a shadow of evidence on which

to ba  
the a  
while  
by th  
Th  
place  
the r  
destr  
Th  
ing fr  
to ha  
simil  
belief  
we in  
receiv  
the sy  
Fro  
It p  
(Febr  
Fro  
It pic  
grubs in  
Fro  
I hav  
about t  
crop of  
Fro  
It ber  
Holyoke  
(March  
Fro  
As yet  
Though  
foundat  
Fro  
I have  
with inj  
It is  
overloo  
cutting  
village  
individ  
tree or  
buds a  
because  
because

to base such a claim. So far as we are aware, not a single bird shot in the act of bud-eating has been found to contain traces of any insect, while perfectly sound buds and fragments of sound blossoms are found by the score in such birds.

The Sparrow does eat insects sometimes, but it gets them from other places than from buds and blossoms, which latter it destroys mainly for the material of which they are composed, though at times it seems to destroy them simply for pleasure.

The well-known fact that many insectivorous birds frequent blossoming fruit trees and feast on the insects attracted by the flowers, appears to have led some friends of the Sparrow to believe that this bird has similar habits. Although our own investigations do not bear out this belief, yet in deference to the opinions of those who hold other views, we insert here a few of the strongest and most favorable statements received, and others will be found in full in their proper places with the systematic evidence on this question.

From Hon. Nicolas Pike, Brooklyn, N. Y.:

It positively does not injure trees. I know it to be beneficial to the grape-vines. (February 8, 1884.)

From W. J. Kenyon, Brooklyn, N. Y.:

It picked the buds off my peach trees, but I found that it only picked buds that had grubs in them. (September 4, 1886.)

From Dr. H. A. Hagen, Cambridge, Mass.:

I have never seen it injure trees by picking off buds, but have seen it examining about the buds of cherry and pear trees for little insects; and then we had a better crop of fruit. (April 13, 1884.)

From Thomas Chalmers, Holyoke, Mass.:

It benefits rather than injures the shade, fruit, and ornamental trees. The trees of Holyoke, once so festooned with abominable crawlers, are now a pleasure to look at. (March 6, 1884.)

From W. H. Ragan, Greencastle, Ind.:

As yet they do no serious injury to trees and vines; I can not think of an instance. Though many serious charges are made against them, I believe them to be without foundation. (September 28, 1886.)

From Joseph M. Wade, Boston, Mass.:

I have known it well for forty-four years, and never knew it to be charged seriously with injuring shade, fruit, or ornamental trees. (January 31, 1884.)

It is surprising that this bud-eating habit of the Sparrow should be overlooked so generally, when anyone so disposed can see the birds cutting buds daily in the shade trees along the streets of any town or village where Sparrows abound. The habit is not peculiar to a few individuals, nor is it confined to buds and blossoms of any particular tree or shrub, or limited to any one or two months. Sparrows enjoy buds and blossoms at any time, but eat more of them in spring-time, because they are more abundant and tender then, and perhaps in part because other food is somewhat less abundant.

On the grounds of the Department of Agriculture the Sparrows have been carefully watched for several years, and they have been seen to eat buds and blossoms of many kinds, and at almost all seasons. The following observations recently made by a member of the Division illustrate several of the points just mentioned:

On the 22d of February while crossing the grounds of the Department of Agriculture, my attention was attracted by the chattering of a large flock of Sparrows, which had gathered in a clump of shrubs, mainly the Japanese jessamine (*Forsythia viridisima*). There were thirty or more bushes, leafless as yet, but heavy with flower buds, which already began to show the yellow.

The day was sunny and calm, and on walking quietly up among the bushes the Sparrows were found preening themselves and nipping off the flower buds in almost every bush. Some of the birds were giving their entire attention to their feathers, while others were equally devoted to the buds. Beneath many of the bushes the ground was thickly strewn with the green and yellow remnants of buds, and under a few of the bushes, near the center of the group, they lay so thickly as to entirely obscure the ground, while the branches above were completely stripped of buds, except near the tips. The birds seemed to prefer to sit quietly near the center of each bush and nip all the buds within reach, and no Sparrows were seen eating buds near the tips of the branches, which were so slender as scarcely to sustain their weight.

On alarming the birds, they flew into some poplars near, where it was easy to estimate their numbers, and there proved to be between two hundred and fifty and three hundred birds in the flock.

In April, when the flowers of *Forsythia* were well expanded, the bushes which had suffered most showed the effects very plainly, but as those around the edge of the group, and particularly the outer branches, suffered least, the general effect was not noticeably impaired. The incident, however, serves to show the Sparrow's fondness for flower buds and the danger to be apprehended from its work on the blossoms of fruit trees.

During the last ten days of February and the whole of March scarcely a day passed when Sparrows were not seen eating the buds of shade trees throughout the city. Frequently a dozen would be seen at work in a maple or elm tree, and one could stand below them within two or three yards and see every motion made, even catching the mutilated buds in his hand as they fell. The buds of poplars, cottonwoods, box-elders, maples, elms, and several other species were constantly destroyed in this way, and the Sparrows seemed to take particular pleasure in pulling to pieces the catkins of the various species of poplar.

Since the middle of April, when the peach blossoms began to unfold, the Sparrows are to be seen at all hours of the day hopping or creeping about the peach trees, and leaving little but worthless buds behind. For two or three days past I have been watching with a powerful field-glass a dozen or more peach trees in full blossom, and less than a hundred yards from my windows. The glass enables me to see distinctly the stamens in the blossoms, and they are frequently seen sticking to the bills of the Sparrows as they move deliberately about among the branches destroying thousands of blossoms. Occasionally a flock of a dozen or more is to be seen in a single tree, but ordinarily they forage singly or in squads of three to six. So far as can be seen by the unaided eye, all seem to be similarly employed, and every one thus far watched with the glass has proved to be destroying blossoms or buds at the rate of five to ten a minute. One bird, an adult male, was seen to cut into and ruin nineteen blossoms on one spray in less than two and one-half minutes. He began at the base of the shoot and nipped all within reach, then climbed slowly upward, parrot fashion, destroying every bud on the twig as he went, until the tip was nearly reached, when his weight proved too great, and losing his balance in trying to reach the terminal flower he fluttered off to another branch to begin again. This bird, like others ob-

serve  
center  
done  
it all  
buds  
unless  
to be  
On  
the bl  
on tw  
to spr  
Ab  
just  
rence  
lessen  
The  
for ch  
if any  
the ki  
observ

Peach  
Pear  
Grape  
Plum  
Cherry  
Apple

And  
orange  
All t  
few her  
Will  
and gre

I have  
room wi  
selves in  
that the  
one or t  
on to oth  
(through  
removed  
one side  
to be pr  
an occas  
dexterou

Within  
flower b  
quite sim  
pulling  
Last year  
shall hav  
(April 25

served, seemed to prefer to put his bill down into the open flower and cut out the center, but if the blossom chanced to stand in such a position that this could not be done readily, he bit off the entire blossom close to the stem, and apparently dropped it all to the ground. In several instances Sparrows were seen to pinch off and drop three buds in succession in as many seconds, and this seemed to be done without any cause, unless possibly because they were in the way, or because they were so placed as not to be easily reached from the right side.

On several of the trees which I examined carefully with the glass more than half the blossoms were wilted and mutilated, and repeatedly Sparrows were seen to alight on twigs which contained few but ruined blossoms, and after a quick glance pass on to sprays of untouched flowers. (W. B. B.)

Abundant evidence is at hand to show that such proceedings as that just described are not exceptional, but of regular and frequent occurrence, and there can be no doubt that often the crop of fruit is seriously lessened in this way.

The injury is by no means confined to the buds and blossoms of peaches, for cherries, grapes, plums, and pears suffer almost as much, and few, if any, fruit trees escape attack altogether. The following list shows the kinds of buds and blossoms which suffer most, and the number of observers reporting injury to each kind:

Reports.		Reports.	
Peach.....	24	Currant.....	6
Pear.....	22	Maple.....	9
Grape.....	21	Elm.....	7
Plum.....	17	Other shade trees.....	8
Cherry.....	14	Evergreens.....	9
Apple.....	16		

And two or three reports each of injury to buds of the quince, apricot, orange, fig, lilac, etc.

All these reports are well worth reading entire, but we insert only a few here, sufficient to confirm the foregoing statements.

William Saunders, of Washington, D. C., superintendent of garden and grounds of the Department of Agriculture, writes:

I have a peach tree in my yard, the branches of which are within three feet of my bedroom window. It is now nearly in full flower, and, as usual, the Sparrows busy themselves in pecking at the blossoms. I watched them closely this morning, and found that they almost uniformly made two pecks, and two only, at each blossom. First one or two petals were removed and discarded, then another peck was made, and so on to other flowers. After watching them for some time, I opened the window blinds (through which I had been watching the birds) and found that the embryo fruit was removed from all the blossoms thus operated upon. By removing a petal or two on one side of the embryo fruit was easily secured. Unopened buds seemed to be preferred. All the flowers thus destroyed were not removed or broken off; only an occasional bud would fall to the ground. The fruit embryos were removed so extensively that the remnants of the blossom still stuck to the twigs. (April 14, 1887.)

Within the last few days the Sparrows have attacked and seriously injured the flower buds of a blue and white Wistaria on my house. The flower clusters are still quite small, only about three inches in length, and downy and tender. The birds are pulling them all to pieces, and the ground in the vicinity is strewn with fragments. Last year the vine was loaded with magnificent clusters of flowers, but this year I shall have very few, and those low down, where the Sparrows are afraid to come. (April 25, 1887.)

**Prof. O. T. Mason, of Washington, J**

**writes :**

Previously to 1882 I lived in what is now called University Park, where I had a great many fruit trees, including pears. I had my study window many times and watched the English Sparrows picking pear-tree buds just when they began to swell.

University Park, where I had a great many fruit trees, including pears. I had my study window many times and watched the English Sparrows picking pear-tree buds just when they began to swell.

It was not until I had lost one or two crops that I gave close scrutiny to their actions and found that they were picking out the flower portion of the buds and eating them. After that I gave orders to allow no Sparrows in the garden, and had no trouble in securing a crop of pears. (February 9, 1886.)

**Sereno Edwards Todd, of Orange, Essex County, N. J., writes :**

It often ruins the pear crop by eating all the buds in cold weather. (September 6, 1886.)

**W. E. Saunders, of London, Ontario, Canada, writes :**

One year—1882, I think—it stripped a Flemish Beauty pear tree of blossoms so that we had no fruit from it. (December, 1885.)

**Dr. B. H. Warren, State Ornithologist of Pennsylvania, West Chester, Chester County, Pa., writes :**

It devours the fruit buds of pear, peach, and plum trees, and also grape-vine buds.

The buds and blossoms (especially buds) of the numerous varieties of pear are devoured and otherwise destroyed to a very considerable extent in this section. (January, 1887.)

**William F. Doertenbach, of Cleveland, Ohio, writes :**

This spring (1886) the Sparrows picked the blossoms off a plum tree in my yard. I cut a branch full of blossoms and examined them closely and there were no insects in the blossoms. (November 8, 1886. Present about thirteen years.)

**Dr. C. P. Blachly, of Manhattan, Kans., writes :**

When the first three or four pairs of English Sparrows came here I observed one of the birds very busy on the branch of a plum bush. After about a minute's time I examined the branch and found all but two or three buds had been nipped off, there being upwards of fifty buds gone, and apparently just nipped off. (November, 1885.)

**Elisha Slade, of Somerset, Bristol County, Mass., writes :**

In spring it injures the swelling buds and young leaves of the apple, pear, peach, plum, cherry, and quince trees, and currant and gooseberry bushes. Sometimes the injury is slight, but often serious. (October 19, 1885.)

This injury is very noticeable on quinces and dwarf pears, currants, raspberry vines, and small trees. (August 20, 1886. Present about twelve years.)

**Henry Stewart, of Hackensack, N. J., writes :**

Early last spring it picked open many apple buds so that the ground under the trees was covered with them. (February 5, 1884. Present about fourteen years.)

**Prof. B. W. Evermann writes from Bloomington, Monroe County, Ind. :**

I have often noticed them eating, or biting off, the blossoms of apple trees. (August 25, 1886. Present about eleven years.)

**W. V. Osterhout writes from Providence, R. I. :**

I have seen it destroying the buds of the elm (our principal shade tree) and of grape-vines; it also destroys cherry, pear, and peach blossoms. A friend of mine was for two years unable to obtain enough fruit from his two cherry trees to warrant picking, although the trees were healthy and in good bearing, all on account of the destruction of buds, flowers, and fruit by the Sparrow. (May 8, 1887.)

Ott

The  
troys  
put ou  
were s  
much  
kept th  
left, an

The

It inj  
year.)

Thon

It eat  
were op  
birdsaw

Dr. I

I have  
heard m  
Present

Mrs.

I disc  
engaged  
of small  
they ate  
them aw  
summer  
immedia  
frequent  
fore the  
or ripe.  
many var

Franc

I have  
the Spar  
the early  
stroying  
bugs (Spr  
allowed t

Robert

I saw it  
found two

J. F. L

Sparrow  
early sprin

Charles

I have s  
Present ab

Dr. W

In one o  
seemed nev

Otto Lugger, of Baltimore, Md., writes :

The buds and blossoms of my two small orange trees have just been entirely destroyed by the Sparrows. The trees had been housed through the winter, but were put out of doors in the spring, and each had from 75 to 100 buds. As long as the buds were small the Sparrows took no notice of them, but as soon as they began to show much white they were attacked. Strips of red flannel were tied on the trees, and kept the birds away for a day or two, but at the end of five days only four buds were left, and three of these were eaten as soon as they opened. (May 30, 1887.)

The postmaster at Schriever, Terre Bonne Parish, La., writes :

It injures peach trees and orange blossoms. (October 8, 1886. Present about one year.)

Thomas McIlwraith, of Hamilton, Ontario, Canada, writes :

It eats fruit buds, and one season it attacked my grape-vines just as the leaves were opening, and ate the heart of the buds. Since that time I have had to scare the birds away while the vines are at that stage. (March 10, 1884. Present about ten years.)

Dr. H. D. Moore writes from New Lexington, Somerset County, Pa. :

I have seen it destroy the grape blossoms and setting of young grapes, and have heard my neighbors say that they have seen the same thing. (September 13, 1886. Present about eleven years.)

Mrs. Wm. Pitkin, of Rochester, N. Y., writes :

I discovered that during the early morning hours flocks of Sparrows were busily engaged in picking out the germ of fruit in blossoms, and also stripping whole bunches of small grapes until not one would be left upon a stem. The rapidity with which they ate their breakfast was surprising. I endeavored from season to season to keep them away by driving them off, but this produced only temporary effect. This last summer I spread netting over and along the sides of the frames (one side is sufficient) immediately upon the appearance of the fruit buds. The Sparrows were too wary to frequent any part of my garden until the nets were removed, which was done before the fruit was of full size. I have never seen a large grape attacked, either green or ripe. The result of my experiment has been an abundant supply of grapes of many varieties after several seasons of loss and disappointment. (September 19, 1887.)

Francis Gladwin, of Akron, Ohio, writes :

I have a small orchard of dwarf apple trees, and during the cold weather I noticed the Sparrows alighting on the trees every day ; when I came to examine the trees in the early spring I found almost all of the large fruit buds broken or pecked off, destroying the crop of apples completely for this year. What with the bugs and hum-bugs (Sparrows) it is almost useless to try to raise anything. I think we ought to be allowed to fire at the Sparrows even if it is in the city limits. (November 1, 1887.)

Robert Williamson of Troy, Madison County, Ill., testifies :

I saw it in large numbers on my currant bushes last winter, and on examining them found two-thirds of the buds eaten off. (October 2, 1886. Present ten years.)

J. F. Niesz, of Canton, Stark County, Ohio, says :

Sparrows injure fruit trees and shrubbery by stripping off the buds in winter and early spring. Lilacs suffer especially. (September 6, 1886. Present about three years.)

Charles B. Fuller, of Portland, Me., says :

I have seen them "bud" elms so as to seriously injure the trees. (May 31, 1884. Present about twenty-six years.)

Dr. W. S. Strode, of Bernadotte, Fulton County, Ill., writes :

In one of my country drives early last March I saw a large number of birds, that seemed new to me, busily flitting about in the tops of some elm trees. Thinking to

obtain a skin of something rare I fired amongst them, and brought two to the ground, and to my disgust found them to be *Passer domesticus*, their bills besmeared and their crops distended with the buds of the elm, on which they were gormandizing. (September 7, 1887. Present two or three years.)

### INJURY TO FRUITS, GARDEN SEEDS, AND VEGETABLES.

Evidence on this question was received from 788 persons, of whom 472 gave testimony against the Sparrow, 279 gave testimony more or less favorable (but, as under the preceding question, mainly negative, as the result of scant observation), and 37 gave testimony which was partly favorable and partly unfavorable.

The following list shows (roughly) the number and character of the reports furnished from each State:

State.	Favorable.	Unfavorable.	Total.	State.	Favorable.	Unfavorable.	Total.
Michigan .....	40	34	74	Pennsylvania .....	6	32	38
Indiana .....	23	38	61	Massachusetts .....	14	18	32
New York .....	23	36	59	Iowa .....	10	9	25
Ohio .....	20	30	50	Connecticut .....	8	16	24
Illinois .....	25	27	53	Kansas .....	7	15	22
Kentucky .....	24	29	53	California .....	3	17	20
Georgia .....	15	26	41	New Jersey .....	2	15	17

Twenty other States and Territories sent from 1 to 12 reports each, aggregating 135, of which 49 were favorable, 84 unfavorable, and 2 indefinite. Canada sent 20 reports; 13 favorable, and 7 unfavorable.

The injuries specified in the unfavorable reports are distributed as follows:

#### Fruits, ripe or ripening.

	Reports.		Reports.
Grapes .....	127	Blackberries .....	8
Cherries .....	58	Peaches .....	7
Strawberries .....	39	Figs .....	3
Raspberries .....	31	Gooseberries .....	3
Apples .....	22	Mulberries .....	2
Currants .....	21	Wild cherries .....	2
Pears .....	16	Apricots .....	1
Plums .....	14	Fruits, kind not specified .....	83
Tomatoes .....	10	Small fruits, kind not specified .....	10

#### Vegetables, green, and mostly young.

Young peas, just coming up .....	25	Young beet plants or leaves .....	8
Pea blossoms .....	12	Young turnip plants or leaves .....	2
Green peas from the pod .....	14	Young radish plants or leaves .....	3
Peas, kind not specified .....	30	Young corn, just coming up .....	1
Beans, kind not specified .....	5	Garden corn in the ear .....	22
Young lettuce plants or leaves .....	27	Young plants, kind not specified .....	20
Young cabbage plants or leaves .....	16	Garden vegetables, kind not specified .....	79

#### Garden seeds.

Lettuce .....	14	Radish .....	6
Cabbage .....	12	Flower .....	4
Beet .....	4	Sunflower .....	29
Turnip .....	15	Garden, kinds not specified .....	35

A few  
of must  
parship,  
to tube-  
be seen  
etable w  
the Spa  
injured

Among  
grapes a  
sidered  
or later  
is tolera  
stroyed  
seven ob  
lumbia,  
apprehen  
yet.

In Cal  
portance  
and spre  
wipe out  
will entai  
lars.

It mus  
that othe  
to admit  
wrongly  
the claim  
even freq  
are destr  
and, on t  
destroyed  
haps this  
bees feed  
all this i  
winsville.

It seems  
other fruits  
suffer fearf  
grapes for a  
neither bird  
1885.)



A few reports also mention injury to either the seed or young plants of mustard, spinach, hemp, flax, artichoke, salsify, cauliflower, carrot, parsnip, tobacco, pepper, etc., while one report mentions serious injury to tube-roses, another to tulips, and still another to sweet peas. It will be seen from this summary that there is scarcely a garden fruit or vegetable which does not suffer, at least occasionally, from the attacks of the Sparrow, although some garden products are much more seriously injured than others.

## INJURY TO FRUITS.

## INJURY TO GRAPES.

Among fruits, grapes appear to suffer most, and, although many grapes are raised without protection in places where Sparrows are considered fairly abundant, there is every reason to believe that sooner or later this bird will discover and injure them wherever its increase is tolerated. It has been shown that grape buds are frequently destroyed in the early spring, and the fact that one hundred and twenty-seven observers, representing twenty-six States and the District of Columbia, now bear witness to injury to the ripening fruit, may well cause apprehension among grape-growers who have not suffered any loss as yet.

In California, where grape culture is an industry of paramount importance, the English Sparrow has taken firm root and is multiplying and spreading with ominous rapidity; and unless steps are taken to wipe out the pest at the earliest possible moment the result probably will entail a loss to the State of many thousands, if not millions, of dollars.

It must not be supposed for a moment that we have overlooked the fact that other birds than the Sparrow eat grapes, and we are even willing to admit that occasionally some of the damage done may have been wrongly attributed to the Sparrow. This, however, does not justify the claim made by some friends of the latter bird, that he is *always*, or even frequently, innocent of this charge. It often happens that grapes are destroyed by birds in places where there are no English Sparrows; and, on the other hand, it as frequently happens that the same fruit is destroyed by Sparrows in places where there are no other birds. Perhaps this absence of birds, coupled with the fact that many wasps and bees feed on injured or over-ripe fruit, has led some people to attribute all this injury to insects. Thus the Rev. W. M. Beauchamp, of Baldwinsville, Onondaga County, N. Y., writes:

It seems altogether a mistake to suppose they [the Sparrows] injure grapes or other fruits. They are scarcely ever seen in my garden, but my grapes and plums suffer fearfully from bees. A year ago I made a special study of the destruction of grapes for several weeks, and demonstrated that the bees alone were the aggressors, neither birds, hornets, nor wasps coming near the fruit all that time. (October 15, 1885.)



Careful experiments made by the Entomological Division of the Department of Agriculture show conclusively that bees can only injure fruit under very exceptional circumstances. More than twenty varieties of grapes were placed within easy reach of hungry bees, which made every effort to eat them but were unable in a single instance to break the skin of sound grapes. (See Annual Report of Commissioner of Agriculture for 1885.) Bees and wasps, especially "yellow jackets," often destroy ripe fruits of various kinds as soon as an opening through the skin has been made, but it remains to be proved that they are *ever* the first aggressors, and the structure of the mouth parts of honey bees seems to preclude the possibility of their ever breaking the skin of grapes.

Of course we have received many reports (about 25 in all) to the effect that the Sparrow has not been observed to injure grapes, and perhaps half a dozen of these observers state positively that in their opinion it never does injure them.

Dr. J. R. Mathers, of Buckhannon, W. Va., where the Sparrow has been present for five years or more, writes:

I raise quantities of grapes and have never known the Sparrow to touch them, nor have I ever heard any complaint from others on this head. (August 24, 1885.)

Mr. Frank Little, of Kalamazoo, Mich., writes:

I have an extensive garden of fruit (particularly grapes), vegetables, sweet corn, and flowers. While the Sparrows frequent the street in front of my house, I have never seen them doing any harm in the garden. (September 6, 1886. Present six or eight years.)

There is nothing whatever in these statements which is open to question. They are statements of fact, and as such should be accepted as evidence, but it should be remembered that this is merely negative evidence, and only tends to prove that the Sparrow does not always feed on fruit even when readily accessible. It takes nothing from the force of the positive evidence already given, and the only point of difficulty which it raises is the question why the bird should eat fruit only at some times instead of at all times; a question which could be certainly and fully answered if we had all the data naturally pertaining to the case. Failing this, we can only say that probably food of other kinds was so abundant the Sparrows took but little fruit anywhere, and this little was found more easily elsewhere, or was taken unobserved and was never missed. Or, perhaps the very abundance of fruit and the limited numbers of the birds prevented any noticeable damage. The fact that the Sparrows are not actually seen doing the mischief is never surprising to one who has watched them closely, for they are among the most wary and cunning of birds, especially after they have been detected once in mischief of any kind. There is every reason to believe, however, that the taste for fruit is one which not all English Sparrows acquire, or which at least is not held to the same extent by all.

It can not be denied that some fruit-growers suffer much greater loss from Sparrows than others, when, so far as can be determined, the condi-

tions  
believ  
visit  
troub  
very

One  
tions  
in wh  
tion fr  
this ye  
remain  
aged w  
Mike  
24, 188

I have  
any one

But v

It dest  
the juice

At Bo  
tablishe  
very des

Dr. W  
he has r  
Sparrow

The var  
cultivated  
villages of  
each—no  
Bernado  
hill and v  
mile of the  
erop; one  
half of all  
spection of  
half miles  
bunches ha  
vine and a

It must  
depends  
indefinite  
for any co  
food, such  
Sparrows  
even am  
seasonal  
the suppl  
serious th

tions are almost identical; and it seems probable that, as many persons believe, if the Sparrows are shot at or thoroughly frightened on their *first* visit to a vineyard, orchard, or garden, they are much less likely to be troublesome afterwards. The habit of feeding there once formed, it is very difficult to prevent continual annoyance and loss.

One thing has been noticed repeatedly with regard to the depredations of the Sparrow, namely the abrupt and often unaccountable manner in which it appears at or disappears from a place, or changes its attention from one crop to another. A place entirely free from Sparrows this year may be overrun with them next year; and a crop which has remained unmolested in past years may be attacked and seriously damaged without any preliminary sampling or warning. Thus, Mr. Thomas Mikesell, of Wauseon, Fulton County, Ohio, wrote under date of April 24, 1886:

I have not known it to injure grapes or other fruit, and hear no complaints from any one.

But within six months Mr. Mikesell wrote again, saying:

It destroys large quantities of grapes by picking holes in the berries and sucking the juice. I have seen them at it. (November 15, 1886.)

At Bernadotte, Fulton County, Ill., the Sparrow has only been established for two or three years, yet during the past season it has been very destructive to grapes in that vicinity.

Dr. W. S. Strode, of Bernadotte, after stating (September 7, 1887) that he has recently found large quantities of grape pulp in the stomachs of Sparrows which he examined, says:

The variety of grape mostly destroyed is the Concord, as no other to any extent is cultivated here. My observations have, for the most part, been in and around the villages of Bernadotte and Smithfield, country towns with a population of about 225 each—no city nearer than Galesburgh, 40 miles distant; Peoria, 50 miles.

Bernadotte is on Spoon River, 20 miles from its mouth at Havana, surrounded by hill and valley farms. Smithfield is 6 miles north, and in the vineyards within a mile of these villages the greater part of the damage has been done to the grape crop; one citizen of Smithfield estimating that in his vineyard of 2 acres one-half of all the grapes were devoured by the vagrants \* \* \* By personal inspection of the vineyard of 600 vines belonging to Mr. Willard F. Smith, one and a half miles south of Bernadotte, I estimated that one-third of all the grapes on the bunches had been sucked out or pulled off. Estimating the crop at 10 pounds to the vine and at 3 cents per pound, the loss can be easily estimated.

It must not be forgotten that the Sparrow is a typical seed-eater and depends on seeds for its main support. It unquestionably could live indefinitely on seed alone, and it is possible that it could not exist for any considerable time on fruit alone. The abundance of a favorite food, such as grain, might often prevent serious damage to fruit. But Sparrows, like most other birds, prefer and need variety in diet, and even amid an abundance of grain food they undoubtedly relish an occasional taste of fruit. Thus, where they become very numerous and the supply of fruit is not large even this occasional taste becomes a serious thing for the gardener, while, on the other hand, sections in

which fruit is grown almost exclusively are not likely to feel the losses they occasion.

In this connection it may be well to give briefly the results of an examination of the relations of Sparrows to grapes, made by direction of the Commissioner of Agriculture in September, 1887. In accordance with instructions, the assistant ornithologist some time among the vineyards of western New York, in collecting facts as to the attitude of the Sparrow toward grapes. The points visited were mainly in the vicinity of Geneva, Watkins, Canandaigua, Penn Yan, Keuka, Hammondsport, Bath, and Rochester; three days being spent in the the extensive vineyards about Seneca and Keuka Lakes in Yates and Steuben Counties. Some complaints were heard at almost every point visited, but it must be confessed that very little evidence decidedly unfavorable to the Sparrow was collected, except in the immediate vicinity of towns.

Sparrows were found scattered about in several vineyards, but were nowhere abundant, and although many bushels of ruined grapes were seen, and some of the owners attributed most of the damage to the Sparrows, no perfectly conclusive evidence of this could be obtained. Nor is this to be wondered at when we consider all the facts in the case. Take Keuka Lake, for instance, the shores of which are almost uniformly covered with vineyards, more than 10,000 acres of which are already bearing. The two principal towns on this lake, Hammondsport and Penn Yan, about 20 miles apart, are fairly supplied with Sparrows. Between these two towns, along both shores of the lake, no other crop than grapes is grown, and but for the presence of weeds, there would be nothing else to tempt the Sparrows.

In many of the vineyards, however, the weeds are purposely allowed to grow unchecked between the rows so that they may be used for mulching in winter. The heavy crop of seed thus grown undoubtedly is a considerable protection to the grapes, as the Sparrows feed by preference on seed, and the damage which the few now present could do among so many grapes would scarcely be noticed.

In one vineyard on Keuka Lake a flock of about 100 Sparrows was found apparently feeding on the grapes, and the superintendent of the vineyard, Mr. A. Baker, testified most positively that they had done much damage to the crop. Two birds were shot from this flock, but their stomachs contained considerable numbers of weed seeds and no traces of grapes.

About Keuka Lake, there certainly were not more than two Sparrows to an acre of grapes, on an average, and so long as this proportion is not greatly changed no serious injury from this source need be feared. Moreover, as grape-culture yields far better returns than grain-growing in this region, and as the country is not thickly settled and the winters are long and snowy, it would not be difficult to restrict the increase of the Sparrows so as to make them practically harmless.

Ever  
the sen  
size; a  
that ci  
Elwang  
age ha  
tenden  
other n  
erable  
vineyar  
Henry  
early gr  
of Spar  
the city  
the sam  
rows de  
ham.

Amou  
grapes,  
of the b  
juice or p  
tonly an  
dence ob  
views is  
the juice  
Grape-se  
skins nev  
Those  
among th  
and his a  
picks off  
the stat  
struction.

But in  
tainly ser  
tured, the  
clusters a  
The Sta

New York...  
Kentucky...  
Ohio...  
Indiana...  
Pennsylvania...  
Michigan...  
Massachusetts...  
Connecticut...

Twelve o

Even in the vicinity of Rochester, the Sparrow is not abundant in the sense in which it is abundant about more southern cities of equal size; and yet many complaints of injury to grapes were received from that city and the surrounding country. At the vineyard of Messrs. Elwanger & Barry, about a mile south of the city, considerable damage had been done to Niagara and Dutchess grapes, but the superintendent, Mr. J. Gardner, was sure this was entirely due to robins and other native birds, and stated that although the Sparrows did considerable damage to wheat in the neighborhood, they seldom visited the vineyard after the grapes began to ripen. On the other hand, Mr. Henry Harrison, living in the city, lost about one-half of one variety of early grape (*Israella*) growing in his garden, through the depredations of Sparrows; Mr. Jennings, living about a mile and a-half northeast of the city, had suffered considerable loss of Concords and Delawares in the same way; and at Rush, about 12 miles south of Rochester, Sparrows destroyed a large proportion of the grapes of Mr. W. G. Markham.

Among those who have suffered from the Sparrow's depredations on grapes, there appears to be some difference of opinion as to the motive of the bird, some believing that it eats only the seeds, others only the juice or pulp, while still others contend that it punctures the grapes wantonly and with no intention of eating any of them. From all the evidence obtainable on this point, it seems probable that each of these views is in part correct, but that ordinarily the chief attraction is in the juice or pulp of the grape, which the birds seem really to enjoy. Grape-seeds have been found in their stomachs very rarely, and grape skins never, so far as we are aware.

Those who have watched closely the movements of the Sparrow when among the grapes agree that he pecks many more grapes than he eats, and his actions at such times, together with the fact that he frequently picks off leaves and shoots, which he does not eat, lend some color to the statements that he willfully destroys simply for the pleasure of destruction.

But in whatever manner accomplished, the injury to grapes is certainly serious, for even if but one or two grapes on a bunch are punctured, their decay soon affects the others in the cluster, and mutilated clusters are practically worthless for market.

The States reporting most injury to grapes are as follows:

Reports.		Reports.	
New York.....	15	New Jersey.....	8
Kentucky.....	12	Kansas.....	5
Ohio.....	12	Iowa.....	4
Indiana.....	11	Georgia.....	4
Pennsylvania.....	10	Illinois.....	4
Michigan.....	9	Rhode Island.....	3
Massachusetts.....	8	District of Columbia.....	2
Connecticut.....	8		

Twelve other States sent one report each.

The following reports, selected almost at random, and coming from widely separated parts of the country, may be taken as suggestive examples of the work of the Sparrow on this crop.

From Robert D. Camp, New Haven, Conn. :

I have noticed the Sparrows eating grapes more than any other fruit. A vine within sight of my place of business is almost alive with the birds when the fruit is ripening. (April, 1887. Present fifteen or twenty years.)

From F. S. Platt, seedsman and florist, New Haven, Conn. :

Last year, when I had a large crop of very fine grapes, I found that the Sparrows were destroying nearly all of them. I watched these birds and found that they would pick out a fine bunch of fruit and pick a hole in nearly every grape. This hole would be so very small that at first it would not be noticeable, but very soon the place would begin to decay, and then the grape would be ruined. I have twenty varieties of choice grapes, which they peck and ruin

From William Holmead, Mount Pleasant, D. C. (suburb of Washington) :

The Sparrows for the last two years have destroyed my grapes to such an extent that I have not realized the expenses of culture. (November 8, 1886. Present about fourteen years.)

From August Gierschner, New Athens, Saint Clair County, Ill. :

It eats cherries, plums, and grapes as long as it can find any. \* \* \* I think public sentiment will turn against him, especially on account of the havoc he makes with cherries and grapes. (October 5, 1886. Present about fourteen years.)

From the postmaster at Bowling Green, Warren County, Ky. :

In this city it has ruined the grape crop almost wholly where unprotected. (October 3, 1886. Present about eight years.)

From Thomas S. Kennedy, Crescent Hill, Jefferson County, Ky. :

It eats ripe strawberries, raspberries, and grapes. The last season it has been unusually destructive and has torn the paper bags from the bunches of grapes. It also eats holes in apples and pears hanging on the trees. (October 5, 1886. Present five or six years.)

From H. H. Miller and other members of the County Farmers' Club, Sandy Spring, Montgomery County, Md. :

It injures strawberries, \* \* \* and particularly grapes, some of the smaller vineyards being nearly a failure on this account. (February 16, 1887. Present about eight years.)

From E. A. Bowen, Middleborough, Mass. :

It is especially fond of grapes, and destroys a great many in my locality. (September 21, 1886. Present ten or eleven years.)

From Samuel S. Lacey, Marshall, Calhoun County, Mich. :

It steals pees and eats Delaware and winter grapes. (November 20, 1886. Present about six years.)

From David C. Voorhees, Blawenburgh, Somerset County, N. J. :

It attacks and devours grapes greedily. My crop was damaged 10 per cent. this year. It seems to hunt up all the largest and best clusters, and when fully ripe does great damage by biting through the skin. (December, 1885.) It destroys grapes by the ton and pees to a great extent. (August, 1886. Present about three years.)

From

It inj  
the mor  
(Septem

From

They  
twenty

From

On Se  
the owne  
them, m  
years.)

From

It feed  
thus givi  
five year

From

After th  
then on t  
They on  
leaving th  
seedling h  
frost-grap

From

I discov  
of three h  
One day I  
were ruine  
long, seem  
vines were  
ary 7, 1888

From

It frequ  
bunches so  
ent twenty

From  
County,

It consu  
variety of  
particularly  
Chester, a  
large prop  
seeds." (J

The tes  
is printed  
It is suffi  
tralia, w  
almost im  
parts of t

From Samuel N. Rhoads, Haddonfield, Camden County, N. J.:

It injures the grape and cherry most. The injury to the former is often great, and the more provoking because the Sparrow only tastes the finest of fine bunches. (September 9, 1886. Present about twenty-eight years.)

From Dr. George J. Fisher, Sing Sing, N. Y.:

They eat large quantities of our best grapes. (March 18, 1887. Present about twenty years.)

From William F. Doertenbach, Cleveland, Ohio:

On September 14, 1886, I saw a flock of about 150 Sparrows in a vineyard, and the owner said they did a great deal of damage to the grapes by pecking holes in them, making many unfit for market. (November 8, 1886. Present about thirteen years.)

From W. B. Hall, Wakeman, Huron County, Ohio:

It feeds upon the grape, puncturing the skin in the same manner as the Oriole, and thus giving bees a chance to work on the pulp. (December 24, 1886. Present about five years.)

From W. N. Irwin, South Salem, Ross County, Ohio:

After the wheat was out of their reach they commenced work on our Seckel pears, then on the Bartlett's, and then on the grapes.

They only worked on one side of the pears, but took pulp and seed of the grapes, leaving the skins hanging on the vine. They seemed to like the Venango or Miner's seedling best of all, and the Delaware next, though they even cleared up the wild frost-grapes in the woods. (December 26, 1887.)

From W. B. K. Johnson, Allentown, Pa.:

I discovered this last fall that the English Sparrow takes ripened grapes. A flock of three hundred or four hundred Sparrows came into my vineyard for several days. One day I saw one cut a grape, and upon examination I found that at least half a ton were ruined. The Sparrows made a cut in each grape about three-eighths of an inch long, seemingly to get a little juice, going thus from one berry to another until whole vines were ruined, always preferring thin-skinned and sweetest varieties. (February 7, 1888.)

From Witmer Stone, Germantown, Pa.:

It frequently despoils whole grape vines of their fruit, and hacks and pecks the bunches so that they have to be protected by paper bags. (November 9, 1886. Present twenty years or more.)

From Dr. B. H. Warren, State Ornithologist, West Chester, Chester County, Pa.:

It consumes grapes, strawberries, raspberries, and blackberries. \* \* \* The variety of grape known commonly as the Concord, in West Chester and vicinity, is particularly subject to the ravages of the Sparrow. Mr. Samuel Hannum, of West Chester, a thoroughly reliable and close observer, says: "The Sparrows destroy a large proportion of my Concord grape crop by attacking the fruit and destroying the seeds." (January, 1887.)

The testimony on this subject which comes from Australia, and which is printed in full in another part of the Bulletin, should be carefully read. It is sufficient here to state that in the vicinity of Adelaide, South Australia, where the English Sparrow has become very abundant, it is almost impossible to raise grapes. One fruit grower says: "In the worst parts of their haunts the grapes were literally cleared from the vines."



Another says that he has "a trellis of vines eighty feet in length, besides other vines, and was not able to cut a bunch of grapes," while still another lost a ton and a half of grapes in ten days.

#### INJURY TO OTHER SMALL FRUITS.

As already stated, very few garden fruits escape the Sparrow's notice, and almost all small fruits suffer badly. Next to grapes probably cherries are most seriously injured, but as this is a crop which suffers much from other birds, it is often difficult to say what proportion of the damage is done by the Sparrow, except in localities where there are no other birds. As cherry buds and blossoms are a favorite food of the Sparrow earlier in the season, this damage to the ripening fruit is all the more keenly felt. The following are a few of the scores of complaints received at the Department:

From J. Percy Moore, Philadelphia, Pa.:

It destroys large quantities of ripe cherries as long as this fruit can be found. June 17, 1886, I saw old birds feeding on them, and also carrying large numbers to their young in the nest. (September 7, 1886. Present about twenty years.)

From F. W. Seaver, Aaron, Switzerland County, Ind.:

I have noticed droves of them in cherry and other small fruit trees, which they would almost strip of fruit. (October 8, 1886. Present about four years.)

From John T. Mack, Sandusky, Ohio:

It ruins much ripening fruit here of nearly all kinds, especially cherries, plums, etc. (September 1, 1886. Present several years.)

From H. Volkening, Lenzburgh, St. Clair County, Ill.:

This year it allowed hardly any of our cherries or grapes to get ripe. (October 4, 1886. Present about three years.)

From W. J. N. Osterhaut, Providence, R. I.:

In a yard near my house there are two cherry trees, and in the same yard is a large bird-house which the landlord will not suffer to be removed. For several years the tenants have been able to get but very few cherries because the Sparrows devour both blossom and fruit. (April, 1886.)

Strawberries, blackberries, and raspberries also suffer considerably, as seen from the following reports:

From the postmaster at Charlestown, Clark County, Ind.:

It injures both bloom and fruit of the strawberry. (October 13, 1886. Present about twelve years.)

From Charles W. Snyder, Hudson, Columbia County, N. Y.:

I have noticed in some localities that fields of strawberries and raspberries have been injured by them to a considerable extent. (December 6, 1886. Present about six years.)

From George H. Berry, North Livermore, Androscoggin County, Me.:

They have settled in flocks on strawberry beds, currant bushes, and cherry trees, in some instances completely stripping them of fruit. (August 23, 1886. Present about three years.)

From George B. Holmes, Fernwood, Cook County, Ill. :

Strawberries, raspberries, and blackberries have suffered among my neighbors, and cherries have also been damaged.

From A. Ford, Bronson, Bourbon County, Kans. :

It destroys berries and all other small fruits. It will clean out a blackberry patch very quickly. They come into a garden by hundreds, and in a few days you have no cherries or other fruit. (October 11, 1886. Present about two years.)

From J. Leonardson, New Haven, Macomb County, Mich. :

It eats grapes and black-caps. The latter suffer most in this locality, gardeners losing one third of their crop. (Autumn, 1885.)

#### INJURY TO APPLES, PEARS, PEACHES, AND OTHER FRUITS.

After once getting a taste of fruit it seems that they sometimes prefer it even to grain, or at least add large quantities of it to their other food.

Mr. Jabez Webster, nurseryman and fruit-grower, of Centralia, Marion County, Ill., writes :

I have seen flocks of fifty or more stay about my raspberries, constantly flying backwards and forwards, taking quarts of the best fruit, and coming very close to the pickers. \* \* \* Last year I observed that after they had feasted on my strawberries, raspberries, ripe gooseberries, and cherries, they were all at once flying from a stubble-field close by and alighting in my early apple trees. I thought I would see what they were after, thinking it might possibly be insects, but, alas, they were pecking holes in some ripe apples on the very tops of the trees. Some *Cornell's Fancy* and *Red June* were from one-fourth to one-third eaten, and the foliage and limbs in the tops of the trees were white with their excrement. This they kept up for several days, pecking holes only in the very ripest apples. (December 21, 1886. Present about seven years.)

From a score of reports of injury to apples we select the following :

From A. B. Ghery, Frankfort, Clinton County, Ind. :

I have seen them in large numbers feeding on small fruit \* \* \* and pecking early apples. (August 27, 1886. Present about eight years.)

From Bell Irwin, Bad Axe, Huron County, Mich. :

The plums and apples in my own garden were attacked by it and somewhat injured. (September 15, 1886. Present about four years.)

The following detailed account of injury to apples comes from Mr. F. M. Webster, of La Fayette, Ind., who watched the birds carefully at their work, and testifies only what he has actually seen. Under date of August 25, 1886, he wrote :

The English Sparrow is destroying my apples. I have several trees in my garden, and as soon as the fruit gets mellow they peck holes in it, and it either drops to the ground or decays on the trees. I can hardly get a single apple fit to eat; they have destroyed nearly, if not quite, three-quarters of this variety. A neighbor across the way is troubled in the same manner.

In reply to a request for further information, Mr. Webster wrote :

I am not able to state now whether they show any preference as to flavor, for only one variety of my fruit is as yet ripe enough to tempt them; but they almost invariably select the largest and best apples, either because they are fastidious, or perhaps because they can better stand upon them while at work. I do not think they attack the



apples in order to get the seeds, as if that were the case, it seems to me they would confine their efforts to one or two punctures, whereas they often excavate several very shallow cavities, and these are often of considerable area.


On October 7, 1886, he wrote again:

I mail to-day more samples of Sparrow-pecked apples, taken from the tree this forenoon. They are of a different variety from those sent before, and as a rule less of the pulp is taken than with the other variety, but the Sparrows begin work as soon as the apples get mellow, and I seldom get one intact. I have in my garden one more tree, of a still later variety, now loaded with fruit, as yet untouched, which I shall watch with some interest.

And finally, on the 18th of October:

The recent high winds took all the apples off the trees, except from the one of which I wrote, and yesterday I found the work of the Sparrows in the fruit of that tree also, and send you samples.

An apple pecked as above described and kindly sent to the Department by Mr. Webster is figured in the accompanying cut.



APPLE PECKED BY ENGLISH SPARROWS.

[From garden of F. M. Webster, La Fayette, Ind., October 7, 1886.]

Peaches, pears, and plums are also attacked frequently, as the following statements show:

From J. A. Dakin, Tully, Onondaga County, N. Y.:

I have myself observed it destroying grapes and pears, and a farmer told me this morning that it had destroyed \$10 worth of his Bartlett pears. (September 10, 1886. Present about eighteen years.)

From J. M. Dresser, La Fayette, Tippecanoe County, Ind.:

It pecks into apples and pears. (December 11, 1886. Present about twelve years.)

From John B. Tolman, Lynn, Mass.:

It injures fruit particularly. My choicest pears, peaches, grapes, and small fruits are badly pecked and mangled. (February 15, 1884.)

From  
If pear  
Present  
From  
It is ve  
which it  
Many  
few exa  
From  
It is ve  
fruits. (C  
From  
It attac  
From  
It feeds  
From  
They de  
Present t  
From  
It injur  
years.)  
From  
It destro  
Present al  
From  
I have s  
can get w  
It is n  
perhaps  
though  
them, bu  
quantiti  
that no  
From  
a few of  
As the  
the oppo  
on the m  
In all  
count fo  
the Spa  
bly certa  
cases, an  
Mr. L  
I have  
(Septemb

**From Adolph Leue, Cincinnati, Ohio :**

If pears are allowed to ripen on the tree it will eat them all. (October 12, 1886. Present more than twelve years.)

**From L. E. Bentley, Donaldsonville, Ascension Parish, La. :**

It is very fond of plums, and particularly of the *Mesquit*, or Japan plum [Loquat], which it devours with evident relish. (October 30, 1886. Present about five years.)

Many other fruits also are damaged to a greater or less extent, and a few examples are inserted here:

**From William B. Berthoud, Barataria, Jefferson Parish, La. :**

It is very fond of grapes and figs, and destroys a considerable quantity of these fruits. (June 27, 1887. Present about four years.)

**From Dr. G. E. Manigault, Charleston, S.C. :**

It attacks garden fruits and vegetables, eating grapes, figs, etc. (August 24, 1884.)

**From H. Jacobson, Redwood City, San Mateo County, Cal. :**

It feeds on grapes and figs. (October 11, 1886. Present twelve years.)

**From W. C. Percy, jr., Black Hawk, Concordia Parish, La. :**

They destroy more tomatoes \* \* \* than any other bird. (September 15, 1886. Present two or three years.)

**From W. H. Wherritt, Lancaster, Garrard County, Ky. :**

It injures tomatoes and small fruits. (October 11, 1886. Present eight or nine years.)

**From J. B. McKinney, Newburgh, Warrick County, Ind. :**

It destroys cherries, currants, apples, pears, and any small fruit. (October 8, 1886. Present about twelve years.)

**From P. W. Parmelee, Burton, Geauga County, Ohio :**

I have seen it at work on currants and raspberries; in fact, it will eat anything it can get when hungry. (September 1, 1886. Present about five years.)

It is not surprising that any fruit-eating bird should attack figs, and perhaps we ought not to wonder at the Sparrow's eating tomatoes, although we are not aware that any other undomesticated bird touches them, but when we find that even currants are eaten in considerable quantities we begin to realize that the Sparrow's palate is peculiar and that no fruit whatever can be considered safe in its vicinity.

From the 288 more or less favorable reports relating to fruit we select a few of the most definite.

As these are all negative reports their value depends altogether on the opportunities for observation which each witness has enjoyed and on the manner in which these opportunities have been used.

In all except a very few cases lack of time or opportunity will account for the failure to note anything but favorable characteristics in the Sparrow, yet there are enough of these exceptions to make it tolerably certain that the Sparrows have not abused their hospitality in all cases, and we are glad to give even this devil his due.

**Mr. Lewis H. Hill, of Lockport, Niagara County, N. Y., writes :**

I have never known it to trouble any kind of fruit, and I have quite a variety. (September 3, 1886.)

**Mr. R. G. Morris, of Georgetown, Quitman County, Ga., writes:**

I do not think it injures garden fruits or vegetables. I have had a very good garden this year, and the Sparrows stay about it nearly all the time. (September 25, 1886. Present one year.)

**Mr. A. F. Hofer, of McGregor, Clayton County, Iowa, writes:**

It never injures fruits. I have seen it [at Dubuque?] rearing its young broods on pear trees with the nests surrounded by the finest ripe fruit, but they never touched the pears. (October 11, 1886.)

**Hon. Robert B. Roosevelt, of New York City, writes:**

The robin takes every cherry our few trees produce at my place [on Long Island], but the Sparrow has never been known to steal a single one. (August 8, 1886.)

**Mr. Thomas Chalmers, of Holyoke, Hampden County, Mass., writes:**

I have not known it to injure fruit or vegetables. One robin and one Baltimore oriole will destroy more cherries and green peas in a day than the whole Sparrow creation in an eternity. (March 6, 1884. Present about fifteen years.)

**Mr. L. H. Glover, of Cassopolis, Cass County, Mich., writes:**

It does not injure fruits or vegetables. It is thought by some that our immense crop of fruit is due to its presence. (October 13, 1886. Present four or five years.)

Perhaps a half dozen equally favorable reports have been received, and they will be found scattered through the testimony on this subject. There have also been received quite a number of reports favorable in the main, but not so unqualified in their support of the Sparrow, and of which the following are fair examples:

**From G. W. Warwick, of Smithville, Lee County, Ga.:**

No well-sustained facts have shown it to be injurious to fruits or vegetables. I have watched it for the past year, and have a favorable opinion of it. It is not so bad on garden seed as the brown sparrow, and does little or no injury to strawberries. (September 25, 1886. Present about five years.)

**From Henry C. Hallowell, Sandy Spring, Montgomery County, Md.:**

It has not injured fruit here, so far as observed. We can certainly say we have never had a greater abundance of cherries, currants, gooseberries, pears, etc., than since the Sparrow came, and we have not missed the fruit which he has taken. (July 7, 1883, and August 30, 1884. Present three or four years.)

**From William Rotch Wister, Germantown, Pa.:**

I have not observed it to feed upon grapes or other fruit to an extent worthy of notice. (March, 1886.) It eats a little fruit, but not a small fraction of the amount eaten by robins, grackles, and other birds. (November 30, 1886. Present twenty years or more.)

**From W. H. Ragan, Greencastle, Putnam County, Ind.:**

They may possibly injure fruits and vegetables. They are accused of damaging the blossoms of legumes, but having carefully observed, I am unable to say that they do. I have never detected them eating berries, but have in eating dry peas and other seeds. (September 28, 1886. Present about fourteen years.)

#### INJURY TO GARDEN VEGETABLES.

It will be convenient to consider the injuries to vegetables under two heads: (a) Injury to garden plants themselves, from time of sprouting until maturity; (b) Injury to garden seeds.

## GREEN VEGETABLES.

The information collected by the Department, as well as that already published, shows that the Sparrow does a great deal of mischief in gardens aside from that done to fruit. In every stage of growth, from the planting of the seed until another crop of seed is gathered, most vegetables are more or less subject to its attacks, some suffering most at one particular stage of growth, while others are attacked continuously. Peas, corn, lettuce, and cabbage are the vegetables which appear to suffer most while in the green state, but the two latter also suffer very much when ripening their seed.

*Destruction of peas.*—The following testimony shows the Sparrow's methods in relation to peas:

From Henry D. Emery, Chicago, Ill.:

They attack and destroy peas as they appear above ground. (December 6, 1884.)

From Thomas H. Shoemaker, Philadelphia, Pa.:

Many have found it almost impossible to raise peas, as the Sparrow eats them off as fast as they appear above ground. (May 25, 1884.)

From P. D. Miller, Schoolcraft, Kalamazoo County, Mich.:

Village.—I know persons who had to give up their pea crop this year on account of the Sparrow. (October 11, 1886. Present about nine years.)

From Dr. A. K. Fisher, Sing Sing, N. Y.:

People living in the village, and who have small vegetable gardens, complain bitterly of their inability to raise peas, on account of the depredations of the Sparrow. The Sparrow attacks the plants as soon as they appear above ground, and again from the time the pods are forming until they are matured. (1885. Present about nineteen years.)

From S. T. Holbrook, Norwich, Conn.:

I have seen them eating the leaves of young peas and have seen them feed their young with them. I have also seen them eating the leaves of young lettuce. (August 26, 1886. Present twenty or twenty-five years.)

From E. R. Quellin, Clayton, Barbour County, Ala.:

It comes into the garden in flocks, eating the peas and other tender vegetables. (October 20, 1886. Present about three years.)

From J. C. Swetland, Sparta, Morrow County, Ohio:

It attacks peas when in bloom, in some gardens destroying one-fourth of the crop. (October 18, 1886. Present about three years.)

From B. L. Swetland, Mount Vernon, Knox County, Ohio:

I have seen them feeding their young on the blossoms of my peas. I am satisfied that we have lost at least one-third of our crop in this way, and they destroy other blossoms. (November 15, 1886. Present about ten years.)

From Joseph C. Ratliff, Richmond, Ind.:

I saw several killed while picking out and eating peas in a garden, and on examination found the peas in their crops. (November 5, 1886. Present about seventeen years.)

Much additional testimony on this head will be found in its proper place in another part of this Bulletin, and it may be remarked that com-

plaints of injury to peas have come from every part of the world where the Sparrow has been introduced, as well as from those countries of which it is a native. The fact that no other bird is known to pull up young peas would prevent any possibility of mistake as to the author of the damage, even if the real culprit had not been caught in the act so frequently. Some few other birds do take green peas from the pod, but in most cases these birds are very scarce wherever Sparrows are abundant.

*Destruction of garden corn.*—Turning now to the subject of the destruction of corn (maize), we find that the evidence is equally strong, and almost as abundant. It is true that the Sparrow does not so frequently pull up the young plant, but the injury to the grain when "in the milk" fully makes up for all previous neglect.

W. O. Clapp, of Dorchester, Suffolk County, Mass., writes:

He is caught pulling the sprouting sweet corn, flocks of them alighting in the patch and taking almost every kernel, or the tender shoot.

Henry Stewart, of Hackensack, N. J., writes:

It attacks sweet and field corn, tearing open the husk. (February 5, 1884. Present about fourteen years.)

John H. Sage, of Portland, Middlesex County, Conn., writes:

It is quite destructive to sweet corn in the garden, stripping the husks and eating the kernels. (August 16, 1886. Present about seventeen years.)

Dr. A. P. Sharp, of Baltimore, Md., says:

During the corn season they are very destructive to the silk and top grains, often ruining the whole ear. (February 16, 1887.)

R. H. George, of Simpsonville, Shelby County, Ky., says:

It will often tear the shucks from the ends of the ears of garden corn, and eat several inches of green corn or matured grain. (October 15, 1886. Present about seven years.)

G. W. Daugherty, of Carmichaels, Greene County, Pa., says:

As regards garden fruits and vegetables, our gardeners report them an intolerable nuisance. They are especially destructive to early sweet-corn, tearing it open on the stalk and eating the end, making it unfit for market and causing it to mold. (February 21, 1887. Present six or seven years.)

William Holmead, of Mount Pleasant, D. C., (suburb of Washington) says:

Sugar and field corn when green are very much damaged by them. They tear the ends of the ears and eat the corn in the same manner as crows. (November 8, 1886. Present about fourteen years.)

The postmaster at Blaine, Pottawatomie County, Kans., says:

Sweet-corn has been injured very much; it has been picked off while in the milk, and the husk pulled off as if done by hand. (October 6, 1886. Present seven or eight years.)

More than a dozen similar reports have been received in regard to garden corn, and three times that number in regard to field corn.

These latter reports will be found under the head of "injury to grain crops."

*De*  
plaints  
of othe  
room h

Mrs.

Conn.,

It inju

(January

Davis

writes:

It pick

in the sec

Simec

It only

ber 4, 188

Dr. W

They ca

They clear

(October

E. B.

It eats e

30, 1886.

Ruth C

It is ver

six or eigh

Dr. H.

They de

heart leave

Herma

They ate

tober 7, 188

George

This sum

beets and p

(August 27

J. Spar

It destro

Present ab

Prof. L

It eats te

six years.)

J. T. B

It is inju

my young

while youn

*Destruction of lettuce, cabbage, and other vegetables.*—Scores of complaints of injury to the sprouts, young plants, buds, and tender shoots of other vegetables than corn and peas have been received, but we have room here for only a few.

Mrs. G. S. F. Stoddard, of South Woodstock, Windham County, Conn., writes:

It injures fruits and vegetables. I have known it to destroy a bed of early lettuce. (January 22, 1887.)

Davison Greenawalt, of Chambersburgh, Franklin County, Pa., writes:

It picks off lettuce when quite small; cabbage, cauliflower, and radish are eaten in the seed-leaf. (September 5, 1886. Present about fourteen years.)

Simeon Zellars, of Palmetto, Campbell County, Ga., writes:

It only eats off small plants when they first come up and are quite tender. (October 4, 1886. Present about four years.)

Dr. William Weber, of Evansville, Ind., writes:

They can do great injury to young vegetables, such as lettuce, peas, cabbage, etc. They clean out beds of young plants if the latter are not protected by twigs or branches. (October 15, 1886. Present about thirteen years.)

E. B. Engle, of Waynesborough, Franklin County, Pa., writes:

It eats early cabbage-plants, peas, lettuce, and other early garden plants. (August 30, 1886. Present six or eight years.)

Ruth C. Burton, of Taylorsville, Spencer County, Ky., writes:

It is very destructive to young cabbage-plants, etc. (October 30, 1886. Present six or eight years.)

Dr. H. D. Moore, of New Lexington, Somerset County, Pa., writes:

They destroyed much of the cabbage crop of a neighbor by eating out the tender heart leaves. (September 13, 1886. Present about eleven years.)

Herman Koerner, of Birdseye, Dubois County, Ind., writes:

They ate up or ruined all that the worms left me of a large patch of cabbage. (October 7, 1886. Present about three years.)

George M. Neese, of New Market, Shenandoah County, Va., writes:

This summer I saw it eat the leaves of young cabbages after they were set, and also beets and peas. It not only eats the leaves of peas but picks off the tender shoots. (August 27, 1886. Present about twelve years.)

J. Sparks, of Vanceburgh, Lewis County, Ky., writes:

It destroys turnips and peas, eating them off to the ground. (October 20, 1886. Present about seven years.)

Prof. D. E. Lantz, of Manhattan, Kans., writes:

It eats tender vegetables when quite young. (September 27, 1886. Present about six years.)

J. T. Bodkin, of Patriot, Switzerland County, Ind., writes:

It is injurious to fruits and vegetables, especially the latter. Last year it ate up my young peas completely, and also preyed on lettuce, beets, strawberries, etc., while young and tender. (May 24, 1887. Present about three years.)

E. Odlum, of Pembroke, Ontario, Canada, writes: -

They are a positive injury to gardens, both flower and vegetable. They eat almost all kinds of seeds, even the common peas. They attack small shoots of many kinds just coming above the ground, taking nearly every fleshy or pulpy sprout. We have been forced to cover parts of our garden against them. They almost destroyed our entire plat of sweet peas. (August 25, 1886. Present about twelve years.)

B. F. Maxon, of Westerly, R. I., writes:

It eats pea and pepper blossoms, young seed pods of turnips, cabbage, beet, and lettuce, and young tender corn-silk. It also eats into the ends of the ears of green corn, and eats young beet and lettuce plants. (March, 1887. Present about thirteen years.)

Dr. M. C. O'Toole, of Berkeley, Cal., writes:

It has no taste for green vegetables, carrots, parsnips, etc., but will eat them when more agreeable matter is not to be found. (February 17, 1887. Present about three years.)

Thos. Hardeman, of Macon, Ga., writes:

It feeds upon sunflower seed and green herbs, and plucks to some extent the flowers of the squash, cucumber, etc. (October 11, 1886. Present ten to fifteen years.)

Dr. E. Sterling, of Cleveland, Ohio, writes:

Last summer I was shown by a gardener a hundred tuberose plants, the buds on every one of which had been eaten out by the Sparrow. (February 25, 1884.)

#### GARDEN SEEDS.

The injury to garden seeds is hardly so severe as might be expected in view of the fact that the Sparrow is so destructive to green vegetables, and that his natural food is seed. Nevertheless, a reference to the summary of evidence on this point shows that the injuries are far from insignificant.

Not infrequently the Sparrow scratches up seeds of various kinds, and especially such as are sown broadcast and imperfectly covered. The following examples serve to illustrate this point:

From Aug. Barthel, Belleville, Saint Clair County, Ill.:

It destroys all seeds sown in the garden, and if prevented from eating them, it eats lettuce, spinach, etc. It also eats the vines of peas, etc. (September 2, 1886. Present many years.)

From H. Harris, Union Springs, Bullock County, Ala.:

It will scratch up seed when first planted; it is as bad as if you were to turn in a newly planted garden 50 chickens. What it does not eat when it is planted is finished after it goes to seed. (September 17 and 24, 1886. Present about six years.)

From J. W. Johnson, Meriwether, Edgefield County, S. C.:

It will scratch for garden seeds as soon as they are planted. (August 24, 1886. Present five years.)

From Edward T. Keim, Dubuque, Iowa:

In one case grass seed was planted on a lawn, and troops of Sparrows devoured every seed. (August 19, 1886. Present about ten years.)

Many  
But th  
importa

Destr  
the com  
the com  
three ve  
the follo  
tion:

From

It ruins  
about thr

From

I have o  
specimens  
(October 1

From

It is only  
etables or

From

The destr  
before they  
season. O  
covered by

The seed  
enough to

From

Some kin  
and turnip.  
not kept av

From

They des  
In our se  
Sparrows fr

From

The Spar  
the seeds of  
fifteen year

From

Peas, and  
which it fe  
Present six

From

It strips t  
twelve year

Destruct  
seed outn

840



Many similar instances will be found under the head of injury to grain. But the destruction of seed when ripening is an injury of still greater importance.

*Destruction of Seed of Lettuce, Cabbage, and Turnip.*—A majority of the complaints relate to the seeds of lettuce, turnip, and cabbage, and the combined losses from injuries to the seeds and young plants of these three vegetables are often very serious, as will appear from a glance at the following examples taken from the abundant evidence on this question :

From H. Volkening, Lenzburgh, Saint Clair County, Ill. :

It ruins cabbage and other vegetables planted for seed. (October 4, 1886. Present about three years.)

From Pat. W. Floyd, Burlington, Coffey County, Kansas :

I have observed lettuce entirely stripped of the seed; and through dissection of specimens taken in the vicinity, have found the food to be almost entirely vegetable. (October 12, 1886. Present three or four years.)

From Thomas Shroyer, Preston, Hamilton County, Ohio :

It is only by careful watching that the country gardener can save seeds of any vegetables or flowers. (September 23, 1886. Present about eleven years.)

From Elisha Slade, Somerset, Bristol County, Mass. :

The destruction of the seeds of vegetables and flowers is enormous. It is begun before they are ripe, almost as soon as they are formed, and continues through the season. Often it is impossible to save the seeds from these birds unless the plants are covered by netting. (October 19, 1885.)

The seed of cabbage, turnip, carrot, lettuce, etc., is attacked before it is ripe enough to be gathered. (August 20, 1886. Present about twelve years.)

From H. M. Jennings, gardener and seedsman, Rochester, N. Y. :

Some kinds of seed it is next to impossible to grow; for example, lettuce, cabbage, and turnip. \* \* \* The Sparrows get into our dry-houses and peck and destroy if not kept away. (February 12, 1887. Present twelve years.)

From F. S. Platt, seedsman and florist, New Haven, Conn. :

They destroy many hundreds of dollars worth of seeds each year. (1884.)

In our seed-gardens we have to keep a boy all the time during the day to keep the Sparrows from wasting turnip, cabbage, and seeds of this class. (September 9, 1886.)

From Thomas Chalmers, Holyoke, Hampden County, Mass. :

The Sparrow eats the seeds of the turnip, cabbage, rape, flax, and hemp, as well as the seeds of weeds and grasses, cultivated or wild. (March 6, 1884. Present about fifteen years.)

From W. A. Wright, Burlington, Carroll County, Ind. :

Peas, and the seed of radish, beet, and cabbage, are the principal vegetables on which it feeds in June and July, and sunflower seed later on. (September 21, 1886. Present sixteen years or more.)

From J. C. Allen, Olney, Richmond County, Ill. :

It strips the sunflower and hemp of all their seed. (September, 1886. Present about twelve years.)

*Destruction of Sunflower Seed.*—The complaints of injury to sunflower seed outnumber those relating to any other single kind of garden seed,



and where Sparrows are abundant such seed can not profitably be raised. Following are a few reports bearing on this subject:

Col. Randolph Harrison, of Richmond, Va., writes:

The greatest pest which our sunflower had was the English Sparrow, which devoured the seed as fast as it matured. (October, 1887.)

W. T. Cunningham, of Danville, Vermillion County, Ill., writes:

It takes all sunflower seed that is not protected. (September 4, 1886. Present about ten years.)

S. R. Ingersoll, of Cleveland, Ohio, writes:

To growers of sunflower seed it is very troublesome, eating nearly all the seed. (September 1, 1886. Present about fourteen years.)

Fred. Mather, of Cold Spring Harbor, Suffolk County, N. Y., writes:

The yellow-bird and the English Sparrow eat up a big share of the sunflower seed which I raise for my fowls. (February 17, 1887.)

H. C. Huff, of Meriden, Conn., writes:

I had about one hundred sunflowers, and the Sparrows devoured the seed in about two days. (August 31, 1886. Present sixteen years.)

Aside from purely negative statements, unsupported by evidence of any kind, very few reports favorable to the Sparrow on this question have been received. The usual number report "no injury to seeds observed;" varied occasionally to "little injury noted," or "no damage of any account."

More rarely a definite and favorable reply has been received. The five following reports may be taken as fair samples of the evidence favorable to the Sparrow as regards vegetables and garden seeds:

From John T. M. Hairn, Lexington, Oglethorpe County, Ga.:

I have watched its habits closely and know that it does not injure fruits or vegetables. It picks up *from the ground* any seed, such as clover or cabbage, but does not unearth any seed, or take it out of the head. (September 25, 1886. Present about four years.)

From M. M. Murphy, Ripley, Brown County, Ohio:

I have never found them any detriment to my garden. (November 12, 1886. Present about ten years.)

From Judge John C. Ferriss, Nashville, Tenn.:

It is a blessing to any community that raises vegetables. (November 12, 1886. Present about eight years.)

From John D. Hicks, Old Westbury, Queens County, N. Y.:

It does not injure garden fruits and vegetables with us, except that it occasionally picks out and eats the ends of some sweet corn in the garden, thus in a small way injuring the ear. (August 16, 1884.)

From A. V. Coffin, Le Roy, Coffey County, Kans.:

I have not observed any injury to fruits or vegetables by the Sparrow. It has been of service by eating the seeds of the native sunflower, but it also eats the seed of lettuce, flax, and artichoke. (October 8, 1886. Present about two years.)

**Destruction of Weed Seed and Grass Seed.**—This last example suggests a point which has been more frequently urged in favor of the Sparrow in the Old World than in the United States, namely, the serv-

ice don  
that th  
if this  
to defin  
place.  
wrong  
den pla  
introdu  
blesome  
eats the  
and the  
the field  
and in  
did, how  
spread  
as well.

The S  
sown on  
ing and  
Mr. W  
the Dep

It is ver  
the seed a

Simila  
elsewher  
abundan  
they eat  
always  
seen alre  
sunflower  
preferred  
grasses,  
(*Setaria*),  
after.

Among  
also the b  
sure to b  
in the out  
Sparrow's

Out of  
ment of  
seed and  
rows hav  
of weed s  
ninety-ni  
no partic

ice done by consuming the seeds of weeds. There can be no question that the bird does eat many weed seeds, but it is very questionable if this is in reality of any considerable consequence. It is impossible to define the term weed perfectly. A weed is simply a plant out of place. Almost any useful plant may become a weed if it grows in the wrong place, and conversely almost any weed may be valued as a garden plant under some circumstances. Our various grasses, native and introduced, are valuable plants in their proper places, but become troublesome weeds when they grow unbidden in our gardens. The Sparrow eats the seeds of such grasses wherever and whenever he finds them, and the act is good, bad, or indifferent according to circumstances. In the field or by the roadside this habit is of little account either way and in the garden but few grasses are allowed to ripen seed; if they did, however, and the Sparrow destroyed it all, most grasses would still spread by the root. Moreover, the Sparrow destroys many useful seeds as well.

The Sparrow is an unquestionable nuisance in eating grass seed when sown on lawns and about houses, frequently scratching it up, or plucking and eating the tender sprouts as they come through the ground.

Mr. William Saunders, superintendent of the garden and grounds of the Department of Agriculture, at Washington, D. C., testifies:

It is very difficult to start grass anywhere about the grounds, as the Sparrows eat the seed as fast as sown.

Similar trouble has been experienced in the Smithsonian grounds and elsewhere in Washington, as well as in other cities where Sparrows are abundant. The dissection of Sparrows has established the fact that they eat almost every kind of seed obtainable, though certain kinds are always preferred if there is a choice. Among vegetables we have seen already that cabbage, turnip, and lettuce are preferred, and that sunflower seed is a special favorite. Among grains, wheat seems to be preferred above everything else, and oats stand next in favor. Among grasses, those with large seeds are preferred, and the fox-tailed grasses (*Setaria*), so closely allied to millet or Hungarian grass, are much sought after.

Among weeds, the genus *Polygonum*, including the bind weeds (and also the buckwheat), heads the list, and as some species of this genus are sure to be found in almost every unoccupied city square or waste place in the outskirts of the city, the seed forms a pretty constant factor in the Sparrow's food in summer and autumn.

Out of 522 stomachs of English Sparrows examined at the Department of Agriculture during the past summer (1887), 102 contained grass seed and 85 contained weed seed. In nearly all cases where many Sparrows have been dissected in summer and fall, considerable quantities of weed seed have been found. And yet it is very probable that in ninety-nine out of every hundred cases in which such seed had been eaten no particular benefit had been conferred on anyone, the seed being

mainly from roadsides and waste places, so that its consumption did neither good nor harm, except in so far as it served to divert the attention of the Sparrow and prevent it satisfying itself with other and perhaps more valuable food.

### INJURY TO GRAIN.

In reply to the question relating to injury to grain crops, 750 answers have been received, of which number 183 are favorable to the Sparrow, 562 are unfavorable, and 5 are of mixed character.

Although the question called specifically for information as to *grain crops*, it is probable that some replies refer only to the consumption of scattered grain, and not to the grain in the field or stack; but as such information naturally has a direct bearing on the latter question, most of this evidence has been summarized, omitting only such parts as refer solely to the consumption of waste grain in the streets, this latter point having been fully discussed already in its bearings upon the increase and spread of the Sparrow.

The reports submitted came from 31 States, the Territory of Utah, the District of Columbia, and the Dominion of Canada.

The States sending the largest number of reports were:

States.	Favorable.	Unfavorable.	States.	Favorable.	Unfavorable.
Michigan .....	20	65	Pennsylvania .....	7	28
Ohio .....	8	62	Georgia .....	15	21
Indiana .....	5	54	Iowa .....	13	10
New York .....	12	51	Massachusetts .....	6	16
Kentucky .....	22	29	New Jersey .....	3	17
Illinois .....	24	29	Kansas .....	6	13

Canada sent 22 reports; 9 favorable, 12 unfavorable, and 1 indifferent.

The following table will give some idea of the Sparrow's preferences in regard to grain, but it should be remembered that as a rule Sparrows take that which can be obtained most readily, and the fact that in some sections one kind of grain is grown to the practical exclusion of all others will account for the apparent preference of Sparrows in that region for that particular grain.

Grain injured.	No. of observers reporting.	Grain injured.	No. of observers reporting.
Wheat .....	275	Rice .....	8
Oats .....	107	Buckwheat .....	6
Rye .....	43	Grain or grain crops, kinds not specified .....	185
Barley .....	18	Small grain, kinds not specified .....	28
Indian corn .....	34	Cereals, kinds not specified .....	14
"Millet" .....	20	Clover or grass seed .....	8
Sorghum .....	7	Seeds, kinds not specified .....	12
Milo maize (variety of sorghum) ..	9		
Other varieties of sorghum .....	9		

## INJURY TO WHEAT.

This crop suffers from the time of sowing until it is stored in the barn or elevator, and even then the Sparrows frequently find a way to get at and devour it. The period during which the greatest damage is done lasts from the time it is "in the milk" until it is threshed, but quite frequently, as the following reports show, considerable damage is done on newly sown fields.

George Wyckoff, of Mears, Oceana County, Mich., writes:

I have heard several complaints from farmers of its working on new-sown wheat. (October 7, 1886. Present about three years.)

James P. Melzer, of Milford, Hillsborough County, N. H., writes:

It very abundant it would consume the grain as planted. It pulls it up for a few days after it comes up. (August 28, 1886. Present about ten years.)

A. H. Mundt, of Fairbury, Livingston County, Ill., writes:

It loves wheat grains and many other kinds which it scratches out and eats. (October 6, 1886. Present five or six years.)

Edward T. Keim, of Dubuque, Iowa, writes:

Every seed that is not well covered is at once detected and eaten. (August 19, 1886. Present about ten years.)

Dr. A. P. Sharp, of Baltimore, Md., writes:

Being here the year round they destroy the fall sowing of wheat and other grain, and are at work on the young grain in the spring. I have killed them in the fall up to December, and have seldom failed to find their craws full of wheat, showing that they must destroy much of the seed wheat, for I can think of no other way of getting it. I have often seen at least fifty on a shock of wheat, as they go in flocks when the young are about three-fourths grown. (February 16, 1887.)

It seems almost superfluous to cite here any instances of the destruction of wheat in the field; as the reader can turn directly to the evidence under the head of grain crops, and read page after page of the most positive proof that the Sparrow does injure wheat most seriously. The absurdity of the claim that Sparrows are confined to cities and large towns is shown over and over again by this evidence, for scores of witnesses testify to serious losses of grain on fields at a distance from any large city, although it is doubtless true that the injury is generally greatest within a radius of ten miles from a large town or city. The following examples of testimony on this point are suggestive.

From George Sibbald, of Aberdeen, Brown County, Ohio:

My farm is so situated as to be the nearest feeding-grounds for great numbers of Sparrows, as there is a village on one side and a city in front. The Sparrows at this writing are coming by thousands to feed on the wheat. (June 10, 1887.)

From Jason E. Nichols, Lansing, Mich.:

It leaves the city in flocks, and eats wheat as it grows in the field, and also as it stands in the stack before threshing. (August 26, 1886.)

From George P. Lowell, of San Francisco, Cal.:

In the fall of the year it migrates to grain fields in the immediate vicinity of the city. (June, 1887. Present more than ten years.)

Unfavorable.

28  
21  
10  
10  
17  
13

ferences  
sparrows  
in some  
all other  
that re

No. of observers reporting.

8  
6  
185  
28  
14  
8  
12

**From Dr. Daniel Berry, of Carmi, White County, Ill.:**

In the town they organize foraging parties for excursions into the country. I have seen hundreds of them busy among the wheat shocks. (October 6, 1886. Present about ten years.)

**From Dr. Ormsby Gray, of Shelbyville, Ky.:**

As soon as the head matures it begins to visit wheat fields in large flocks and eat the grain; in fact it almost disappears from the town for two or three days at a time while foraging. (October 12, 1886. Present about eight years.)

**From Robert D. Camp, of New Haven, Conn.:**

I have noticed for a number of years the diminished number of Sparrows in the city during the harvesting, and upon inquiry among the neighboring farmers I find that they make their way to the country during that season. (April, 1887. Present fifteen years or more.)

**From J. L. Davison, of Lockport, Niagara County, N. Y.:**

I have known it to leave the city by hundreds and feed upon a wheat field adjoining Glenwood Cemetery. The estimated damage was one-fourth of the crop. (October 10, 1885.)

**From Joseph C. Ratliff, of Richmond, Ind.:**

It is very destructive to wheat before and after it is cut. I saw its depredations in wheat fields last summer, four or five miles out of the city. (November 5, 1886. Present about seventeen years.)

**From H. F. Work, New Washington, Clark County, Ind.:**

It injures grain crops, especially wheat; almost wholly destroying standing crops in the vicinity of large towns, and preying on the same in shock and stack. (April 21, 1887.)

**From Dr. George L. Andrew, of La Porte, Ind.:**

It has already become a pest to the grain fields in the immediate vicinity of towns. During the last wheat harvest I rode over the country around Hamilton, Ohio, and by carriage to Cincinnati, and all the fields observed had suffered for a rod or two around the edges, in many cases the grain having been "cleaned out" entirely. (September 9, 1886. Present about six years.)

**William N. Ponton, of Belleville, Ont., Canada, writes:**

When it can get grain it will not touch anything else. Wheat especially is its prey, and on my own farm here on the shores of the Bay of Quinte, three acres of fall wheat were absolutely eaten up by Sparrows, and by Sparrows alone. (September 27, 1884.)

The habit of working around the edges of a field seems to be characteristic of the Sparrow, and is mentioned in scores of reports. Black-birds, rice-birds, and others which damage grain are more apt to avoid the edges of the fields and settle in the midst of the grain, where they are less likely to be disturbed, but the Sparrow scorns to seek safety in the same way, but feeds unmolested wherever he chooses.

**William McBrown, of Fall River, Greenwood County, Kans., writes:**

It will eat every grain of wheat or other small grain that time will permit. Along hedges I have seen wheat stripped of every grain for many feet into the field. (October 8, 1886. Present about two years.)

**Jabez Webster, of Centralia, Marion County, Ill., writes:**

When cloyed with raspberries they would go in flocks to a wheat field close by, and for hours fly backwards and forwards from the hedge to the field until a strip of wheat a rod wide was cleaned out. (December 21, 1886. Present about seven years.)

Dr. A.  
2, 1887

Yester  
500 Engl  
I walked  
grain ha

The t  
to whea  
through

From

It does  
harvesti  
this porti  
injurious

From  
Spring,

From t  
stant att  
inches, ne

While  
breaking  
As the g  
beating  
on the g

This is  
a little f

As the  
some sea  
on the gr  
From th  
and som  
shock to  
every ste

From

Near my  
this summ  
so that the  
eleven year

From

I have s  
gust 27, 18

From

They are  
heads to th  
the shocks  
years.)

Dr. A. K. Fisher wrote from Ann Arbor, Mich., under date of July 2, 1887:

Yesterday while passing a small field (about two acres) of wheat, a flock of about 500 English Sparrows flew out. I shot one and found its throat filled with the grain. I walked along by the fence, and, as nearly as I could judge, at least one-half the grain had been removed from the heads.

The two following reports are examples of testimony as to damage to wheat before it is ripe. Very many more will be found scattered through the evidence further on.

From C. S. Plumb, Geneva, Ontario County, N. Y.:

It does great injury to wheat and oats, shelling the heads from the milk state to harvesting. It also works at the stacks, and persistently at the fields. Farmers in this portion of the State complain to me that the Sparrow is of late becoming very injurious to wheat fields. (August 28, 1886.)

From H. H. Miller and other members of County Farmers' club, Sandy Spring, Montgomery County, Md.:

From the time the wheat is in the milk until it is thrashed, the Sparrow is in constant attendance. In barns, on the outsides of the mow and to a depth of 6 or 8 inches, not a head escapes. (February 16, 1887. Present about eight years.)

While the wheat is in the milk considerable damage is done by breaking down the stalks, in addition to the kernels actually eaten. As the grain ripens, however, far more damage is done by shaking and beating it out of the heads, so that probably much more is scattered on the ground and lost than is actually eaten.

This is equally true of some other grains, as shown by evidence given a little further on.

As the grain is cut the Sparrows frequent the stubble and pick up some scattered kernels, but they are far too knowing to waste much time on the ground so long as the shocks of grain are left standing in the field. From the abundant testimony on this score we select a few examples, and some of these show also how the Sparrow follows the grain from shock to stack and from stack to crib, causing loss to the farmer at every step.

From Prof. B. W. Evermann, Bloomington, Monroe County, Ind.:

Near my house is a wheat field in which the wheat stood in shocks for several weeks this summer. Hundreds of Sparrows resorted to this field and fed upon the grain, so that the outside sheaves had but little left. (August 25, 1886. Present about eleven years.)

From A. B. Ghare, Frankfort, Clinton County, Ind.:

I have seen hundreds of these birds on and around a single shock of wheat. (August 27, 1886. Present about eight years.)

From J. G. Kingsbury, Indianapolis, Ind.:

They are destroying a great deal of wheat in this vicinity now. They bend the heads to the ground, eat part and waste the rest. After the wheat is cut they cover the shocks and eat all the heads exposed. (June 25, 1887. Present eight or ten years.)

**From L. N. Bonham, Oxford, Butler County, Ohio:**

I have known it to clean every grain of wheat from the cap-sheaf and exposed heads in a ten-acre field of wheat in shock. Near the village it attacks the heads before the grain is put in shock. (November 29, 1886. Present about eight years.)

**From A. T. Keister, Blacksburg, Montgomery County, Va.:**

It destroyed for me alone six or eight shocks of wheat last season. (November 15, 1886. Present five years or more.)

**From Davison Greenawalt, Chambersburg, Franklin County, Pa.:**

This summer I saw six acres of wheat in shock which was completely picked clean on top and sides, as far as could be reached, by the Sparrow. (September 5, 1886. Present about fourteen years.)

**From Edward Burrough, Merchantville, N. J.:**

Clouds of them gather in the wheat fields, and the grain for a distance of 25 feet next the fence is thrashed out and the ground coated with chaff. (September 2, 1886. Present about ten years.)

**From Samuel N. Rhoades, Haddonfield, N. J.:**

As the young of the first and second broods are often fully fledged by July, the united attacks of these with the parents on standing wheat are inevitable, and near towns, appalling. Should the now or wheat stack be unthrashed, by midwinter not an exposed head has a grain in it, and the birds, like mice, will fairly burrow inside several inches for more grain. Oats in shock, and corn in crib, are also levied on heavily. (September 9, 1886. Present twenty-five or thirty years.)

**From J. A. Dakin, Tully, Onondaga County, N. Y.:**

I have seen large flocks tearing down wheat in the field, and oats and barley in the stack and field. In some instances several acres have been destroyed in this way. (September 10, 1886. Present about eight years.)

**From U. G. Gordon, Barry, Cuyahoga County, Ohio:**

The Sparrows are the worst birds we have. I have seen wheat fields and oat fields in the vicinity of Cleveland which were injured at least one-half. (September 7, 1886.)

**From the postmaster at Bowling Green, Warren County, Ky.:**

It has been observed to alight on shocks of grain and leave nothing but the straw. (October 3, 1886. Present about eight years.)

**From T. D. Barron, Saint Clair, Mich.:**

I know fields of wheat and oats which it has almost destroyed. One small wheat field within the limits of the city was one-third wasted by what was shelled out both before and after it was cut. (October 7, 1886. Present eight or ten years.)

**From Ransom A. Moore, Kewaunee, Wis.:**

Several in this vicinity have had their crops almost ruined by its depredations about the time the grain was ripening. (November 8, 1886. Present about two years.)

**From Charles M. Clapp, Albion, Noble County, Ind.:**

I have known of their picking out of the head all the grain in sight on top of shocks and stacks of both wheat and oats. (October 14, 1886. Present five or six years.)

**From William Holmead, Mount Pleasant, District of Columbia (suburb of Washington):**

In 1882 I had part of my farm in wheat. After cutting and shocking it the Sparrows came by thousands and destroyed every head of grain exposed; after it was

stacked  
them two  
was estim  
estimated  
year I ha  
was filled  
tacked th  
(Novemb

When  
imental  
especial  
complai

Andre  
Norman

This is  
the field t  
winter we  
which loo  
for human  
how it wa  
crop. The  
and the las  
safely say  
the two qu  
They used  
(October 2

William  
Ohio, wr

It never  
ripening;  
experiment  
watched w  
but they a  
are comple  
ten years.)

J. F. C  
writes:

It is very  
a new vari  
(February

Next  
instances  
spondent

The fo  
point:

From I  
It will ea  
than oats o



stacked preparatory to thrashing, they covered the whole stack. I had to shoot at them two or three times a day to scare them away, and upon thrashing my wheat it was estimated that fully one-tenth of the crop was destroyed. One of my neighbors estimated that one-half of his wheat was eaten by the Sparrows last year. This year I had about four acres in oats. After the oats were put in the barracks the field was filled with thousands of Sparrows, and when they had cleaned the field they attacked the oats in the barracks, and I think they got every oat that was exposed. (November 8, 1886. Present about fifteen years.)

When wheat or other grain is grown in small quantities, for experimental purposes, it is liable to be severely damaged by the Sparrow, especially if planted near towns or cities. We append two or three complaints on this score from the many received:

Andrew Gray, of Willoughby, Lake County, Ohio, in a letter to Hon. Norman J. Colman, Commissioner of Agriculture, says:

This is to inform you that I drilled in the seed wheat you sent me in one corner of the field that I sowed to *Clawson*. I sowed it on rich, sandy soil and it came through the winter well and gave promise of a splendid crop, especially the *Diehl Mediterranean*, which looked the most promising, although the *Martin amber* did very well. But, alas for human hopes! About four or five days before it was ready to cut I went to see how it was getting along and found that the English Sparrows had harvested the crop. Their first choice was the *Martin amber*; the next was the *Diehl Mediterranean*; and the last the *Clawson*. I saved about a peck of seed from the two kinds. I think I can safely say that I would have got as much as one and one-half bushels of seed from the two quarts of seed sent, if the Sparrows had let it alone. They are a nuisance! They used up as much as five bushels of wheat for me this year, and as many oats. (October 25, 1886.)

William B. Alwood, of the Ohio State University, near Columbus, Ohio, writes:

It never fails to attack our wheat fields in unlimited numbers about ten days before ripening; and each year we are compelled to resort to shooting. On the plats of the experiment station many varieties of our cereals would be utterly ruined unless watched with care. The Sparrows attack indiscriminately wheat, oats, and barley, but they attack the wheat with such force and persistency that many times the heads are completely broken down over rods of space. (July 16, 1887. Present more than ten years.)

J. F. C. Hyde, of Newton Highlands, Middlesex County, Mass., writes:

It is very injurious to grain crops, taking nearly or quite all in some cases. I had a new variety of wheat which I was growing for seed, and they took every grain. (February 11, 1884.)

#### INJURY TO OATS.

Next to wheat the Sparrow seems to prefer oats, and numerous instances of heavy loss to this crop have been reported by our correspondents.

The following may be taken as samples of the evidence on this point:

From Dr. M. C. O'Toole, Berkeley, Cal.:

It will eat every kind of grain, and in large quantities, but wheat is injured more than oats or barley. (February 17, 1887. Present about three years.)



**From Frank S. Platt, New Haven, Conn.:**

A short time ago I cradled a small piece of oats, and the Sparrows gathered on the shocks in such flocks that I shot fifty-four with one barrel and thirty-five with the other. (September 9, 1886. Present fifteen years or more.)

**From Robert W. Barrell, South Bethlehem, Northampton County, Pa.:**

I once saw about an acre of oats almost entirely destroyed by the Sparrows. They also do great damage to Egyptian rice; a moderate-sized flock will destroy an acre in a season. (September 16, 1886.)

**From H. B. Bailey, East Orange, Essex County, N. J.:**

It totally destroyed a field of ripe oats back of our house, so that the owner cut it down for bedding. Others tell me they have witnessed the same thing. (February 7, 1884. Present ten years or more.)

**From Dr. E. Sterling, Cleveland, Ohio:**

The only instance I know of in which the Sparrows threatened serious injury to grain was on a farm where a man killed 102 of them at four shots into a small flock that was inspecting his seed oats; and the owner tells me that if he had not slaughtered and driven them off, he would not have gathered a bushel of oats from his acre and a-half. (February 25, 1884.)

**From H. Volkening, Lenzburgh, Saint Clair County, Ill.:**

Farmers say the Sparrow destroys about five per cent. of the wheat, and especially oats, in the field. (October 4, 1886. Present about three years.)

**From Elisha Slade, Somerset, Bristol County, Mass.:**

Bird for bird, or collectively, they are more destructive to rye, oats, barley, and Indian corn, than crows and blackbirds. The English Sparrows are enormous eaters, and so semi-domestic are they that it is not easy to scare them away from the grain fields. They cling to the shock and stack with grain-loving tenacity. (August 20, 1886. Present about twelve years.)

**INJURY TO RYE AND BARLEY.**

Although between forty and fifty reports of injury to rye have been received, it is evident that for some reason it is much less often attacked than either of the grains already mentioned.

The same is true, but to a still greater extent, with regard to barley, for many observers state that the Sparrow will not touch barley so long as it can get anything else. Nevertheless, there are doubtless times when these grains suffers considerably from the attacks of the Sparrow.

**Hubert L. Clark, of Amherst, Mass., writes:**

It is here continually except about the time the rye crop is gathered; it then visits the fields and does much damage to the rye. (October 2, 1885.)

**J. T. Bodkin, of Patriot, Switzerland County, Ind., writes:**

It works on wheat, rye, and oats, and on corn while young and tender. I have examined one or two dead ones and found their craws filled with wheat and rye. (May 24, 1887. Present about three years.)

**INJURY TO FIELD CORN.**

The injury to garden corn has already been spoken of, but it should be noted that the Sparrow does not confine its raids to gardens, but at

tacks at  
following  
careful  
Sparrow

From

I can  
stripped  
not a sho

From

It strips  
the ear, a

From

It tears  
to mold o

From

They gr  
part of th  
pheric cha

From

We hav  
damaged v

From

I recent  
hoppers, w  
were in pa  
laid bare.

From

They s  
quantities

The se  
country  
tell just  
and give  
cases the  
corn, Mil  
has prov

W. H.

I have  
Present ei

Ruth C

It injur  
six or eigh

H. F.

A few y  
destroyed

tacks and seriously injures field corn, especially while in the milk. The following is but a small part of the testimony on this subject, and a careful consideration of all which has been collected shows that the Sparrow threatens to be a dangerous enemy to this crop in the future.

From Dr. Fred. Sumner Smith, West Hartford, Conn.:

I can speak from observation of their raids on corn, some ears being completely stripped of kernels, the little pests husking and shelling as they went along, so that not a shock in the field escaped them. (November, 1885.)

From J. N. Baggs, West Springfield, Mass.:

It strips down green corn in the fields, sometimes one-third or more the length of the ear, and is doing so now. (September 7, 1886. Present five or six years.)

From G. W. Daugherty, Carmichael's, Greene County, Pa.:

It tears open the shucks of standing corn so as to admit the rain or wet, causing it to mold or rot. (February 21, 1887. Present six or seven years.)

From Dr. B. H. Warren, West Chester, Pa.:

They greatly damage the corn crop, tearing open the husk, devouring the tender part of the ear, and exposing the remainder to the ravages of insects and to atmospheric changes. (January, 1887.)

From Thomas Shroyer, Preston, Hamilton County, Ohio:

We have seen many fields of corn bordering its resorts, where the ears were greatly damaged while yet soft. (September 23, 1886. Present about eleven years.)

From G. C. Bunsen, West Belleville, Saint Clair County, Ill.:

I recently saw a flock in my cornfield and gave them credit for destroying grasshoppers, which they will do occasionally; on examination, however, I found they were in partnership with the latter, eating out the corn which the grasshoppers had laid bare. (Autumn, 1885.)

From T. S. Williams, Dupont, Jefferson County, Ind.:

They split the husk on corn as soon as it is in the milk, and eat and destroy large quantities of it. (October 6, 1886. Present about six years.)

#### INJURY TO SORGHUM.

The several varieties of sorghum are known in different parts of the country by so many different names that it is not always possible to tell just what is meant when a person complains of injury to his crop and gives the local name of the variety of grain attacked. In most cases the names Egyptian rice, Russian millet, pearl millet, chicken corn, Millo maize, etc., denote varieties of sorghum, and the Sparrow has proved very destructive to seed of this kind, wherever grown.

W. H. Wherritt, of Lancaster, Garrard County, Ky., writes:

I have known it to destroy the whole crop of sorghum seed. (October 11, 1886. Present eight or nine years.)

Ruth C. Burton, of Taylorsville, Spencer County, Ky., writes:

It injures wheat fields and the seed top of sorghum. (October 30, 1886. Present six or eight years.)

H. F. Barrell, of New Providence, Union County, N. J., writes:

A few years since I had about one-fourth of an acre of the so-called Egyptian rice destroyed by these pests. (1885. Present about twenty years.)

Lloyd McKim Garrison, of Orange, N. J., writes :

In our neighborhood grain is very little grown ; a neighbor, however, has planted Russian millet for fodder and the grain of this is devoured by the Sparrows with alarming rapidity. (February 11, 1884. Present many years.)

William Saunders, superintendent of garden and grounds of the Department of Agriculture, at Washington, D. C., says :

The seed of ornamental grasses is taken as fast as it matures, and can only be saved by bagging the heads before they ripen. When experimenting with sorghum the same trouble was experienced, and some experiments failed from this cause alone. (April 13, 1887.)

Thomas Hardeman, of Macon, Ga., writes :

Millo maize and millet are not suffered to ripen their seed. (October 11, 1886. Present ten or fifteen years.)

Many other reports of injury to "millet" have been received, and probably in most cases this term is used to indicate a species of *Setaria*, also known as Hungarian grass.

Mr. E. L. Brown, of Eufaula, Barbour County, Ala., writes :

It eats millet seed before it fully matures. It is impossible to save such seed. (September 17, 1886. Present about four years.)

Mary Tuttle, of West Windsor, Eaton County, Mich., writes :

Millet fields have been quite destroyed by the Sparrow. (October 14, 1886. Present about two years.)

The late Dr. J. M. Wheaton, of Columbus, Ohio, wrote :

I have seen large flocks feeding on the seed of Hungarian grass in the autumn. (April 18, 1884. Present about twelve years.)

M. Abbott Frazar, Mount Auburn, Middlesex County, Mass., writes :

July 30 I planted about 50 square yards with Hungarian grass. Two weeks of dry weather followed and the grass did not come up. From fifty to two hundred English Sparrows camped there during all this time and busied themselves with scratching up seeds. When the grass did come up it was badly injured. (Autumn, 1885.)

#### INJURY TO RICE.

Wherever the Sparrow has reached the rice-growing districts he has damaged the rice to a greater or less extent, but this crop annually suffers so severely from the attacks of rice-birds and blackbirds that the presence of a few English Sparrows is often overlooked. In the Middle States the rice-bird or bobolink (*Dolichonyx oryzivorus*) feeds largely on the so-called wild rice (*Zizania aquatica*), and often the Sparrow may be found feeding in the same places.

F. T. Cuthbert, of Plainfield, N. J., writes :

It feeds extensively upon wheat, grass seed, and all the smaller grains. In the wild-rice pads it mingles with the bobolink and fattens on the rice. (February, 1887.)

Further South it has already attacked the rice-fields, although its injuries as yet have attracted little attention, except in the rice districts of Louisiana.

W. C.

During  
worse on  
two years

The p

It injur  
the crop

E. J.

I can n  
years tha  
are more  
troubleso  
were very  
many, but  
more or le

The lo  
tory bird  
abandon  
which is

By ear  
before th  
row once  
rapidly a  
fight a sy  
than twi  
at the sa  
with the

One of  
is grown  
it under  
sively, h  
as yet; l  
ure, and

From

I have  
eleven ye

From

He destr  
in my field

There  
be favor  
ready be

W. C. Percy, jr., of Black Hawk, Concordia Parish, La., writes:

During the summer of 1886 it destroyed quantities of corn, oats, and rice. It is worse on corn and oats than any other bird. (September 15, 1886. Present about two years.)

The postmaster at Edgard, Saint John Baptist Parish, La., writes:

It injures rice seed very much [in the spring], and annoys farmers very much when the crop is ready to harvest. (October 7, 1886. Present two years.)

E. J. Engman, of Concession, Plaquemines Parish, La., writes:

I can not say when the Sparrows first appeared here, but it is only within two years that we have noticed them on the rice-fields, where they come in flocks, and are more destructive than the blackbird or rice-bird. Being so tame, they are very troublesome, as you can not scare them as you can the rice-bird. Last year they were very numerous during planting and harvesting. This spring I do not see as many, but they are making their appearance very fast, and every one is troubled more or less. (April 21, 1886. Present two or three years.)

The losses occasioned to rice-growers by the depredations of migratory birds are so heavy already that many planters have preferred to abandon the culture of rice rather than keep up the expensive warfare which is necessary in order to save any large proportion of the crop.

By early planting it is sometimes possible to harvest a part of the crop before the rice-birds arrive from the north, but should the English Sparrow once obtain a strong foothold in the rice districts, and increase as rapidly as he has done elsewhere, the rice-grower will be compelled to fight a species which is present the entire year, which multiplies more than twice as rapidly as any native bird, and which is so ravenous and at the same time so cunning that it can not be combatted successfully with the same means employed against the native birds.

#### INJURY TO BUCKWHEAT.

One other crop suffers from the Sparrow's depredations wherever it is grown. This is buckwheat, of which the bird is very fond, attacking it under almost all circumstances. As buckwheat is not grown extensively, however, we have not received any large number of complaints as yet; but the two following show that the Sparrow is true to his nature, and will not neglect his opportunities.

From A. H. Boies, Hudson, Lenawee County, Mich.:

I have seen large flocks settle on buckwheat. (August 19, 1886. Present about eleven years.)

From H. J. Gaylord, Binghamton, Broome County, N. Y.:

He destroys buckwheat while it is standing in the field. Thousands of them are in my field to-day. (September 26, 1885.)

#### NEGATIVE EVIDENCE.

There is no side of this grain question which can be fairly said to be favorable. The question of benefit from eating weed-seed has already been discussed, and the few reports which claim that the Sparrow

does not attack grain crops under any circumstances must be entirely ruled out, or rather relegated to the category of purely negative evidence, and labeled "claims not substantiated." There remain, of course, some reports which are only mildly hostile to the Sparrow, or are even favorable as far as they go, but these need no comment except, perhaps, the statement that they are evidently honest opinions, and are entitled to respect as such. We insert a few samples, which explain themselves.

From A. P. Farnsley, per J. B. Nall, editor Farmers' Home Journal, Louisville, Ky.:

The English Sparrow is the only bird I know to be injurious to grain crops; but if the amount he saves were weighed against that which he eats, the former would outweigh the latter many times.

The trouble is, that the grain he eats and the amount he eats are seen by all, while the amount he saves the farmer is not seen. The destruction of a few insects in the wheat field during the fall or spring might increase the yield one or more bushels per acre, yet it could not be seen; but when the Sparrow takes the wheat from the bundle that lies on top of the shock it is seen by all. (August 8, 1886.)

From John Allan Terrell, Bloomfield, Nelson County, Ky.:

It does not injure grain more than other birds. It flocks to wheat fields, but on examination I find the crop filled with grub-worms and grasshoppers. (October 6, 1886. Present about seventeen years.)

From Howard Kingsbury, Burlington, Iowa:

All talks with farmers in this section failed to draw out any complaint of injury to grain crops. (December 28, 1886. Present sixteen or seventeen years.)

From the Davenport (Iowa) Academy of Natural Science, per W. H. Pratt, curator:

While it eats a great deal of grain about the mills and warehouses, it does not as yet go into the fields, and has probably injured no crops here. (April 20, 1887. Present about seventeen years.)

#### RELATION OF THE SPARROW TO OTHER BIRDS.

This is one of the most important branches of the Sparrow investigation, and it is believed that the evidence collected and published herewith is ample for the final settlement of this much vexed question. More than a thousand original contributions to our knowledge of this subject have been received at the Department, and all the available published testimony has also been consulted, and selections from this have been printed. No pains have been spared in collecting evidence on both sides of the question; and when it became apparent that a large part of the testimony which was coming in was against the Sparrow, a special effort was made to induce friends of the bird to come forward with facts or theories to offset this damaging evidence. As a result, a mass of testimony has been brought together which it is believed far exceeds in amount and value anything ever before collected, and it is now submitted to the public with perfect confidence that no candid

reader w  
and in m  
one shou  
this plac  
himself t

The na  
it satisfac  
directly t

Total num  
In the mai  
In the mai  
Indetermin

This w  
favorable  
reports w  
asked on  
be still fu

Two hu  
or no evid  
while the  
trations o  
tioned son

Of thes  
entirely, c  
twenty-fiv  
Sparrow,

This es  
than the  
ceived are  
birds, but  
one-eighte

About c  
juror mus  
of evidenc  
of testimo  
to one ag  
unprejudi

reader will ever again deny that the Sparrow molests our native birds, and in many cases drives them away from our gardens and parks. No one should be content to read simply the brief summary presented at this place, but should turn directly to the evidence itself, and satisfy himself that the case is as here represented.

The nature of the evidence is such that it is impossible to summarize it satisfactorily, but the following brief synopsis of matter contributed directly to the Department will show something of its extent.

Total number of original reports submitted.....	1,048
In the main favorable to the Sparrow.....	168
In the main unfavorable to the Sparrow.....	837
Indeterminate .....	43

This would indicate that about one-fifth of the evidence submitted is favorable to the Sparrow; but if we exclude from the evidence all those reports which consist simply of the answers yes or no to the questions asked on the printed circulars, the percentage of favorable replies will be still further decreased.

Two hundred and eighty-one reports were received which gave little or no evidence on this subject further than these monosyllabic replies, while the seven hundred and sixty-seven remaining reports gave illustrations of the hostile or peaceful relations of the birds, or at least mentioned some species which were or were not molested.

Of these seven hundred and sixty-seven reports only forty-two are entirely, or even mainly, favorable to the Sparrow; seven hundred and twenty-five of them containing evidence unquestionably against the Sparrow, and most of it of the most damaging kind.

This estimate, therefore, which seems to us much nearer the truth than the first, shows that about one-eighteenth of the reports received are favorable to the Sparrow as regards its relation to other birds, but it should not be inferred by any means that therefore even one-eighteenth of the evidence is favorable.

About one witness in eighteen has testified for the Sparrow, but each juror must decide for himself as to the weight to be given to each piece of evidence. For our own part, after careful consideration of each bit of testimony presented, we believe that the proportion of one hundred to one against the Sparrow is the most favorable estimate which any unprejudiced person is likely to make.

## LIST OF NATIVE BIRDS MOLESTED BY THE SPARROW.

The following table gives the names of species which the Sparrow is reported to molest, and the number of such reports in each case:

	Reports.		Reports.
Bluebird ( <i>Sialia sialis</i> )	377	Common sparrow, species not indicated	19
Western bluebird ( <i>Sialia mexicana</i> )	1	Native sparrow, species not indicated	16
Robin ( <i>Merula migratoria</i> )	182	Ground sparrow, species not indicated	7
Hermit thrush ( <i>Turdus aonalaschke pallasi</i> )	1	Other sparrows, species not indicated	39
Wood thrush ( <i>Turdus mustelinus</i> )	4	Savanna sparrow ( <i>Ammodramus sandwichensis savanna</i> )	2
Thrushes, species not indicated	14	Grass finch, vesper sparrow ( <i>Pooecetes gramineus</i> )	2
Golden-crowned kinglet ( <i>Regulus satrapa</i> )	3	Grass bird, species not indicated	1
Chickadee ( <i>Parus atricapillus</i> )	1	Snowbirds ( <i>Junco sp</i> )	13
Titmouse, species not indicated	4	Goldfinch	
Tomtit, species not indicated	1	Yellow-bird } ( <i>Spinus tristis</i> )	32
White-bellied nut-hatch ( <i>Sitta carolinensis</i> )	1	Wild canary	
Nut-hatch, species not indicated	1	Arkansas goldfinch ( <i>Spinus psaltria</i> )	1
House wren ( <i>Troglodytes ædon</i> )	64	Red-poll ( <i>Acanthis linaria</i> )	1
Parkman's wren ( <i>Troglodytes ædon parkmannii</i> )	1	Purple finch ( <i>Carpodacus purpureus</i> )	5
Carolina wren ( <i>Thryothorus ludovicianus</i> )	6	House finch ( <i>Carpodacus frontalis</i> )	3
Bewick's wren ( <i>Thryothorus ludovicianus bewickii</i> )	2	Other finches, species not indicated	4
Wren, species not indicated	116	Linnet, species not indicated	1
Brown thrasher ( <i>Harporhynchus rufus</i> )	8	Purple grackle ( <i>Quiscalus quiscula</i> )	2
Cat-bird ( <i>Galeoscoptes carolinensis</i> )	33	Grackles, species not indicated	5
Mocking-bird ( <i>Mimus polyglottos</i> )	50	Baltimore oriole ( <i>Icterus Baltimore</i> )	37
Redstart ( <i>Setophaga ruticilla</i> )	1	Orchard oriole ( <i>Icterus spurius</i> )	4
Yellow warbler ( <i>Dendroica æstiva</i> )	11	Orioles, species not indicated	10
Myrtle warbler ( <i>Dendroica coronata</i> )	1	Meadow-lark ( <i>Sturnella magna</i> )	3
Warblers, species not indicated	15	Red-winged blackbird ( <i>Agelaius phœniceus</i> )	1
Red-eyed vireo ( <i>Vireo olivaceus</i> )	2	Blackbirds, species not indicated	8
Warbling vireo ( <i>Vireo gilvus</i> )	3	Bobolink ( <i>Dolichonyx oryzivorus</i> )	5
White-eyed vireo ( <i>Vireo noveboracensis</i> )	1	Shore lark ( <i>Otocoris alpestris</i> )	1
Vireos, species not indicated	9	Blue jay, jay ( <i>Cyanocitta cristata</i> )	36
Cedar bird, cherry bird ( <i>Ampelis cedrorum</i> )	4	Crows, species not indicated	5
Purple martin, black martin ( <i>Progne subis</i> )	65	Least pewee ( <i>Empidonax minimus</i> )	3
Martins, species not indicated	198	Wood pewee ( <i>Contopus virens</i> )	1
Cliff swallow, mud swallow ( <i>Petrochelidon lunifrons</i> )	25	Phœbe ( <i>Sayornis phœbe</i> )	28
Barn swallow ( <i>Helidon erythrogaster</i> )	24	Great crested fly-catcher ( <i>Myiarchus cinerascens</i> )	1
White-bellied swallow, blue-backed swallow ( <i>Tachycineta bicolor</i> )	40	Kingbird	
Violet-green swallow ( <i>Tachycineta thalassina</i> )	1	Bee martin } ( <i>Tyrannus tyrannus</i> )	17
Bank swallow ( <i>Clivicola riparia</i> )	2	Bee-bird }	
Rough-winged swallow ( <i>Stelgidopteryx serripennis</i> )	1	Fly-catchers species not indicated	8
Swallows, species not indicated	84	Insectivorous birds, species not indicated	5
Tanager, species not indicated	1	Song birds, species not indicated	31
Indigo bird ( <i>Passerina cyanea</i> )	5	Humming-bird ( <i>Trochilus colubris</i> )	1
Painted quail, nonpareil ( <i>Passerina ciris</i> )	2	Chimney swallow or swift ( <i>Chaetura pelagica</i> )	3
Grosbeaks, species not indicated	1	Red-headed woodpecker ( <i>Melanerpes erythrocephalus</i> )	3
Cardinal ( <i>Cardinalis cardinalis</i> )	1	Yellow-bellied woodpecker ( <i>Sphyrapicus varius</i> )	1
Redbird, species not indicated	11	Sap-sucker, species not indicated	2
Brown towhee, species not indicated	1	Downy woodpecker ( <i>Dryobates pubescens</i> )	8
Chewink ( <i>Pipilo erythrophthalmus</i> )	1	Hairy woodpecker ( <i>Dryobates villosus</i> )	1
Song sparrow ( <i>Melospiza fasciata</i> )	26	Golden-winged woodpecker, flicker ( <i>Colaptes auratus</i> )	3
Chipping sparrow, chippy ( <i>Spizella socialis</i> )	72	Woodpeckers, species not indicated	6
Field sparrow ( <i>Spizella pusilla</i> )	2	Yellow-billed cuckoo ( <i>Coccyzus americanus</i> )	1
Tree sparrow ( <i>Spizella monticola</i> )	5		

In addition to the birds specifically mentioned in the foregoing list, many other reports have been received alleging attacks on birds, but not mentioning the species so molested. Thus sixty-five reports men-

tion mole  
birds" b  
molests c  
effect on  
two for  
Ten ob  
one each  
It will  
kinds of  
Sparrow.  
houses an  
sibly one  
gardener.  
Natura  
similar to  
provided  
caves of l  
Thus, in  
half relat  
nesting pl  
But in r  
dations an  
like other  
catbird, et  
or as foun  
tinnally or  
the territor  
native bird  
still there  
under othe  
Nearly o  
to species v  
of the Spar  
expected to  
the mockin  
more oriole  
birds, as w  
ance to the  
ance is use  
field sooner  
considerati  
against the  
of the ques  
ject into th  
I. The re  
cavities, na  
3404-



tion molestation of "native birds;" forty-eight reports speak of "other birds" being driven off; seventy-eight reports state that the Sparrow molests or drives off "nearly all species;" twenty-eight claim a similar effect on "all small birds;" five claim the same for "yard birds," and two for "domestic birds."

Ten observers report attacks upon domesticated doves or pigeons, and one each on hens and chickens.

It will thus be seen that the reports mention specifically seventy kinds of wild birds which are known to be molested more or less by the Sparrow. A majority of these birds are species which nest about houses and gardens, and, with the exception of the crow, jay, and possibly one or two others, all are decidedly beneficial to the farmer and gardener.

Naturally the birds most affected are those whose nesting habits are similar to those of the Sparrow; that is which nest mainly in boxes provided for them; in cavities or cornices of buildings; under the eaves of barns or outhouses, or in the natural cavities of trees.

Thus, in a total of about 1,860 complaints, we find that more than half relate to martins, swallows, wrens, and bluebirds, whose nests or nesting places are coveted by the Sparrow.

But in most places the Sparrows long since outgrew such accommodations and were compelled to build nests among the branches of trees, like other birds; and at once such bulky nests as those of the robin, catbird, etc., were seized upon and utilized either as building material or as foundations for new nests. Thus new quarrels have been continually originating, and the Sparrow has been steadily encroaching on the territory of other birds. Although a large part of the trouble with native birds has doubtless arisen from questions over nesting places, still there is abundance of testimony that the Sparrow molests birds under other circumstances.

Nearly one-third of all the complaints of injury to other birds relate to species whose nesting and food habits are very different from those of the Sparrow, and whose relations with this bird might reasonably be expected to be peaceful and pleasant. Among such may be mentioned the mockingbird, chipping sparrow, song sparrow, goldfinch, Baltimore oriole, yellow warbler, and vireos. Of course many of these birds, as well as those previously mentioned, offer more or less resistance to the advances of the Sparrow, but in most cases the resistance is useless and the native birds are compelled to retire from the field sooner or later. It may be well, however, to postpone such general considerations and conclusions until we have taken up the charges against the Sparrow one at a time and submitted evidence on both sides of the question. In doing this, it will be convenient to divide the subject into three parts:

I. The relation of the Sparrow to birds which nest principally in cavities, natural or artificial, and often in boxes prepared by man.

II. The relation of the Sparrow to birds which usually nest in trees, or at least not in places especially prepared for them by man, but whose nests or nesting sites are often appropriated by the Sparrow.

III. The relation of the Sparrow to other species than those included under the two preceding heads, or to those species under such conditions that the question of nesting has no direct influence.

RELATION OF THE SPARROW TO BIRDS WHICH NEST PRINCIPALLY IN CAVITIES, NATURAL OR ARTIFICIAL, AND OFTEN IN BOXES PREPARED BY MAN.

The birds coming most naturally under this head are the bluebird, the purple martin, the white-bellied swallow, and the house wren, species which appear to suffer more severely from the encroachments of the Sparrow than all others combined.

Strange as it may seem, it is very evident that some observers are in doubt as to what constitutes an attack on a bird, and many more are uncertain as to the meaning of the word molest.

Thus one man writes :

If the Sparrow molests native birds, it has escaped my observation. Wrens and bluebirds attempt to reclaim former nesting sites; the former always succeeding, so far as I have observed; the latter seldom.

There can scarcely be any question that a Sparrow molests another bird when he takes possession of that bird's nest or former nesting place and holds it against all efforts of the rightful owner; and this is precisely what the Sparrow does in thousands of places every spring.

John Bessmer, of Hastings, Barry County, Mich., writes :

\* \* \* I have had good opportunities for observation, and I believe the facts are these: Staying over winter, as he does, the Sparrow selects good nesting places, and then, when the Wren, Bluebird, or Martin comes in the spring, sometimes he finds his old nesting place occupied and the fight commences. If it is a Bluebird, he will drive half a dozen Sparrows away, unless they should have eggs or young, in which case they can not be driven. \* \* \* Last spring they tried to drive a pair of Sparrows out of a bird-house where the Bluebirds had a nest the year before, but the Sparrows were breeding then and stood their ground well. Then the Bluebirds built their nest in the other half of the same house, and afterwards lived in harmony, the Sparrows in the north half and the Bluebirds in the south, with only a partition between. (October 7, 1886. Present about ten years.)

SPARROW VERSUS BLUEBIRD AND PURPLE MARTIN.

The Bluebird undoubtedly is one of the pluckiest of our native birds, and when it has eggs or young the Sparrow has hard work to dislodge it, yet even then it sometimes succeeds. On the other hand, when the Sparrow appropriates a box before the return of the Bluebird, in most cases it holds it against all new-comers. In reply to the schedule question as to the species which resist the encroachments of the Sparrow, thirty-three observers report the Bluebird as uniformly successful, and thirty report it as successful sometimes, a total of only sixty-three

reports, tation.

The fo  
bird :

From

I have n  
Bluebirds  
pieces. (C

From I

I know o  
their boxes  
box was to  
the eggs.

From J

The Blue  
victorious,  
ent about t

From V

I put up  
all. One B  
that I could  
straw, and  
(August 23,

From C

There is a  
three years  
now occupie  
Oriole. (Oc

From L

Bluebirds  
Sparrow in o  
selves. (Oct

From Je

A pair of S  
previous year  
and in three  
about nine y

From Da

It does not  
not successfu  
came, but aft  
young there.

Other evi  
to martins,  
tical and th

Probably  
than any ot  
the fact tha  
equal fight;

reports, against three hundred and seventy-seven complaints of molestation.

The following are examples of the testimony relating to the Bluebird:

From B. T. Gault, Chicago, Ill.:

I have repeatedly seen the English Sparrow drive Martins from their boxes and Bluebirds from their nests, in both cases destroying the eggs and pulling the nests to pieces. (October 29, 1885.)

From H. H. Miller, Sandy Spring, Montgomery County, Md.:

I know of an instance where two pairs of Bluebirds fought for two weeks to keep their boxes, but were beaten in the end; also of a case where the hole in a Wren's box was too small for the Sparrows to get in, and they pulled out the nest and broke the eggs. (February 16, 1887. Present about eight years.)

From John L. Huber, Tell City, Perry County, Ind.:

The Bluebird and Martin resisted the first and second year, but the Sparrow proved victorious, and after the second year they did not come back. (October 8, 1886. Present about twelve years.)

From Walter B. Hull, Milwaukee, Wis.:

I put up about a dozen boxes this year, and native birds started to build in nearly all. One Bluebird succeeded in raising a brood, and that because so close to the house that I could interfere when a fight began. All the other houses were stuffed with straw, and young Sparrows were hatched in them, the rightful owners having fled. (August 23, 1886. Present about six years.)

From Clarence L. Cate, Spencer, Worcester County, Mass.:

There is a bird-house on my hen-coop in which a pair of Bluebirds have nested for three years without being molested; but the Sparrow has at last driven them off, and now occupies the house. I know of one case where it has driven away the Orchard Oriole. (October, 1886. Present about eleven years.)

From L. Bunnewitz, Wolcott, Scott County, Iowa:

Bluebirds and Martins attempt to reclaim former nesting-sites. I had to kill a Sparrow in order to give a Bluebird back his little house; Martins can defend themselves. (October 8, 1886. Present about four years.)

From Jerome Trombley, Petersburg, Monroe County, Mich.:

A pair of Sparrows last spring appropriated one of my bird-boxes, occupied, the previous year by Bluebirds. When the latter arrived they immediately declared war, and in three or four days had vanquished the foreigners. (August 23, 1886. Present about nine years.)

From Daniel S. Wadsworth, Hartford, Conn.:

It does not drive away our native birds; I have seen it battle with Bluebirds, but not successfully. A Sparrow had occupied a hole in an apple tree when the Bluebird came, but after several battles the latter took possession of the hole and reared its young there. (October 11, 1886. Present about eight years.)

Other evidence will be found interspersed in the testimony relating to martins, swallows, and wrens, where the conditions are often identical and the results practically the same.

Probably the Purple Martin resists the Sparrow more successfully than any other box-inhabiting species, mainly owing to its size and to the fact that it nests in communities, and hence is able to make a more equal fight; yet when we compare the soft, weak bill, short legs, and

small feet of the Martin, with these parts in the Sparrow, it is difficult to understand how it can ever succeed in a combat where the numbers on the opposing sides are nearly equal.

Owing to the fact that the White bellied Swallow (*Tachycineta bicolor*) is called "Martin" in some places, it is impossible to give accurate figures on the Purple Martin, though there is little doubt that in most cases this latter species is referred to where the term "Martin" is used, and always when "Black Martin" is given.

Complaints of molesting the Purple Martin were received from sixty-five observers, and complaints regarding the "Martin" from one hundred and ninety-eight. Twenty observers state that the Purple Martin resists the Sparrow with more or less success, while sixty-two give similar testimony for "Martins;" a total of eighty-two witnesses of complete or partial victories for the Martin, against two hundred and sixty-three witnesses of quarrels. The proportion of successful resistances for this species would seem therefore to be nearly double that shown for the Bluebird, or even more than double if we admit, as we must, that some of the complaints of molestation undoubtedly refer to the White-bellied Swallow. For the reasons already mentioned it is obvious that the summary of the reports on the White-bellied Swallow can not be considered exact, but from the returns which unquestionably relate to this species, it would seem to be fully as successful as the Purple Martin in resisting the Sparrow. The summary shows forty complaints of molestation and seven cases of more or less successful resistance, a showing scarcely to be expected in view of the fact that this species is much smaller than the Martin, and very similar in structure and habits. The following examples of evidence show how severe the struggle for nesting places often is between the Sparrow and Martins.

From C. Augustus Rittenhouse, Collegeville, Montgomery County, Pa.:

All birds that build in boxes and holes in old trees are driven off. I have several boxes in which Bluebirds and Martins reared their young every season until the Sparrows fought them out and took possession. I have seen them throw the young out of the nest and fly to the ground and kill them. I could fill this paper with examples of this kind. Boxes are being removed wherever they build. (August 18, 1886.)

From A. Ford, Bronson, Bourbon County, Kans.:

It pulls the Martin and Swallow from their nests and throws out the eggs. (October 11, 1886. Present about two years.)

From H. Volkening, Lenzburgh, Saint Clair County, Ill.:

Martins and Swallows resist, but not successfully. I have built houses for the Martins and Wrens as have some of my neighbors, but the Sparrows fought them away and destroyed the nests with the broods in them. (October 4, 1886. Present about three years.)

From W. V. Hardy, Holman Station, Scott County, Ind.:

In the spring of 1886 four pairs of Martins came to my boxes. The Sparrows drove away two pairs, but by shooting the Sparrows as fast as they came the others were induced to stay. (September 6, 1886. Present about four years.)

From

I have there is ten years

Frequ lodge the fac nents o struggl every su of the m Sparrow to go els

Dr. F.

Purple rows in v (Septemb

Dr. Da

In 1872, one or two perior fac wonderfull their arriv the fight fo session so pair of Mar tober 6, 188

Herma

I have a pairs of M row. Whe each took s

Dr. Ge writes:

Martins the Sparrow in part by M than a weel often resist more than c

Robert

The Spar come in full ears.)

M. S. L

I have ha possession w tober 8, 1886

From S. D. Crites, Elida, Allen County, Ohio :

I have watched the battles between Sparrows and Martins, by the hour. Now there is not a Martin to be seen in the country. (September 4, 1886. Present about ten years.)

Frequently the Sparrow is unsuccessful in its first attempts to dislodge Martins, but ultimately it succeeds. Many observers testify to the fact that the two species live peaceably in different compartments of the same box, and some of these observers have witnessed the struggle which doubtless always precedes such a truce. Probably in every such case the contest is renewed each spring soon after the return of the migrants; and the entering wedge having been once secured, the Sparrows keep pushing until sooner or later the migrants find it easier to go elsewhere than to continue the fruitless struggle.

Dr. F. H. Kimball, of Rockford, Winnebago County, Ill., writes :

Purple Martins formerly nested in the hollow work of an iron bridge. The Sparrows in vain attempted to dislodge them, and now live in neutrality with them. (September 28, 1886. Present about eight years.)

Dr. Daniel Berry writes from Carmi, White County, Ill. :

In 1872, I built a business house on the site of a church. Over the door of the church one or two pairs of Black Martins had a home. In the new building they found superior facilities for lodgment, of which they availed themselves, and increased wonderfully. This summer the colony must have been more than a thousand. On their arrival in the spring they find their quarters in possession of the Sparrows, when the fight for ejectment begins. The Martins have been strong enough to regain possession so far, but this is not always the case. When the Sparrows in force attack a pair of Martins or Bluebirds nesting in boxes they invariably drive them away. (October 6, 1886. Present about ten years.)

Herman Koerner, of Birdseye, Dubois County, Ind., writes :

I have a bird-house with twelve apartments which was occupied in 1885 by six pairs of Martins, but was taken possession of in the winter of 1885-'86 by the Sparrow. When the Martins returned there was a week's war, then a compromise, and each took six rooms. (October 7, 1886. Present about three years.)

Dr. Geo. H. Jennings, of Jewett City, New London County, Conn., writes :

Martins and Bluebirds attempt to reclaim former nesting sites when occupied by the Sparrow, but as often fail as succeed. It is common to see a bird-box occupied in part by Martins and in part by Sparrows. Often they thus settle down after more than a week of quarreling. White-bellied Swallows, Wrens, Martins, and Bluebirds often resist; the three latter sometimes effectually. (September 11, 1886. Present more than eleven years.)

Robert W. Curtiss, Stratford, Fairfield County, Conn., writes :

The Sparrows build nests every spring in my martin-box, but when the Martins come in full force they drive them out. (October 11, 1886. Present about fourteen years.)

M. S. Lord, of Saranac, Mich., writes :

I have had a martin-house for the last eight years, and the Martins always take possession when they come, although the Sparrows occupy it before and after. (October 8, 1886. Present seven years.)

## NEGATIVE EVIDENCE.

A very few observers are still skeptical about the alleged attacks on other birds, and occasionally a correspondent appears to be convinced that the Sparrow is innocent of all such crimes charged to it.

Dr. H. A. Hagen, of Cambridge, Mass., writes :

I have never seen it molest other birds ; indeed in the next street, in a house with one entrance, Swallows and Sparrows brooded together, and both had young. I have seen the Sparrow driven out of its house by Bluebirds. (April 13, 1884. Present about eleven years.)

Ferdinand Schumacher, of Akron, Ohio, writes :

I have not observed it to molest other birds. A bird-house in my yard, occupied for several summers by Martins, was invaded and occupied early in the spring by the Sparrows ; but with one or two individual exceptions they were driven out by the Martins. The remaining one or two families occupied the house jointly and peacefully with the Martins. (October 25, 1886. Present about eleven years.)

The late Prof. Chas. Linden, of Buffalo, N. Y., wrote in 1885 :

I do not believe that there ever will be an authenticated, true report of a battle between Sparrows and our native birds, excepting, perhaps, with the White-bellied and Barn Swallows. I have observed them pilfering the angleworm gains of the Robin, which otherwise, like the aggressive Bluebird, is well able to take care of itself.

Another observer is equally positive, and says :

I do not believe the Sparrow drives away any of our native birds. I speak from careful observation, and they are just as plentiful here now as before the advent of the Sparrow. I have never seen the Sparrows band themselves together for attack, and am satisfied they do not do it. It is pair against pair. The assertion that they attack other birds in a body is sheer nonsense ; no such thing is known in natural history of any species of bird.

As bearing on this last point, that the Sparrow does not attack other birds in numbers, the following testimony may be of interest :

From Jesse G. Case, Peconic, Suffolk County, N. Y. :

It has driven off our Martins. They have a fight every spring, and the Sparrows succeed by force of numbers. Sometimes a dozen Sparrows will surround one Martin. (1885.)

From the postmaster at Jamestown, Russell County, Ky. :

The Bluebird and Black Martin attempt to reclaim former nesting sites, but are attacked by the Sparrows in squads, and routed. (October 27, 1886. Present four years.)

From H. Harris, Union Springs, Bullock County, Ala. :

The Sparrows will not singly attack any bird, but usually unite in an army to do their work. I have known them to kill out at least a dozen pairs of Martins, young and old, at a single attack. (September 17 and 24, 1886. Present about six years.)

From John J. McDannold, Mount Sterling, Brown County, Ill. :

The Martin and Bluebird always try to reclaim former nesting sites, but never succeed, because of re-enforcements, the Sparrows flocking in great numbers to the assistance of a distressed brother or sister. Though the Martins and Sparrows are bitter enemies, it is nearly always some nesting difficulty that causes trouble between them. (September 4, 1886. Present about three years.)

From

Mr. H. H. H. of a Sparrows for several tree stand had their Martins a of attack their eyes leave. T. ner, a bird 31, 1887.)

The H it is claim

Most r so we sha of molest thirty-ni inroads o successfu

In man teresting is too sm The evid but we ha

Wallac

I have se driven the left their h years.)

Edward

The Wre tember 2, 1

J. F. N

The Blue returned si my house, 1 house and l tree branch trying to p and shot t brood, and Wrens, and (September

P. L. O

It has not seen to thro

## From Prof. F. H. King, River Falls, Wis.:

Mr. H. T. Baker, of Berlin, Wis., has related to me that last summer he was a witness of a conflict between some English Sparrows and Purple Martins, in which the Sparrows were trying to get possession of breeding places which had been occupied for several years by the Martins. The Sparrows congregated in a large flock upon a tree standing near the building in the cornice under the eaves of which the Martins had their nests. From this point a number of Sparrows would together attack the Martins and then return to the tree, to be followed by a similar squad. This method of attack was followed until three Martins had been killed, some of them having had their eyes picked out. It need hardly be added that the Martins were forced to leave. The same gentleman tells me that he saw the Sparrows kill, in the same manner, a bird, the name of which he did not know, in the city of Milwaukee. (January 31, 1887.)

## SPARROW VERSUS WRENS.

The House Wren is one of the birds often attacked by Sparrows, and it is claimed that in very many cases it has been driven away by them.

Most reports which mention "wrens" doubtless refer to this species, so we shall probably not be far from correct if we state that the reports of molestation of this species number one hundred and eighty, while thirty-nine observers report it as more or less successful in resisting the inroads of the Sparrow. It would thus appear to be somewhat more successful than the bluebird, but less so than the martin.

In many cases protection has been afforded this pugnacious but interesting little songster by supplying it with a box the entrance to which is too small to admit the Sparrow; but this does not suffice in all cases. The evidence relating to this species is particularly full and interesting, but we have room here for only a few examples.

Wallace D. Rhines, of Constantia, Oswego County, N. Y., writes:

I have seen Wrens driven out of their houses and not allowed to enter until I had driven the Sparrows away; but not being able to help them all the time, they have left their house in possession of the Sparrows. (August 23, 1886. Present four or five years.)

Edward Burrough, of Merchantville, Camden County, N. J., writes:

The Wren makes the most determined resistance, but is generally defeated. (September 2, 1886. Present about ten years.)

J. F. Niesz, of Canton, Stark County, Ohio, writes:

The Bluebirds were driven away the first year the Sparrows came, and have not returned since. The Sparrows fought the Wrens all last summer in a sugar-tree near my house, but the Wrens hatched a brood there. Then they went into the carriage-house and hatched a second brood there. In the spring they came back to their sugar-tree branch, but the Sparrows tried to drive them away, reaching into the hole and trying to pull them out. We began shooting the Sparrows (only while fighting), and shot twelve, but the Wrens were so harassed that they failed to hatch their brood, and left my farm. I have only observed the Sparrows molesting Bluebirds, Wrens, and Chippies, but I notice a scarcity of other species formerly abundant. (September 6, 1886. Present about three years.)

P. L. Ong writes from Hennepin, Putnam County, Ill.:

It has not as yet driven away any of the native birds from this locality, but it was seen to throw the young, and to commence to throw the nest of a House Wren out of



a stump here this summer. After being driven away, however, it did not molest the nest again. The young Wrens were replaced. It tried to whip some Bluebirds, but we drove it away and it did not again molest them. (November, 1885.)

A. H. Mundt, of Fairbury, Livingston County, Ill., writes:

It sometimes drives Wrens and Bluebirds from their nesting places. I have noticed them repeatedly trying to drive the Wrens from their boxes, but the holes were too small to admit them. (October 6, 1886. Present five or six years.)

Robert W. Barrell writes from South Bethlehem, Northampton County, Pa.:

House Wrens especially are driven out of their homes, even when the openings are so small that the Sparrow can not enter. Under such circumstances I have known Sparrows to stand in front of the entrance and keep the Wrens off, and I have shot the Sparrows while doing it. (September 16, 1886.)

M. Abbott Frazar, of Mount Auburn, Middlesex County, Mass., writes:

Before the Sparrow made its appearance on our place I had about 10 pairs of White-bellied Swallows, 5 pairs of Bluebirds, and 15 pairs of Wrens, breeding in boxes put up for them. Now the birds are all gone. The Sparrow breeds so early that all the boxes are occupied, and very likely have young in them when the other birds arrive from the South; so the migrants are driven out. (Autumn, 1885.)

J. B. Stockton writes from Toronto, Kans.:

It has not been observed to drive away any of our native birds. In a contest last spring the little House Wren actually drove the Sparrow out, and getting inside the nest box kept the Sparrow out and finished its laying and incubation. The Bluebirds also attacked the Sparrows, and after a contest lasting six hours drove them from a box I had put up for them. (October 6, 1886. Present about one year.)

William Holmead, of Mount Pleasant (in the suburbs of Washington, D. C.) writes:

The Wren, Bluebird, Common Sparrow, and Martin were formerly very numerous here, and nested in trees and houses, but all without exception vacated them years ago. One case in particular which I remember is that of a Wren which built her nest in a box I had prepared for her. The Sparrow destroyed her young and tore up her nest, and after several attempts to rebuild it she disappeared. (November 8, 1886. Present about fifteen years.)

#### RELATION OF THE SPARROW TO BIRDS WHICH USUALLY NEST IN TREES, OR AT LEAST IN PLACES NOT ESPECIALLY PREPARED FOR THEM BY MAN.

Under this head may be included very many of our common garden and farm birds, such as the Robin, Mockingbird, Goldfinch, Phoebe and other flycatchers, Vireos, and certain sparrows and swallows, especially the Cliff Swallow (*Petrochelidon lunifrons*).

#### SPARROW VERSUS CLIFF SWALLOW AND BARN SWALLOW.

The Cliff-Swallow is also known as the Mud Swallow, Eave Swallow, Jug Swallow, and occasionally as the Barn Swallow, though the latter name more properly belongs to the fork-tailed swallow, which most often nests inside of barns, placing its nest against the rafters and using a mixture of mud and straw in its composition. The Cliff Swallow, on the contrary, usually nests in large colonies on the outside of buildings,

placing the straw exc made ent This nest flask, for ure is bri season, b rably, and Henry

I have se tablished in 18, 1887. I

J. C. S

The small trochelidon hundred sw possession of Sparrows a barn and th

Dr. H. I

Within th and have ta the barns at these, Mud hundreds at possession of the barn. A of as many value of sw rats, mice, e curses pour 1886.)

B. C. T

As regard ence confir of a single front porch, birds away.

William

Large nar left since th

The tru secuted b species ha successfu tails of th

A. L. P

Cliff Swa of the prese

placing the gourd-shaped nests in rows beneath the eaves, and using no straw except perhaps for the lining of the nest, the outer shell being made entirely of pellets of mud, plastered together and to the building. This nest when finished commonly has a projecting neck like that of a flask, for entrance, whence the name jug-swallow. The whole structure is brittle, and rarely if ever serves the swallow for more than one season, but the newly-built nests serve the Sparrow's purpose admirably, and he avails himself of them at every opportunity.

Henry Hales, of Ridgewood, Bergen County, N. J., writes :

I have seen a large colony of Eave Swallows abandon their nests, that had been established in large quantities all along a barn, rather than fight the Sparrows. (June 18, 1887. Present about fifteen years.)

J. C. Swetland, of Sparta, Morrow County, Ohio, writes :

The small barn-swallow that builds on the eaves of the barn [*Cliff Swallow*, *Petrochelidon lunifrons*], attempts to reclaim former nesting sites. There are over four hundred swallow's nests on my barn, and last spring the Sparrows began to take possession of the nests, and for two weeks there was a constant fight between the Sparrows and swallows. Finally, the Sparrows took possession of one side of the barn and the swallows took the other. (October 18, 1886. Present about three years.)

Dr. H. D. Moore, of New Lexington, Somerset County, Pa., writes :

Within the last year or two the Sparrows have found their way out of the cities and have taken up their abode around farm buildings all over the country. Most of the barns are what are known as "bank" barns, and underneath the extensions of these, Mud Swallows (*Petrochelidon lunifrons*) have been building and hatching by hundreds at each barn. I saw, this summer, where one pair of Sparrows had taken possession of one nest and driven the entire colony of swallows to the other end of the barn. At other barns I saw where several pairs of Sparrows had taken possession of as many nests and driven the swallows all away. Farmers generally know the value of swallows as insectivorous birds, and have been protecting them against cats, rats, mice, etc., but this last enemy is the worst of all, and long and loud are the curses poured upon the "cuss" who imported the first Sparrows. (September 13, 1886.)

B. C. Townsend, of Bay Ridge, Kings County, N. Y., writes :

As regards the peaceful relations of the English Sparrow to other birds, my experience confirms the testimony of my neighbor, Mr. J. A. Perry, with the exception of a single case. There were certain swallows building their mud nests under our front porch, which nests it attacked with great violence and destroyed, driving the birds away. (March 27, 1886.)

William J. Muldragh, of Sand Hill, Wayne County, Mich., writes :

Large numbers of swallows formerly nested on our barn, but they have nearly all left since the Sparrows began building in their nests this year. (August 23, 1886.)

The true Barn Swallow (*Chelidon erythrogaster*) is also seriously persecuted by the Sparrow, forty-nine complaints relating to these two species having been received, as against seven reports of more or less successful resistance, but none of these favorable reports give any details of the contests.

A. L. Parkhurst, of San José, Santa Clara County, Cal., writes :

Cliff Swallows and Western House Finches retain their usual nesting places in spite of the presence of these noisy neighbors. (August 27, 1886. Present about five years.)

About eighty observers report molestation of swallows without giving the specific name, while only six cases of successful resistance are mentioned.

H. Morrison, of Ithaca, Gratiot County, Mich., writes :

Robins, swallows, and native sparrows make some resistance, but with no success; they are all gone now. I have seen a swallow fight over a nest until it was nearly killed, so that it died soon after. (October 6, 1886. Present four years.)

W. G. Markham, of Rochester, N. Y., writes :

I have seen half-grown swallows attacked by Sparrows and drawn from their nests and destroyed. (September 19, 1887.)

The last two notes may refer to the White-bellied Swallow, already mentioned, a species commonly nesting in holes in trees, but sometimes also in boxes or in nooks about buildings.

#### SPARROW VERSUS ROBIN.

The influence which the Sparrow exerts on the Robin during the nesting season may be inferred from the following :

From E. Bradford, Sparta, Kent County, Mich. :

The Robin comes every spring and tries to build nests, but is driven away. (October, 1886. Present about six years.)

From Edward T. Keim, Dubuque, Iowa :

For many years a pair of Robins nested in an apple tree here, and shortly after the introduction of the Sparrow they were attacked, but with man's assistance the Sparrows were kept off for two seasons. Force of numbers, however, finally prevailed, and the Robins have not been seen now for years. (August 19, 1886. Present about ten years.)

From F. J. C. Swift, Falmouth, Barnstable County, Mass. :

Last spring I observed a female Sparrow, unassisted by the male, frequently, for two days engage in battle with a male and female Robin for possession of the Robin's completed nest, and at the expiration of that time she drove them from the premises and occupied their nest. (Autumn, 1885.)

From Dr. A. B. McCrea, Berwick, Columbia County, Pa. :

During the past season I knew an instance where the Sparrows attacked a pair of Robins, broke their eggs, and literally destroyed their nest. (September 1, 1885.)

From H. A. Koch, College Hill, Hamilton County, Ohio :

I noticed one case in the spring of 1884, where a pair of Robins had a nest containing eggs in a poplar tree near a house. A pair of Sparrows drove the female away, tipped out the eggs, and built a nest of their own on top of the Robin's, and it soon after contained five eggs. (August 25, 1885.)

From Dr. R. L. Walker, Mansfield, Allegheny County, Pa. :

A friend tells me he found a dead young Robin on the sidewalk, and on looking up into the tree which stood alongside, he saw the Sparrows busy trying to throw out the other young Robins and tear up the nest in the absence of the old birds. (July, 1887. Present about five years.)

Many similar instances have been reported and will be found in full in their proper place. In all one hundred and eighty-two complaints of molestation of the Robin have been received, against twenty-eight reports of more or less successful resistance.

We app  
From F

I have see  
its nest and  
Sparrows.

From J.

Last year  
house, and v  
and took pos  
went to a pe  
ones. Does  
seven years.

In the S  
by the Spa  
obliged to  
been receiv  
ance. The  
holds its g  
numerous

The follo

From Cl

The Mocki  
bery around  
than hold his  
(September 3

From the

The Sparr  
am satisfied  
ber 18, 1886.

From J.

It drives o  
Present abou

From Cl

The Sparr  
on the grou  
small birds.

From A

Mockingb  
build and ha  
birds. (Oct

From th

I have see  
not think th  
ent about si

Many po  
rows driv

We append one or two illustrations of the latter class:

From F. B. Rich, South Richland, Oswego County, N. Y.:

I have seen the Sparrow drive off Bluebirds, but I have also known a Robin to build its nest and raise young within 4 feet of a bird-house inhabited by a lot of English Sparrows. (1885.)

From J. W. Pearson, Newton, Middlesex County, Mass.:

Last year two Sparrows commenced to build a nest under our porch in front of the house, and while they were at work upon it two Robins came and drove them away, and took possession of the porch and built a nest for themselves, while the Sparrows went to a pear tree just in front of the house and built a nest and reared five young ones. Does this look like Sparrows driving away other birds? (April, 1884. Present seven years.)

#### SPARROW VERSUS MOCKINGBIRD.

In the Southern States the Mockingbird is frequently interfered with by the Sparrow, and in spite of its courageous resistance it is often obliged to yield to superior numbers. Fifty reports of such trouble have been received, against twelve reports of more or less successful resistance. Thus in about one case in four this magnificent songster now holds its ground against the Sparrow, but as the enemy becomes more numerous less favorable results may be looked for.

The following are a few samples of evidence submitted:

From Charles L. Dendy, Hamilton, Harris County, Ga.:

The Mockingbird, like the Sparrow, prefers for its habitation the evergreen shrubbery around dwellings and yards. The former is the larger bird, and could more than hold his own single-handed, but he finally succumbs to persistence and numbers. (September 8, 1886. Present five or six years.)

From the postmaster at Marion, Crittenden County, Ark.:

The Sparrow drives off the Wren, Mockingbird, and all smaller birds. \* \* \* I am satisfied that our favorite songster, the Mockingbird, will have to go. (September 18, 1886. Present about four years.)

From J. B. Stacy, Pulaski, Giles County, Tenn.:

It drives off all song-birds, and especially the Mockingbird. (September 1, 1886. Present about three years.)

From Charles E. Nesmith, Donaldsonville, Ascension County, La.:

The Sparrows drive off native birds. I have seen them take from the nest and cast on the ground the young of woodpeckers, Mockingbirds, yellow-birds, and other small birds. (1886.)



From Abel A. Wright, Griffin, Spalding County, Ga.:

Mockingbirds will not give way to it, but retain their old haunts, where they build and hatch every season. I have not observed it to molest or drive off other birds. (October 5, 1886.)



From the postmaster at Athens, Limestone County, Ala.:

I have seen Mockingbirds whip the Sparrow and drive it from my premises. I do not think the Sparrow drives off any of our native birds. (September 18, 1886. Present about six years.)

Many people have expressed doubt as to the possibility of the Sparrows driving away birds of the size of the Robin, or species as pugna-



# IMAGE EVALUATION TEST TARGET (MT-3)



Photographic  
Sciences  
Corporation

23 WEST MAIN STREET  
WEBSTER, N.Y. 14580  
(716) 872-4503

25  
28  
32  
22  
20

10

cious as the Mockingbird and Catbird, but in most cases these doubters lose sight of the fact that many birds are more readily driven away by small annoyances often repeated than by a single strong attack, and although almost all birds defend their young valiantly, they are very apt to desert nests which are in process of construction if disturbed while at work, or before any eggs are laid. Even the Purple Grackle or Crow Blackbird is not exempt from the Sparrow's attacks, and the following testimony shows that it does not always resist these attacks successfully:

Dr. J. F. Detweiler, of Wadsworth, Medina County, Ohio, writes:

The boat-tailed blackbird [Purple Grackle] has roosted and nested for many years in some large pines in a neighbor's yard across the street, but last year the Sparrows drove them away, and occupied the trees with their nests, a hundred or more in number. (December 10, 1887. Present about thirteen years.)

#### SPARROW VERSUS VIREOS.

Many of the smaller birds which use various soft materials in the construction of their nests are continually robbed by the Sparrow.

Dr. B. H. Warren, of West Chester Pa., has given a graphic account (published elsewhere) of the destruction by Sparrows of the nest and young of a Warbling Vireo; and the following notes relating to other vireos were received recently from George H. Berry, of North Livermore, Me.:

At Holyoke, Mass., on June 5, 1884, I found a set of eggs of the White-Eyed vireo, and also another set begun with two eggs. On June 7 this last nest was forsaken, and in a box in the tree two pairs of English Sparrows were building their nests. On June 8 I saw a fight between a pair of birds, but could not tell what they were, so fired and shot them. One was a female English Sparrow, the other a male White-eyed Vireo. On June 12 I found an English Sparrow appropriating the nest of a vireo, and carrying away to her own nest the material of which it was composed. On the 14th of June I found two empty vireos' nests, partially destroyed, probably by either the English Sparrow or Kingbird.

#### RELATION OF THE SPARROW TO OTHER BIRDS UNDER SUCH CONDITIONS THAT THE QUESTION OF NESTING HAS NO DIRECT INFLUENCE.

Nearly all the species already mentioned have occasional encounters with the Sparrow, even at times when all have good nesting places; but it is probable that the ill feeling which prompts these quarrels was originally engendered by conflicts over nests or nesting places. There are many species, however, which appear to be very unfavorably affected by the presence of the Sparrow, yet which do not seem to come in conflict at all as regards nesting places. In some cases the trouble may be caused by competition for food, but in very many cases it is difficult to account for the quarrel except on the ground that one of the combatants is naturally pugnacious and has made an unprovoked attack on the other.

One of  
socialis),  
away by

Natura  
advent of  
yards and  
under our  
towns and  
English S

More th  
and but t  
success in

Dr. A. I

I have bee  
pearance on  
martins, and  
them. Hav  
birds, I had  
that I think  
standing I h  
nearly exter  
and Bluebird  
they are hat  
go to the box  
house [Chip  
they were h  
encouraged t  
not a single  
them, but th  
pieces. (Fel

F. R. W

On the 17t  
Sparrow. T  
yards at a ti  
two or three  
it. They ha  
ling slightly.  
faced its ene  
Many other  
affair. As so  
probably att  
a sound from  
head feathers

It is scar  
Sparrow is

The Rob  
Sparrow, a



## ENGLISH SPARROW versus CHIPPING SPARROW.

One of the birds which suffers most is the Chipping Sparrow (*Spizella socialis*), which in some localities seems to have been driven completely away by its foreign relative.

Naturally confiding in its disposition, it was accustomed before the advent of the English Sparrow to pick up the crumbs about our door-yards and to build its little hair-lined nest in the rose and lilac bushes under our windows. But already this is a thing of the past in most towns and cities, and there is no escape from the conclusion that the English Sparrow is mainly responsible for the change.

More than seventy observers testify to the attacks on the "Chippy," and but two reports have been received which mention even partial success in resisting.

Dr. A. P. Sharp, of Baltimore, Md., writes:

I have been a close observer of the English Sparrows since they first made their appearance on my place, in Kent County, Md. I am a great admirer of the little wrens, martins, and House Sparrows, as we call them (*S. socialis*), and felt an interest in them. Having martin boxes near the house, as well as boxes for the Wrens and Bluebirds, I had a good chance to watch the new-comers, and can say without hesitation that I think they are the greatest nuisance ever introduced in our country. Notwithstanding I have been for years shooting them whenever I can get a chance, they have nearly exterminated the Wrens and Sparrows, and lessened the number of Martins and Bluebirds. The young Wrens, Sparrows, and Bluebirds are destroyed as soon as they are hatched. While the parents are looking for food, the English Sparrows will go to the boxes and pull out the young, featherless birds and kill them. With the House [Chipping] Sparrow I have known them not only to kill the young the first day they were hatched, but to tear up the nests in a few minutes. For years I have encouraged the little Chippy to build her nest in my honeysuckle, but last year I had not a single nest near the house. I had two in 1885, and tried every way to protect them, but the young were destroyed as soon as hatched, and the nests were torn to pieces. (February 16, 1887.)

F. R. Welsh, of Philadelphia, Pa., writes:

On the 17th instant, I noticed five English Sparrows pecking at a young Chipping Sparrow. The latter was able to fly (as I subsequently ascertained) about twenty yards at a time. The Chipping Sparrow would offer a feeble resistance and then fly two or three feet. The English Sparrows would follow and take turns in pecking at it. They had pulled out about one-third of the feathers on its head, which was bleeding slightly. There was also a small bare place on its back. The Chippie invariably faced its enemies until he had received several pecks and then flew off to one side. Many other English Sparrows were in the trees near by, but took no notice of the affair. As soon as I went up to the young bird the parents came fluttering round, probably attracted by its cry. While the English Sparrows were about I did not hear a sound from it. Another young Chippie, about fifteen yards off, had nearly all of its head feathers and a few of its body feathers pulled out. (August 9, 1887.)

It is scarcely surprising that after such treatment as this the Chipping Sparrow is not as abundant as formerly about our houses and gardens

## THE SPARROW "MOBBING" OTHER BIRDS.

The Robin is often attacked and robbed of his food by the enterprising Sparrow, as is shown by the testimony of many witnesses.

Charles B. Fuller, of Portland, Me., writes:

I have repeatedly seen the Sparrow follow the Robins and rob them of such food as they unearthed; can not say what the food was. (May 31, 1884. Present ten years or more.)

Dr. F. H. Kimball, of Rockford, Ill., writes:

I have seen the Robin more frequently molested by the Sparrow than any other bird, chiefly in the way of being driven from its food or having its food stolen. (September 28, 1886. Present about eight years.)

A. C. White, of Jefferson, Ashtabula County, Ohio, writes:

I have observed that it follows Robins and Bluebirds and takes from them worms and insects which they find. (September 3, 1886. Present about seven years.)

Sometimes the attack is entirely unprovoked and without any apparent object, as in the following case sent by W. J. N. Osterhaut, of Providence, R. I.:

March 30, 1884, heard a Robin for the first time caroling his morning song in a pine tree near the house. I went out to watch him, and had not been standing long watching him when at least a dozen Sparrows flew up into the tree and pitched into him. Poor Robin was driven from tree to tree and badly whipped. There were no nests of the Sparrows near and they evidently fought the Robin, who was peaceably enjoying himself, from pure hatred of any intruder. Such instances are innumerable and are constantly occurring. The Robin referred to in this instance disappeared and I have not seen him since. (April, 1886.)

Native birds are frequently driven away or "crowded out" without any actual attack, the Sparrows simply following them about and threatening them until they become uneasy and leave.

The reader should turn to the testimony of Mrs. Olive Thorne Miller, of Brooklyn, N. Y., and read her account of this method, which has been termed "mobbing." Similar testimony will be found under the head of Washington, D. C., and in other places among the evidence. Even the Kingbird is thus "mobbed" and sometimes is actually attacked.

George B. Holmes, of Fernwood, Cook County, Ill., writes:

I have known Sparrows to challenge a Kingbird, but they were always whipped. (August 27, 1886. Present about five years.)

William F. Doertenbach, of Cleveland, Ohio, writes:

In July, 1883, a Kingbird was attacked by two English Sparrows, but he resisted and finally drove them off. In about one minute, however, he was attacked by a dozen or more Sparrows from different points. He flew straight up into the air for about one hundred feet and then swiftly to the southward. This happened in front of my house. (November 8, 1886. Present about thirteen years.)

The list of species actually attacked, without regard to nesting controversies, is a very considerable one, but we shall only mention a few.

Owen Durfee, of Brooklyn, N. Y., writes:

I saw a pair of Golden-crested Kinglets, November 19, 1883, and when first seen about two dozen English Sparrows were attacking them.

P. B. Loomis, of Jackson, Mich., writes:

My carpenter, a man of veracity and close observation, says he has seen it in our smaller song sparrows. (July 20, 1884. Present about eight years.)

Dr. Ed  
writes:

It frequ  
a Yellow-b  
also a Robi

J. Perc

...

and chase  
July, 1883,  
attack the  
(October 7,

Henry

It attack  
Present abo

SUMMAR

The fore  
original c  
will be fo  
and from  
no possibi  
important  
claimed th  
or have e  
cause. O  
marked ch  
tricts, und  
changes to  
quently ca  
and cities,  
done much  
hunters, a  
The Bobol  
it did tw  
the introd  
lier in the  
of the spe  
ances of n  
Sparrow in  
questional  
On the o  
birds are n  
In how ma  
and encour  
row? It i  
boxes wer  
dozen had

Dr. Edgar A. Mearns, of Highland Falls, Orange County, N. Y. writes :

It frequently attacks and drives away the native birds. It has been seen to kill a Yellow-bellied Woodpecker in a back yard at 32 Park avenue, New York City, and also a Robin in Washington Square, New York City. (February 27, 1884.)

J. Percy Moore, of Philadelphia, Pa., writes :

\* \* \* The Sparrow is certainly very pugnacious, and I have often seen it attack and chase even such a large bird as the domestic pigeon (October 13, 1885); and in July, 1883, two were seen to attack and put to flight a Crow. I have also seen them attack the Ruby-throated Hummingbird (September 10, 1884) and Chipping Sparrow (October 7, 1885). (October 15, 1885. Present nineteen years or more.)

Henry Stewart, of Hackensack, N. J., writes :

It attacks my young chickens and drives them from their food. (February 5, 1884. Present about fourteen years.)

#### SUMMARY OF THE QUESTION OF SPARROW VERSUS NATIVE BIRDS.

The foregoing examples of evidence have been taken exclusively from original contributions, although numerous equally strong testimonials will be found among the material reprinted from various publications and from both American and foreign sources. There seems, then, to be no possible escape from the conclusion that the Sparrow exercises an important and most harmful influence on our native birds. It is not claimed that in all cases where native birds have become less abundant, or have entirely disappeared from town or farm, the Sparrow is the cause. On the contrary, we know positively that there have been marked changes in the numbers and kinds of birds visiting certain districts, under such circumstances that it is impossible to attribute these changes to the influence of the Sparrow. The settlement of a country frequently causes great changes in its bird life. The rapid growth of towns and cities, without a corresponding increase in parks and gardens, has done much to diminish the number of birds. Cats, small boys, feather hunters, and similar agencies have aided in the war of extermination. The Bobolink breeds much less abundantly in New England now than it did twenty-five years ago, but this is well known to be due partly to the introduction of mowing machines and the cutting of hay much earlier in the season than formerly, and partly to the wholesale destruction of the species during its migrations. But the fact that *all* disappearances of native birds from town or country can not be charged to the Sparrow in no way lessens its responsibility for such changes as it unquestionably has caused.

On the other hand, many of the most stalwart champions of our native birds are not altogether free from blame for their partial disappearance. In how many cities of the Union were native birds carefully protected and encouraged to build their nests before the introduction of the Sparrow? It is certain that in many cities hundreds or even thousands of boxes were provided for the introduced Sparrows, where scarcely a dozen had been given to native birds.

In many cases this superabundance of nesting places so suddenly provided will account for the actual increase of native birds in spite of the presence of the Sparrows; and such cases have naturally misled many candid observers, who recognized the facts without considering all the conditions. As bearing on this point we cite a part of Dr. J. A. Allen's remarks before the Nuttall Ornithological Club, at a meeting held in Cambridge, Mass., early in 1878. All of Dr. Allen's remarks were of great interest and value, and should be read with care by every one interested in the Sparrow question. We quote here from the report printed in the Boston Evening Transcript of March 19, 1878, but select only the parts referring to the Sparrow's relations to native birds:

Mr. J. A. Allen stated that although he had hitherto purposely kept out of the Sparrow controversy, it had not been from any lack of interest in the subject. He had believed the question to be not so one-sided as many have assumed—that the Sparrows are not quite such unmitigated pests as they have sometimes been represented to be, nor, on the other hand, quite so unalloyed a benefaction as some have claimed. While they have some good points, they are certainly not lacking in bad ones. Before taking sides on a question of so much importance, he had waited for the accumulation of evidence; in other words, till the Sparrows had so increased in numbers that our knowledge of their proclivities would enable us to judge of the results of an experiment that at first seemed praiseworthy. The Sparrows, it is true, came to us with a bad name, and many a wise one on the other side of the Atlantic had warned us of the consequences of what they had termed an act of folly. \* \* \* Having had his attention called of late rather strongly to the subject, Mr. Allen had been led not only to collect his own observations on this subject, but to seek information from localities beyond his own immediate vicinity; and on weighing the evidence had been rather surprised at the preponderance of facts unfavorable to the Sparrows. \* \* \*

The destruction of a few caterpillars he regarded as almost the sole good that can be adduced in their favor. Their presence in small numbers, and especially in winter, is indeed cheery and pleasant; but, when in force, their harsh chatter becomes a positive nuisance, and even in summer renders the notes of other birds singing in neighboring trees almost indistinguishable. In regard to the unfavorable side of the score, the list of charges is a long one, and the greater part are too well attested to admit of reasonable doubt.

First in the list is their unfavorable influence upon our native birds. Ordinarily, so far as his observations extend, he believed that they were not violently aggressive, but readily became so whenever there was a conflict of interest and occasionally without provocation. The little Chipping Sparrows commonly associate with them on terms of intimacy and harmony, and rarely had he seen them pursue or attack other birds when meeting with them at a distance from their own domiciles. But that they do, by their abundance and petulance, tend to crowd out and supplant our native birds seems nearly unquestionable, since the latter disappear wherever the House Sparrows become abundant. Upon such species as have a preference for nesting sites similar to their own, they do exert, however, a most positive influence. These are Bluebirds, White-bellied Swallows, Purple Martins, and Wrens—birds of attractive ways, agreeable notes, and highly insectivorous in their diet. When the Sparrows were first introduced into Cambridge, probably at least a dozen bird-houses were put up to each pair of Sparrows. The result was that the native species just mentioned found abundant nesting places, and at once became more numerous than formerly. As the Sparrows rapidly increased, they very naturally possessed themselves of the bird boxes and forced their former occupants elsewhere. He cited the

following  
than three  
Swallows  
about one  
had a repr  
by the Sp  
tained it.  
possession  
naissance  
attempt;  
battles. C  
boring par  
come to hi  
Sparrows,  
possession  
Robins tha  
this pugna  
abandon th

One err  
fallen lies  
in towns  
Thus suc  
April, 188  
in all the  
fore the R

There v  
Washingt  
sonian Ins  
parks, hun  
molested  
passed nor  
bers from  
disposition  
the beauti  
average or

One othe  
the claim s  
land and G  
if they wer  
these birds  
at once as  
is very muc  
ter. And  
ference is  
istence are

In Europe  
They are not,  
natural enem  
8404-

following instances as having fallen under his observation: Three years ago no less than three pairs of Wrens and as many pairs each of Bluebirds and White-bellied Swallows raised their young in boxes in sight of his windows. The following year about one-half disappeared, and last year not one of these nine pairs of native birds had a representative left within this small area. Not that all the boxes were occupied by the Sparrows, but they claimed possession of all, and by force of numbers retained it. In most cases the former occupants, finding their homes already in the possession of their enemies, appeared to make no struggle to regain them, a reconnaissance of the field apparently satisfying them of the hopelessness of any such attempt; in other cases they were not given up without long and hard-fought battles. On inquiry he found that similar incidents have been observed in neighboring parts of Cambridge. Besides this, instances of uncalled-for aggression had come to his notice, one of which he himself had observed. Last year a colony of Sparrows, not content with three times as many boxes as they had use for—to gain possession of which they had dispossessed wrens and swallows—attacked a pair of Robins that very unwisely, as it proved, had chosen a nesting site in an elm close to this pugnacious colony, by which they were so persistently harassed that they had to abandon their completed nest and its, to them, precious contents.

One error into which many observers who are not ornithologists have fallen lies in the failure to discriminate between the abundance of birds in towns and cities in time of *migration* and in the *breeding* season. Thus such a visitor to the national capital during the first week in April, 1887, would have been struck at once with the number of Robins in all the parks, and might have come to the hasty conclusion that therefore the English Sparrow had no serious influence on them.

There were undoubtedly many thousands of Robins in the city of Washington at that time. On the grass ground in front of the Smithsonian Institution, on the lawns of the Capitol, and in many of the other parks, hundreds were in sight at once, and they seldom appeared to be molested by the Sparrows. But no sooner had these migrating flocks passed northward and the intending settlers arrived in smaller numbers from the South than the Sparrows began to show their natural disposition, and, as a result, the Robins which remained and nested in the beautiful parks, numbering hundreds of acres, probably did not average one pair to every ten acres of suitable ground.

One other egregious blunder, for which there is still less excuse, is the claim so often put forward that in other countries, notably in England and Germany, the Sparrows live in peace with all birds, whereas if they were the terrible foes represented they would have expelled all these birds long ago. In general, such statements may be set down at once as totally untrue as regards the facts. The Sparrow in Europe is very much the same bird as in the United States, certainly no better. And wherever there is any marked difference in habits such a difference is usually attributable to the fact that the conditions of existence are entirely unlike. On this point Dr. Elliott Coues says:

In Europe these birds are part and parcel of the natural fauna of the country. They are not, as I understand, petted, pampered, and sedulously protected from their natural enemies, as they are here. They shift for themselves, find certain sources of

food supply, have a fair share of natural enemies, and are kept within due bounds of multiplication by natural causes; so that the "balance of power," to use a political phrase, adjusts itself. In short, they have their useful part to play, and they play it; they have their natural checks, and their increase is naturally checked. (*American Naturalist*, Vol. XII, p. 500, Aug., 1878.)

In many parts of Europe bounties have been paid on the Sparrow from time to time for centuries, and to-day in many sections of England the farmers are fighting this pest as bitterly as in any section of the New World. If any one doubts that the Sparrow attacks other birds in Europe, let him turn to the evidence given before the select committee of the British Parliament in 1873, and read the statements which support the testimony of Col. Champion Russell with regard to the relations of the Sparrow and the martin. His conclusion is, "If people will neither protect the martins from the Sparrows nor let them build near their doors and windows for protection, we shall lose these beautiful and most useful birds; indeed, we are losing them fast. Unlike most other birds, they will not make their nests far from our dwellings; if not allowed to build there, they disappear."

### RELATION OF THE SPARROW TO INSECTS.

#### GENERAL SUMMARY OF EVIDENCE.

The vexed question of the insect-eating habits of the Sparrow is one of the most important ones to be decided, and on the decision many persons would rest their arguments for or against the bird.

It has been shown that the Sparrow is decidedly injurious to grain, seeds of various kinds, and fruit; that it causes a decrease in the number of native birds in gardens and on farms, as well as in cities and towns; and that it is a serious nuisance in many ways. But, if it could be shown that it habitually consumes large numbers of injurious insects, there might still be some ground for continuing to protect it, or at least for refraining from its wholesale destruction.

In the effort to obtain sufficient evidence to settle this question no trouble has been spared, and every scrap of testimony submitted has been carefully considered.

Particular pains have been taken to obtain every possible fact favorable to the bird, and the utmost care has been taken to exclude no item of this kind, while in doubtful cases the Sparrow has always been given the benefit of the doubt. Yet, unfortunately for this bird, the result shows plainly that it is *not* a habitual insect-eater, that it does *not* prefer insect food, and that it seldom produces any perceptible effect on the numbers of any species of injurious insect.

We are well aware that these conclusions will be questioned by some friends of the bird, either too busy or too prejudiced to examine the evidence for themselves, but we believe that no candid person can ex-

amine  
vinced  
submit  
insects  
to eat i  
stances  
ing larg  
other sp  
these a  
stances  
row is l  
S. A. F  
suitable  
sect foo

Excep  
have an  
a taste  
Sparrow  
terflies,  
this dir  
take to  
which a  
them at  
seeking

The fo  
ing this  
as injuri  
between

Again  
pillars, v  
cisely su  
are many  
Sparrow  
greedily.  
bers, or  
the bear

Finally  
been kno  
devoured  
work as  
native bi  
ing many

The re  
never wo  
ignorance  
the attac

amine carefully all the evidence printed herewith and fail to be convinced of the justice of the verdict. Much favorable evidence has been submitted, and it leaves no doubt that Sparrows generally carry some insects to their young; that the young after leaving the nest continue to eat insects for a time, and occasionally even when fully adult. Instances are given where the Sparrow has done good service by destroying large numbers of the army-worm, cabbage-worm, canker-worm and other span-worms, as well as grasshoppers, and some other insects; but these are exceptional cases, readily accounted for when all the circumstances are known, and showing, in most instances, not that the Sparrow is habitually insectivorous, but that it follows the rule which Prof. S. A. Forbes has indicated for many other seed-eaters, viz, that when suitable insects are extraordinarily abundant these birds substitute insect food to some extent for their more natural diet of seed and grain.

Except when feeding the young, Sparrows can scarcely be said to have any *habit* in relation to insects. Certain individuals may acquire a taste for certain insects, or even for insects in general, and many Sparrows seem to delight in chasing large winged insects, such as butterflies, grasshoppers, and cicadas, and when their clumsy efforts in this direction are successful they usually, though not always, eat or take to their young the insects captured; but as a rule adult Sparrows which are not feeding young do not hunt for insects, and if they catch them at all, it is only because they chance to come in their way while seeking other food.

The following facts should be borne constantly in mind while studying this question. In the first place, there are many beneficial as well as injurious insects, and the Sparrow does not appear to discriminate between them.

Again, the injurious insects, such as span-worms and smooth caterpillars, which the Sparrow *sometimes* destroys in numbers, are precisely such insects as are *always* acceptable to other birds; while there are many other injurious insects, such as hairy caterpillars, which the Sparrow *never* touches, but which some other common birds devour greedily. As almost all these native birds have been lessened in numbers, or entirely driven away from places where Sparrows are abundant, the bearing of these facts is obvious.

Finally, there is no species of injurious insect that the Sparrow has been known to destroy, even in small numbers, which is not much oftener devoured by native birds. Thus the Sparrow does no kind of beneficial work as an insect destroyer which would not be much better done by native birds; while its presence prevents other birds from accomplishing many kinds of work which the Sparrow does not undertake at all.

The reply so often made to this argument, namely, that native birds never would stay in towns as the Sparrow does, shows the most pitiable ignorance of facts. In most towns where there is vegetation subject to the attacks of insects, native birds are sure to be found unless driven



away by the Sparrows. If there be but one or two trees in the heart of a city, there is no need to depend upon birds, native or imported, to keep them free from insects; if there are many trees, then many native birds will nest there if they are properly encouraged. Had one-tenth the care been devoted to native birds in Boston, Philadelphia, and New York that was wasted on the imported Sparrows, it is not probable that the span-worm would ever have stripped the trees in those cities, or that the hairy larva of the tussock-moth, or the equally destructive web-worm, would have followed when the span-worm was lessened in numbers.

That the steady and alarming increase of these hairy worms is largely, if not mainly, due to the presence of the Sparrow and the consequent absence of better birds is not open to doubt. The testimony of Prof. C. V. Riley, Entomologist of the U. S. Department of Agriculture, of Prof. J. A. Lintner, State Entomologist of New York; and of Dr. John L. LeConte, of Philadelphia, is conclusive on this point. A part of this testimony is given a few pages further on, and the remainder will be found in Professor Riley's report which follows.

Before proceeding further with this discussion, it will be well, as under previous sections of this Bulletin, to give a brief résumé of the evidence collected, and on which the conclusions as regards the Sparrow's relations to insects are based.

This evidence may be roughly divided into two classes:

I. Evidence derived mainly from study of the contents of Sparrows' stomachs.

II. Evidence derived mainly from observation of the bird, without subsequent examination of the stomach.

#### EVIDENCE DERIVED FROM STUDY OF THE CONTENTS OF SPARROWS' STOMACHS.

Under this head is included all available published data derived from dissection in both Europe and America, and representing in all about two thousand five hundred stomachs.

Of this number, about eleven hundred are from European sources and the remainder from the United States and Canada. With the exception of data relating to upward of five hundred stomachs examined at the Department during the past year, very few of these records are as complete as could be desired, and no attempt has been made to tabulate the results of all the dissections, but it may be stated that among two thousand four hundred and fifty-five stomachs only three hundred and forty-five, or about 14 per cent., showed any insect remains. In the case of five hundred and twenty-two stomachs examined at the Department of Agriculture all necessary data were obtainable and the results have been carefully tabulated. The insect remains contained in these stomachs were critically examined under the direction of Prof. C. V. Riley, who has kindly prepared a report upon the subject, and has added

thereto  
of his o  
This v  
oughly,  
cussion  
touch o  
later.

That p  
with onl  
that bas  
nable ne  
In rep  
responde  
were rec  
of these

Mainly fav  
Mainly un  
About equ  
Indefinite,

Total

Of the  
value, sev  
eats inse  
As a m  
between  
Sparrow  
summary  
examinati  
case.

The foll  
eat and t  
ception of  
sults of c  
having se  
list there  
two separ  
not includ  
corded jus

thereto the results of his study of published data of other dissections and of his own large experience with the Sparrow.

This valuable report of Professor Riley covers the ground so thoroughly, that there is no excuse for our entering into any extended discussion of the facts brought out by these dissections, and we shall merely touch on one or two points to give emphasis to some of our remarks later.

#### EVIDENCE DERIVED FROM OBSERVATION OF THE BIRD.

That part of the testimony which is based mainly on observation, with only an occasional dissection, is much less positive as a whole than that based solely on dissection; but some parts of it are extremely valuable nevertheless.

In reply to the schedule questions sent out, and by subsequent correspondence with all persons willing to contribute information, reports were received from five hundred and ninety-one persons. The contents of these reports may be roughly classified as follows:

Mainly favorable to the Sparrow.....	267
Mainly unfavorable to the Sparrow.....	138
About equally divided.....	60
Indefinite, or of no practical value.....	126
<hr/>	
Total.....	591

Of the one hundred and twenty-six reports counted of no practical value, seventy-eight consist simply of the statement that the Sparrow eats insects only when forced to do so by the absence of other food.

As a majority of all observers were naturally unable to discriminate between injurious and beneficial insects, all reports which credit the Sparrow with *eating insects of any kind* have been considered (in this summary) *favorable* to the Sparrow, though, in view of Professor Riley's examination of insects actually eaten, this is far from being really the case.

The following table shows the insects which the Sparrow is said to eat and the number of observers reporting each insect. With the exception of single reports on six or seven species, it does not record results of dissection, but merely the observations of those who report having seen the Sparrow taking insects for itself or young. In this list there are no repetitions, that is, the same insect is not entered in two separate categories. For example "worms," fifty-six reports, does not include cut-worms, canker-worms, earth-worms, etc., which are recorded just as reported.

## List of insects said to be eaten by the Sparrow.

Kind of insect.	No. of reports.	Kind of insect.	No. of reports.
Ants:		Gnats	3
Red	1	Grasshoppers, kind not specified	53
Winged	1	Grubs or larvae, kind not specified	80
Kind not specified	4	<i>Harpalus vagans</i>	1
Ants-eggs	1	Honey bees	2
Aphids	2	<i>Hyphantria</i> (moth)	1
Apple-tree worms	3	<i>Hyphantria</i> (larva)	1
Army-worm	9	Ichneumon flies	5
Bag-worm	1	Insects:	
Beetle:		On maples	1
Tiger ( <i>Cicindela</i> )	1	On trees	2
Goldsmith	1	In wheat	1
Beetles: Kind not specified	10	Kind not specified	119
Blow-fly	2	Insect eggs	5
Bot-fly	4	June-bug	1
borers	1	June-bug (larva)	1
Buffalo moth	1	Katydid	1
Bugs:		Larva of—	
From elm bark	1	House-fly	1
From cherry tree	1	Stable-fly	1
Kind not specified	18	Various flies	1
Butterfly ( <i>turnus</i> )	1	Moths	1
Butterfly:		Leaf-rollers of plum	1
Vanessa	1	Leaf-rollers, kind not specified	1
Yellow	1	Locusts	4
Butterflies, kind not specified	14	Maggots from dead animal	1
Butterfly larvae	1	May-bug	2
Cabbage-butterfly	2	May-bug larvae	2
Cabbage-moth	3	May-flies	4
Cabbage-worms	30	Measuring-worms	4
Canker-worm	28	Measuring-worm moth	1
<i>Carabida</i>	1	Melon bugs of all kinds	1
Carabid larvae	1	Mosquito	3
Caterpillar:		Moth, <i>luna</i>	1
Fall	1	Moth, <i>Cecropia</i>	1
Grape-vine	1	Moths or millers, kind not specified	35
Smooth	3	Muscidas	1
Tent	3	<i>Orygia</i> (moth)	1
Tree	3	<i>Orygia</i> (larva)	3
Kind not specified	53	Orthoptera	1
Cherry-tree worms	1	Potato-bug	1
Chinch-bug	1	Potato-bug larva	1
Clear-winged flies from grape	1	Rose-bug	1
Cicada:		Rose-slugs	1
Seventeen-year	11	Scale insects	1
Kind not specified	0	Slugs	2
<i>Coccinellida</i>	1	<i>Sphinx carolina</i>	1
Codling-worm	1	Spiders, kind not specified	26
Codling-moth	2	Squash-bugs	1
Coleoptera (larva)	1	Tobacco-worm	1
Crickets	2	Tree-lice	1
Curculio of plum	1	Wasp	1
Curant moth	1	Weevils	2
Curant worm	4	White-ants ( <i>termites</i> )	2
Cutworm:		Worms on—	
Bronzy	1	Fruit-trees	1
Kind not specified	6	Elm	2
Dragon-flies	2	Linden	1
Dung-insects	2	Maple	4
Earthworms	7	Pear-tree	1
Flea-bugs	1	Worms:	
Flies:		Red	1
Horse	2	Small green	1
House	3	Tree	1
Stable	1	Kind not specified	56
Small, black	1		
Kind not specified	25		

In this list there are a dozen or more items which are conspicuous from the number of witnesses reporting them. Thus army-worms, canker-worms, and cabbage-worms aggregate seventy-four reports; caterpillars alone are mentioned in sixty-four reports, and "worms,"

many of v  
observers  
we have  
beetles, t  
dred and  
fail to sp  
Unques  
consequen  
observati  
informati  
hasty infe  
be said fo  
tive birds  
insects an  
size of m  
the Sparro  
too small

The fac  
never see  
and can o  
close obs  
ited. Cer  
take cons  
in our lar  
ever tast  
obtainabl  
even wh  
Thus Col  
stomachs  
farm yaro  
lot, the c  
the other  
Herford,  
ling Spa  
that "wh  
sists enti  
their food  
later of t  
cent. of a  
ber of di  
more fav  
scarcely  
Colonel F

many of which are undoubtedly caterpillars, in eighty-eight more. Fifty observers speak of grubs or larvæ; fifty-two of grasshoppers; and then we have moths, millers, and butterflies with fifty-nine; flies, thirty-two, beetles, twenty-seven, and spiders, twenty-six; while, lastly, one hundred and eighteen reports state that the Sparrow eats "insects," but fail to specify the kinds.

Unquestionably the information in many of these reports is of little consequence. It is assumed to be in most cases the result of personal observation, but many of the reports contain internal evidence that the information is derived from other sources, while still others appear to be hasty inferences from entirely insufficient data. But the same might be said for many of the reports relating to the Sparrow's relations to native birds, with the difference, however, that the names and habits of insects are less commonly known than those of birds, while the small size of many insects is apt to lead a careless observer to believe that the Sparrow, when searching on the ground and picking up anything too small to be readily seen, is always eating insects.

#### ARGUMENT FROM ALL AVAILABLE DATA.

The fact that more than a hundred observers state that they have never seen a Sparrow touch even a single insect is certainly surprising, and can only be explained by one of two hypotheses: either they are not close observers, or their opportunities for observation have been limited. Certainly when suitable insects are abundant, Sparrows usually take considerable numbers to their young; yet it is equally certain that in our large cities thousands of Sparrows are reared annually without ever tasting insects. When bread, cooked meat, or other soft food is obtainable the old birds are content to give the young such food, and even when insect food is fairly abundant it is not always utilized. Thus Colonel Russell states that in England he once examined the stomachs of forty-seven nestling Sparrows taken at one time from one farm yard, and found the remains of but six small insects in the entire lot, the crops in most cases being filled with green peas and grain. On the other hand Dr. Schleh, professor in the College of Agriculture at Herford, Germany, after examining "the crops of a large number of nestling Sparrows sent to him from different parts of the country," finds that "while in the nest, and for a week after leaving it, their food consists *entirely* of insects, grubs, etc. Two weeks after leaving the nest their food still consists of forty-three per cent. of animal food; a week later of thirty-one per cent., and after that age of only nineteen per cent. of animal ingredients." Unfortunately we do not know the number of dissections on which these figures are based, but they are far more favorable to the Sparrow than any others we have seen, and can scarcely be regarded as nearer the average than the above figures of Colonel Russell, which perhaps indicate the other extreme.

In this connection some of the data afforded by the five hundred and twenty-two dissections made at Washington during the past summer are of interest. Three hundred and thirty-eight were the stomachs of birds taken on the grounds of the Department of Agriculture, almost all of them shot between noon and 2 o'clock p. m., and when not engaged in searching the driveways for refuse. These grounds consist of about thirty-five acres of grass, shrubbery, trees, and gardens; and form one section of the unbroken series of parks which extends from the Capitol to the White House, a distance of more than a mile. Here at all times during the summer large numbers of insects were to be had without any particular search, and hence these three hundred and thirty-eight stomachs ought to contain a larger percentage than usual of such food. The remaining one hundred and eighty-four stomachs came from various places at a distance, and the data accompanying them are not complete in all cases, but many were collected in places where insects were abundant. Three hundred and seventy-six of these stomachs were from adult birds, and fifty-four of them, or fourteen and two-tenths per cent., contained remains of insects. One hundred and two were from birds classified as "immature"—that is, they were at most only two or three months old, but were fully fledged, and no longer under the care of the parents. Twenty-two of these, or about twenty-one and one-half per cent., contained insect remains. Forty-four were either nestlings or at least still under the care of the parents, and seventeen of these, or thirty-eight and six-tenths per cent., contained some insect food. This confirms in great measure the generally accepted theory that young Sparrows eat many more insects than adults, but it should be remarked that very few of these five hundred and twenty-two stomachs contained any large number of insects. Certainly the average percentage of insect food would not exceed one or two per cent., while even in the forty-four young birds not more than ten per cent. of the entire food was insects. Moreover, in one or two cases, young Sparrows *taken from the nests* contained no trace of insect food, but *did* contain crushed or softened grain, probably from horse droppings. Dr. B. H. Warren, at West Chester, Pa., and Mr. C. J. Maynard, in Boston, had similar experiences, and there can be no doubt that insects are not essential even for feeding the young. Many persons suppose that when Sparrows are busy at horse droppings in the streets they are looking for insects, but of course they are really picking out the partially digested grain, and this grain is perfectly adapted to the wants of young Sparrows, even when just hatched. An occasional insect may be picked up in the same places, but such insects are usually small dung-beetles which are useful, or at least not harmful species. It is probably safe to say that as a rule nine-tenths of the food of city Sparrows—so long as they remain within city limits—is derived from horse droppings, and most of the remainder is house refuse. In the parks or on the outskirts of cities, in small towns,

and in the  
and insect  
tended o  
row dest

It has  
of their  
true, we  
at least,  
the assur  
most you  
position  
Undoubt  
two othe  
overlook  
or June  
It has be  
each year  
just out  
partment  
gust as in  
gust as in  
more abu

In Eng  
insects in  
at Toront  
or about

The fol  
achs cont  
of Agri  
many bir  
possible,

\* For inf  
page 133.

and in the country, Sparrows undoubtedly take more grain or seed, fruit, and insects; and all careful observers whose observations have extended over considerable periods in such localities, agree that the Sparrow destroys insects more or less according to their abundance.

SEASONAL VARIATION IN THE INSECT FOOD OF THE SPARROW.

It has been claimed often that Sparrows take much the larger part of their insect food in spring or early summer. While this may be true, we have not the data as yet to prove it, and it seems to be, in part at least, a hasty inference from two principal facts. These are, first, the assumption that the young are fed mainly on insects, and that the most young are hatched in spring and early summer; second, the supposition that as grain ripens, Sparrows naturally neglect all other food. Undoubtedly both these points have considerable weight, but there are two other points that tend to offset them, and these are too frequently overlooked. Although doubtless more Sparrows are hatched in May or June than in July or August, yet we do not know how many more. It has been shown already that at least three or four broods are hatched each year, and during the last week in August, 1887, stump-tailed young just out of the nest were not at all rare about the grounds of the Department of Agriculture. If nearly as many young are reared in August as in May, probably as many insects would be fed to them in August as in May, for—and here is the second point—insects are certainly more abundant in midsummer and early autumn than in spring.

In England, according to Mr. Gurney's tables, the Sparrow eats more insects in August than in any other month; and Dr. William Brodie, at Toronto, Canada, found that of 85 stomachs taken in September, 63, or about 74 per cent., contained insects.

The following table gives the results, as regards the number of stomachs containing insects, of the 522 dissections made at the Department of Agriculture, arranged by months.\* It is to be regretted that as many birds were not killed each month as in August, but this was impossible, although it is hoped it may be done hereafter.

---

\* For information as to the manner in which these examinations were made, see page 133.



Table showing, by months, the number and percentages of Sparrows containing insects, in a total of 522 dissections.

	Washington, D. C.	Other localities.	Total examined.	Total with insects.	Percentage with insects.
January:					
Examined .....	0	2	2		
Contained insects .....	0	0		0	0
February:					
Examined .....	0	17	17		
Contained insects .....	0	0		0	0
March:					
Examined .....	0	21	21		
Contained insects .....	0	1		1	4.8
April:					
Examined .....	1	24	25		
Contained insects .....	0	1		1	4
May:					
Examined .....	11	10	21		
Contained insects .....	5	1		3	28.6
June:					
Examined .....	43	4	47		
Contained insects .....	12	1		13	27.7
July:					
Examined .....	37	24	61		
Contained insects .....	6	3		9	14.8
August:					
Examined .....	213	20	233		
Contained insects .....	53	7		60	25.8
September:					
Examined .....	29	15	44		
Contained insects .....	2	0		2	4.5
October:					
Examined .....	1	24	25		
Contained insects .....	0	0		0	0
November:					
Examined .....	2	15	17		
Contained insects .....	0	0		0	0
December:					
Examined .....	1	8	9		
Contained insects .....	0	0		0	0
Totals .....			522	92	17.6

These results, unsatisfactory as they are, show conclusively that before any general rule can be laid down respecting the insect food of the Sparrow in its relation to season, it will be necessary to examine much larger numbers of stomachs, and to note particularly, in addition to the date and locality, such facts as the age of the bird, the time of day when killed, the character of the place where killed, as well as the apparent abundance or scarcity of food of any particular kind.

Among the five hundred and ninety-one reports which are not based on dissection, probably there are one hundred and fifty or more which have been carefully prepared, give the results of actual observation, and hence contain valuable information.

In Professor Riley's report will be found a list of some of the most valuable and suggestive of these contributions, which should be read in full in order to appreciate the facts. At least two-thirds of them contain facts more or less favorable to the Sparrow, but, as stated already, these are readily accounted for when all the circumstances are known.

Profes  
interest  
of his, w  
glish Spar  
caterpillars  
ington.

In the  
published  
pendent  
York. V  
as they a  
some of t  
before the

Relatio  
"The ext  
introduc

"This m  
the Sparrow  
ing the 'c  
land cities  
and has c

"A rem  
very num  
me to und  
to me, tha  
and prom

"In a lo  
and Spenc  
year, I ha  
of Sparrow  
every way  
of a large  
dense mat  
observed a  
They were

"Upon  
upon the o  
large wood  
pole stand  
with many  
been place  
alive with  
ping down  
air was vo



## RELATION OF THE SPARROW TO CATERPILLARS.

Professor Riley, in his report, has called attention to several points of interest in these contributions, and has also given an interesting letter of his, written to Dr. Cones in 1878, relating to the agency of the English Sparrow in increasing rather than diminishing the numbers of hairy caterpillars, especially of *Orgyia* and *Hyphantria*, in the city of Washington.

In the annual report of the Department of Agriculture for 1886, we published similar conclusions as regards *Orgyia*, derived from the independent observations of Prof. J. A. Lintner, State Entomologist of New York. We again publish these extracts from Professor Lintner's report, as they are of great interest and importance, especially as they mention some of the native birds which undoubtedly held the *Orgyia* in check before the advent of the English Sparrow.

*Relation to the caterpillar of the Tussock Moth.*—Professor Lintner says: "The extraordinary increase of the *Orgyia leucostigma* is owing to the introduction and multiplication of the English Sparrow.

"This may seem a strange statement, in consideration of the fact that the Sparrow was imported from Europe for the express purpose of abating the 'caterpillar nuisance' in New York and some of the New England cities. . . . The increase of the *Orgyia leucostigma* commenced and has continued to progress with that of the Sparrow.

"A remark made to me that the caterpillars had been observed to be very numerous in localities where the Sparrows also abounded induced me to undertake to verify or disprove the idea that had suggested itself to me, that the Sparrow afforded actual protection to the caterpillars and promoted their increase.

"In a locality in the city of Albany, N. Y. (intersection of Broadway and Spencer street), which I had traversed daily during the preceding year, I had been interested in watching the habits of a large company of Sparrows which had established themselves in quarters evidently in every way suited to their tastes and wants among the vines and leaves of a large woodbine (*Ampelopsis quinquefolia*), which covered with a dense matting nearly the entire side of a large dwelling. Here I had observed a greater number of the Sparrows than elsewhere in the city. They were still local and far from being generally distributed.

"Upon visiting this locality for the purpose above mentioned, I found upon the other side of the building, and on an adjoining one, three other large woodbines not before noticed by me, making five in all. On a tall pole standing between the two buildings a very large Sparrow house with many compartments had been erected, and many smaller ones had been placed among the branches of the trees. The woodbines seemed alive with the Sparrows. Hundreds were issuing from them and dropping down to their favorite stercoraceous repasts in the streets, and the air was vocal with their chattering. It was a rare bird exhibition.

	Percentage with insects.
0	0
0	0
1	4.8
1	4
5	28.6
5	27.7
0	14.8
0	25.8
2	4.5
0	0
0	0
0	0
2	17.6

at be-  
of the  
much  
to the  
when  
parent

based  
which  
ation,

most  
ead in  
n con-  
ready,  
nown.

Here certainly was a test case of the insectivorous nature of the Sparrow.

"On the sidewalk in front of the two buildings two large spreading elms (*Ulmus Americanus*), standing between some maples, showed *every leaf eaten from them*, disclosing the nesting-boxes among their branches, and their trunks and limbs dotted thickly or clustered with the easily recognized egg-bearing cocoons of the *Orgyia*. Hundreds of immature caterpillars were traveling over the trees, fences, and the walls adjoining. No better evidence of the almost perfect immunity afforded to the caterpillars from their enemies, whether birds or insects, by the presence of the Sparrows, could possibly be given.

"A portion of Broadway, between Clinton avenue and the Central Railroad crossing, was also known to abound in the Sparrows, the citizens resident there having fed them most generously, not only during the winter season, but also in the summer months. Nesting-boxes had been placed for them in most of the trees. Here the trees presented a pitiable sight. Many of the elms and horse-chestnuts were entirely stripped of their foliage; the naked ribs of the leaves of the latter seemed ghastly in their suggestion of fleshless fingers. Nowhere else in the city had I seen such ravages.

"Passing thence to Pearl and State streets, the same association of Sparrows, caterpillars, and their destructive work was seen. Clinton Square, where the Sparrows had, in their introduction into the city, been specially taken under the care and protection of the residents on the east side of the park, afforded another excellent test. It was evident that the Sparrows were in full appreciation of their privileges from the almost incredible numbers sporting about the trees. Their protégés were also in full force. Caterpillars and their cocoons met the eye everywhere, while hanging from the rails and caps of the iron fence surrounding the park were the dead and decomposing bodies of caterpillars killed by the recent heavy rains (often so fatal to insect larvæ), in such numbers that they tainted the air in their vicinity.

"It seems unnecessary to extend this record further than to add that in other sections of the city observations made were in accord with the above.

"*How the Sparrows protect the caterpillars.*—That the Sparrows decline to eat the *Orgyia* caterpillar is not a charge against them. They *could not eat* them with impunity. The diet would doubtless prove fatal to them. The charge to which they are amenable is this: By the force of numbers, united to a notoriously pugnacious disposition, they drive away the few birds that would feed upon them. Of these we know but four species, viz, the Robin (*Merula migratoria*), the Baltimore Oriole\* (*Icterus galbula*), the Black-billed Cuckoo (*Coccyus erythrophthalmus*), and the Yellow-billed Cuckoo (*Coccyus americanus*).

\* This bird has been seen with its head thrust into the web-nest of the tent caterpillar, eagerly devouring its occupants.

"The a  
signed to  
ber of hai  
Yellow-bi  
leucostigm  
the opera  
My atten  
caterpilla  
ing near  
of hair fl  
standing.  
the worm  
shaved off  
of the cat  
the Injur  
Lintner, A  
Relation  
John L. L  
gard to th  
ment by a

"In Phi  
nomos subs  
in the stre  
duced for t  
Noctuide,  
some stree  
been. The  
able odor,  
ered, are m  
molestation

We must  
that the En  
the Sparro  
other span  
villages wh  
disappeara  
to various  
the worms,  
of the extr

In New  
and the ap  
vernata), a  
timony has  
on this wo

"The above species seem, in the ordering of nature, to have been assigned to us for protection from an undue multiplication of a large number of hairy caterpillars of injurious habits. \* \* \* One of them, the Yellow-billed Cuckoo, is known to shave off the hairs of the *Orgyia leucostigma* caterpillar before swallowing it. The following account of the operation is from Dr. LeBaron, former State Entomologist of Illinois: 'My attention was attracted to a Cuckoo regaling himself upon these caterpillars, which were infesting in considerable numbers a larch growing near the house. My curiosity was excited by seeing a little cloud of hair floating down upon the air from the place where the bird was standing. Upon approaching a little nearer I could see that he seized the worm by one extremity, and drawing it gradually into his mouth, shaved off as he did so, with the sharp edge of his bill, the hairy coating of the caterpillar and scattered it upon the wind.'" (Second Report on the Injurious and other Insects of the State of New York, by J. A. Lintner, Albany, 1885.)

*Relation to the canker-worm and other span-worms.*—As early as 1874 Dr. John L. LeConte, of Philadelphia, Pa., published\* the following in regard to the disappearance of the span-worm in that city and its replacement by another species:

"In Philadelphia, and probably in other cities, the Geometride (*Ennomos subsignaria*), which was very injurious to the shade trees growing in the streets, has been exterminated by the European Sparrows, introduced for that purpose. With the disappearance of the Geometride a Noctuide, *Orgyia leucostigma*, commenced to increase, and has now in some streets become almost as great a nuisance as the *Ennomos* had been. The larvae of the *Orgyia*, whether protected by some disagreeable odor, or more probably by the stiff hairs with which they are covered, are not eaten by the Sparrows, and therefore increase without molestation."

We must demur somewhat to the above statement of Dr. LeConte that the English Sparrow exterminated *Ennomos* in Philadelphia. That the Sparrows contributed their mite to this end there is no doubt, but other span-worms have disappeared in the same way from towns and villages where there were no Sparrows, and it is now known that such disappearances are of more or less regular occurrence, and may be due to various causes, such as the multiplication of the insect parasites of the worms, the prevalence of disease, or even in part to the very fact of the extreme abundance of the worms themselves.

In New England the span-worm which defoliated the elms of the cities and the apple orchards of the country was the canker-worm (*Paleacrita vernata*), and from different parts of New England unimpeachable testimony has come as to the good work done by the Sparrow in feeding on this worm. We ourselves have seen thousands of these worms car-

\* Proc. A. A. S., Vol. XXIII, p. 44.

ried off by the Sparrows every day, yet are bound to say that there was no appreciable diminution in the number of worms, and earlier in the season, when the wingless moths were depositing the eggs for this devastating army, the Sparrows were never detected eating the moths at all, though the robins fed on them constantly. Moreover, the nature and habits of this worm make it not only possible but easy to completely prevent or control its depredations. (See Professor Riley's letter to Dr. Cones in the report which follows.)

Furthermore, the female, being wingless, does not wander far after issuing from the pupa, and the worms, when very abundant, after stripping one orchard or row of trees, are too small to travel far in search of more and yet too small to complete their transformation without more food. Thus this state of affairs frequently brings about the extinction of almost the whole army.

It has been remarked frequently by observant persons that the disappearance of the canker-worms and similar caterpillars is very sudden. One year an orchard or park may be overrun by them, and the next season it may be impossible to find any at all. It is a well-known fact that excessive multiplication often weakens an entire race, and then when attacked by the multitudes of parasites which have increased with it, or by disease which has been slowly advancing, it is unable to resist, and a wholesale reduction in number is the result. A few days of heavy rain, an unusual period of drought, a few hours of excessive heat or cold, should these conditions occur at the critical point in the career of a species, may so reduce its abundance that it will not regain its former numbers for a dozen years or even more; and if meanwhile this turn of Fortune's wheel has given another species the ascendant in the same district, the subsequent struggle may be prolonged indefinitely. We do not *know* that any such crises were imminent in Philadelphia at the time the Sparrows were first introduced there in numbers, but with our present knowledge of the Sparrow's habits we believe that the results there are far more likely to have been reached through some such combination of circumstances than through the comparatively insignificant number of worms devoured by the Sparrows.

The following report by Professor Riley on the insect food of the Sparrow is a most valuable contribution to our knowledge of the food habits of the species, and a careful study of this report, and of the tables which follow it, will do much to dispel the illusions of those who class the Sparrow among beneficial birds on account of its insectivorous habits.

INSECT

The f  
tents of  
examining  
much la  
ion and  
not only  
let and  
according  
insect m  
statement  
to order  
other we

My m  
fully ex  
known  
and then  
more clo  
way the  
have not  
the Divi  
and in a  
imperfec  
ence litt  
to Mr. B  
this occa  
work.

No. 16.—  
larvæ (ame  
No. 97.—  
(*Sphenoph*  
No. 123.—  
small hyme  
No. 152.—  
optera (*My*  
locusts (*Ca*  
No. 195.—  
viz, *Xiphid*  
No. 196.—  
beetles (*St*  
No. 201.—  
pieces of a

## INSECTIVOROUS HABITS OF THE ENGLISH SPARROW (*Passer domesticus*).

By C. V. RILEY.

### REPORT OF MATERIAL EXAMINED IN 1887.

The facts contained in this report are based upon the stomach contents of the English Sparrow submitted by Dr. C. Hart Merriam for examination and opinion, these having been separated by him from a much larger number (522 in all) examined in the Ornithological Division and found to contain no insects. By stomach contents is included not only what is taken from the crop, but also that taken from the gullet and the mouth. I have first given a list of the specimens examined according to Dr. Merriam's card catalogue number and including the insect material examined and identified. Next I have given a succinct statement of the habits of the insects concerned, arranged according to orders, and finally a summarization of the results, and a survey of other work in the same line both in Europe and America.

My method of examination has been, first, to have the material carefully examined by some one of my assistants according to their special knowledge, and particularly by Mr. Otto Lugger and Mr. Th. Pergande, and then to verify their determinations and to study and determine more closely whatever was questionable or undeterminable. In this way the accuracy of the determinations has been fully assured, and I have not been under the necessity of appealing to specialists outside of the Division. A determination is sometimes based on a mere fragment, and in all cases where an interrogation still remains it is because of the imperfect condition of the specimens, which would make specific reference little more than guess-work. To the gentlemen mentioned, as also to Mr. Barrows and Dr. Fisher, of the Division of Ornithology, I take this occasion to express my thanks for aid and interest shown in the work.

#### STOMACH CONTENTS.

No. 16.—Young male; July 7, 1885, Sing Sing, N. Y. Contents: Two chrysomelid larvæ (small larvæ of unrecognizable species).

No. 97.—Adult female; July 25, 1885, Sing Sing, N. Y. Contents: One snout-beetle (*Sphenophorus zœa*); wings of a small Chrysomelid, and jaws of a caterpillar.

No. 123.—Adult female; July 28, 1885, Sing Sing, N. Y. Contents: Remains of a small hymenopterous insect and pieces of one *Aphodius* sp.

No. 152.—Young male; August 4, 1885, Sing Sing, N. Y. Contents: Three Hymenoptera (*Myzine 6-cincta*); one large locust (*Caloptenus differentialis*); two pupæ of small locusts (*Caloptenus* sp.).

No. 195.—Adult male; August 10, 1885, Sing Sing, N. Y., three young Orthoptera, viz, *Xiphidium* sp., *Caloptenus* sp., *Tettix* sp., one *Colaspis flavida*.

No. 196.—Young male; August 10, 1885, Sing Sing, N. Y. Contents: Two snout-beetles (*Sitones* sp.).

No. 201.—Adult female; August 10, 1885, Sing Sing, N. Y. Contents: Very small pieces of a curculionid beetle.

No. 202.—Young male; August 10, 1885, Sing Sing, N. Y. Contents: Pieces of two snout-beetles (*Sphenophorus zea*).

No. 216.—Female; August 10, 1885, Sing Sing, N. Y. Contents: One *Aphodius granarius*.

No. 289.—Young male; August 20, 1885, Sing Sing, N. Y. Contents: Small pieces of a hemipterous insect.

No. 1552.—Female; May 9, 1885, Taunton, Mass. Contents: One elytron of *Aphodius granarius*.

No. 1593.—Male; June 16, 1885, Taunton, Mass. Contents: Four large larvae of a *Lachnosterna* sp. and two small snout-beetles (two heads and tip of one elytron).

No. 2131.—Adult female; August 3, 1886, Washington, D. C. Contents: One snout beetle (*Sphenophorus parvulus*).

No. 2132.—Adult female; August 3, 1886, Washington, D. C. Contents: One arctiid (*Hyphantria cunea*) with eggs; two pairs of jaws of cut-worms (fam. Noctuidæ).

No. 2133.—Adult female; August 3, 1886, Washington, D. C. Contents: One snout-beetle (*Sphenophorus parvulus*).

No. 3360.—Male; March 19, 1886, Sugar Grove Ohio. Contents: Broken pieces of *Aphodius fimetarius*.

No. 5523.—Adult female; May 2, 1887, Washington, D. C. Contents: Piece of legs of an Ichneumonid; one snout-beetle (*Sphenophorus parvulus*).

No. 5526.—Young male; May 16, 1887, Washington, D. C. Contents: Part of the leg of a *Lachnosterna*; one Hymenopteron (*Tiphia* sp.).

No. 5528.—Young female; May 20, 1887, Washington, D. C. Contents: Several pieces of *Lachnosterna*, apparently *fusca*.

No. 5529.—Young male; May 20, 1887, Washington, D. C. Contents: Several pieces of *Lachnosterna*, apparently *fusca*.

No. 5532.—Young male; May 28, 1887, Washington, D. C. Contents: One spider (*Tarentula* sp.); one snout-beetle (*Sphenophorus parvulus*); two ants (*Solenopsis* sp.); one Hymenopteron (*Tiphia* sp.); one minute Hymenopteron (*Xylaspis* sp.).

No. 5533.—Adult male; May 28, 1887, Washington, D. C. Contents: One snout-beetle (*Sphenophorus parvulus*); one spider (*Lycosa scutellata*).

No. 5536.—Male; June 2, 1887, Washington, D. C. Contents: One snout-beetle (*Sphenophorus parvulus*); five flea-beetles (*Chaetocnema denticulata*).

No. 5537.—Female; June 2, 1887, Washington, D. C. Contents: Two spiders (legs), not recognizable; two snout-beetles (*Sphenophorus parvulus*); two flea-beetles (*Chaetocnema denticulata*).

No. 5538.—Female; June 2, 1887, Washington, D. C. Contents: Several specimens of snout-beetles (*Sphenophorus parvulus*).

No. 5542.—Female; June 2, 1887, Washington, D. C. Contents: Two pupæ of the blue-bottle fly (*Musca caesar*).

No. 5544.—Female; June 2, 1887, Washington, D. C. Contents: One snout-beetle (*Sphenophorus parvulus*); pieces of the larva of a Homopteron, apparently *Erythro-neura*.

No. 5545.—Young male; June 3, 1887, Washington, D. C. Contents: Pieces of numerous spiders; three snout-beetles (*Sphenophorus parvulus*); one Hymenopteron (*Tiphia* sp.).

No. 5548.—Young male; June 7, 1887, Washington, D. C. Contents: Small pieces of a *Lachnosterna*; one snout-beetle (*Sphenophorus parvulus*).

No. 5549.—Adult female; June 7, 1887, Washington, D. C. Contents: One snout-beetle (*Sphenophorus parvulus*).

No. 5536.—April 21, 1887, Rockville, Conn. Contents: Remains of two beetles (*Diplotaxis* sp. and *Aphodius fimetarius*).

No. 5662.—Young female; June 15, 1887, Washington, D. C. Contents: One flea-beetle (*Chaetocnema denticulata*); traces of an Hymenopteron, apparently *Tiphia*.

No. 5665.—

opteron (or

No. 5676.—

flies (*Musca*

No. 5693.—

menopteron

No. 5701.—

beetles (*Cha*

No. 5705.—

menopteron

No. 5712.—

of a longic

of a minute

No. 5713.—

pieces of a *H*

*lata*).

No. 5720.—

pieces of *Hy*

No. 5916.—

beetles (*Sph*

No. 5917.—

beetles (*Sph*

No. 5924.—

beetles (*Cha*

No. 5940.—

beetle (*Chaet*

No. 5941.—

opteron (*My*

No. 5945.—

opteron (*My*

No. 5946.—

Noctuid larv

*lata*); 1 *My*

No. 5951.—

beetle (*Sph*

No. 5953.—

opteron (*My*

No. 5954.—

hopper (*Ery*

No. 5967.—

hopper (*Ery*

No. 5970.—

beetles (*Ch*

No. 5971.—

optera (*My*

No. 5972.—

of *Lachnost*

No. 5973.—

mole-cricket

*nomorium ph*

No. 5976.—

*nomorium ph*

No. 5977.—

of several *Hy*



No. 5665.—Young male; June 16, 1887, Washington, D. C. Contents: One Hymenopteron (only very small pieces).

No. 5676.—Adult female; June 21, 1887, Washington, D. C. Contents: Six house-flies (*Musca domestica*), with numerous eggs.

No. 5693.—Young female; July 12, 1887, Washington, D. C. Contents: One Hymenopteron (only very small pieces, apparently of *Tiphia*).

No. 5701.—Adult female; July 13, 1887, Washington, D. C. Contents: Eleven flea-beetles (*Chatoenema denticulata*); one *Colaspis flavida*.

No. 5705.—Young female; July 13, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*).

No. 5712.—Young female; July 14, 1887, Washington, D. C. Contents: One leg of a longicorn beetle (*Liopus* sp.); parts of a Hymenopteron (*Myzine 6-cincta*); legs of a minute Hymenopteron; one leg of a spider.

No. 5713.—Young female; July 14, 1887, Washington, D. C. Contents: Very small pieces of a Hymenopteron (*Myzine 6-cincta*); several flea-beetles (*Chatoenema denticulata*).

No. 5720.—Young female; July 15, 1887, Washington, D. C. Contents: Numerous pieces of Hymenoptera (*Myzine 6-cincta*); traces of a Heteropteron.

No. 5916.—Adult female; August 9, 1887, Washington, D. C. Contents: Two snout-beetles (*Sphenophorus parvulus*).

No. 5917.—Adult female; August 9, 1887, Washington, D. C. Contents: Two snout-beetles (*Sphenophorus parvulus*).

No. 5924.—Young male; August 9, 1887, Washington, D. C. Contents: Many flea-beetles (*Chatoenema denticulata*); legs of a snout-beetle (*Sphenophorus parvulus*).

No. 5940.—Young male; August 11, 1887, Washington, D. C. Contents: One flea-beetle (*Chatoenema denticulata*); traces of a Hymenopteron (*Myzine 6-cincta*).

No. 5941.—Young male; August 11, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*).

No. 5945.—Young male; August 12, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*).

No. 5946.—Young female; August 12, 1887, Washington, D. C. Contents: Two small Noctuid larvae; 1 snout-beetle (*Sph. parvulus*); 5 flea-beetles (*Chatoenema denticulata*); 1 *Myzine 6-cincta*.

No. 5951.—Young male; August 12, 1887, Washington, D. C. Contents: One snout-beetle (*Sph. parvulus*); 1 Hymenopteron (*Myzine 6-cincta*).

No. 5953.—Adult female; August 12, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*).

No. 5954.—Young male; August 12, 1887, Washington, D. C. Contents: One leaf-hopper (*Erythroneura* sp.).

No. 5967.—Adult female; August 13, 1887, Washington, D. C. Contents: One leaf-hopper (*Erythroneura* sp.); 2 ants (*Brachymyrmex heeri*, female).

No. 5970.—Female; August 13, 1887, Washington, D. C. Contents: Three flea-beetles (*Ch. denticulata*); 3 Hymenoptera (*Myzine 6-cincta*).

No. 5971.—Female; August 13, 1887, Washington, D. C. Contents: Two Hymenoptera (*Myzine 6-cincta*); remains of 1 ant.

No. 5972.—Male; August 13, 1887, Washington, D. C. Contents: Pieces of the leg of *Lachnoeterna*; 2 Hymenoptera (*Myzine 6-cincta*).

No. 5973.—Young male; August 13, 1887, Washington, D. C. Contents: One leg of mole-cricket (*Gryllotalpa* sp.).

No. 5975.—Young; August 15, 1887, Washington, D. C. Contents: Four ants (*Monomorium pharaonis*); several Hymenoptera (*Myzine 6-cincta*).

No. 5976.—Young; August 15, 1887, Washington, D. C. Contents: Five ants (*Monomorium pharaonis*); 1 Hymenopteron (*Myzine 6-cincta*).

No. 5977.—Young male; August 15, 1887, Washington, D. C. Contents: Small pieces of several Hymenoptera (*Myzine 6-cincta*).



No. 5992.—Female; August 15, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*).

No. 6000.—Young female; August 16, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*).

No. 6004.—Adult male; August 17, 1887, Washington, D. C. Contents: Small pieces of a few ants; species not recognizable.

No. 6007.—Young male; August 17, 1887, Washington, D. C. Contents: Very small pieces of a Hymenopteron.

No. 6010.—Female; August 17, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*).

No. 6012.—Female; August 17, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*); and 5 jaws of some cut-worm (Noctuid larva).

No. 6015.—Adult female; August 17, 1887, Washington, D. C. Contents: One Lepidopteron (*Hyphantria cunea*).

No. 6018.—Female; August 17, 1887, Washington, D. C. Contents: Two snout-beetles (*Sphenophorus parvulus*); tarsus of a *Laonosterna*.

No. 6021.—Male; August 18, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*, male).

No. 6025.—Female; August 18, 1887, Washington, D. C. Contents: Three specimens of bee (*Halictus* sp.); one Hymenopteron (*Myzine 6-cincta*).

No. 6026.—Female; August 18, 1887, Washington, D. C. Contents: One Hymenopteron (*Tiphia* f.).

No. 6037.—Male; August 19, 1887, Washington, D. C. Contents: Legs of Hymenopteron (Ichneumonid f.).

No. 6088.—Young male; August 19, 1887, Washington, D. C. Contents: Many specimens of Hymenoptera (*Myzine 6-cincta*).

No. 6089.—Adult female; August 19, 1887, Washington, D. C. Contents: One snout-beetle (*Sphenophorus parvulus*); two small jaws of caterpillar?

No. 6090.—Female; August 19, 1887, Washington, D. C. Contents: Two small bees (*Halictus* sp.).

No. 6091.—Female; August 19, 1887, Washington, D. C. Contents: One Hymenopteron (*Tiphia* sp.).

No. 6092.—Female; August 19, 1887, Washington, D. C. Contents: Two Hymenoptera (*Myzine 6-cincta*).

No. 6093.—Female; August 19, 1887, Washington, D. C. Contents: One Hymenopteron (*Tiphia* sp.); one ant (not recognizable).

No. 6108.—Young female; August 20, 1887, Washington, D. C. Contents: Three Noctuid larvæ (*Laphygma frugiperda*).

No. 6109.—Young female; August 20, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*); one *Proctos* sp.

No. 6110.—Young female; August 20, 1887, Washington, D. C. Contents: One Hymenopteron; one flea-beetle (*Chaloonema denticulata*).

No. 6112.—Female; August 20, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*).

No. 6134.—Young female; August 22, 1887, Washington, D. C. Contents: Remains of several locusts in pupa state (*Caloptenus* sp.); remains of one Hymenopteron (*Myzine 6-cincta*).

No. 6141.—Male; August 23, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*).

No. 6151.—Male; August 24, 1887, Washington, D. C. Contents: One flea-beetle (*Chaloonema denticulata*).

No. 6153.—Male; August 24, 1887, Washington, D. C. Contents: One Hymenopteron; very small pieces of elytra of a Heteropteron.

No. 6161.—Female; August 24, 1887, Washington, D. C. Contents: One Hymenopteron (*Myzine 6-cincta*).

No. 6162.  
ous larva (  
No. 6163.  
Hymenopt  
No. 6164.  
opteron (T  
No. 6204  
Noctuid la  
(*Monomor*  
No. 6229.  
opteron (T  
No. 6256.  
merous spe  
No. 6267.  
several su

HALICTUS  
There are  
United Stat  
by a perpen  
a lump of p  
The transfor  
are agents i  
As they are  
they are rea  
TIPHIA sp

5532, 5545, 5  
family *Scoli*  
recognized v

The life-h  
and rather  
by their str  
spring. Th  
called "wh  
egg laid up  
its victim, l  
fastened to

many layer  
ficial to man  
and meadow

MYZINE  
*Scoliidæ*, occ  
made easy t  
liar anal ar  
up or broke  
less than th  
5953, 5970, 5  
6112, 6134, 6

This speci  
seen flying  
may safely i  
One reason

No. 6162.—Female; August 24, 1887, Washington, D. C. Contents: One lepidopterous larva (*Crambus* sp.).

No. 6163.—Female; August 24, 1887, Washington, D. C. Contents: Parts of one Hymenopteron (*Myzine G-cincta*).

No. 6164.—Female; August 24, 1887, Washington, D. C. Contents: One Hymenopteron (*Tiphia* sp.).

No. 6201.—Young female; August 26, 1887, Washington, D. C. Contents: One Noctuid larva (*Lamphygma frugiperda*); One Perlid; one Psocus; four small ants (*Monomorium pharaonis*).

No. 6229.—Female; August 29, 1887, Washington, D. C. Contents: One Hymenopteron (*Tiphia* sp.); one flea-beetle (*Chatoenema denticulata*).

No. 6256.—Female; September 3, 1887, Washington, D. C. Contents: Very numerous specimens of flea-beetles (*Chatoenema denticulata*).

No. 6267.—Female; September 5, 1887, Washington, D. C. Contents: Remains of several small locusts, the species not recognizable.

#### HABITS OF THE INSECTS CONCERNED.

##### Order HYMENOPTERA.

**HALICTUS** sp.—Contained in Nos. 6025 and 6090.

There are numerous species of these small bees (fam. *Andrenidae*) throughout the United States. They excavate cells in the soil of grassy fields, which cells are reached by a perpendicular burrow from six to twelve inches in depth. Each cell is filled by a lump of pollen the size and shape of a pea, upon which a single egg is deposited. The transformations take place within this cell. The mature insects feed upon pollen, are agents in fertilizing flowers, and therefore rather beneficial than harmful to man. As they are quite slow in their motions, especially in early morning or after a rain, they are readily captured.

**TIPHIA** sp., without much doubt *inornata* Say.—In ten stomachs, viz., Nos. 5526, 5532, 5545, 5662, 5693, 6026, 6091, 6093, 6164, and 6229 occur the remains of a *Tiphia*, family *Scoliidae*. All the remains are in such a condition that the species can not be recognized with certainty, especially as they are separated on very trifling characters.

The life-history of *T. inornata* is recorded by me (6th Rep. Ins. Mo., 123). The black and rather hirsute wasp frequents flowers in open places. The females are enabled by their strong legs to dig into the soil, which they do in search of food for their offspring. This food consists of the larvæ of May-beetles (fam. *Scarabæidæ*), the so-called "white grubs," that of *Lachnosterna fusca* being particularly attacked. An egg laid upon or near the grub soon produces the wasp larva, which bodily devours its victim, leaving only the brown and horny head, which is almost invariably found fastened to the outside of a fine silken cocoon of a gold-brown color, and composed of many layers, made by the mature larva for transformation. *Tiphia* is therefore beneficial to man, and from the fact that it burrows in open places, such as lawns, gardens, and meadows, it is easily discovered by birds.

**MYZINE SEXCINCTA** Fab.—This brightly colored wasp, a member of the family *Scoliidae*, occurred in the contents of many of the stomachs. The identification was made easy by the fact that the birds had chiefly taken the males which have a peculiar anal armature, consisting of three strong chitinous spines, too hard to be ground up or broken by the numerous pebbles almost always present in the stomachs. In no less than thirty cases, viz., Nos. 152, 5705, 5712, 5713, 5720, 5940, 5941, 5945, 5946, 5951, 5953, 5970, 5971, 5972, 5975, 5976, 5977, 5932, 6000, 6010, 6021, 6025, 6088, 6092, 6109, 6112, 6134, 6141, 6161, and 6163, either one, two, or several specimens were found.

This species of *Myzine* is very common throughout the Atlantic States and is usually seen flying low over sandy places. Its life-history has not been recorded, but we may safely infer for it a parasitic habit similar to that of *Tiphia*.

One reason why the Sparrows have been able to secure so many specimens of this

wasp is to be found in a peculiar habit which the latter possesses. During rainy or dark days and also towards evening, many specimens congregate and sleep together upon stems of low herbaceous plants by securely fastening their mandibles into the stems, and in this condition they are easily secured.

**ANTS.**—In eight stomachs specimens of various species of ants were found.

No. 5532 contained 2 ants belonging to the genus *Solenopsis*, family *Myrmicidæ*. These small ants live in open places, forming nests of various sizes below the surface of the soil, in which they store food, usually the seeds of various kinds of grasses.

No. 5967 contained 2 females of the minute *Brachymyrmex heeri*, Forel, family *Formicidæ*. These ants are always found under stones and the females were probably caught while swarming and away from their nest.

Nos. 5975, 5976, and 6093 contained, together, thirteen specimens of the very small yellow ant (*Monomorium pharaonis* Linn.), family *Myrmicidæ*. These ants are very often troublesome in our houses, but are found as well in open places, in gardens, or fields. They are almost omnivorous, and eat all kinds of food found in the house and field, thus causing injury, though more frequently great annoyance, as it is very difficult to eradicate them if once domiciled.

Nos. 5971, 6004, and 6093 contained each the remains of one ant, too much broken and distorted to enable identification.

**ICHNEUMONIDS.**—The stomachs Nos. 5523 and 6087 contained each the broken legs of a hymenopterous insect apparently belonging to the family of *Ichneumonidæ*. The pieces are too small to enable one to even judge the genus. The *Ichneumonidæ* are well known to check the too rapid increase of plant-feeding insects.

**HYLASPIS** sp.—In No. 5532 was found one of these very peculiar and minute insects. It is a member of the family *Cynipidæ* and of the subfamily *Figitinæ*, and is closely allied to *Hylaspis americana* Ashm. This little Hymenopteron belongs to the parasitic *Cynipidæ*; it has never been raised from its host, but is very likely parasitic upon the larvæ of a Sawfly.

**UNDETERMINED HYMENOPTERA.**—In the stomachs of Nos. 123, 5665, 5712, 6007, 6110, and 6153 were found the remains of as many Hymenoptera. These remains consist of very small pieces of the legs or abdominal segments too much broken or ground up by the accompanying sharp gravel to permit identification.

#### Order COLEOPTERA.

**DIPLOTAXIS** sp.—In stomach No. 5636 were found small pieces of a beetle belonging to this genus, allied to the chafers and destructive to vegetation. The species of *Diplotaxis* are never, however, very numerous. Nothing is known of the life-history of the genus.

**APHODIUS FIMETARIUS** L.—Three specimens of this beetle were found in stomachs Nos. 123, 3360, and 5636. The species is common to Europe and North America, and both larva and perfect beetle feed in the excrement of various animals and may be thus considered beneficial. The female beetle also stores some of the dung in burrows and deposits an egg upon the same, the larva hatching therefrom developing on the food thus stored up.

**APHODIUS GRANARIUS** L.—Two specimens of this beetle were found in stomachs 216 and 1552. This common species also occurs in Europe and North America, and has a very similar life-history.

**LACHNOSTERNA**, evidently *FUSCA*.—In the stomachs of 5526, 5528, 5529, 5548, 5972, and 6018 were found pieces, usually joints of legs, of the above beetle, and in stomach 1593 occurred four large larvæ of this beetle. It is not possible from the character of the fragments to determine the species of this rather difficult genus, but as some of the Sparrows were killed in the grounds of the Department of Agriculture, where *fusca* abounded at the time, and the parts otherwise correspond, the probabilities are all in favor of their belonging to this common species.

These beetles, produced from the well-known White-grubs, are sometimes very inju-

rious to o  
entirely.

lawns, and  
often but a

LIOPUS  
5712, not a

branches a  
found in h

COLASPI  
and 5701.

and extend  
have been

its bright-y  
atures; co

It riddles t  
leaves of st

tentilla. I  
Missouri (1

berry roots,  
months; as

and continu  
CHRYSON

stomach 16.  
CHÆTOCN

in 12 differ  
6151, and 62

This beetle  
herbaceous

that the larv  
beetle is nun

be classed an  
Wings and

cient size to  
SITONES

the above ge  
the Northern

fresh. Many  
introduced.

larvæ of som  
the larvæ of

clover and a  
*Sitones flavus*

as United St  
ting the leav

among the r  
growth of th

amongst the  
SPHENOPH

species were  
5537, 5538, 55

So far as  
merous, do n

to Mr. Lugg  
mother beet

just above t

rious to our forest and shade trees, chiefly the oaks, and in certain years strip them entirely. The greater damage, however, is done by the larva to strawberry plants, lawns, and meadows. As the beetles retire during the day in the ground and are often but slightly covered with soil, they are easily captured.

*LIOPUS* sp.—The leg of one specimen of this Longicorn beetle was found in stomach 5712, not sufficient to determine the species. All the species live in the smaller dead branches and twigs of various forest trees, chiefly of hickory and oak. They are not found in healthy and living wood.

*COLASPIS BRUNNEA* Fab.—Two specimens of this beetle were found in stomachs 195 and 5701. It is very abundant throughout the Atlantic region of the United States and extends as far southwest as Arizona. It occurs in various forms, some of which have been distinguished by name. The variety *flavida* is distinctly distinguished by its bright-yellow color and prominent elevated ridges between the deeply punctured sutures; *costipennis* is a southern form and has the ridges tinted with metallic green. It riddles the leaves of the wild and cultivated grape-vine, greedily devours the leaves of strawberries, and is found upon a multitude of wild plants such as the Potentilla. Its life-history is recorded in my Third Annual Report on the Insects of Missouri (1871, pp. 81-84) and Fourth do. (1872, p. 34). The larva feeds on strawberry roots, among which it can be found all through the fall, winter, and spring months; assumes the pupa state in June, and the beetles appear during that month and continue to issue in decreasing numbers till toward fall.

*CHRYSOMELID*.—Very young larvæ, not recognizable with certainty, were found in stomach 16.

*CHÆTOCNEMA DENTICULATA* Ill.—Specimens of these beetles (about 40) were found in 12 different stomachs, viz: 5533, 5537, 5662, 5701, 5713, 5924, 5940, 5946, 5970, 6110, 6151, and 6229.

This beetle is very common in grassy places, and is found upon all kinds of low, herbaceous plants. Its life-history is not known, but we are justified in assuming that the larva is either a leaf-miner or subsists upon roots. From the fact that the beetle is numerous and that its life-history has not yet been discovered, it can hardly be classed among noxious insects.

Wings and legs of a small chrysomelid were found in stomach 97, but not of sufficient size to determine the species.

*SITONES* sp.—Stomach 195 contained two mutilated specimens of a snout-beetle of the above genus too much broken to identify specifically. This genus occurs all over the Northern Hemisphere, and the species are very difficult to classify if not perfectly fresh. Many of the North American species occur also in Europe, and are, perhaps, introduced. The life-history of several of these insects is known in Europe and the larvæ of some of them are said to make a cocoon like that made by *Phytonomus*; but the larvæ of most of them lead a subterranean life, and chiefly about the roots of clover and allied plants, sometimes doing more or less damage. The life-history of *Sitones flavescens* Allard is recorded by Mr. Webster in my last Annual Report (for 1886) as United States Entomologist (p. 580.) It occurs in autumn in the beetle state perforating the leaves of White Clover. The larva, of the usual Curculionid shape, is found among the roots of White Clover, and also bores into the crown, thus checking the growth of the plant or killing it outright. The pupa is found in a snug little cell amongst the roots.

*SPHENOPHORUS PARVULUS*.—Quite a number (at least 25) of the remains of this species were found in 19 different stomachs, viz: Nos. 2131, 2133, 5523, 5532, 5533, 5536, 5537, 5538, 5544, 5545, 5548, 5549, 5916, 5917, 5924, 5946, 5951, 6018, and 6089.

So far as known the species all burrow in the stems or roots of plants and, if numerous, do much damage to young corn. The life-history of *S. parvulus*, according to Mr. Luggers' observations and my own unpublished notes, is as follows: The mother beetle always selects the flower-stem of grasses and lays one or more eggs just above the second knot, which at this place is very soft and tender. The slit

made for the reception of the egg looks as if made with a saw, and particles of the torn fiber usually adhere to the spot. The plant becomes dwarfed and usually dries. The larvæ feed on and transform to perfect beetles among the matted roots. The life-history of the larger species, as *S. 13 punctatus* and *S. sculptilis* (stomachs 202 and 97 contained 3 of this species) and *S. robustus*, are given in my reports (Ina. Mo., III, p. 60, ff, and Rep. U. S. Ent. for 1881-'82, p. 138, ff).

Unrecognizable pieces of several small snout-beetles were found in stomachs 201 and 1593. In the latter two heads and the tip of one elytron could be recognized; in the former only small pieces of elytra.

#### Order LEPIDOPTERA.

**HYPHANTHRIA CUNEA.**—A single specimen of this species was found in each of the stomachs 2132 and 6015. The caterpillar, usually called the "Fall Web-worm," is one of the worst defoliators of our city shade trees, and is fully treated of in my last Annual Report (for 1886) and in Bulletin No. 10 of the division.

**LAPHYGMA FRUGIPERDA.**—Larvæ of this species were found in stomachs Nos. 6108 (which contained 3) and 6204 (which contained 1).

It is sometimes very abundant, and because of its resemblance to the genuine Army Worm was named the "Fall Army Worm" in my Third Report on the Insects of Missouri (1870). It is a very general feeder, and in some seasons becomes quite destructive. It is fully treated of in my Annual Report to the Department for 1881-'82.

**CRAMBUS** sp.—Stomach No. 6162 contained a larva of a species of *Crambus*, but not in a condition to determine the species.

Many species of this genus of moths are found throughout the United States, confining their attacks chiefly to the various kinds of wild and cultivated grasses and only occasionally proving injurious. The larvæ subsist upon the roots, and form in the soil galleries lined with silk. The full life-history of *C. vulgivagellus* is given in my Report as United States Entomologist for 1881-'82.

**PYRALID.**—Stomach No. 2132 contained a small female moth belonging to the family *Pyralidæ*, but the material was insufficient to permit determination even of the genus. The species of the family feed, as a rule, on vegetation, and some are injurious to cultivated crops.

**JAWS OF CATERPILLARS.**—The contents of Nos. 97, 2132, 6012, and 6083 show 11 jaws that belong to lepidopterous larvæ.

#### Suborder HETEROPTERA.

Very small pieces of the elytra, or thorax, of a species of the suborder Heteroptera were found in stomachs 289, 5720, and 6153. It is impossible to even identify the genus, but the pieces appear to be derived either from a *Podisus* or a *Euschiatus*, both containing useful insects, which destroy numerous caterpillars by sucking them to death.

#### Suborder HOMOPTERA.

**ERYTHRONEURA** sp.—Stomachs Nos. 5954 and 5967 contained two specimens of a little Leaf-hopper belonging to the above genus.

Species of this genus are very numerous in our meadows, gardens, fields, and vineyards, and in the latter case do much damage.

Stomach No. 5544 contained one larva of a Leaf-hopper.

#### Order DIPTERA.

**BLUE-BOTTLE FLY** (*Musca caesar* Linn.).—The pupæ of two, perhaps three, specimens of a Blow-fly occur in stomach No. 5542. They were evidently picked up with the partially-digested grain found in the droppings of a horse. The species, in rapidly removing decayed matter, renders good service to man and must be considered bene-

ficial. It  
full-grown  
frequently  
Horse  
numerous  
upon decaying

XIPHIID  
Grasshopper

The mel  
and by a  
feed chiefly  
caterpillars  
is frequent  
ures in the

GRYLLO  
bers of this  
structing  
plants. Y  
characteri  
shape, being

CALOPT  
bly of female  
able remain  
allied to it  
every year

In stomac  
of the large  
States Entom

TETIX s  
stomach 19  
as three sp

The spec  
calities, ar  
found along  
well protect  
of their au

PERLID.  
belongs to

Members  
are frequen  
the electric  
attracted to

PSOCUS s  
Psocus spec  
numerous i  
but are ess  
its poor cu  
numerous p  
stances and  
matter.

ficial. Its larvæ or maggots feed in all kinds of offal and putrid matter, and when full-grown contract to coarctate pupæ which are usually found in the ground, but frequently in the manure itself.

HOUSE FLY (*Musca domestica*).—Stomach No. 5676 contained six house flies, and numerous more or less mature eggs of the same. The larvæ or maggots feed entirely upon decaying animal and vegetal matter.

#### Order ORTHOPTERA.

XIPHIIDUM sp.—A single young specimen of a species of the above genus of Meadow Grasshoppers was found in stomach No. 195.

The members of this genus of the *Locustidæ* are all distinguished by their small size and by a nearly straight ovipositor. Like their near relatives, the Katydidæ, they feed chiefly upon leaves of various kinds, but do not refuse succulent insects, as young caterpillars. The genus is common in our fields and gardens, where their shrill noise is frequently heard during the late summer or fall. They make longitudinal punctures in the pith of plants for the reception of the slender, elongate eggs.

GRYLLOTALPA sp.—One leg of the Mole-cricket was found in stomach 5973. Members of this genus are usually considered noxious, because they raise ridges in constructing their subterranean galleries, thus exposing the roots of grass and other plants. Yet their food consists very largely of other insects. The Mole-crickets are characterized by their enlarged fossorial fore feet, which recall those of the mole in shape, being stout, short, flattened, and armed with very hard and pointed projections.

CALOPTENUS sp.—Three undoubted pupæ of a small species of Caloptenus, probably of *femur-rubrum*, were found in stomachs Nos. 152 and 195. Also several unrecognizable remains of perhaps the same species in Nos. 6134 and 6267. This species, so closely allied to its Western relative, the destructive *C. spretus*, is more or less numerous every year, though it does but slight damage compared with its Western congener.

In stomach 152 a large specimen of *Caloptenus differentialis* was found. This is one of the largest of our common locusts. The First and Second Reports of the United States Entomological Commission are devoted to these destructive locusts.

TETRIX sp.—The remains of a single specimen of this small locust were found in stomach 195. This Sparrow had evidently acquired a taste for orthopterous insects, as three specimens of three different genera were eaten by it.

The species of this genus are all relatively small, and though common in many localities, are not known to occasion any great damage to our crops. Most of them are found along the edges of our forests and orchards between the dead leaves, and are well protected in such places by their dark brown or gray color, which resembles that of their surroundings.

#### Order NEUROPTERA.

PERLID.—Stomach No. 6204 contained the remains of a neuropterous insect which belongs to the family *Perlidae*.

Members of this family spend their early stages in rivers under stones. The adults are frequently found resting on leaves in low damp places. Since the introduction of the electric light for illuminating our streets large numbers of these insects are attracted thereto.

PROCTUS sp.—Two specimens of *Proctus* were found in stomachs Nos. 6109 and 6204. *Proctus* species are numerous and found almost anywhere. They are sometimes very numerous in our yards and gardens, hiding between and under all kinds of rubbish, but are essentially innoxious. The species found can not be determined, owing to its poor condition. It is remarkable that both escaped the grinding action of the numerous pieces of gravel in the stomach. Some species feed upon dry vegetal substances and lichens, while a few are found only in houses, and feed upon dry animal matter.

## ARACHNIDA.

**SPIDERS.**—A number of spiders, represented mostly by the legs, were found in five different stomachs, viz: Nos. 5532, 5533, 5537, 5545, and 5712. The remains of two species could be identified.

**LYCOSA SCUTELLATA** in No. 5533. This spider belongs to the wandering spiders, the members of which do not make a silken web to catch their food, but capture it by swiftness or by lying in ambush. It is quite abundant, frequenting fields, meadows, and gardens, and hides either under a stone, piece of wood, or any kind of rubbish, or dwells in holes made in the ground. As a general rule the female carries her egg-bag with her, and the newly-hatched spiders crowd upon the back of their mother until able to shift for themselves.

**TARENTULA** sp. occurred in No. 5532. This species has the same life history as the *Lycosa scutellata*, and occurs abundantly in similar places.

The habits of both are predaceous.

## SUMMARY FROM THE FOREGOING STATEMENTS.

It thus appears that of the one hundred and two stomachs submitted, ninety-two contained, besides grain, seeds, and gravel, the remains of insects, *i. e.*, ninety-two out of a total of five hundred and twenty-two examined or seventeen and six-tenths per cent. Ten stomachs only of those examined by me contained no insect remains. As a general rule the amount of animal food was but small compared with the vegetal food and gravel.

All of the principal orders of Hexapoda are represented in the remains recognized, as also some Arachnids, as follows:

	Stomachs.		Stomachs.
Hymenoptera .....	59	Neuroptera .....	3
Lepidoptera .....	8	Orthoptera .....	9
Hemiptera .....	6	Coleoptera .....	53
Diptera .....	2	Arachnida .....	5

All the insects found are species frequenting open lawns, gardens, parks, and similar places, and almost always found upon or near the ground. This may be partly explained, however, by the fact that, as Mr. Barrows informs me, more than five-sixths of the Sparrows which contained insects were shot in the Department grounds. They are all common and abundant and easily caught by the Sparrows whilst seeking vegetal food in their usual haunts.

The presence of a large amount of gravel, composed chiefly of such hard material as quartzite, and the angular scales of hard-burned brick, obtained from sidewalks, has the tendency to destroy the softer parts of the insects. Various seeds, when partly digested, greatly resemble the chitinous parts of insects, and are apt to mislead when imbedded in the glutinous material derived from the ground-up portion of grains or when covered by small particles of straw, which are always present, and which in course of time become so transparent by constant grinding and digestive action that they look like the wings of small insects. Pieces of the discolored leaves of the Mullein (*Verbascum thapsus* Linn.),

distingu  
mistake

As ma  
taken fr  
by what  
ticular h  
the Hym  
as are s  
innoxio  
birds in  
terbalan  
rectly be  
When

these bi  
from sev  
but two  
the Spar  
uselessne  
specimen  
marked T  
entirely  
ion, publ  
Merrian  
to repeat  
Elliott C  
reports o  
ists. It s  
row's ins  
through  
as follow

MY DEAR  
that Prof.  
missioners  
pretty stro  
question.  
have made  
been for so  
is an entor  
the latter

The Eng  
trees of so  
noying pes  
I have des  
from anot  
is well kno  
not only b  
was contin  
infested tre



distinguishable by the stellate hairs upon their surface, are also readily mistaken for pieces of the elytra of some beetles and true bugs.

As may be gathered from the statement of their habits the insects taken from the Sparrows in question are represented most numerously by what may be called innoxious species, *i. e.*, species which do no particular harm to the agriculturist and, directly, but little good. Most of the Hymenoptera and the Arachnida, however, are indirectly beneficial, as are several of the Heteroptera. Even among the Coleoptera the innoxious outnumber the noxious species, and the good done by the birds in destroying the few Orthoptera and Lepidoptera is about counterbalanced by the number of species taken which are directly or indirectly beneficial to the farmer.

When it is considered that during the very year in which most of these birds were shot the shade trees of Washington were suffering from several insect defoliators, and that out of the four different species but two specimens of one of them, *viz.* *Hyphantria cunea*, were taken by the Sparrows, there can be no more eloquent comment on the bird's uselessness in protecting vegetation from insect injury. Not a single specimen of the Imported Elm-leaf Beetle, the Bag Worm, or the White-marked Tussock-moth was taken in any stage, and these facts correspond entirely with what I have stated in Bulletin No. 10, Entomological Division, published last year. In this connection it may be of interest, as Dr. Merriam has alluded to the subject at length in his report of last year, to repeat a letter, bearing on this particular point, which I wrote to Dr. Elliott Coues in 1878, and which, published, I believe, in one of the reports of the District Commissioners, has been lost sight of by naturalists. It shows the replacement of *Paleacrita* by *Orgyia* through the Sparrow's instrumentality, just as, four years earlier, Le Conte had shown, through similar agency, the replacement of *Ennomos* by *Orgyia*. It is as follows:

ANENT THE ENGLISH SPARROW.

MY DEAR DR. COUES: I notice by a recent article in one of our morning papers that Prof. T. M. Brewer, of Boston, Mass., has addressed a letter to our District Commissioners on the subject of the English Sparrows, in which he seems to animadvert pretty strongly on the position which you have taken in reference to this sparrow question. I do not fully know what recommendation with reference to this bird you have made to the Commissioners, nor do I wish to enter into the controversy that has been for some time going on between the bird's condemners and defenders; but there is an entomological phase of the question, which appears to be entirely overlooked by the latter class.

The English Sparrow was introduced ostensibly as a means of freeing the shade trees of some of our New England cities, and especially the elms, of that rather annoying pest, the well-known Canker-worm, and, more particularly, the species which I have designated as the Spring Canker-worm (*Paleacrita vernata*), to distinguish it from another species long confounded with it, but occurring later in the season. It is well known that this Spring Canker-worm was for many years a grievous nuisance, not only because of the injury it did to elms and other shade trees, but because it was continually spinning down upon persons who happened to be passing under infested trees. Its annoyances and injuries were, however, confined to some five or

six weeks of the early part of the growing season, nothing being seen of it during summer and fall, as the worm descended into the ground to undergo its transformations. On account of the apterous nature of the female moth, the injuries of the species are also easily prevented, since tarred bandages or troughs of oil around the trunk of a tree will prevent her ascent as she issues from the ground in early spring. Such troughs were, indeed, at one time in such common use for this purpose in Boston, Cambridge, and Philadelphia that when, some years ago, the elm trees in Baltimore were found to be defoliated, the authorities at once ordered them to be similarly treated. The city fathers found out afterwards that they had paid dearly for their haste and want of special knowledge in that their trees were suffering, not from the Canker-worm, but from an Imported Elm-leaf Beetle (*Galeruca californiensis*), which, having wings in both sexes, was not affected by the troughs. But, to come back to the Sparrows. They did, according to report, accomplish some good in clearing off the Canker-worm, though during late visits to Cambridge and other cities adorned with grand old elms, I found the tarred bandages still in use, thus indicating that our imported "Spatz" was not a perfect antidote for the evil. The interesting point, however, to which I wish to call your attention is that while the Canker-worm has been kept more or less in check by the activity of these saucy little birds, another insect, formerly scarcely noticed, has taken its place. Not only during the spring months, but throughout the growing season, the people are now annoyed by the hairy larva of the White-marked Tussock-moth (*Orgyia leucostigma*), there being several generations annually. This is a prettier creature to look at, but it has the same unpleasant faculty of dropping upon passers-by as had the plainer Canker-worm. The female is also like that of the Canker-worm, wingless, but the transformations of the species take place *above* ground, and she lays her eggs upon the outside of her cocoon, so that there is no such simple and available preventive in this case as in the other. Moreover, the Tussock-moth is much the more general feeder, and occurs on some trees which the Canker-worm never affected. As a consequence, this hairy worm has in many places become a greater scourge than was formerly the Canker-worm. It not only defoliates the trees, but covers and defaces them with its cocoons, which it also plasters upon fences, railings, and even houses.

I have been quite interested in observing the unprecedented multiplication of this hairy worm since the English Sparrow became so abundant, and we may well ask, in the expressive language of the time, "does protection protect?" There is nothing very surprising in these facts, because they are very much what naturalists expected. You can not encourage the undue multiplication of any one species of animal without causing a decrease of some other species, and the opposite of this proposition holds equally true. The hairy larva spoken of is distasteful to the Sparrow. The multiplication of this bird, in causing a decrease in the Canker-worms, presents a wider field for the Tussock-moth, and diminishes the competition in the struggle for existence which this last, like all creatures, is subject to. The same increase of the Sparrows necessitates a decrease of the native birds, some of which, doubtless, fed upon the Tussock-moth, and notwithstanding Professor Brewer's assertion to the contrary, I think the evidence shows such to have been the case.

Believe me, yours, very truly,

C. V. RILEY.

WASHINGTON, D. C.,  
December 18, 1878.

It were premature to generalize from the study of the material so far examined, which I hope is but the beginning of a more extended study. For this purpose it is desirable that stomachs should be obtained from as many different parts of the country as possible, and especially during the spring of the year, when the bird probably takes the largest part of its insect food. Exact location and date are very essential, as this Spar-

row is  
The 17  
contai  
it not  
Dr. Fi  
feeding  
dicates  
Sparro  
by a c  
americ  
record  
250 hal  
Ceram  
bug (N  
tents in  
522 Spa  
Cons  
and no  
thoroug  
by whic  
themsel  
The r  
contrad  
maius, c  
there be  
standpo

Georg  
Mr. A.  
the ston  
in only  
injurio  
sible me  
From  
wild bir  
the habi  
sections  
some of  
of the di  
The st  
in book  
Prof. A  
persons  
their mis  
Mr. C.

row is known to vary its habit according to season and circumstance. The 17.6 per cent. of the stomachs examined at the Department which contained insect food is probably larger than it otherwise would be, had it not been the custom, as Mr. Barrows informs me, of himself and Dr. Fisher, in shooting the birds, to choose rather those which were not feeding in the road. I do not know of any fact that more strongly indicates the relative uselessness in destroying injurious insects of the Sparrow as compared with many native birds which it drives away, than by a comparison of the insect food taken by a single Cuckoo (*Coccyzus americanus*). The stomach contents of a single female (Dr. Merriam's record No. 6333) shot in Washington, June 22, 1887, contained about 250 half-grown Web-worms (*Hyphantria cunea*) of the first brood, 1 large Cerambycid beetle (*Romuleum atomarium*) and its eggs, 1 large plant-bug (*Nezara hilaris*), and 1 Snail (*Helix alternata*), while in bulk the contents in this case rather exceeded the combined insect contents of the 522 Sparrow stomachs examined.

Considering how common the bird has been for centuries in Europe, and now is in most parts of the world, it is remarkable that so few thorough investigations into its insectivorous habits have been made, by which I mean a proper determination and analysis of the insects themselves from an agricultural standpoint.

The results of studies that have been made by others are somewhat contradictory, some examiners finding a large percentage of insect remains, others finding none; but in no instance that I am aware of has there been any attempt to analyze the nature of the insect food from the standpoint of beneficial or injurious to the farmer and fruit grower.

#### SURVEY OF LATER WORK DONE IN EUROPE.

George Roberts, in *Hardwicke's Science Gossip*, 1883 (p. 217), mentions Mr. A. Willis, of Sandas, as having made a series of examinations of the stomachs of Sparrows in 1832. In 87 stomachs insects were found in only 8 cases, and he concludes that the bird is a superabundant and injurious species, and that it is the bounden duty of men to take all possible means to lessen its ever-increasing numbers.

From the "evidence submitted to the select committee on (British) wild birds protection," obtained in 1873, many interesting points about the habits of the House Sparrow can be learned. As far as actual dissections are concerned it seems that comparatively few were made, and some of the other statements are but vague. The following is a résumé of the dissections:

The statements of Mr. Champion Russell (p. 12) have been published in book form and will be mentioned later.

Prof. Alfred Newton, M. A., F. R. S., in a prophetic way, thinks that persons introducing the Sparrows into new places will soon find out their mistake.

Mr. C. O. Groome Napier thinks them the most objectionable English

bird. He mentioned an exhibition of 100 stomachs of young Sparrows by Dr. Edwards Crisp before the British Association at Birmingham in 1865. Not 5 per cent. of them contained insect food.

Rev. J. Pemberton Bartlett opened the crops of the young, and found that at certain times they were full of insects, while at other times they contained only vegetable food, or a mixture of both.

Mr. George Swaysland killed many nestling Sparrows, and generally found grubs in their stomachs, or little beetles that run across the foot-paths.

Mr. John Cordeaux opened the crops of 35 young Sparrows of various ages, and on an average found two parts of soft grain and one part of insects.

Mr. James Pertwee says the Sparrow is utterly bad. His gooseberry and currant bushes have their leaves eaten up, notwithstanding the numerous Sparrows in close vicinity.

An important European work to be mentioned in this connection is "The House Sparrow," by an ornithologist, J. H. Gurney, jr., including chapters by "a Friend of the Farmers," Col. C. Russell; and "The English Sparrow in America," by Dr. Elliott Coues. (London: William Wesley & Son, 1885.)

Mr. Gurney gives in a tabular form the results of many dissections made during a whole year, both of adult and juvenile specimens. He writes: "To give a summary of this table in a few words, it may be said that about 75 per cent. of an adult Sparrow's food during its life is corn (meaning wheat and small grains) of some kind. The remaining 25 per cent. may be divided as follows:

	Per cent.		Per cent.
Seeds of weeds.....	10	Caterpillars .....	2
Green peas.....	4	Insects which fly.....	1
Beetles.....	3	Other things .....	5

"In young Sparrows not more than 40 per cent. is corn, while about 40 per cent. consists of caterpillars, and 10 per cent. of small beetles. This is up to the age of sixteen days. Where green peas abound, as in market gardens, they form a much larger proportion of the Sparrow's food than the 4 per cent. here stated." He further states that young Sparrows in the nest are generally fed on caterpillars and other insects, particularly in August, yet a good many were opened in June and July without finding such food. He feels sure that, while very young, their diet is quite as much unripe grain and vegetable matter as caterpillars.

Col. C. Russell collected Sparrows from a wide extent of country to examine the contents of their stomachs. He found that the Sparrows destroyed even fewer insects than he had supposed. "The food in the old ones was almost all corn during the whole year; green peas were also found in them in summer; and in May and June, when corn is scarce, a few wild seeds, chiefly of grass. No insect has been found by me in a Sparrow between September and March. I have not often found

one at a  
old eno  
insects  
broadly  
and road  
and you  
about m  
carefully  
milky, g  
only two  
them ha  
tion from  
rows are  
young b  
ises wou  
birds wh  
especially  
that, wh  
favorite s

Dr. Sel  
Sperlings  
(Vol. VII  
the nest  
grubs, etc  
43 per ce  
age of or  
He is one  
but, so fa

Peter  
Floricult  
rose bush  
1868 a wh  
extermina  
*Selandria*  
ciation of  
nursery b  
the rose A  
my old-ti  
served the  
My late  
count (see  
ment of E  
to shade t  
through th

one at any season (particularly between June and March) in a Sparrow old enough to feed itself, and have very seldom found any number of insects in one even when corn could scarcely be got." Speaking broadly, he continues: "It may be said that, unless very near houses and roads, Sparrows take no insects in the fields. Fifty old Sparrows, and young ones which could feed themselves, were killed one summer about my buildings and garden, with food in their crops. This food, carefully examined (as in all cases, with a lens), was found to be corn, milky, green, and ripe, and sometimes green peas from my garden; only two small insects were found in the whole number. The food in them has been much the same every year. On the whole, the deduction from the food test during fifteen years seems to be that the Sparrows are useless, and that the insects which would be given to their young by them if they were allowed to live in numbers about my premises would be so much food taken, when they most want it, from better birds which live entirely, or nearly so, on insects, and thus keep them, especially caterpillars, down so effectively in the absence of Sparrows that, when a chance pair of these come and build, there are few of their favorite sorts for them."

Dr. Schleh, of Herford, Germany, in his "Nutzen und Schaden des Sperlings im Haushalte der Natur," as quoted by E. Ingersoll in *Science* (Vol. VII, p. 80, January 22, 1886), says that young Sparrows, while in the nest and for a week after having left it, subsist entirely on insects, grubs, etc. Two weeks after leaving the nest their food still consists of 43 per cent. of animal food; a week later of 31 per cent., and after that age of only 19 per cent. As soon as independent they prefer seeds." He is one of the few authors who believe the Sparrow to be beneficial, but, so far as I can learn, he assumes all insects to be noxious.

#### REVIEW OF WORK DONE IN NORTH AMERICA.

Peter Henderson, of Bergen City, N. J., in his book on "Practical Floriculture," says (p. 173) that in the summer of 1866 acres of young rose bushes were attacked by slugs (*Selandria*) and *Aphis*, but that in 1868 a whole army of thousands of English Sparrows acted as volunteer exterminators. One Sparrow was shot, and his crop contained seeds, *Selandria*, and *Aphis* in great abundance. No one has a higher appreciation of Mr. Henderson's practical knowledge of gardening and the nursery business generally, but knowing how often the rose slug and the rose *Aphis* disappear suddenly in summer time from natural causes, my old-time friend will pardon a doubt as to whether the Sparrow deserved the full credit which he gives it.

My late friend, Dr. John L. LeConte, in 1874 gave an interesting account (see abstract Proc. Am. Asso. Adv., vol. 23, p. 44) of the replacement of *Ennomos subsignaria*, a span-worm that had been very injurious to shade trees in Philadelphia and other cities, by *Orgyia leucostigma*, through the Sparrows eating the former and avoiding the latter, just as

in the letter already quoted I subsequently showed to be the case with *Palearctica* and *Orgyia* through the same agency.

Dr. John Dixwell dissected the stomachs of 39 Sparrows shot at the height of the canker-worm season in Boston, with the result (*Boston Daily Advertiser*, March 7, 1878) that no insects were found.

Dr. H. A. Hagen, in an article published in the *American Agriculturist* for May, 1878, fully discusses the question of the bird's usefulness, quoting various old European writers *pro* and *con*, as T. F. Bock in 1784, F. M. Bechstein in 1795, as well as later writers like C. W. L. Gloger. Dr. Hagen argues strongly in favor of the bird from a utilitarian standpoint, but brings forth no new positive evidence of an original character.

Dr. C. J. Maynard, in the *Scientific Farmer* for March, 1879, records the results of fifty-six dissections made from September 17 to October 10, all of the birds having been shot in the city of Boston, and including both young and old. He gives a very full statement, together with a description with illustrations of the structure of the stomach of the Sparrow, and it is somewhat surprising that he found no insect remains in these fifty-six stomachs.

In *Forest and Stream* (Vol. XII, p. 424, July 3, 1879) is quoted a statement of the Elizabeth (N. J.) Journal, to the effect that the English Sparrows had been observed eating immense numbers of winged ants. It mentions another observation where a Sparrow had eaten a maimed hornet.

The same journal (Vol. XXIX, p. 164, September 22, 1887) states that web caterpillars (doubtless *Hyphantria* is meant), having become exceedingly numerous upon a Virginia Creeper in Sing Sing, N. Y., entirely denuded it and so exposed the roosts of the Sparrows that the birds had to give way and move their quarters.

In the *American Naturalist* (Vol. XV, pp. 392-393, 1881), Prof. S. A. Forbes, of Illinois, who has done the best work of any one in America on the relation of birds to insects, dissected twenty-five Sparrows killed during the month of September, in 1879 and 1880. He found the fragments of grain picked up on the streets, the seeds of a few of the commonest grasses, and traces of three locusts, the latter perhaps six per cent. of the food consumed. At the same time thirty per cent. of the food of the Robin, twenty per cent. of that of the Catbird, and ninety per cent. of that of the Bluebird consisted of insects.

Dr. B. H. Warren, of West Chester, Pa., in an essay read before the West Chester Mic. Soc., September 4, 1879, stated that of the autopsies of seventy-five Sparrows, made in 1878, seventy-three revealed solely grain and vegetable material. In the other two cases, the stomachs, which were distended with wheat, contained each a Coleopterous insect not specifically identified.

To disprove the claim that sparrows are graminivorous only in winter, when in order to sustain existence they are obliged to live on a grain

diet, h  
fifty sp  
ble foo  
conjun  
were  
He a  
Sparro  
stomac  
No.

Mr. C  
May 6,  
One of  
insects,  
infinite  
rows we  
found fi  
of beet  
Mr. B  
ing hav  
Mr. J  
rows, w  
of spring  
than bre  
Dr. W  
ber of d  
the repo  
sects. I  
entirely  
tember g  
bills, suc  
One of  
of this b  
tion of a  
which ha  
dian Inst  
out of fo  
twenty-s  
and out o  
7, 1881, t  
insect res  
including  
carolina a  
Coleopter



diet, he examined during the months of March, April, May, and June fifty specimens, of which number forty-seven showed cereal and vegetable food, one contained a single (unidentified) Coleopterous insect in conjunction with an abundance of wheat, and the two remaining birds were void of any nutritious matter.

He also examined the stomachs of one hundred and fourteen English Sparrows, between March 1, 1879, and June 12, 1882. Only five of these stomachs contained any traces of insects. These were:

No. 12, March 3, 1879.—One beetle (undetermined). No. 58, May 23, 1880 (young).—Apterous insects (unidentified). No. 74, September 13, 1880 (male adult).—One potato-beetle (probably *Doryphora 10-lineata*). No. 75, September 3, 1880 (male adult).—Diptera (unidentified). No. 112, June 12, 1882 (female adult).—Two diptera and three aptera (unidentified).

Mr. Charles Dury has given in the Cincinnati *Commercial Gazette*, of May 6, 1883, the results of the dissection of over fifty English Sparrows. One of the sparrows was killed April 28 in a cherry tree covered with insects; but the distended crop contained nothing but grain, and one infinitesimal portion of the skin of a Hemipterous insect. Five sparrows were killed by him March 25 in the Zoological Garden; they were found filled with grain and seed, and three contained minute portions of beetles. In all the others no insect remains were found.

Mr. Barrows has collected a number of records, of which the following have been submitted to me, as among the more reliable:

Mr. James Fletcher, Ottawa, Canada, examined about a dozen Sparrows, which were shot in the early part of March, before the beginning of spring weather; none of the specimens contained any food other than bread or crushed grain from horse droppings.

Dr. W. S. Strode, of Bernadotte, Fulton County, Ill., made a number of dissections during the months of August and September, 1887, the report of which has been sent in to Dr. Merriam. He found no insects. During the first half of August the food was made up almost entirely of wheat and rye, and occasionally a few weed seeds. In September grapes were the principal food; the Sparrows would insert their bills, suck out the juice and pulp, but discard the seeds.

One other instance, much more recent, of the study of the food-habits of this bird should be mentioned before I conclude. It is an examination of a large number of stomachs by Mr. W. Brodie, the results of which have been presented before the biological section of the Canadian Institute and published in separate sheet. Mr. Brodie found that out of forty-three stomachs taken from August 20 to September 13, twenty-seven contained remains of locusts, or so called grasshoppers, and out of three hundred and seven stomachs in all collected from May 7, 1881, to September 20, 1887, one hundred and thirty-two contained insect remains, including for the most part locusts (fifty-eight cases, not including birds which he fed with them), among which the *Edipoda carolina* and *Caloptenus femur-rubrum* were recognized. In four cases Coleoptera were found and referred to Carabidæ, and in seven others a



Geometrid larva not identified; in two others the pupa of a Dipteron and small Lepidopterous larvæ, and in two others spiders—none of the species identified.

My assistant, Mr. Otto Luggier, reports to me that during the month of May, 1883, in Baltimore, Md., he dissected twelve English Sparrows. They were all killed in the yard of his house, which is situated in the outskirts of the city, and at that time was in the close vicinity of many trees. The climbing roses in this yard, as well as in those of the neighboring gardens, were badly infested by one of the rose-slugs (*Selandria*), and the sparrows, which were in the habit of resting upon the bars supporting the roses, were killed to ascertain whether or not they had eaten any of the slugs. The dissections revealed no trace of these, and only the legs of two flies (*Muscidæ*) were discovered. The great bulk of food consisted of grain and flower seeds of various kinds, taken from the very same yard. The only large pea eaten by the birds contained, snugly inclosed, a pea-weevil (*Bruchus pisi*).

The above constitute all the more reliable dissections that have been made; but Dr. Merriam has gathered together and submitted to me a very large number (five hundred and ninety-one) of reports not based on dissections, and made by persons who in some instances had seen the Sparrows feeding upon insects; in others not. It is exceedingly difficult to analyze these reports, which will be duly published by him.

Of these five hundred and ninety-one reports two hundred and sixty-seven are mainly favorable to the Sparrow, in the sense that all insects eaten are considered injurious; one hundred and thirty eight are unfavorable; one hundred and eight are indeterminate, and seventy-eight correspondents believe that insects are only eaten by the bird when forced to do so.

The following summary, prepared by Mr. Barrows, will convey a very good idea of the character of these reports. Only the more definite reports have been selected, and mainly those in which some attempt had been made to identify the insects, including also a certain number of dissections:

Kills canker-worms in large numbers.—A. C. Sheldon, New Haven, Conn.; R. D. Camp, New Haven, Conn.; W. B. Barrows, Middletown, Conn.

Does not kill cabbage-worms.—W. Holmead, Mount Pleasant, D. C.

Eats moths of fall web-worms.—J. Halley, Washington, D. C.

Feeds upon cabbage-worms, flies, ants, etc.—W. A. Porter, Alpharetta, Ga.

As a destroyer of caterpillars, it is a failure.—Hon. W. A. Harris, Atlanta, Ga.

Prefers Crickets and Grasshoppers.—Th. B. Lumpkin, Buena Vista, Ga.

Never touches Cabbage-worm or Cotton-worm.—J. H. Barnes, Griffin, Ga.

Probably eats many Bot-flies.—Dr. D. Berry, Carmi, Ill.

Feeds its young with insects for seven or eight days after hatching.—Jabez Webster, Centralia, Ill.

Eats an occasional Tobacco-worm and Grasshopper.—G. B. Holmes, Fernwood, Ill.

Seen to catch Army-worms by the thousand.—Charles Becker, Freeburgh, Ill.

Have not noticed it eating Army-worms or other injurious insects.—A. Gierschner, New Athens, Ill.

Carefu  
Ind.  
Takes  
Prefers  
Eats P  
fort, Ind.  
Eats T  
Greenen  
Feeds  
Eats Ch  
ster, La  
Eats ca  
Cal bag  
Vevay, In  
Eats Le  
Destroy  
Kingsbury  
Attacks  
Destroys  
Marshall  
Eats the  
ton, Iowa.  
Eats Can  
Destroys  
Not seen  
Kans.  
Does not  
tan, Kans.  
Constant  
Eats Chir  
Trees fille  
ton, Toront  
Eats larv  
Bloomfield,  
Twenty-s  
Bowling Gr  
Feeds you  
Eats Cabt  
Catches T  
Ky.  
The white  
Louisville, K  
Eats army  
A. P. Farnsl  
Have disse  
Does not e  
"Insects  
sonville, La.  
Eats Orgy  
more, Me.  
Does not e  
Fifteen bir  
of spiders.—  
Eats white  
Orgyia and  
8404

Carefully watched, where insects abound, but none eaten.—D. W. Brattin, Brazil, Ind.

Eats Cabbage-worms for its young.—Edw. Yenowine, Edwardsville, Ind.

Prefers moths to caterpillars.—Dr. W. Weber, Evansville, Ind.

Eats Potato-bug larvæ and Cabbage-worms to a small extent.—A. B. Ghore, Frankfort, Ind.

Eats Tent-caterpillars, Fall Web-worm larvæ, and Cabbage-worms.—W. H. Ragan, Greencastle, Ind.

Feeds upon Cabbage-worms.—George B. Byrum, Laconia, Ind.

Eats *Cicada septendecim* and grasshoppers (*Melanopus femur-rubrum*).—F. M. Webster, La Fayette, Ind.

Eats caterpillars.—James N. Payton and John B. Mitchell, New Albany, Ind.

Cabbage-worms destroyed, but not more than by other birds.—W. R. Stratford, Vevay, Ind.

Eats Leaf-rollers and beetles.—Dr. L. Millar, Belleview, Iowa.

Destroys large numbers of Codling-worms, larvæ of beetles and *Aphidæ*.—Howard Kingsbury, Burlington, Iowa.

Attacks a wounded grasshopper.—D. Y. Overton, Burlington, Iowa.

Destroys immense numbers of insects and worms of all kinds.—Max Kruskopf, Marshalltown, Iowa.

Eats the Bot-fly, Horse-fly, Melon-bugs, Grasshoppers, etc.—W. E. Dingman, Newton, Iowa.

Eats Canker-worms.—J. S. McCartney, Garnett, Kans.

Destroys Codling-moths and millers.—M. A. Page, Garnett, Kans.

Not seen to eat insects; does not touch the Maple-worm.—B. F. Smith, Lawrence, Kans.

Does not molest Maple-worms, even about its nest.—Dr. Charles P. Blachly, Manhattan, Kans.

Constantly on the ground in quest of insects.—Dr. W. S. Newlon, Oswego, Kans.

Eats Chinch-bugs, Army-worms, Grasshoppers, etc.—H. Heemey, Severance, Kans.

Trees filled with worms which the English Sparrows did not touch.—J. B. Stockton, Toronto, Kans.

Eats larvæ of every description, except those of Potato-beetle.—J. A. Terrell, Bloomfield, Ky.

Twenty-seven stomachs examined without finding bug or worm.—Postmaster, Bowling Green, Ky.

Feeds young on moths of hairy caterpillar.—Thomas S. Kennedy, Crescent Hill, Ky.

Eats Cabbage-worms especially.—E. W. Weathers, Elkton, Ky.

Catches Tobacco-moth and other moths and butterflies.—D. L. Adair, Hawesville, Ky.

The white caterpillar on shade trees has been nearly exterminated.—J. B. Nall, Louisville, Ky.

Eats army-worms, Cut-worms, and caterpillars on shade trees in large numbers.—A. P. Farnsley, Louisville, Ky.

Have dissected them often, but found no insects.—W. B. Berthoud, Barataria, La.

Does not eat the Cotton-worm.—W. C. Percy, jr., Black Hawk, La.

"Insects remain undisturbed in its very roosting trees."—L. E. Bentley, Donaldsonville, La.

Eats *Orygia* caterpillars and many other insects.—George H. Berry, North Livermore, Me.

Does not eat *Orygia*.—Everett Smith, Portland, Me.

Fifteen birds dissected, but only two contained animal food, and this was fragments of spiders.—N. C. Brown, Portland, Me.

Eats white-ants, flies, Cicadæ.—Otto Luggar, Baltimore, Md.

*Orygia* and Canker-worms increase.—W. Brewster, Cambridge, Mass.

Canker-worms decrease, but not *Orygia*. The Sparrow can not eat hairy caterpillars.—Dr. H. A. Hagen, Cambridge, Mass.

Canker-worms and spiders eaten in large numbers.—J. W. Pearson, Newton, Mass.

Eats limited numbers of insects all the year.—Elisha Slade, Somerset, Mass.

Eats hundreds of Canker-worms.—Charles H. Andros, Taunton, Mass.

Never seen to eat insects.—John C. Cahoon, Taunton, Mass.

Marked benefit by eating Currant and Cabbage-worms.—F. O. Hellier, Grass Lake, Mich.

Have yet to see a single instance in which it is beneficial.—O. C. Smith, North Adams, Mich.

No bird here eats so few insects.—Norman A. Wood, Saline, Mich.

Feeds on Grasshoppers after breeding season is over; also eats Potato-bugs, etc.—George Stolorthy, Franklin Falls, N. H.

Does not eat *Orygia* caterpillars.—David C. Voorhees, Blawenburgh, N. J.

Does not eat Vaporor moth (*Orygia*) to any extent, if at all.—Marcus S. Crane, Caldwell, N. J.

Seven Sparrows dissected where Elm-leaf beetles were abundant contained no insects.—Marcus S. Crane, Caldwell, N. J.

Never touches insects; sixty dissections and not a trace of an insect.—H. B. Bailey, Orange, N. J.

Moths have their wings pulled off and are then let go.—Weldon F. Fosdick, Hackensack, N. J.

Many dissections, but not an insect. Canker-worm very prevalent, but not eaten.—Lloyd McKim, Garrison, Orange, N. J.

Eats Winged ants (*Termes flavipes*?).—W. J. Kenyon, Brooklyn, N. Y.

Eats Measuring worms (*Ennomos subsignaria*); not seen to take *Orygia* moths or larvæ.—Hon. Nicolas Pike, Brooklyn, N. Y.

Eats Bot-flies, caterpillars, White Cabbage butterfly, *Cicindela*.—Prof. Chas. Linden, Buffalo, N. Y.

Once found a Currant-worm in crop of Sparrow.—Wm. M. McLachlan, Clyde, N. Y.

Army-worms devoured in immense numbers.—J. A. Perry, New York, N. Y.

Eats Currant-worms, ants, etc., but no hairy worms.—A. Church, New York, N. Y.

Eats Army-worm.—Henry M. Burtis, Port Washington, N. Y.

"Occasionally it catches a spider, fly, or some other insect."—Dr. Alfred Hasbrouck, Poughkeepsie, N. Y.

Does not eat hairy caterpillars; *Orygia* has increased.—H. Roy Gilbert, Rochester, N. Y.

Hundreds seen eating grasshoppers in a dry season.—Thomas Birt, Utica, N. Y.

Plant-lice eaten sometimes.—Prof. E. W. Claypole, Akron, Ohio.

Will not touch tree insects, however abundant.—W. Hubbell Fisher, Cincinnati, Ohio.

*Ephemera* eaten; elm-tree worms disregarded.—Dr. E. Sterling, Cleveland, Ohio.

Many dissections in autumn, but no sign of insects; Web-worms not touched, although very abundant.—W. B. Alwood, Columbus, Ohio.

Have watched closely, but have never seen one eat an insect.—E. W. Turner, Newton Falls, Ohio.

Eats Grasshoppers and seventeen-year Cicada.—R. H. Warder, North Bend, Ohio.

The Currant-worm has appeared since the Sparrow came.—S. Gray, Norwalk, Ohio.

Close observation shows no insects in its stomach.—Thos. Shroyer, Preston, Ohio.

Scale insects are eaten largely.—W. B. Hall, Wakeman, Ohio.

*Orygia* abounds; Sparrow eats measuring worms and diurnal lepidoptera.—Thos. Meehan, Germantown, Pa.

Destroys millions of insect eggs and larvæ.—C. A. Green, Harrisburg, Pa.

Did not eat *Galeruoa*, Web-worm, *Epilachna*, or *Lecanium*, which were abundant.—Dr. S. S. Rathvon, Lancaster, Pa.

Eats  
R. L. W  
Name  
Lexing  
Out o  
Dr. B.  
Eats  
Does  
Eats  
Does  
Eats  
Feedin  
Does  
Destro  
W. Va.  
Noticed  
Va.  
Very d  
Does n  
Leon, W  
Eats G  
This  
fair pro  
cases, h  
the inse  
obtained  
tomolog  
the repo  
knowled  
Among  
worms,  
Scale ins  
are in al  
to be cor  
have bee  
Sparrows  
of the ins  
sideration  
Four ca  
the larvæ  
are extre  
the same  
ported as  
Army-wor  
to show th  
conditions  
benefit.  
smooth G  
trees and

Eats moths singed by gas, but fails to touch living Currant-worms close by.—Dr. R. L. Walker, Mansfield, Pa.

Numerous stomachs examined, but very few insects found.—Dr. H. D. Moore, New Lexington, Pa.

Out of 50 dissections in March, April, May and June, no insects but one beetle.—Dr. B. H. Warren, West Chester, Pa.

Eats young grasshoppers after oats are harvested.—B. F. Maxson, Westerly, R. I.

Does not disturb the Cotton-worms.—W. J. Hinson, James Island, S. C.

Eats maggots from dead animals.—W. T. Nixon, Lawrenceburgh, Tenn.

Does not destroy the Codling-moth.—James G. Kenney, Provo City, Utah.

Eats larvæ of Bot-flies.—Dr. Hiram A. Cutting, Lunenburg, Vt.

Feeding in large flocks on Grasshoppers.—George M. Neese, New Market, Va.

Does not eat caterpillars on the elm.—Col. Randolph Harrison, Richmond, Va.

Destroys Cabbage-worms and Tent-caterpillars.—Dr. J. R. Mathers, Buckhannon W. Va.

Noticed a few alight on webs of Tent-caterpillars.—John E. Strider, Halltown, W. Va.

Very destructive to Cabbage-worms (*Pieris rapæ*).—J. H. Shank, Hickory, W. Va.

Does not eat caterpillars on grape-vines and pear trees close to nest.—G. W. Knapp, Leon, W. Va.

Eats Grasshoppers and Katydidæ.—Z. L. Welman, Stoughton, Wis.

This list includes quite a number of injurious species, together with a fair proportion of beneficial and innoxious ones. In the majority of the cases, however, the observations are based on seeing the bird capture the insect, and this kind of information is always less reliable than that obtained from dissections. From a long experience in collecting entomological data through circularization I have learned how unreliable the reports are, except when the reporter has some special and expert knowledge.

Among the more injurious insects captured are instances of Bag worms, Rose bugs, Tobacco-worms, Plum Curculio, "Codling-worm," Scale insects, Aphididæ, Chinch-bugs, and Cabbage-worms. Now these are in almost all cases isolated instances, and granting the observations to be correct, they do not alter the fact, that where any of these insects have been common within, or in the neighborhood of, a city where the Sparrows are abundant, the birds have in no instance affected the power of the insects for harm. Hence such reports, unless they take into consideration all the facts bearing upon the subject, are misleading.

Four cases are mentioned where the larvæ of *Orgyia* and one where the larvæ of *Hyphantria* have been eaten. Such cases, even if isolated, are extremely interesting; but for the present must be disposed of in the same way as those just instanced. The cases where the bird is reported as taking Locusts (*Acerididæ*), Grasshoppers (*Locustidæ*), and the Army-worm and Cut-worms (*Noctuid* larvæ) are sufficiently numerous to show that in these directions the Sparrow in the country, and under conditions of scarcity of other kinds of food, might prove of considerable benefit. The same may be said of the Canker-worms, and some other smooth Geometrid larvæ, especially *Ennomos subsignaria*, which affect trees and shrubs.

One other instance may be mentioned where the Sparrow is more or less useful, because it is in a direction scarcely looked for. This is in the feeding on bot larvæ. There is sufficient evidence that in cities the bird enjoys these larvæ, which it picks up from the droppings of horses. The beneficial bearing of this fact is somewhat neutralized, however, by the other fact that on the paved streets of our cities the *Gastrophilus* larvæ rarely, if ever, succeed in transforming; but perish from inability to enter the ground.

We are thus justified in concluding that the bird will exceptionally feed upon almost any insect; but I am strongly inclined to believe that the deduction made from my own examinations will hold very generally true, and that, in cases where injurious insects have been fed upon, it is not by virtue of any insectivorous habit or specific preference, but by mere accident. Except in the cases of Locusts and meadow grasshoppers, some field insects, the Canker-worm, and some few other smooth worms which affect trees, there is no evidence that the bird, notwithstanding its great numbers, has been instrumental in checking any of our insect pests.

Two other circumstances for which there is sufficient evidence are worthy of mention as bearing on the question under discussion, viz, (1) the bird's tendency to take insects already damaged or dead; and (2) the fact that the old birds take insects for their young rather than for themselves.

Finally, the examinations, taken as a whole, show how thoroughly graminivorous or vegetarian the Sparrow is, as a rule, and I need not in this connection add, from my own experience or from that of others, to the verdict of "destructive" which Dr. Merriam has already so well established in his last report as Ornithologist to the Department of Agriculture.

In Australia and New Zealand the farmers have been forced to poison the birds by wholesale. Their most successful method is that of placing poisoned wheat in a bag with chaff, and allowing it to leak over the tail of the cart along the road. The Sparrows are destroyed by the bushel, and one paper (*Garden and Field*, of Adelaide, Nov., 1887, vol. 13, p. 76) published the following effusion, by the "Adelaide Poet Laureate," with which I would close this report:

What means this sadly plaintive wail,  
 Ye men of spades and ploughs and harrows?  
 Why are your faces wan and pale?  
 It is the everlasting sparrows.

We may demolish other pests  
 That devastate the farm and garden;  
 But spoiled by these voracious guests,  
 Our prospects are not worth a farden.

We can't defeat a foe like this  
 With gunshot or with bows and arrows;  
 We must resort to artifice  
 To cope with enemies like sparrows.

We c  
 tables  
 them, c  
 of 114  
 Of th  
 from b  
 within  
 sent to  
 ined in  
 identifi  
 which c  
 of such  
 mologie  
 tain ins  
 Riley's  
 sect colu  
 Fisher,  
 It is o  
 in any c  
 that colu  
 No atten  
 food in t  
 to which

Our level best we all have tried  
 With scarecrows, nets, and cunning cages,  
 Our utmost efforts they deride,  
 And spoil our fruit in all its stages.

Lift up your heads, your hearts lift up,  
 Resume your spades, your ploughs and harrows,  
 And while you drain the genial cup,  
 I'll tell you how to lick the sparrows.

No more your wasted fruits bewail,  
 Your crops destroyed of peas and marrows,  
 A cure there is that can not fail  
 To rid you of the hateful sparrows;

The remedy is at your feet,  
 Slay them and wheel them out in barrows,  
 Poisoned by Faulding's Phoenix wheat,  
 The one great antidote to sparrows.

---

#### TABLES OF FOOD AS SHOWN BY DISSECTION.

We conclude the discussion of the insect food of the Sparrow with tables giving the entire contents, so far as it was possible to determine them, of 522 stomachs dissected at the Department of Agriculture, and of 114 stomachs dissected at West Chester, Pa.

Of the number dissected at the Department of Agriculture, 338 were from birds killed in Washington, and many of these were examined within an hour or two after death. The remaining 184 stomachs were sent to Washington in alcohol. In all cases they were carefully examined in the Ornithological Division first, by Dr. A. K. Fisher, who identified and recorded their general contents. Subsequently those which contained any traces of insect remains, or in which the presence of such material was suspected (102 in all), were referred to the Entomological Division for further examination, and 92 were found to contain insect remains in greater or less abundance. From Professor Riley's report on this subject the data have been obtained for the insect columns in the following tables, which were prepared by Dr. A. K. Fisher, assistant ornithologist.

It is only necessary to say, in explanation of these tables, that a cross in any column indicates that the kind of food specified at the head of that column was found in the specimen against which the cross stands. No attempt was made to estimate the percentages of different kinds of food in the individual stomachs, except in the case of the insect food, to which reference has been made already.

## TABLES OF FOOD AS SHOWN BY DISSECTION.

*Contents of stomachs of English Sparrows (Passer domesticus).*

[Examined at the Department of Agriculture.]

Catalogue number.	Sex and age.	Date of capture.	Locality.	Cereals.			Fruit seed.	Grass seed.	Weed seed.	Undetermined vegetable matter.	Bread, rice, etc.	Insect food.			Kind of insect.
				Wheat.	Oats.	Corn (maize.)						Beneficial species.	Noxious species.	Indifferent species.	
4061	♂ im.	1886. Sept. 21	East Hartford, Conn.	...	...	x	...	...	...	x	...	...	...	...	
4082	...	Oct. 26	do	...	...	x	...	...	...	x	...	...	...	...	
4083	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4084	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4085	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4086	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4087	...	Oct. 29	do	...	...	x	...	...	...	x	...	...	...	...	
4088	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4089	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4090	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4092	...	Nov. 5	do	...	...	x	...	...	...	x	...	...	...	...	
4093	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4094	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4099	...	Nov. 22	do	...	...	x	...	...	...	x	...	...	...	...	
4100	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4101	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4102	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4103	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4104	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4105	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4106	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4107	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4110	...	Dec. 2	do	...	...	x	...	...	...	x	...	...	...	...	
4111	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4112	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4113	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4114	...	do	do	...	...	x	...	...	...	x	...	...	...	...	
4115	...	Dec. 6	do	...	...	x	...	...	...	x	...	...	...	...	
2149	ad.	July 31	Gainesville, Va.	...	...	x	...	...	...	x	...	...	...	...	
2327	...	May 5	Milwaukee, Wis.	...	...	x	...	...	...	x	...	...	...	...	
2329	...	May 7	do	...	...	x	...	...	...	x	...	...	...	...	
2397	...	May 4	Savannah, Ga.	...	...	x	...	...	...	x	...	...	...	...	
2699	...	Sept. 12	Alfred Centre, N. Y.	...	...	x	...	...	...	x	...	...	...	...	
3075	♂	June 27	West Goshen, Pa.	...	...	x	...	...	...	x	...	...	...	...	
3812	♀ juv.	Aug. 2	Philadelphia, Pa.	...	...	x	...	...	...	x	...	...	...	...	
4589	♂ ad.	1887. Apr. 12	Washington, D. C.	...	...	x	...	...	...	x	...	...	...	...	
1408	...	1885. Nov. 1	Cleveland, Ohio.	...	...	x	...	...	...	x	...	...	...	...	
15	juv.	July 7	Sing Sing, N. Y.	...	...	x	...	...	...	x	...	...	...	...	
40	ad.	July 11	do	...	...	x	...	...	...	x	...	...	...	...	
45	im.	July 14	do	...	...	x	...	...	...	x	...	...	...	...	
46	im.	do	do	...	...	x	...	...	...	x	...	...	...	...	
47	im.	do	do	...	...	x	...	...	...	x	...	...	...	...	
49	im.	do	do	...	...	x	...	...	...	x	...	...	...	...	
98	im.	do	do	...	...	x	...	...	...	x	...	...	...	...	
103	ad.	July 25	do	...	...	x	...	...	...	x	...	...	...	...	
104	im.	July 27	do	...	...	x	...	...	...	x	...	...	...	...	
105	im.	do	do	...	...	x	...	...	...	x	...	...	...	...	
106	im.	do	do	...	...	x	...	...	...	x	...	...	...	...	
107	im.	do	do	...	...	x	...	...	...	x	...	...	...	...	
124	im.	July 28	do	...	...	x	...	...	...	x	...	...	...	...	
152	♀ im.	Aug. 4	do	...	...	x	...	...	...	x	...	x	x	...	3 wasps; 2 small grasshoppers.
191	♂ im.	Aug. 10	do	...	...	x	...	...	...	x	...	...	...	...	3 young grasshoppers; 1 leaf flea beetle.
195	♂ ad.	do	do	...	...	x	...	...	...	x	...	...	...	...	

Catalogue number.

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250



Contents of stomachs of English Sparrows (*Passer domesticus*)—Continued.

Catalogue number.	Sex and age.	Date of capture.	Locality.	Cereals.			Fruit seed.	Weed seed.	Undetermined vegetable matter.	Insect food.				Kind of insect.
				Wheat.	Oats.	Corn (maize).				Bread, rice, etc.	Beneficial species.	Noxious species.	Indifferent species.	
196	im.	1835, Aug. 10	Sing Sing, N. Y.	x										2 snout-beetles.
197	ad.	do	do						x					
198	ad.	do	do											
199	ad.	do	do	x										
200	ad.	do	do						x					
217	im.	Aug. 11	do	x										
245	im.	Aug. 15	do	x	x									
315	im.	Aug. 29	do			x								
496	im.	Sept. 3	do	x	x				x					
497	im.	do	do	rye				x						
498	im.	do	do	rye	x			x						
499	im.	do	do	x	x									
500	im.	do	do	x	x									
501	ad.	do	do	x	x									
512	ad.	do	do	x	x				x					
690	ad.	Sept. 12	do	x	x									2 larvae of small beetle.
722	ad.	Sept. 17	do						x					
723	ad.	do	do	x										
1103	im.	Oct. 16	do	x					x					
1106	im.	do	do						x					
6274	im.	1847, Sept. 14	Washington, D. C.					x	x					
6275	im.	do	do						x					
16	juv.	1855, July 7	Sing Sing, N. Y.	x					x					
48	im.	July 14	do	x					x					
97	ad.	July 25	do	x					x					
123	ad.	July 28	do					x	x		x		x	Jaws of several small caterpillars: 1 snout-beetle; wings and legs of another small beetle. Remains of 1 small dung beetle; remains of 1 small bee or wasp. Traces of a small insect, probably a beetle. Remains of 2 snout-beetles. Remains of 1 small dung beetle. Remains of 1 bug.
201	ad.	Aug. 10	do										x	
202	im.	do	do						x				x	
216	im.	do	do						x				x	
289	im.	Aug. 20	do						x				x	
336	im.	Aug. 29	do			x								
803	ad.	Sept. 22	do	x					x					
929	im.	Oct. 2	do	x	x				x					
1100	ad.	Oct. 20	do						x					
1191	im.	do	do						x					
1192	im.	do	do						x					
1532	im.	May 9	Tannton, Mass.	x							x			
1593	im.	June 16	do						x			x		
1642	im.	Nov. 20	do						x					A single fragment of a dung-beetle. 4 large grubs of a May-beetle; fragments of 2 small beetles.
3360	im.	1886, Mar. 19	Sugar Grove, Ohio.						x		x			
1215	im.	1835, Oct. 39	Washington, D. C.					x	x					
1453	im.	Sept. 20	Redford, Mich.						x					
1693	im.	Oct. 19	Calhoun, Ga.						x					Broken parts of 1 dung beetle.
1949	im.	Oct. 30	West Chester, Pa.						x					

2 small pers.

grasshopper leaf flea

Contents of stomachs of English Sparrows (*Passer domesticus*)—Continued.

Catalogue number.	Sex and age.	Date of capture.	Locality.	Cereals.							Insect food.			
				Wheat.	Oats.	Corn (maize).	Fruit seed.	Grass seed.	Weed seed.	Undetermined vegetable matter.	Bread, rice, etc.	Beneficial species.	Noxious species.	Indifferent species.
														Kind of insect.
3061	ad.	1886, Mar. 14	West Chester, Penn.	x										
3300	♂ ad.	May 3 1881,	Portland, Conn.	x	x									
3452		Mar. 3	London, Canada.	x	x									
3453		Apr. 30 1886,	do	x						x				
3613	♀	Mar. 26	Taunton, Mass.							x				
3614	♀	do	do		x					x				
3615	♀	do	do							x				
3616	♀	do	do							x				
3619	♀	Apr. 15	do							x				
3620	♀	do	do	x										
3621	♀	do	do							x				
3626	juv.	May 14	Atlanta, Ga.							x				
3702	♀	May 24	do							x				
3723	♀	Jan. 1	Philadelphia, Pa.	x	x					x				
4671	♀	Apr. 6	New York City.	x						x				
4672	♀	do	do	x						x				
4682	♀	Apr. 9	Fort Hamilton, N. Y.							x				
4711	♀	Apr. 21	Van Cortlandt, N. Y.							x				
4712	♀	do	do							x				
4713	♀	do	do	x										
4714	♀	Apr. 23	West Farms, N. Y.							x				
4740	♀	May 6	New York City.	x						x				
4839	♀	May 20	do	x						x				
4850	♀	June 16	Hartsdale, N. Y.	x										
4851	♀	do	do	x						x				
5600	juv.	1887, June 14	Washington, D. C.	x						x				
5761	♀ ad.	Apr. 15	Syracuse, N. Y.							x				
5763	ad.	Apr. 18	do	x										
5764	ad.	do	do	x										
5765	ad.	do	do							x				
5766	ad.	do	do							x				
5767	ad.	do	do							x				
5768	ad.	Apr. 19	do							x				
5769	ad.	Apr. 20	do							x				
5770	ad.	Apr. 21	do	x						x				
5779	ad.	May 9 1880,	do							x				
4020	♀	July 15	East Hartford, Conn.		x			x		x				
402	♀	July 26	do	x						x				
4031	♀	July 30	do	x										
4032	♀	Aug. 3	do	x										
4033	♀	Aug. 4 1887,	do							x				
5523	♀ ad.	May 12	Washington, D. C.							x		x	x	Pieces of legs of 1 Ichneumon fly [?], 1 snout-beetle.
5521	♀	May 13	do		x									
5525	♀ ad.	do	do	x										
5520	♂ juv.	May 16	do							x	x	x		Parts of leg of May-beetle; 1 wasp.
5527	♀ juv.	May 20	do			x					x			
5528	♂ juv.	do	do									x		Pieces of several May-beetles.
5529	♂ juv.	do	do									x		Pieces of May-beetle.
5530	♀ juv.	May 28	do	x										
5681	♀ juv.	June 21	do	x						x				
5682	♀ juv.	do	do	x										
5683	♀	do	do		x					x				
5684	♀	do	do	x										

Catalogue number.	Sex and age.
5680	♂ im.
5680	♂ im.
5691	♂ im.
5692	♂ im.
5696	
5697	juv.
5698	juv.
5725	♂
5726	♂
5727	♂ ad.
5728	♂ ad.
5729	♂ ad.
5730	♂ ad.
5731	♂ ad.
5732	♂ ad.
5733	♂ ad.
5734	♂ ad.
5735	♂ ad.
5736	♂ ad.
5737	♂ ad.
5738	♂ ad.
5739	♂ ad.
5740	♂ ad.
5741	♂ ad.
5742	♂ ad.
5743	♂ ad.
5744	♂ ad.
5745	♂ ad.
5746	♂ ad.
5747	♂ ad.
5748	♂ ad.
5749	♂ ad.
5750	♂ ad.
5751	♂ ad.
5752	♂ ad.
5753	♂ ad.
5754	♂ ad.
5755	♂ ad.
5756	♂ ad.
1890	♀ im.
1842	♂ ad.
1843	♂ ad.
1844	♂ ad.
1845	♂ ad.
1846	♂ ad.
1847	♂ ad.
1848	♂ ad.
1849	♂ ad.
1850	♂ ad.
1851	♂ ad.
1852	♂ ad.
1853	♂ ad.
2020	♀
2074	♀ juv.
2130	♀ ad.
2131	♀ ad.

## ed.

**Insect.**

of May -  
wasp.

Several  
es.  
ny-bee-

*Contents of stomachs of English Sparrows (Passer domesticus)*—Continued.

Catalogue number.	Sex and age.	Date of capture.	Locality.	Cereals.						Insect food.					Catalogue number.	Sex and age.
				Wheat.	Oats.	Corn (maize).	Fruit seed.	Grass seed.	Undetermined vegetable matter.	Bread, rice, etc.	Beneficial species.	Noxious species.	Indifferent species.	Kind of insect.		
2132	♀ ad.	1886, Aug. 3	Washington, D. C.	x							x		1 moth with eggs; 2 parts of jaws (of caterpillar?).	5666	♀ juv.	
2133	♀ ad.	do	do	x							x		1 snout-beetle (Empty.)	5669	♀ juv.	
2148	♀ ad.	July 31 1887.	Gainesville, Va.											5670	♀ juv.	
5693	♀ im.	July 12	Washington, D. C.	x							?		Very small pieces of a wasp.	5671	♀ juv.	
5694	♀ im.	do	do	x				x						5672	♀ juv.	
5695	♀ im.	do	do	x	x			x						5673	♀ juv.	
5696	♀ ad.	do	do	x										5674	♀ ad.	
5697	♀ ad.	do	do	x					x					5675	♀ ad.	
5698	♂ ad.	do	do	x										5676	♀ ad.	
5699	♂ ad.	July 13	do	x					x					5677	♀ juv.	
5700	♂ ad.	do	do	x					x					5678	♀ juv.	
5701	♂ ad.	do	do	x							x	x	11 flea-beetles; 1 leaf flea-beetle.	5710	♀ im.	
5702	♀	do	do	x				x						5711	♀ im.	
5703	♀ im.	do	do	x				x						5712	♀ im.	
5704	♀ im.	do	do	x			x	x								
5705	♀ im.	do	do	x							x	x	Remains of a wasp.	5713	♀ im.	
5706	♀ im.	do	do	x												
5707	♂ juv.	do	do	x					x							
5708	♂ ad.	July 14	do	x										5714	♂ im.	
5709	♂ ad.	May 28	do	x			x		x					5715	♂ ad.	
5710	♂ juv.	do	do	x							x	x	1 spider; 1 snout-beetle; 2 ants; 1 bee; 1 small, parasitic fly.	5716	♂ ad.	
5711	♂ ad.	do	do	x										5717	♂ im.	
5712	♂ ad.	do	do	x										5718	♂ ad.	
5713	♂ ad.	do	do	x										5719	♂ ad.	
5714	♂ ad.	do	do	x										5720	♀ juv.	
5715	♂ ad.	do	do	x												
5716	♂ ad.	do	do	x										5721	im.	
5717	♂ ad.	do	do	x										5722	♀ im.	
5718	♂ ad.	do	do	x										5723	♀ im.	
5719	♂ ad.	do	do	x										5724	♀ im.	
5720	♂ ad.	do	do	x										5725	♀ im.	
5721	♂ ad.	do	do	x										5726	♀ im.	
5722	♂ ad.	do	do	x										5727	♀ im.	
5723	♂ ad.	do	do	x										5728	♀ im.	
5724	♂ ad.	do	do	x										5729	♀ im.	
5725	♂ ad.	do	do	x										5730	♀ im.	
5726	♂ ad.	do	do	x										5731	♀ im.	
5727	♂ ad.	do	do	x										5732	♀ im.	
5728	♂ ad.	do	do	x										5733	♀ im.	
5729	♂ ad.	do	do	x										5734	♀ im.	
5730	♂ ad.	do	do	x										5735	♀ im.	
5731	♂ ad.	do	do	x										5736	♀ im.	
5732	♂ ad.	do	do	x										5737	♀ im.	
5733	♂ ad.	do	do	x										5738	♀ im.	
5734	♂ ad.	do	do	x										5739	♀ im.	
5735	♂ ad.	do	do	x										5740	♀ im.	
5736	♂ ad.	do	do	x										5741	♀ im.	
5737	♂ ad.	do	do	x										5742	♀ im.	
5738	♂ ad.	do	do	x										5743	♀ im.	
5739	♂ ad.	do	do	x										5744	♀ im.	
5740	♂ ad.	do	do	x										5745	♀ im.	
5741	♂ ad.	do	do	x										5746	♀ im.	
5742	♂ ad.	do	do	x										5747	♀ im.	
5743	♂ ad.	do	do	x										5748	♀ im.	
5744	♂ ad.	do	do	x										5749	♀ im.	
5745	♂ ad.	do	do	x										5750	♀ im.	
5746	♂ ad.	do	do	x										5751	♀ im.	
5747	♂ ad.	do	do	x										5752	♀ im.	
5748	♂ ad.	do	do	x										5753	♀ im.	
5749	♂ ad.	do	do	x										5754	♀ im.	
5750	♂ ad.	do	do	x										5755	♀ im.	
5751	♂ ad.	do	do	x										5756	♀ im.	
5752	♂ ad.	do	do	x										5757	♀ im.	
5753	♂ ad.	do	do	x										5758	♀ im.	
5754	♂ ad.	do	do	x										5759	♀ im.	
5755	♂ ad.	do	do	x										5760	♀ im.	
5756	♂ ad.	do	do	x										5761	♀ im.	
5757	♂ ad.	do	do	x										5762	♀ im.	
5758	♂ ad.	do	do	x										5763	♀ im.	
5759	♂ ad.	do	do	x										5764	♀ im.	
5760	♂ ad.	do	do	x										5765	♀ im.	
5761	♂ ad.	do	do	x										5766	♀ im.	
5762	♂ ad.	do	do	x										5767	♀ im.	
5763	♂ ad.	do	do	x										5768	♀ im.	
5764	♂ ad.	do	do	x										5769	♀ im.	
5765	♂ ad.	do	do	x										5770	♀ im.	
5766	♂ ad.	do	do	x										5771	♀ im.	
5767	♂ ad.	do	do	x										5772	♀ im.	
5768	♂ ad.	do	do	x										5773	♀ im.	
5769	♂ ad.	do	do	x										5774	♀ im.	
5770	♂ ad.	do	do	x										5775	♀ im.	
5771	♂ ad.	do	do	x										5776	♀ im.	
5772	♂ ad.	do	do	x										5777	♀ im.	
5773	♂ ad.	do	do	x										5778	♀ im.	
5774	♂ ad.	do	do	x										5779	♀ im.	
5775	♂ ad.	do	do	x										5780	♀ im.	
5776	♂ ad.	do	do	x										5781	♀ im.	
5777	♂ ad.	do	do	x										5782	♀ im.	
5778	♂ ad.	do	do	x										5783	♀ im.	
5779	♂ ad.	do	do	x										5784	♀ im.	
5780	♂ ad.	do	do	x										5785	♀ im.	
5781	♂ ad.	do	do	x										5786	♀ im.	
5782	♂ ad.	do	do	x										5787	♀ im.	
5783	♂ ad.	do	do	x										5788	♀ im.	
5784	♂ ad.	do	do	x										5789	♀ im.	
5785	♂ ad.	do	do	x										5790	♀ im.	
5786	♂ ad.	do	do	x										5791	♀ im.	
5787	♂ ad.	do	do	x										5792	♀ im.	
5788	♂ ad.	do	do	x										5793	♀ im.	
5789	♂ ad.	do	do	x										5794	♀ im.	
5790	♂ ad.	do	do	x										5795	♀ im.	
5791	♂ ad.	do	do	x										5796	♀ im.	
5792	♂ ad.	do	do	x										5797	♀ im.	
5793	♂ ad.	do	do	x										5798	♀ im.	
5794	♂ ad.	do	do	x										5799	♀ im.	
5795	♂ ad.	do	do	x										5800	♀ im.	
5796	♂ ad.	do	do	x										5801	♀ im.	
5797	♂ ad.	do	do	x										5802	♀ im.	
5798	♂ ad.	do	do	x										5803	♀ im.	
5799	♂ ad.	do	do	x										5804	♀ im.	
5800	♂ ad.	do	do	x										5805	♀ im.	
5801	♂ ad.	do	do	x										5806	♀ im.	
5802	♂ ad.	do	do	x										5807	♀ im.	
5803	♂ ad.	do	do	x										5808	♀ im.	
5804	♂ ad.	do	do	x										5809	♀ im.	
5805	♂ ad.	do	do	x										5810	♀ im.	
5806	♂ ad.	do	do	x										5811	♀ im.	
5807	♂ ad.	do	do	x										5812	♀ im.	
5808	♂ ad.	do	do	x										5813	♀ im.	
5809	♂ ad.	do	do	x										5814	♀ im.	
5810	♂ ad.	do	do	x										5815	♀ im.	
5811	♂ ad.	do	do	x										5816	♀ im.	
5812	♂ ad.	do	do	x										5817	♀ im.	
5813	♂ ad.	do	do	x										5818	♀ im.	
5814	♂ ad.	do	do	x										5819	♀ im.	
5815	♂ ad.	do	do	x										5820	♀ im.	
5816	♂ ad.	do	do	x										5821	♀ im.	
5817	♂ ad.	do	do	x										5822	♀ im.	
5818	♂ ad.	do	do	x										5823	♀ im.	
5819	♂ ad.	do	do	x										5824	♀ im.	
5820	♂ ad.	do	do	x										5825	♀ im.	
5821	♂ ad.	do	do	x										5826	♀ im.	
5822	♂ ad.	do	do	x										5827	♀ im.	
5823	♂ ad.	do	do	x										58		

*Contents of stomachs of English Sparrows (Passer domesticus)*—Continued.

Catalogue number.	Sex and age.	Date of capture.	Locality.	Cereals.						Insect food.				Kind of insect.		
				Wheat.	Oats.	Corn (maize).	Fruit seed.	Grass seed.	Weed seed.	Undetermined vegetable matter.	Bread, rice, etc.	Beneficial species.	Noxious species.		Indifferent species.	
5666	♀ juv.	1887. June 16	Washington, D. C.	x											6 house flies, with numerous eggs.	
5669	♀ juv.	June 17	do			x			x							
5670	♀ juv.	do	do	x	x											
5671	♀ juv.	do	do	x	x											
5672	♂ juv.	do	do	x	x			x								
5673	♂ juv.	June 20	do	x	x				x							
5676	♀ ad.	June 21	do	x							x					
5677	juv.	do	do		x			x								
5678	juv.	do	do	x	x			x								
5679	juv.	do	do	x	x			x								
5680	♀ juv.	do	do	x	x											
5709	♂ ad.	July 14	do													
5710	♂ ad.	do	do	x	x											
5711	im.	do	do			x		x								
5712	♀ im.	do	do	x				x			x		x		Leg of spider; leg of beetle; part of wasp; part of another small hymenopteron. 2 wasps; several flea-beetles.	
5713	♀ im.	do	do					x			x		x			
5714	♂ im.	do	do	x				x	x							
5715	♂ ad.	July 15	do	x				x								
5716	♂ ad.	do	do	x				x								
5717	♂ im.	do	do	x				x								
5718	im.	do	do	x		x		x								
5719	♂ ad.	do	do	x				x			x					
5720	♀ juv.	do	do									x			Numerous wasps; traces of a bug.	
5721	im.	do	do	x				x								
5722	im.	do	do	x				x								
5723	im.	do	do	x				x								
5724	im.	do	do	x				x								
5916	♂ ad.	Aug. 9	do	x												
5917	♂ ad.	do	do	x								x			2 snout-beetles. 2 snout-beetles.	
5918	im.	do	do	x		x										
5919	im.	do	do	x		x		x								
5920	im.	do	do			x		x								
5921	im.	do	do	x		x		x								
5922	im.	do	do	x		x			x							
5923	im.	do	do	x		x	x	x								
5924	im.	do	do	x	x	x	x	x				x	x		Many flea-beetles; legs of snout-beetle.	
5925	im.	do	do	x												
5928	♂ ad.	Aug. 10	do	x												
5929	im.	do	do	x				x	x							
5930	im.	do	do	x												
5931	im.	do	do	x		x			x							
5932	im.	do	do	x				x								
5933	im.	do	do	x		x		x								
5934	im.	do	do	x				x								
5935	♂ ad.	Aug. 11	do	x												
5936	im.	do	do			x		x								
5937	im.	do	do	x				x								
5938	im.	do	do	x				x								
5939	im.	do	do	x				x								
5940	im.	do	do	x		x	x	x				x	x		1 flea-beetle; traces of a wasp. Remains of a wasp.	
5941	im.	do	do	x				x				x				
5942	im.	do	do					x								
5943	im.	do	do	x				x								
5944	im.	do	do	x		x	x	x								
5945	im.	Aug. 12	do	x							x	x				
5946	♀ im.	do	do	x				x			x	x	x		Remains of 1 wasp. 1 snout-beetle; 1 wasp; 2 small caterpillars; flea-beetle.	

Contents of store English Sparrows (*Passer domesticus*)—Continued.

Catalogue number.	Sex and age.	Date of capture.	Locality.	Cereals.							Insect food.			
				Wheat.	Oats.	Corn (maize).	Fruit seed.	Grass seed.	Weed seed.	Undetermined vegetable matter.	Bread, rice, etc.	Beneficial species.	Noxious species.	Indifferent species.
														Kind of insect.
5947	♂ im.	1887. Aug. 11	Washington, D. C.	x	x			x			x			
5948	♂ ad.	do	do	x				x	x					
5949	♂ ad.	do	do			x		x	x					
5950	♂ im.	do	do	x										
5951	♂ im.	do	do					x				x	x	1 anout-beetle; 1 wasp.
5952	♂ im.	do	do	x				x						Remains of 1 hymenopter (wasp).
5953	♂ ad.	do	do	x	x			x						1 tree-hopper.
5954	♂ im.	do	do	x								x		
5956	♂ ad.	Aug. 13	do			x								
5957	♂ ad.	do	do	x				x				x		1 tree-hopper; 2 winged ants (females).
5958	♂ ad.	do	do	x		x								
5959	♂ ad.	do	do	x	x									
5970	♂ ad.	do	do	x								x	x	2 wasps; 3 flea-beetles.
5971	♀ im.	do	do				x	x				x	x	Remains of 1 ant; 2 wasps.
5972	♂ im.	do	do				x	x				x	x	Parts of legs of May beetle; 2 wasps.
5973	♂ im.	do	do	x				x						1 leg of mole-cricket.
5974	♂ im.	Aug. 15	do	x						x				
5975	juv.	do	do			x						x	x	4 ants; remains of several wasps.
5976	juv.	do	do	x							x	x	x	5 ants; 1 wasp.
5977	♂ im.	do	do	x		x								Very minute remains of several wasps.
5978	♂ im.	do	do	x				x						
5979	♂ im.	do	do	x	x				x					
5980	♂ ad.	do	do	x						x				
5981	♂ ad.	do	do	x		x				x				
5982	♂ ad.	do	do	x		x						x		
5983	♂ ad.	do	do	x		x								1 wasp.
5987	♂ ad.	Aug. 18	do	x	x									
5988	♂ ad.	do	do	x	x				x					
5989	♂ ad.	do	do	x					x					
5990	♂ ad.	do	do	x					x					
5991	♂ ad.	do	do	x						x	x			
5992	♂ im.	do	do			x				x				
5993	♂ im.	do	do	x		x								
5994	♂ im.	do	do	x	x			x						
5995	♂ im.	do	do	x										
5996	♂ im.	do	do	x						x				
5997	♂ im.	do	do	x										
5998	♂ im.	do	do	x										
5999	♂ im.	do	do	x		x								
6000	♂ im.	do	do	x										
6001	♂ ad.	do	do			x						x		Remains of 1 wasp
6002	♂ ad.	do	do	x										
6003	♂ im.	do	do	x						x				
6102	♂ ad.	Aug. 20	do	x										
6103	♂ ad.	do	do	x		x			x					
6104	♂ ad.	do	do	x						x				
6105	♂ ad.	do	do	x					x					
6106	♀ juv.	do	do	x										
6107	♀ juv.	do	do	x	x									
6108	♀ juv.	do	do	x	x								x	Remains of 3 cut worms.
6109	♀ juv.	do	do	x								x	x	1 wasp; 1 Paocuz.
6110	♀ juv.	do	do	x	x							x	x	Traces of 1 bee of wasp; 1 flea-beetle.
6111	♂ ad.	do	do	x		x	x	x						Remains of 1 wasp
6112	♂ ad.	do	do	x								x		
6113	♂ ad.	do	do	x		x							x	

Catalogue number.

Sex and age.

6114

♀

6115

♂

6116

♂

6117

♂

6118

♂

6119

♂

6120

♂

6121

♂

6122

♂

6123

♂

6124

♂

6125

♂

6126

♂

6127

♂

6128

♂

6129

♂

6130

♂

6131

♂

6132

♂

6133

♂

6134

♂

6135

♂

6136

♂

6137

♂

6138

♂

6139

♂

6140

♂

6141

♂

6142

♂

6143

♂

6144

♂

6145

♂

6146

♂

6147

♂

6148

♂

6149

♂

6150

♂

6151

♂

6152

♂

6153

♂

6154

♂

6155

♂

6156

♂

6157

♂

6158

♂

6159

♂

6160

♂

6161

♂

6162

♂

6163

♂

6164

♂

6165

♂

6166

♂

Contents of stomachs of English Sparrows (*Passer domesticus*)—Continued.

Catalogue number.	Sex and age.	Date of capture.	Locality.	Cereals.							Insect food.				Kind of insect.
				Wheat.	Oats.	Corn (maize).	Fruit seed.	Grass seed.	Weed seed.	Undetermined vegetable matter.	Bread, rice, etc.	Beneficial species.	Noxious species.	Indifferent species.	
6114	♀	1887. Aug. 20	Washington, D. C.	x	x	x	x	x	x						
6115		do	do	x	x	x	x	x	x						
6116		do	do	x	x	x	x	x	x						
6117		do	do	x	x	x	x	x	x						
6118		do	do	x	x	x	x	x	x						
6084	ad.	Aug. 19	do	x	x	x	x	x	x						
6085		do	do	x	x	x	x	x	x						
6086		do	do	x	x	x	x	x	x						
6087		do	do	x	x	x	x	x	x						
6088	juv.	do	do	x	x	x	x	x	x						Legs of Ichneumon fly (?)
6089	ad.	do	do	x	x	x	x	x	x						Many wasps.
6090		do	do	x	x	x	x	x	x						1 snout-beetle; 3 small jaws (of caterpillar?).
6091		do	do	x	x	x	x	x	x						2 small bees.
6092		do	do	x	x	x	x	x	x						1 wasp.
6093		do	do	x	x	x	x	x	x						Remains of 2 wasps.
6094		do	do	x	x	x	x	x	x						1 ant; 1 wasp.
6095		do	do	x	x	x	x	x	x						
6096		do	do	x	x	x	x	x	x						
6097		do	do	x	x	x	x	x	x						
6098		do	do	x	x	x	x	x	x						
6099	ad.	Aug. 17	do	x	x	x	x	x	x						
6005	im.	do	do	x	x	x	x	x	x						Remains of a few small ants.
6006	im.	do	do	x	x	x	x	x	x						
6007	im.	do	do	x	x	x	x	x	x						Very small pieces of a hymenopter.
6008	im.	do	do	x	x	x	x	x	x						
6009	juv.	do	do	x	x	x	x	x	x						1 wasp.
6010		do	do	x	x	x	x	x	x						
6011		do	do	x	x	x	x	x	x						1 wasp; 5 jaws of a grasshopper.
6012		do	do	x	x	x	x	x	x						
6013		do	do	x	x	x	x	x	x						
6014		do	do	x	x	x	x	x	x						
6015	ad.	do	do	x	x	x	x	x	x						1 moth (of web-worm?).
6016		do	do	x	x	x	x	x	x						
6017		do	do	x	x	x	x	x	x						
6018		do	do	x	x	x	x	x	x						2 snout-beetles; part of leg of May-beetle.
6019	ad.	Aug. 18	do	x	x	x	x	x	x						
6020		do	do	x	x	x	x	x	x						
6021		do	do	x	x	x	x	x	x						
6022		do	do	x	x	x	x	x	x						1 wasp.
6023	ad.	do	do	x	x	x	x	x	x						
6024		do	do	x	x	x	x	x	x						
6025		do	do	x	x	x	x	x	x						
6026		do	do	x	x	x	x	x	x						4 bees (of two kinds).
6229		Aug. 29	do	x	x	x	x	x	x						Remains of 1 wasp; 1 flea-beetle.
6230		do	do	x	x	x	x	x	x						
6231		Aug. 30	do	x	x	x	x	x	x						
6232		do	do	x	x	x	x	x	x						
6233		do	do	x	x	x	x	x	x						
6234		do	do	x	x	x	x	x	x						
6235		do	do	x	x	x	x	x	x						
6236		do	do	x	x	x	x	x	x						
6237		do	do	x	x	x	x	x	x						
6238		do	do	x	x	x	x	x	x						
6239		do	do	x	x	x	x	x	x						
6240		do	do	x	x	x	x	x	x						
6136		Aug. 23	do	x	x	x	x	x	x						
6137		do	do	x	x	x	x	x	x						



Contents of stomachs of English Sparrows (*Passer domesticus*)—Continued.

Catalogue number.	Sex and age.	Date of capture.	Locality.	Cereals.							Insect food.					Kind of insect.
				Wheat.	Oats.	Corn (maize).	Fruit seed.	Grass seed.	Weed seed.	Undetermined vegetable matter.	Bread, rice, etc.	Beneficial species.	Noxious species.	Indifferent species.		
6138	♂	1887. Aug. 23	Washington, D. C.	rye				x								
6139	♂	do	do		x											
6140	♂	do	do			x	x	x								
6141	♂	do	do			x	x	x								1 wasp.
6142	♂	do	do			x	x	x								
6143	♂	do	do		x	x										
6144	♂	do	do		x		x	x								
6145	♂	do	do		x		x	x								
6146	♂	do	do		x		x	x								
6147	♂ ad.	Aug. 24	do		x		x	x		x						
6148	♂ ad.	do	do		x		x	x		x						
6149	♂	do	do		x		x	x		x						
6150	♂	do	do		x	x			x	x						
6151	♂	do	do		x				x	x						1 flea-beetle.
6152	♂	do	do		x		x		x						x	
6153	♂	do	do									x	x			Remains of a hymenopterous, and very small pieces of a bug.
6154	♂	do	do		x			x								
6155	♂	do	do			x	x	x								
6156	♂	do	do						x							
6157	♂	do	do		x				x							
6158	♂	do	do		x			x								
6159	♂	do	do		x					x						
6160	♂	do	do		x					x						
6161	♂	do	do		x							x				1 wasp.
6162	♂	do	do		x							x				1 small caterpillar.
6163	♂	do	do		x							x				Remains of 1 wasp.
6164	♂	do	do		x				x			x				Remains of 1 wasp.
6125	♂	Aug. 22	do		x		x									
6126	♂	do	do		x											
6127	♂	do	do		x	x										
6128	♂	do	do		x					x						
6129	♂	do	do		x			x								
6130	♂	do	do		x				x							
6131	♂	do	do		x											
6132	♂	do	do		x		x									
6133	♂	do	do		x							x				
6134	♂ juv.	do	do										x	x		Remains of several grasshoppers and 1 wasp.
6135	♂	do	do		x			x								
6099	♂ ad.	Aug. 20	do		x											
6100	♂ ad.	do	do		x											
6101	♂	do	do		x	x										
6201	♂ juv.	Aug. 26	do		x							x				
6202	♂ juv.	do	do		x							x				
6203	♂ juv.	do	do		x		x									
6204	♂ juv.	do	do									x	x			Remains of 1 cutworm; 1 May-fly; 1 leaf-hopper, and 4 ants.
6205	♂ juv.	do	do		x							x				
6206	♂	do	do		x			x				x				
6207	♂	do	do		x							x				
6208	♂	do	do		x			x								
6209	♂	do	do					x	x							
6210	♂	do	do		x							x				
6211	♂	do	do									x				
6212	♂	do	do		x	x						x				
6213	♂	do	do		x							x				
6214	♂	do	do		x							x				
6215	♂	do	do		x							x				
6216	♂	Aug. 27	do		x				x	x						
6217	♂	do	do		x				x	x						
6218	♂	do	do		x											
6219	♂	do	do		x											

Catalogue number.

Sex and age.

6220

♂

6221

♂

6222

♂

6223

♂

6224

♂

6225

♂

6226

♂

6227

♂

6228

♂

6229

♂

6230

♂

6231

♂

6232

♂

6233

♂

6234

♂

6235

♂

6236

♂

6237

♂

6238

♂

6239

♂

6240

♂

6241

♂

6242

♂

6243

♂

6244

♂

6245

♂

6246

♂

6247

♂

6248

♂

6249

♂

6250

♂

6251

♂

6252

♂

6253

♂

6254

♂

6255

♂

6256

♂

6257

♂

6258

♂

6259

♂

6260

♂

6261

♂

6262

♂

6263

♂

6264

♂

6265

♂

6266

♂

6267

♂

6268

♂

6269

♂

6270

♂

6271

♂

6272

♂

6273

♂

6274

♂

6275

♂

6276

♂

6277

♂

6278

♂

6279

♂

6280

♂

6281

♂

6282

♂

6283

♂

6284

♂

6285

♂

6286

♂

6287

♂

6288

♂

6289

♂

6290

♂

6291

♂

6292

♂

6293

♂

6294

♂

6295

♂

6296

♂

6297

♂

6298

♂

6299

♂

6300

♂

6301

♂

6302

♂

6303

♂

6304

♂

6305

♂

6306

♂

6307

♂

6308

♂

6309

♂

6310

♂

6311

♂

6312

♂

6313

♂

6314

♂

6315

♂

6316

*Contents of stomachs of English Sparrows (Passer domesticus)*—Continued.

Catalogue number.	Sex and age.	Date of capture.	Locality.	Cereals.							Insect food.				Kind of insect.	
				Wheat.	Oats.	Corn (maize).	Fruit seed.	Grass seed.	Weed seed.	Undetermined vegetable matter.	Bread, rice, etc.	Beneficial species.	Noxious species.	Indifferent species.		
6220	♀	1887. Aug. 2	Washington, D. C.	x	x											
6221		Aug. 26	do		x	x			x							
6222		do	do		x	x										
6223		do	do		x	x										
6224		do	do		x	x										
6225		do	do		x	x										
6226		do	do		x	x										
6227		do	do		x	x										
6228		do	do		x	x										
6241		Sept. 3	do		x	x										
6242		do	do		x	x										
6243		do	do		x	x										
6244		do	do		x	x										
6245		do	do		x	x										
6246		do	do		x	x										
6247		do	do		x	x										
6248		do	do		x	x										
6249		do	do		x	x										
6250		do	do		x	x										
6251		do	do		x	x										
6252		do	do		x	x										
6253		do	do	x	x	x										
6254		do	do		x	x										
6255		do	do		x	x										
6256		Sept. 3	do		x	x									x	Many leaf flea-beetles.
6263		Sept. 5	do		x	x										
6264		do	do		x	x										
6265		do	do		x	x										
6266		do	do		x	x										
6267		do	do		x	x									x	Remains of several small grasshoppers.
6268		do	do		x											
6269		do	do		x											
6270		do	do		x											
6271		do	do		x											
6272		do	do		x											
6273		Sept. 7	do		x											
6274	ad.	Nov. 30	do		x											
6275		do	do		x											
6276		do	do		x											
6277	♂	Dec. 1	do		x											

\* 20 oats in crop.

† 36 oats in crop; 10 in stomach.

‡ 34 oats in crop.

## SUMMARY.

The 522 stomachs examined at the Department of Agriculture gave the following results:

Wheat was found in 22 stomachs, oats in 327, corn (maize) in 71, fruit seed (mainly of mulberries) in 57, grass seed in 102, weed seed in 85, undetermined vegetable matter in 219, bread, rice, etc., in 19, noxious insects in 47, beneficial insects in 50, insects of no economic importance in 31.

Doubtless most of the oats found in the stomachs were obtained from horse droppings, and some of the undetermined vegetable matter was from the same source.

Contents of stomachs of English Sparrows (*Passer domesticus*)—Continued.

[Examined at West Chester, Pa., by Dr. B. H. Warren, Prof. C. B. Cochran, and Benj. M. Everhart.]

Catalogue number.	Sex and age.	Date of capture.	Locality.	Cereals.							Insect food.	Remarks.
				Wheat.	Oats.	Corn (maize).	Fruit and fruit seed.	Grass seed.	Weed seed.	Undetermined vegetable matter.		
1	♂ ad.	1879.										
2	♂ ad.	Mar. 13	Chester Co., Pa.									Clover seed.
3	♂ ad.	do	do	x								Do.
4	♂ ad.	do	do	x								Blades of grass.
5	♂ ad.	do	do									Clover seed.
6	♀ ad.	do	do	x								Do.
7	♂ ad.	do	do									Blades of grass.
8	♂ ad.	do	do									Clover seed.
9	♂ ad.	do	do									Do.
10	♂ ad.	do	do	x								Small black seed.
11	♀ ad.	Mar. 1	do		x							White corn and small seed.
12		Mar. 3	do	x							1 beetle	Few small black seeds.
13		do	do	x								Green vegetable matter.
14	♀ ad.	do	do									Blossoms of pear; seed of bitter weed.
15	♂ ad.	do	do	x								
16	♂ ad.	Mar. 4	do									Small seeds.
17	♂ ad.	Mar. 12	do			x						
18	♂ ad.	Mar. 15	do	x								
19		Mar. 22	do	x								
20		Mar. 5	do	x								
21		Mar. 6	do									Small black seeds.
22		do	do									Small seeds.
23		Mar. 20	do									Small seeds and blades of grass.
24		1879.										Seeds of bitter weed.
25		Apr. 3	do	x								Small seeds.
26		Apr. 5	do									Do.
27		Apr. 9	do									White corn.
28		do	do									Buds of pear.
29		Apr. 20	do	x								Clover seed.
30		Apr. 30	do	x								Buds of haw tree.
31		do	do	x								Small black seeds.
32		1880.										
33		Apr. 17	do									Seeds.
34		Apr. 20	do									Small black seeds.
35		Apr. 23	do									
36		Apr. 27	do	x		x						White corn.
37		do	do	x		x						Small seeds.
38		do	do	x		x						Small black seeds.
39		Apr. 29	do									
40		May 6	do	x								
41		do	do	x								
42		do	do	x								
43		May 7	do									Buds of haw tree; few black seeds.
44		May 8	do	x								
45		do	do	x								
46		do	do	x								
47		do	do	x								
48		do	do	x								
49		do	do	x								
50		do	do	x								
51		do	do	x								
52		May 9	do	x								
53		do	do	x								
54		do	do	x								
55		May 20	do									Rye bread.
56		do	do									Do.
57		do	do									White corn.
58	young.	May 23	do									Apterous insects.

Catalogue number.

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

Contents of stomachs of English Sparrows (*Passer domesticus*)—Continued.

Catalogue number.	Sex and age.	Date of capture.	Locality.	Cereals.							Insect food.	Remarks.
				Wheat.	Oats.	Corn (maize).	Fruit and fruit seed.	Grass seed.	Weed seed.	Undetermined vegetable matter.	Break, rice, etc.	
50		1880.										
50		May 25	West Chester, Pa.	x								
60		May 29	do	x								
61		do	do	x								
62		do	do	x								
63		do	do	x								
64		do	do	x								
65		1879.										
65		June 8	do							x		Stomach empty.
66		do	do									
67		June 20	do	x	x							
68	♀ ad.	June 15	do							x		Ginger-bread and green vegetable matter.
69	♂ yg.	do	do							x		Ginger-bread.
70	♂	1880.										Green leaves.
71	♂	Sept. 4	do							x	x	
72	♂	Sept. 5	do			x						
73	♂	do	do			x						
74	♂	Sept. 7	do			x						
74	♂	Sept. 13	do									1 potato beetle.
75	♂	do	do									Flies.
76	♂	Sept. 22	do							x		
77	♂	do	do							x		
78	♂	do	do						x			Seed of fox-tail grass.
79		do	do						x			Do.
80		do	do						x			Do.
81	♂	Oct. 14	do			x						
82	♂	Oct. 15	do			x						
83	♂	Nov. 13	do								x	
84	♂	do	do								x	
85	♂	do	do								x	
86	♂	Nov. 17	do			x						
87	♂	do	do			x						
88	♂	do	do			x						
89	♂	do	do			x						
90	♂	do	do			x						
91	♂	Dec. 2	do			x						
92	♂	Dec. 9	do			x						Oats and barley.
93	♂	Dec. 15	do			x						
94	♂	Dec. 29	do	x								
95		1881.										
96		Jan. 4	do			x						
97		Jan. 20	do			x						
98	♂	Jan. 23	do			x						Apple.
99	♂	do	do			x						Orange-peel.
100	♀	1882.										
101	♀	July 8	do								x	
101	♀	June 1	West Bradford, Pa.	x								24 grains of wheat.
102		do	do									
103		do	do	x								Small seeds.
104		do	do			x						Green vegetable substance.
105		do	do									Do.
106		do	do									Do.
107		do	do									Do.
108		do	do									Do.
109	ad.	June 12	do									Stomach empty.
110	ad.	do	do									Do.
111	♂ ad.	do	do			x						Clover seed.
112	♀ ad.	do	do							x		Green vegetable substance.
113	nestling	do	do									Small mass of cooked beef.
114	nestling	do	do									Stomach empty.

[Notes by Dr. B. H. Warren.]

The various vegetable materials named in the records given above are, with a few exceptions, included in the following list:

Oats (*Avena sativa*).  
Wheat (*Triticum vulgare*).  
Rye (*Secale cereale*).  
Corn, maize (*Zea Mays*).

Grass seed, Clover seed, Small seeds, etc., refer mainly to the following:

Red clover (*Trifolium pratense*).  
White clover (*Trifolium repens*).  
Timothy (*Phleum pratense*).  
Bitter-weed (*Ambrosia artemisiaefolia*).  
Fox-tail grass (*Setaria glauca*). Seeds of other species of *Setaria* are also fed upon.

Buds and blossoms were chiefly of the following kinds:

Pear (*Pyrus communis*).  
Plum (*Prunus domestica*).  
Cherry (*Cerasus avium*).  
Grape (*Vitis*).  
Maple (*Acer*).  
Black Haw (*Fiburnum prunifolium*).

In a few cases remains of the following vegetables were present:

Lima Bean (*Phaseolus lunatus*).  
String Bean (*Phaseolus vulgaris*).  
Garden Pea (*Pisum sativum*).

Numerous complaints are made by our citizens as to the destruction caused by Sparrows to growing pea-vines.

#### MISCELLANEOUS INJURIES.

Aside from the damage which the Sparrow occasions to the agriculturist and horticulturist, it is also chargeable with offenses which are regarded by many people as insignificant, but which, nevertheless, sometimes become so marked as to demand immediate attention.

Mention has already been made of the damage which the Sparrow does to foliage by its filthy habits, and this kind of injury extends to various other classes of objects.

No specific questions as to injury by filth were sent out by the Department, but many observers have contributed notes on the subject, and even the most superficial observer knows what endless annoyance and vexation, to say nothing of serious damage, is occasioned by the soiling of window-casings, cornice-brackets, porches, awnings, and ornamental work of every kind about dwelling-houses, business blocks, and public buildings.

When  
less de  
slight  
Sparrow  
them fr  
barest  
a few m  
sure to  
fountain  
the Spa  
statues  
a distan  
time, bu  
appear a  
soul ex  
showed t  
ther obsc  
other. A  
Sparrows  
Again,  
so befool  
stranger  
well as hi  
The rap  
for nestin  
of Washi  
globes of  
will almos  
arly they  
Capt. Cl  
cedar tre  
almost co  
stripped it  
rough out  
smooth an  
Another  
roosting in  
nesting ma  
up the pip  
trouble is c  
the danger  
of the misc  
Mr. T. J.  
During the  
and having e  
age done by t  
or ornamenta

Wherever the Sparrow nests this trouble is observable in greater or less degree, but it is by no means limited to nesting-places. Very slight modifications in architecture will often suffice to prevent the Sparrows from nesting about a building, but it is impossible to keep them from perching and roosting everywhere. Even the plainest and barest brick front is likely to suffer, for wherever a window-cap projects a few inches the Sparrows are sure to rest, and defacement is equally sure to follow. In the city of Washington many of the statues and fountains in the public parks are more or less disfigured by the filth of the Sparrow, and in some cases the defilement is so extensive that the statues become positive eye-sores, the filth being conspicuous even at a distance. Sometimes a heavy rain obliterates the stains for a short time, but so long as the cause remains untouched the evil is sure to reappear at more or less regular intervals. In the spring of 1886 a personal examination of the statues in the various parks and squares showed that more than half were thus conspicuously defaced, and further observation shows that almost all are affected at one time or another. A similar state of things is often found in cemeteries where Sparrows are abundant.

Again, the benches and other resting places in parks and squares are so befouled that frequently not one is available, and the adventurous stranger who lingers long in such places is sure to have his apparel, as well as his pleasure, marred by the omnipresent Sparrow.

The rapidity with which these birds collect rubbish in places chosen for nesting purposes is well illustrated by the trouble caused in the city of Washington by their attempts to occupy gas lamps, and even the globes of electric lights, with their nests. During a single day they will almost fill a gas lamp, and although the rubbish is removed regularly they persist in carrying in more.

Capt. Charles Bendire, of this city, has called our attention recently to cedar trees in the Smithsonian grounds which have been denuded almost completely of their bark by the Sparrows. The birds have stripped it off to use for nesting material, and have taken not only the rough outer bark, but much of the thin inner layers, leaving the trunks smooth and shining.

Another cause of complaint is the Sparrow's habit of nesting and roosting in gutters, pipes, and drains of roofs. Large quantities of nesting material are carried into such places and subsequently choke up the pipes, sometimes causing serious overflows. In some cases such trouble is easily remedied, but in most cases the damage is done before the danger is suspected, and it is only possible to prevent a recurrence of the mischief. We append a few examples of the complaints received.

Mr. T. J. Martin, of Waynesborough, Va., writes:

During the years 1881 and 1882 I was engaged in the tin trade in Lexington, Va., and having considerable roofing and guttering to do, I had a chance to note the damage done by the English Sparrow. Formerly it had been the practice to put heads or ornamental crown-pieces to the down spouts. These heads formed convenient

places for the Sparrows to build their nests, and they choked them up so completely that water could not pass down the spout at all, or only by slow percolation. In consequence these heads either had to be abandoned or completely covered, so that there was no room for the birds to get in. In some cases the Sparrows would fill the gutter and eave troughs with all manner of trash, seemingly using them for a playground, and not for the purposes of nest-building. They caused much annoyance in this respect, as the gutters had to be cleaned two or three times during a year. In fact, I knew one or two persons having groves of trees near their dwellings who kept ladders continually at hand for this purpose. (December 26, 1887.)

Mr. J. T. Connor, of Rome, Ind., writes :

The greatest trouble the Sparrow gives us here is by nesting about our houses, particularly in the spouting and pipes, and obstructing the troughs that lead the water to our cisterns. (November 5, 1886.)

Mr. J. S. Shade, of McConnellsburgh, Pa., writes :

They are a nuisance here, filling the water spouts with their nests, which they rebuild as fast as destroyed. (November 15, 1886.)

Occasionally this habit of the Sparrow may prove dangerous to the health of persons who use cistern water for drinking. Cases are not very infrequent in which severe sickness has resulted from the use of water collected from roofs frequented by domesticated pigeons, and such a result is perfectly possible from the use of water contaminated by filth from Sparrow nests and roosts.

Still another danger from the presence of Sparrows about our houses lies in the possibility of fire resulting from spontaneous combustion among the masses of rubbish carried into out-of-the-way corners about frame buildings. Although there is little probability of such fires originating frequently, yet they are known to have been caused by the material collected by mice, and the following incident, taken from the *Scientific American* of February 26, 1887, seems to show that there is some ground for similar apprehension from the Sparrow :

There is a bar-iron mill situated in a neighboring town, 4 miles from here, that has been on fire three or four times, in which the English Sparrow might be called the incendiary. These sparrows pick up old pieces of cotton waste, which they build into their nests among the timbers of the roof of the mill, and in every case of the fires above mentioned these nests were the cause, either from spontaneous combustion or from sparks from the hot iron striking and lodging in the nest. (R. W. Kear, Pottsville, Pa.)

As an illustration of the capacity of the Sparrow for mischief, we cite the following statement of Mr. H. H. Miller, of Sandy Spring, Md. He writes :

It has become useless to thatch roofs with rye straw here, as the Sparrow wears holes through it, apparently for "pure devilment." I know of several roofs that have been destroyed in this way within the last two or three years. (February 16, 1887.)

Similar injury to thatched roofs is very common in some parts of England, and has been ascribed, as above, to the Sparrow's love of mischief. It seems probable, however, that the injury results from a natural mistake on the part of the birds; for they are accustomed, after

cleaning  
stacks  
blance

Amo  
one of  
food.  
but the  
The Sp  
and soc  
the fow  
on them  
eats me  
about a  
which t  
tance.

Unde  
Y., wro

I know  
feed I all

Another  
that the  
ness sta  
more tha  
place in  
that it is

Formerl  
them. Th  
them.

This li  
reference  
not in th  
in a low  
readily a  
chatter o  
be charac  
to listen  
our corre

To many  
replaced, o  
the charm  
ous people  
often count  
same key, a  
morning sle  
these birds.



cleaning the grain from the outside of stacks, to dig or burrow into the stacks in search of more, and a thatched roof bears no distant resemblance to such a stack stripped of the outside grain.

Among the complaints of miscellaneous injuries from the Sparrow, one of the most frequent relates to its habit of robbing poultry of their food. At first sight the loss thus occasioned would seem to be trifling, but the complaints received show that this is far from being the case. The Sparrows do not eat what the poultry *leave*; they eat *with* the fowls, and soon become so bold that they not only resist the attempts which the fowls make to drive them off, but even make unprovoked attacks on them, sometimes driving them away from the food. As a Sparrow eats more, in proportion to its size, than a hen, and as the Sparrows about a farm-yard frequently outnumber the fowls ten to one, the grain which they thus steal day after day is an item of considerable importance.

Under date of February 27, 1884, Mr. D. C. Beard, of Flushing, N. Y., wrote:

I know to my sorrow that it lives all winter entirely on grain, for in buying chicken feed I allow two parts for the Sparrows and one for the chickens.

Another observer says that they are so abundant about his place that they "rise in clouds" from his hen-yard; while more than one witness states that when chickens are fed out of doors the Sparrows get more than the fowls. Dr. A. P. Sharp, of Baltimore, states that on his place in Kent County, Md., the Sparrows have learned by experience that it is dangerous to eat grain except with the chickens. He says:

Formerly I killed a good many of them, but now have tried every means to feed them. They will eat with the chickens, seeming to know that I will not shoot them.

This list of miscellaneous injuries would not be complete without a reference to the voice of the Sparrow. Some notes of the Sparrow are not in themselves unmusical, especially if uttered by single birds and in a low key, but even the most enthusiastic of Sparrow admirers will readily admit that the bird is no singer, and the ceaseless, discordant chatter of a flock of Sparrows about their nesting or roosting places can be characterized only as a nuisance. Those who have been compelled to listen to this noise continually will appreciate the remarks of one of our correspondents who wrote in 1884:

To many our singing birds form the very poetry of the year; and when they are replaced, or their music is drowned by these noisy and dirty Sparrows, so that half the charm of spring is gone, no little suffering results. The effect upon sick or nervous people of their monotonous and peculiarly untuneful cry is very great. I have often counted a hundred and more successive chirps by one Sparrow, in exactly the same key, a real torture to the ear; and I have known more than one invalid whose morning sleep and needful out-door walk have been quite spoiled by the presence of these birds.

## SECTION SECOND.—RECOMMENDATIONS.

## RECOMMENDATIONS FOR LEGISLATION.

## SUGGESTIONS AS TO THE REPEAL OF OLD LAWS AND THE ENACTMENT OF NEW ONES.

The following recommendations are respectfully submitted to the legislative bodies of the various States and Territories:

(1) The immediate repeal of all existing laws which afford protection to the English Sparrow.

(2) The enactment of laws legalizing the killing of the English Sparrow at all seasons of the year, and the destruction of its nests, eggs, and young.

(3) The enactment of laws making it a misdemeanor, punishable by fine or imprisonment, or both—(a) to intentionally give food or shelter to the English Sparrow, except with a view to its ultimate destruction; (b) to introduce or aid in introducing it into new localities; (c) to interfere with persons, means, or appliances engaged in, or designed for, its destruction or the destruction of its nests, eggs, or young.

(4) The enactment of laws protecting the Great Northern Shrike or Butcher Bird, the Sparrow Hawk, and the Screech Owl, which species feed largely on the English Sparrow.

(5) The enactment of laws providing for the appointment of at least one person holding civil office, preferably the game constable, where such officer exists, in each town or village, who shall serve without additional compensation, and whose duty it shall be to destroy or bring about the destruction of English Sparrows in the streets, parks, and other places where the use of fire-arms is not permitted. In the larger towns and cities this office might be well imposed upon the commissioners of public parks.

In relation to the above recommendations a few remarks may not be out of place.

By reference to the summary of legislation which follows, it will be seen that the existing laws which may affect the Sparrow are not sufficiently explicit in most cases.

In only seven States do the laws mention the English Sparrow specifically. In the State of New York it is a misdemeanor to feed or shelter the Sparrow, and in Michigan a bounty of one cent per head is paid. Massachusetts, Rhode Island, New Jersey, Pennsylvania, and Ohio\* simply except the English Sparrow from the protection afforded most other small birds.

In twenty-two other States and Territories, which afford more or less protection to small birds, the English Sparrow stands on the same foot-

\* Since this was written, an act offering a bounty of ten cents per dozen for English Sparrows has been passed by the Ohio legislature. (See pp. 171-172.)

ing with harmless or beneficial birds. In the laws of fifteen States the word "sparrow" is used without qualification, the birds so designated being entitled to protection, except that in the States of Illinois, Kentucky, Louisiana, Missouri, and Nebraska, any person may kill birds on his own land when they endanger his crops.

In Iowa, Kansas, Mississippi, South Carolina, Tennessee, and Wisconsin, most small birds are protected, and Sparrows are not among those excepted. Eighteen other States and Territories have no laws which have any bearing on the case.

It is evident, therefore, that prompt and vigorous legislation is needed in all States where the English Sparrow has become established, and even those States and Territories not yet infested (if there be any such) would do well to take measures to keep the pest out. Whatever may have been the intention of the framers of laws which protect native sparrows, there can be no question that many people refrain from taking active steps against English Sparrows, through the belief that they are protected under the law. And States whose laws are thus open to misinterpretation ought at once to define clearly the position of the English Sparrow. Moreover, since the most effective warfare on this bird can be waged during the breeding season, any act intended to accomplish its destruction should distinctly authorize the destruction of its nest, eggs, and young.

It will be difficult, doubtless, to enforce strictly a law which makes it a misdemeanor intentionally to feed or shelter the Sparrow, but some such law will be found necessary in order to prevent the systematic propagation of Sparrows in places where otherwise they might be completely extirpated, and it will serve also as a wholesome check on those individuals who do not believe the Sparrow to be injurious, and would be glad to frustrate any plan for its destruction.

The appointment of at least one person in each town or village, who shall act as a professional Sparrow-killer, in our opinion is one of the most imperative necessities of the case. Towns and cities are the nurseries of Sparrows, and will serve to replenish the surrounding country, no matter how industriously the farmer may shoot them.

From the nature of the case the use of fire-arms and poison in towns and cities must always be restricted to comparatively few individuals, whose discretion can be depended upon. Other persons can do much by the destruction of nests and eggs, or by the use of traps and nets, but the main work of exterminating the Sparrow inside the limits of a town must fall on persons specially designated for the work. That such persons, being already civil officers of some grade, should serve ordinarily without additional pay, is a suggestion which should commend itself; for otherwise there would be a natural tendency on the part of the incumbent to make the occupation permanent, while it would be to the obvious advantage of a non-salaried officer to accomplish the extermination of the Sparrow as quickly as possible.

Circumstances, however, must govern largely the appointment and compensation of such officers, and it is evident that in many places where Sparrows are very abundant they should be able to give their entire time to them, especially at first, and in such cases should be employed at a fixed salary, contingent, however, on the killing of a certain number of Sparrows per week or month, with perhaps a bonus for every additional hundred or thousand killed during a specified time.

As the Sparrows in a district decreased, the number required from any one man could be reduced, and the number of men employed might be lessened also, until finally the regular game constable, or other officer, would be able in addition to his other duties to keep down the Sparrows.

Aside from the numerical strength of the Sparrow, the principal obstacle to its extermination is to be looked for in the opposition of a small number of persons in each town who see no present necessity for destroying the Sparrows in their neighborhood, and can not appreciate the importance of simultaneous action over all the country.

It is hoped that the contents of the present volume will do much to lessen the number of people who take such a stand; and it is believed that many who now cherish the Sparrows would be perfectly willing to have them exterminated if they could be sure that any native birds would take their places. Except in absolutely treeless cities there is not the slightest doubt that this replacement by native birds can be effected if reasonable efforts are made; and it is most urgently recommended that, simultaneously with the efforts to exterminate the Sparrow, every possible care be taken to protect and foster our native birds, and induce them to return to our towns and cities and make their homes in our parks, shade trees, and gardens.

Wrens, bluebirds, swallows, and martins may be assisted very materially by closing up the openings of their boxes as soon as they leave them in the fall; re-opening them only on their return in the spring. In this way the Sparrow will be unable to appropriate the boxes during their absence, and if all other breeding places in the vicinity are secured against them very few will linger to dispute the boxes with the native birds when they come.

Boxes intended for the wren may be left open through the winter provided the entrance be made too small to admit a Sparrow.

In shooting Sparrows about parks or gardens at times when other birds are present, care should be taken not to alarm the latter, and this can be effected by using such weapons as are made especially for the use of bird collectors, since they make very little noise, and the small amount of powder and fine shot used prevents damage to buildings or trees. Moreover, such a weapon, while just as effective, is far more economical than a larger gun.

In winter it may be difficult to keep many native birds in our northern cities, yet there are species of woodpeckers, chickadees, nuthatches,

kingle  
large  
ance t  
and ga  
The  
good r  
scale  
perime  
numbe  
For ex  
ing th  
with t  
one re  
preven  
partici  
be tak  
ing pla  
the nex  
very m  
that \$5  
tion of  
out in t  
would  
Similar  
similar

It is  
In fact  
about  
people,  
public  
Bour  
plish th  
vastly  
a harm  
any sec  
exterm  
to make  
once fo  
so sma  
their p  
many y  
will far

kinglets, sparrows, and finches which remain in the Northern States in large numbers every winter, and need only a little food, and the assurance that they will not be molested, to bring them regularly about houses and gardens, even in towns and cities.

There is one plan for the extermination of Sparrows which might give good results under some conditions, and which might be tried on a small scale first and subsequently on a larger one if the results of the experiment should warrant it. A premium might be offered for the largest number of Sparrows killed in a given district within a specified time. For example, a township or county might make such an offer, prescribing the conditions, and requiring each contestant for the prize to comply with them. So far as possible such a contest should be open to every one residing in the district, but the utmost care should be taken to prevent the slaughter of other birds than Sparrows, and unless all participants had perfect confidence in each other, precautions should be taken to prevent the importation of dead Sparrows from neighboring places of greater abundance. Secondary prizes might be offered for the next largest numbers killed, and if the amounts were large enough very many people would be tempted to compete for them. It is certain that \$500 or \$1,000 expended in this way would result in the destruction of very many more Sparrows than if the same amount were paid out in bounties; and probably under ordinary circumstances this method would yield better results than any other plan of paid extermination. Similar plans, on a smaller scale, might be tried by farmers' clubs and similar organizations, and doubtless would destroy many Sparrows.

#### \*BOUNTIES.

##### INEXPEDIENCY OF BOUNTIES IN GENERAL.

It is not expedient to offer bounties for the destruction of Sparrows. In fact, at the present time it is desirable and perfectly feasible to bring about a great reduction in their ranks by concerted action of the people, aided by helpful legislation, without drawing heavily upon the public purse.

Bounties offered for the destruction of harmful species seldom accomplish the desired end, and if success does finally result, it is only after vastly larger expenditures than were at first thought necessary. After a harmful species—the wolf, for example—has become rather scarce in any section of country, the offer of a bounty may lead to its complete extermination; and to attain such a result it is certainly good economy to make the bounty large. Obviously, it is better to pay a large sum at once for the last few pairs of wolves in a district than to offer a bounty so small that it is little inducement to a hunter to spend his time in their pursuit. In this latter case the wolves easily hold their own for many years, or even increase slowly, while the aggregate bounties paid will far exceed all expectation. In order to be effective a bounty should

be large enough to assure the destruction of the great majority of the individuals during the first year, and this is especially true of species which are very numerous and prolific. And yet the amount of money required for the payment of bounties in such cases would be so enormous as to make the plan impracticable.

#### ESTIMATED COST OF EXTERMINATING THE SPARROWS IN OHIO BY MEANS OF BOUNTIES.

A rough estimate of the amount of bounty money which would be required to exterminate the Sparrows in a single State may put this matter in a clearer light. Let Ohio serve as an illustration, and for the sake of argument let it be assumed that no Sparrows enter the State from outside after the payment of bounties begins. Ohio has an area of about 40,000 square miles, or 25,500,000 acres, and the entire State is thickly sprinkled with cities, towns, and villages, separated from each other only by populous and productive farm lands which constitute at least three-fourths of the total area of the State. In the larger cities Sparrows fairly swarm, and it is doubtful if they are entirely absent from a single village of a thousand inhabitants or upwards; moreover, the abundant evidence from Ohio shows that Sparrows are found on almost all the farms in the State, and in grain-growing sections their numbers are almost incredible.

Mr. Charles Dury, of Avondale, Ohio, says :

In some localities the swarms of Sparrows are prodigious. One flock observed by me in October, 1837, near Ross Lake, had tens of thousands of birds in it. They rose in a cloud and settled down on a stubble-field, covering it all over.

It is scarcely possible to do more than guess at the number of Sparrows which the State of Ohio supports at present, but keeping in mind the points already mentioned and the fact that less than one-fiftieth of the entire area of the State consists of unimproved lands, it will be perfectly safe to say that Ohio contains at least 20,000,000 acres of good Sparrow country, and that, on an average, there are at least two Sparrows to the acre, which is 40,000,000 Sparrows for the whole State.

No doubt this estimate is far too low, but it is desirable to keep far within bounds in making estimates of this kind, and the above figures are sufficiently large for present purposes.

Supposing all these Sparrows could be killed before any further increase took place, they would still cost the State, at one cent apiece, \$400,000. But it would be absolutely impossible to exterminate all the Sparrows in the course of a single year by any expenditure of money, and it is very improbable that so small a bounty as one cent apiece would effect any perceptible decrease in their numbers, if indeed it even neutralized the increase. Certainly not one-half the original 40,000,000 would be killed; for although at first fair wages might be made by killing them in places of greatest abundance, this could not be continued long, as the Sparrows are exceeding cunning and very quickly learn to avoid danger. As soon as Sparrows became so scarce or so shy that

a person  
day, the  
few Spar  
for sport

Mean  
tribute  
rate of  
the bou  
have pa  
Sparrow

But s  
immedi  
be assu  
uary 1,  
20,000,0  
been rea

If nov  
four or f  
pairs w  
80,000,0  
killed be  
gle brood  
usual.

number  
adults, b  
killed for  
Sparrow  
hatched,  
adults, s  
20,000,00

By thi  
full grow  
larger pa  
young b  
more bro  
subjected  
quarter,  
Thus, 6,  
will be  
lowed a  
young b  
on Octo  
the last  
while bo  
or on 20

a person skilled in shooting or trapping could kill only 100 or less per day, the bounty of one cent would cease to be an inducement, and the few Sparrows killed by boys and others, who might still follow them up for sport, would be insignificant.

Meanwhile, the very means used to destroy them would serve to distribute the remainder more evenly through the country, and their rapid rate of increase would more than counterbalance the losses caused by the bounty law. At the close of the year, therefore, the State would have paid out a large sum of money, and there would be just as many Sparrows as ever, and in all probability more.

But suppose that the bounty can be made large enough to insure the immediate destruction of a large proportion of the Sparrows. Let it be assumed that with 40,000,000 Sparrows as a starting point on January 1, so large a bounty is offered that during the next three months 20,000,000 Sparrows are killed. During this time no young will have been reared, so there will be but 20,000,000 Sparrows left.

If now left undisturbed, these birds would rear at least two broods of four or five young each during the next three months; that is 10,000,000 pairs would rear about 20,000,000 broods, aggregating upwards of 80,000,000 young. But in consequence of the bounty many will be killed before they rear any young, others will be able to rear but a single brood, while others still will succeed in rearing as many young as usual. In order not to overstate the increase let us assume the average number of young hatched during this quarter to be 4 for each pair of adults, but that two-fifths of the adults and one-half of all the young are killed for bounties during the quarter. Thus, starting with 20,000,000 Sparrows (10,000,000 pairs), before July 1, 40,000,000 young will be hatched, but 20,000,000 will be killed, together with 8,000,000 of the adults, so that, on July 1, there will remain 12,000,000 old birds and 20,000,000 young, or 32,000,000 in all.

By this time most of the old birds will have become very shy, but as the full grown young are much more abundant, as well as much less wary, the larger part of the Sparrows killed during the next three months will be young birds. Most of the adults, however, will succeed in rearing one more brood; but, allowing for the constant persecution to which they are subjected, and granting that one-third of the adults are killed during the quarter, these broods will hardly average more than 2 young to a pair. Thus, 6,000,000 pairs will hatch 12,000,000 young, 6,000,000 of which will be killed, together with 4,000,000 of the parents. It may be allowed also, in accordance with previous estimates, that one-half the young birds of the earlier broods are killed during this quarter; so that, on October 1, there would be left 8,000,000 adults, 6,000,000 young of the last brood, and 10,000,000 from the earlier broods, a total of 24,000,000; while bounties have been paid on 4,000,000 adults and 16,000,000 young, or on 20,000,000 in all.



During the next three months no increase will take place, but the decrease from bounties will be rather less than for any previous quarter, since the birds will have scattered to the country, and constant persecution will have made them very suspicious and difficult to kill. Perhaps, however, 40 per cent. will be killed and offered for bounties.

By summing up the results of the year's work it will be found that the number of Sparrows in Ohio has been reduced from 40,000,000 to about 14,500,000, *but at the expense of bounties paid on seventy-seven million six hundred thousand Sparrows.*

The opening of a second year finds the Sparrows reduced to about one-third of their original numbers, but this very paucity of numbers, joined to the experience acquired by the Sparrows during one year of zealous persecution, will make it a difficult matter to keep up the same rate of destruction during another year. However, by largely increasing the bounty it *might* be possible, and, provided the natural increase be estimated as heretofore, the end of the second year would find but 5,184,000 Sparrows left, although bounties would be paid during the year on nearly 25,000,000 Sparrows.

If now, by any increase of bounty, this rate of destruction could be maintained for the third year, about 10,000,000 more Sparrows would be killed and less than 2,000,000 would be left.

The fourth year at the same rate would reduce the surviving Sparrows to about 672,000 at the expense of a heavy bounty on more than 3,500,000, and the fifth year would result in the death of about 1,300,000, with a living remnant of 241,865 Sparrows.

The following table shows in detail the successive steps by which such a reduction would be made; the entire argument, however, resting on the assumption that as the number of Sparrows is lessened the bounty is increased, so that a fixed rate of reduction is maintained. Thus the bounty offered at the beginning of each year is assumed to be large enough to effect the destruction of more than five-sixths ( $84\frac{1}{3}$  per cent.) of all the Sparrows (original plus increase) in the State during the year, so that the total number in the State at the beginning of any year will be but 36 per cent. of the number existing there at the beginning of the previous year.

Hypothe  
rows  
the m

Qu

First year  
Jan. to  
Apr. to  
July to  
Oct. to

Total  
Second year  
Jan. to  
Apr. to  
July to  
Oct. to

Total  
Third year  
Jan. to  
Apr. to  
July to  
Oct. to

Total  
Fourth year  
Jan. to  
Apr. to  
July to  
Oct. to

Total  
Fifth year  
Jan. to  
Apr. to  
July to  
Oct. to

Total

Total n  
+ E  
+ E  
+ E  
+ E

As t  
ter tha  
out tri  
tion of  
month  
fice, an  
sibly t  
this ha  
about  
made  
of the  
Sparro  
merly  
allowin  
decrea  
ing fo

*Hypothetical table, showing in detail the probable effects upon the numbers of English Sparrows in Ohio, of a high and annually increased bounty during five successive years, under the most favorable circumstances.*

Quarter.	Sparrows in the State at the beginning of each quarter.	Pairs breeding.	Young hatched.*	Adult Sparrows killed.†	Young killed.‡	Immature Sparrows killed in third quarter.§	Total number of Sparrows killed.	Percent a % of Sparrows killed.
<b>First year:</b>								
Jan. to Mar. ....	40,000,000			20,000,000			20,000,000	50
Apr. to June ....	20,000,000	10,000,000	40,000,000	8,000,000	20,000,000		28,000,000	46½
July to Sept. ....	32,000,000	6,000,000	12,000,000	4,000,000	6,000,000	10,000,000	20,000,000	45½
Oct. to Dec. ....	24,000,000			9,600,000			9,600,000	40
Total for year.							77,600,000	84½
<b>Second year:</b>								
Jan. to Mar. ....	14,400,000			7,200,000			7,200,000	50
Apr. to June ....	7,200,000	3,600,000	14,400,000	2,880,000	7,200,000		10,080,000	46½
July to Sept. ....	11,520,000	2,160,000	4,320,000	1,440,000	2,160,000	3,600,000	7,200,000	45½
Oct. to Dec. ....	8,640,000			3,456,000			3,456,000	40
Total for year.							27,936,000	84½
<b>Third year:</b>								
Jan. to Mar. ....	5,184,000			2,592,000			2,592,000	50
Apr. to June ....	2,592,000	1,296,000	5,184,000	1,036,800	2,592,000		3,628,800	46½
July to Sept. ....	4,147,200	777,600	1,555,200	518,400	777,600	1,296,000	2,592,000	45½
Oct. to Dec. ....	3,110,400			1,244,160			1,244,160	40
Total for year.							10,056,960	84½
<b>Fourth year:</b>								
Jan. to Mar. ....	1,860,240			933,120			933,120	50
Apr. to June ....	933,120	466,560	1,860,240	373,248	933,120		1,306,368	46½
July to Sept. ....	1,402,922	279,936	559,872	186,622	279,936	466,560	933,118	45½
Oct. to Dec. ....	1,119,748			447,898			447,898	40
Total for year.							3,620,504	84½
<b>Fifth year:</b>								
Jan. to Mar. ....	671,848			335,924			335,924	50
Apr. to June ....	335,924	167,962	671,848	134,370	335,924		470,294	46½
July to Sept. ....	537,478	100,777	201,551	67,183	100,777	167,962	335,924	45½
Oct. to Dec. ....	403,108			161,243			161,243	40
Total for year.							1,303,385	84½

Total number killed during five years, 120,516,849. Living remnant, 241,865.

\* Equals four to each pair in second quarter; two to each pair in third quarter.

† Equals first quarter, 50 per cent.; second quarter, 40 per cent.; third quarter, 33½ per cent.

‡ Equals 50 per cent. each quarter.

§ Equals 50 per cent.

As to the cost of bounties during such a five years' war nothing better than rough estimates can be given, for it is impossible to know without trial how large a bounty would be necessary to secure the destruction of 50 per cent. of all the Sparrows in the State during the first three months. It is certain that one or even two cents apiece would not suffice, and it is doubtful if three cents apiece would secure this end. Possibly the necessary rate could be ascertained by experiment, and after this had been maintained for a year, and the Sparrows had decreased to about one-third of their previous numbers, other experiments could be made in order to determine the rate necessary to secure a continuance of the same ratio of decrease. It is but reasonable to suppose that if Sparrows are but one-third as plenty (and three times as shy!) as formerly it will be worth at least three times as much to kill them; but, allowing that it costs only twice as much to maintain the same rate of decrease, it will be very expensive, nevertheless, to continue this during four years.

The following table shows how costly such an undertaking would be, even were it certain that the lowest rate, one cent apiece for the first year, would secure the desired result. It is more than probable, however, that at least three cents apiece would be necessary to accomplish the first year's work, and after this had been doubled for the second year, it would be found inexpedient to continue so expensive an experiment.

*Hypothetical table, showing the amount of money necessary to expend in bounties on English Sparrows in Ohio for five years, at the rates of 1, 2, 3, 4, and 5 cents a Sparrow the first year, the rates being doubled each successive year.*

[Based on the conditions assumed in the last table, of which it is a corollary.]

Year.	Sparrows killed.	Rate.	Cost.
		<i>Cents</i>	
First .....	77,600,000	1	\$776,000.00
Second .....	27,936,000	2	558,720.00
Third .....	10,056,000	4	402,278.40
Fourth .....	3,620,504	8	289,640.32
Fifth .....	1,303,385	16	208,541.60
Total .....	120,516,849	.....	2,235,180.32
First .....	77,600,000	2	1,552,000.00
Second .....	27,936,000	4	1,117,440.00
Third .....	10,056,000	8	804,556.80
Fourth .....	3,620,504	16	579,280.64
Fifth .....	1,303,385	32	417,083.20
Total .....	120,516,849	.....	4,470,360.64
First .....	77,600,000	3	2,328,000.00
Second .....	27,936,000	6	1,676,160.00
Third .....	10,056,000	12	1,206,720.00
Fourth .....	3,620,504	24	868,920.96
Fifth .....	1,303,385	48	625,621.80
Total .....	120,516,849	.....	6,705,540.96
First .....	77,600,000	4	3,104,000.00
Second .....	27,936,000	8	2,234,880.00
Third .....	10,056,000	16	1,608,960.00
Fourth .....	3,620,504	32	1,158,561.28
Fifth .....	1,303,385	64	834,166.40
Total .....	120,516,849	.....	8,940,721.28
First .....	77,600,000	5	3,880,000.00
Second .....	27,936,000	10	2,793,600.00
Third .....	10,056,000	20	2,011,200.00
Fourth .....	3,620,504	40	1,448,201.60
Fifth .....	1,303,385	80	1,042,708.00
Total .....	120,516,849	.....	11,175,001.60

When it is remembered that all the assumptions and estimates upon which these conclusions are based have been moderate in the extreme, and that all the conditions are supposed to have been favorable for the successful operation of the law, it will be seen how futile would be the attempt to exterminate the Sparrow in Ohio by the offer of bounties.

Some of the considerations which have not been brought into the calculation at all, but which of necessity must affect the question materially, are the following:

(1) The expense necessary, even at the moderate estimates submitted, would be greater than any State could afford.

(2) fully 1  
But in  
that a  
no acc  
made,  
Sparro  
power  
a fixed  
it mus  
in orde  
for in t  
law; f  
to be in  
weeks  
(3) T  
much g  
(4) I  
be muc  
(5) U  
paings,  
warfare  
(6) E  
cent. du  
rate of  
without  
(7) A  
State, a  
begin to  
so long  
tention  
(8) In  
they we  
be colle  
their n  
made la  
(9) In  
bountie  
bountie  
persons  
edge, to  
clerk o  
pensati  
discrim  
valuabl  
(10)

(2) Such a scheme of extermination, to be successful, must be carefully planned, and must be carried on for at least five successive years. But in all probability the first year's expenditures would be so heavy, that an immediate repeal of the law would be demanded. Moreover, as no accurate census of the Sparrow population of the State could be made, it would be impossible to tell exactly what proportion of the Sparrows had been killed, and this element of uncertainty would be a powerful argument for repeal. Furthermore, the mere continuation of a fixed bounty would prove wholly inadequate, for, as already shown, it must be largely increased—probably doubled or trebled—each year in order to accomplish any tangible result. This can not be provided for in the original bill without in part frustrating the very design of the law; for if it is known that after January 1 of any year the bounty is to be increased, few people will care to hunt Sparrows during the last weeks or months of the preceding year.

(3) The number of Sparrows in the State might prove to be very much greater than was supposed.

(4) In spite of all checks the actual rate of increase might prove to be much greater than that assumed.

(5) Unless neighboring States should prosecute equally vigorous campaigns, Sparrows would enter the State in considerable numbers if the warfare were relaxed for a single month.

(6) Even admitting the possibility of reducing the Sparrows 50 per cent. during the first three months of a year, it is very doubtful if the rate of decrease assumed for the remainder of the year could be secured without an increase of bounty.

(7) As soon as Sparrows became somewhat scarce throughout the State, and the bounty was correspondingly increased, people would begin to protect and rear them simply for the sake of the bounty, and so long as the law did not *compel* a man to rid his land of them his intentional neglect would give the same result as intentional propagation.

(8) In spite of all precautions many Sparrows killed in States where they were still abundant would be sent into Ohio, and bounties would be collected for them; and this would be done the more frequently as their number became smaller and smaller in Ohio and the bounty was made larger and larger.

(9) In order properly and speedily to examine all applications for bounties, and to destroy all Sparrows or Sparrow heads on which bounties had been paid, it would be necessary to appoint one or more persons in each town or village, who should have the requisite knowledge, to attend to this matter. It would be useless to expect the town clerk or other town officer to assume this duty without additional compensation, and, moreover, very few such officers would be competent to discriminate between heads of English Sparrows and those of more valuable birds; hence,

(10) Either an additional expense would be put upon the State, or else

many valuable native birds would be destroyed and the State would pay bounties unwittingly on the heads of some of its best friends.

(11) It must be borne in mind that the money expended in bounties by no means represents the entire expense of a bounty law. To this sum must be added not only the cost of incidentals, such as fire-arms, ammunition, grain for baiting, poison, traps, nets, etc.—items often small in themselves, but amounting to considerable sums in the aggregate—but also the cost of advertising the bounty, examining and paying claims, and destroying heads.

It has been suggested that the bounty money, however great the amount, might be raised by taxation, and eventually would be returned to the very people who paid the taxes. But a moment's thought will convince any one that this argument is utterly fallacious. The taxes would be collected necessarily from all citizens, whether they sustained any injury from Sparrows or not, and yet not one citizen in one hundred would kill any Sparrows or receive any bounty, since few men could afford to neglect their business for the sake of securing a few dollars a week in bounties. Thus the bulk of the money would go to people having no regular occupation and little or no taxable property. In this way it is true the money would be kept in the State, and, provided all the Sparrows were killed, the State would reap the benefit, but the money itself would not return to those who contributed it.

The suggestion has been made that, as the bodies of all Sparrows killed by other means than poison might be utilized for food, a Sparrow-killer could collect the bounty on the head and realize an additional profit from the sale of the body; so that the bounty might be very small and prove effective nevertheless. But in many places there is absolutely no market for Sparrows at any price; and, if there were, it is doubtful if the heads alone would be sufficient for identification when presented for bounty to the proper officer.

Again, it is claimed by some that all destruction of Sparrows, caused by the offer of a bounty, would be additional to the destruction already going on without expense to the State; and it is further urged that the natural checks on the Sparrow's increase would lessen still further the number on which bounties could be paid. In regard to the first claim it need only be said that it is an assumption not only unsupported by any facts at all, but rendered improbable by all the evidence bearing on the question. There is every reason to believe that independent, unpaid persecution of the Sparrows would cease almost entirely as soon as a bounty law became operative.

The second claim may be conceded without argument, but in the foregoing estimates due allowance was made for the effects of natural checks by assuming at the outset an extremely low rate of increase.

To those who see thousands of Sparrows daily, perching familiarly on their window-sills or hopping unconcernedly about the streets, it seems an easy thing to kill them by scores or hundreds, and many people believe that any wide-awake boy could trap a thousand a day, and

that a  
make a  
person  
becom  
but or  
even t  
Ano  
bountie

That  
upon i  
stand i  
trial a  
makes  
bounty  
eggs w  
is almos  
moving  
to lay t  
itable b

Charl  
took for  
Coues r  
eggs in  
Blake, 3  
row's eg  
nine hun  
on anoth

The eg  
that it is  
our nati  
destruct  
tain to e  
likely to  
rows had

The hi  
more tha  
cussed h

MO.

Early  
on prairi  
effect M  
amounte  
payment

153,709 pr  
698,971 gr

Tota  
84

that any man who should give his entire time to the business could make a fortune at the rate of a cent apiece. It is useless to assure such persons that the Sparrow is watchful, suspicious, cunning, and quickly becomes so shy that it is one of the most difficult of all birds to kill; but ordinarily a single day's experience with trap or gun will convince even the most skeptical.

Another point to be considered in connection with the question of bounties is the desirability of a premium on the Sparrow's eggs.

That the destruction of the eggs is one of the most effective checks upon increase is unquestionable, but the practical difficulties which stand in the way of a bounty on eggs are so numerous as to make it trial a measure of doubtful utility. The discovery of an accessible nest makes it easy in most cases to kill the parent birds, but if there is a bounty on the eggs the juvenile Sparrow-hunter is tempted to take the eggs without disturbing the birds, well knowing that a week later he is almost certain to find another set of eggs in the same nest. By removing a part of the eggs at a time the bird may be induced sometimes to lay thirty or forty eggs in succession, and such a discovery is a veritable bonanza to an enterprising boy.

Charlie H. Shaw, of West Berlin, Ohio, states that in 1887 a neighbor took forty eggs in succession from one English Sparrow's nest; and Dr. Coues refers to the case of an English Sparrow which laid thirty-five eggs in as many days. Between April 22 and June 27 (1884) Eli W. Blake, 3d, of Providence, R. I., took nine hundred and fifty-three Sparrow's eggs from some fifty-five or sixty nests in the ivy on a church, and nine hundred and seventy eggs were taken *at one time* from the nests on another church in that city.

The eggs of the English Sparrow vary so much in size and markings, that it is impossible always to distinguish them from eggs of some of our native birds; hence a bounty on Sparrow's eggs might lead to the destruction of the eggs of many valuable birds, while it would be certain to encourage among boys a habit of nest-robbing, which would be likely to endure and extend to the nests of native birds after the Sparrows had become scarce.

The histories of two recent bounty laws in the United States possess more than ordinary interest as bearing directly on the questions discussed here.

#### MONTANA'S BOUNTY LAW ON PRAIRIE DOGS AND GROUND SQUIRRELS.

Early in 1887 the Territory of Montana offered a bounty of 10 cents each on prairie dogs and 5 cents each on ground squirrels. The act went into effect March 5, 1887, and the bounties paid during the next six months amounted to more than \$50,000. On September 12, 1887, the record of payments stood as follows:

153,709 prairie dogs, at 10 cents each .....	\$15,370.90
698,971 ground squirrels, at 5 cents each .....	34,948.55
Total .....	50,319.45

It is stated that up to this time the number of prairie dogs and ground squirrels killed had had no perceptible effect on their abundance in the Territory, and as the money in the treasury was exhausted, the Governor, with the permission of the President, called a special session of the legislature and the act was repealed.

#### MICHIGAN'S BOUNTY LAW ON ENGLISH SPARROWS.

In 1887 the State of Michigan offered a bounty of 1 cent apiece for English Sparrows in lots of not less than 25. (A copy of the act will be found on page 169 of this Bulletin.)

Any claim for this bounty must be submitted to the clerk of the township, village, or city in which the Sparrows were killed, and, if allowed, the clerk issues a certificate for the proper amount, payable by the county treasurer, from the contingent fund of the county. This act went into effect March 15, 1887, but for various reasons it does not appear to answer the purpose intended.

Unquestionably, the law itself is defective in some respects. Thus, in Wayne County, of which Detroit is the county seat, no bounties have been paid, owing to the fact that the county treasurer has "no authority to pay anything except on the warrant of the board of auditors," and the bounty act provides only for payment on certificates issued by the clerk of a township, village, or city. The act provides, furthermore, that the bounties shall be paid from the contingent fund of the county, and in some cases the county supervisors have failed to make any provision for such payment. The proviso that not less than 25 heads can be presented at once, and the necessity of going or sending to the county seat, are features which deter many persons from availing themselves of the act, but, even were all these obstacles removed, it seems probable that the offer of 1 cent a head would not be large enough to tempt many persons to engage in the business of killing Sparrows.

In reply to requests sent to the county treasurers throughout the State, reports have been received to date from forty-one counties. These reports cover a large part of the area in which Sparrows are most numerous, and may be taken, therefore, as a fair sample of the whole State; yet in twenty-two of these counties no Sparrows whatever have been presented for bounty. The largest number reported thus far from any one county is 1,638 from Kent County, between January 1, 1888, and March 30, 1888. The number on which bounties were paid in this county prior to January 1, 1888, is not reported, but on the above basis it would have been nearly 5,200, or about 6,800 Sparrows for the first year in which the law was operative. The reports from two other counties are similarly incomplete, giving returns for only a small part of the time, but by estimating as above, an approximation to the actual number has been obtained, and the total number of Sparrows killed, for bounties in these forty-one counties is about

15,500,  
countie  
signific  
terpris  
Report  
No d  
the tot  
must h  
law not  
the des  
entire t  
of Det  
Sparro  
In th  
informa

Na  
S. J. McN  
ville ....  
Hein Lank  
gan .....  
Albert S. A  
laire .....  
C. A. Houg  
W. J. Pett  
Edmund B  
Berrien S  
J. W. Wood  
J. E. Cueny  
gan .....  
James H.  
Johns, ..  
John Camp  
E. H. Foste  
City .....  
William Br  
James Beat  
dale .....  
William D.  
Mason, ..  
J. Warren  
Ionia ...  
B. snow, t  
Charles D.  
Grand R  
Robert J.  
Baldwin  
Peter Stive  
John J. Mi  
Leland ..  
William C  
Adrian ..  
Robert Joh  
istee ....



15,500, or an average of 378 for a county. As there are eighty-two counties in Michigan, this gives 31,000 Sparrows, a number utterly insignificant, in fact not more than were actually trapped by a single enterprising man in Indianapolis, Ind., during the past two years. (See Report of W. T. Hill, page 181 of this Bulletin.

No data are at hand on which to base even an approximate estimate of the total number of Sparrows in the State of Michigan, but as there must be many millions at least, it is evident that the present bounty law not only fails to lessen the total at all, but probably does not effect the destruction of one per cent. of the annual increase. Doubtless the entire thirty-one thousand might have been killed within the city limits of Detroit without making any noticeable difference in the number of Sparrows in that city.

In this connection we desire to acknowledge the receipt of valuable information from the following county officers in Michigan:

Name and address.	County.	Name and address.	County.
S. J. McNally, treasurer, Harrisville	Alcona.	B. W. Wright, assistant treasurer, Marquette	Marquette.
Hein Lankheet, treasurer, Allegan	Allegan	J. C. Gardner, treasurer, Big Rapids	Mecosta.
Albert S. Abbott, treasurer, Beloit	Antrim.	Stod E. Drew, treasurer, Midland	Midland.
C. A. Hough, treasurer, Hastings	Barry.	Orville F. Mason, treasurer, Stanton	Montcalm.
W. J. Pettit, treasurer, Benzonia	Benzie.	Martin Waalkes, treasurer, Muskegon	Muskegon.
Edmund B. Storms, treasurer, Berrien Springs	Berrien.	Hiram L. Brace, treasurer	Newaygo.
J. W. Wood, treasurer, Marshall	Calhoun.	J. Allen Bigelow, treasurer, Pontiac	Oakland.
J. E. Cucny, treasurer, Cheboygan	Cheboygan.	John F. Widoo, deputy treasurer, Hart	Oceana.
James H. Conn, treasurer, St. Johns	Clinton.	W. M. McCrassen, treasurer, West Branch	Ogemaw.
John Campbell, treasurer, Flint	Genesee.	J. F. Radcliffe, treasurer, Hesper	Osceola.
E. H. Foster, treasurer, Traverse City	Grand Traverse.	E. P. Gibbs, treasurer, Grand Haven	Ottawa.
William Brice, treasurer, Ithaca	Gratiot.	Hermann Hoeft, treasurer, Rogers City	Presque Isle.
James Beattie, treasurer, Hillsdale	Hillsdale.	William Burns, treasurer, Port Huron	Saint Clair.
William D. Lougyear, treasurer, Mason	Ingham.	Chris. Murphy, treasurer, Sandusky	Sanilac.
J. Warren Peake, treasurer, Ionia	Ionia.	Geo. H. Orr, treasurer, Manistique	Schoolcraft.
B. Snow, treasurer, Kalamazoo	Kalamazoo.	G. D. Mason, deputy treasurer, Corunna	Shiawassee.
Charles D. Stebbins, treasurer, Grand Rapids	Kent.	Charles H. Butler, treasurer, Paw Paw	Van Buren.
Robert J. Matthews, treasurer, Baldwin	Lake.	Ralph Phelps, jr., treasurer, Detroit	Wayne.
Peter Stiver, treasurer, Lapeer	Lapeer.	Ezra Harger, treasurer, Cardiac	Wexford.
John J. Miller, deputy treasurer, Leland	Leelanaw.		
William C. Moran, treasurer, Adrian	Lenawee.		
Robert Johnson, treasurer, Manistee	Manistee.		

## RECOMMENDATIONS TO THE PEOPLE.

## GENERAL SUGGESTIONS.

The English Sparrow is a curse of such virulence that it ought to be systematically attacked and destroyed before it becomes necessary to deplete the public treasury for the purpose, as has been done in other countries. By concerted action, and by taking advantage of its gregarious habits, much good may be accomplished with little or no expenditure of money.

If the people can be led to appreciate the undeniable facts with regard to the Sparrow, the danger to be apprehended from its continued increase will soon be realized, and a vigorous campaign against the bird will follow. Too much assistance must not be expected from legislative action. Under ordinary circumstances the repeal of all unnecessary restrictions on Sparrow-killing and the legalization of all safe methods of extermination are all that can be demanded, and the rest must be accomplished by the intelligent, persistent, united efforts of the people.

## USE OF FIRE-ARMS, TRAPS, AND POISON.

The Sparrow is a cunning, wary bird, and soon learns to avoid the means devised by man for its destruction. Hence much sagacity must be displayed in the warfare against it. In the winter-time, if food is placed in some convenient spot at the same hour each day for a week, the Sparrows will gather in dense flocks to feed, and large numbers may be killed at one time by firing upon them with small shot. By spreading the food along a narrow strip of ground which can be raked conveniently from some hiding-place, the best results may be obtained. When shooting Sparrows which are collected in flocks, especially in and about grain fields, an ordinary gun, heavily loaded with small shot, should be used, but for regular work on single birds, about houses, and particularly in cities and towns, a different weapon is desirable. Almost any "collecting gun" of small caliber will be convenient, and very small charges in a 22-caliber shell are perfectly effective at short range.

Such charges do not frighten the remaining Sparrows badly, and do not alarm other birds. Moreover, the cost of ammunition is comparatively small. Probably the most effective weapon is what is known as an "auxiliary barrel," *i. e.*, a small-caliber barrel from six to eight inches long, which can be slipped inside the barrel of an ordinary breech-loading shot-gun. Such a barrel using No. 22 shells, which are exploded and ejected precisely like the larger ones, is not only almost as noiseless and economical as the regular collecting guns, but is effective at greater distances and permits greater accuracy of aim. Such a weapon, in proper hands, may be freely used even in the streets and parks of a large city without damage to anything except Sparrows.

Some  
requires  
night, o  
threes.

that it  
place ar  
ject will

Sparrow  
strychni  
is attend  
Sparrow  
tion of  
Dr. A. K.

DESTRU

Large  
tematic  
iron rod  
can be r  
factory r

They r  
them on  
throw wa  
available  
ornament  
season, w  
kills their  
vines and

If a par  
at their r

In even  
efforts to  
bor them  
other pla  
numerous  
in self-de  
ble, by m  
Sparrows

It is im  
new place  
or frighte  
are allow  
towns.

Therefo  
and shoul

Sometimes Sparrows may be successfully netted or trapped, but this requires considerable skill, and except under favorable conditions at night, one must be content to catch them singly, or at most in twos or threes. They are so suspicious, and learn so quickly from experience, that it is almost impossible to catch many in succession at the same place and by the same means. Much valuable information on this subject will be found in Mr. Hin's report in another part of this volume.

Sparrows may be poisoned by grain soaked in solutions of arsenic or strychnine, or by meal mixed with the poison in powder, but poisoning is attended with some danger and should be attempted only by official Sparrow-killers. Full directions for the preparation and administration of poisoned food will be found in the chapter on this subject by Dr. A. K. Fisher. (See page 174).

#### DESTRUCTION OF NESTS AND DISTURBANCE AT ROOSTING PLACES.

Large numbers may be destroyed and increase prevented by the systematic destruction of their nests, eggs, and young. By the aid of an iron rod and hook, set in the end of a long pole, most of their nests can be reached and brought down. This method promises most satisfactory results.

They may be easily driven from their roosting places by disturbing them on several successive nights. A very efficacious method is to throw water upon them when at roost. In cities where hose-pipe is available the process is simple and certain. They may be kept out of ornamental vines in the same manner, particularly in the breeding season, when a thorough soaking not only disconcerts the old birds and kills their young, but at the same time does much good by wetting the vines and washing out their filth.

If a part of the birds are shot or caught each time they are disturbed at their roosting places, the remainder are much less likely to return.

In every town will be found a few persons unwilling to co-operate in efforts to exterminate Sparrows; but if such persons continue to harbor them about their own houses when they are driven away from most other places about the town, the Sparrows will probably become so numerous and offensive eventually that their defenders will be forced in self-defense to take some steps against them. Or it may be possible, by municipal authority, to compel such persons either to drive the Sparrows away or to permit others to do so.

It is important to prevent Sparrows from establishing themselves in new places throughout the country, and if the first comers are killed or frightened away it will be comparatively easy to do this, unless they are allowed to increase without check in the surrounding country or towns.

Therefore, farmers everywhere should be on the lookout for Sparrows and should not allow a single new pair to nest on their farms, while

every possible means should be tried to reduce the numbers in the adjoining towns and villages.

#### SPARROW CLUBS AND SHOOTING MATCHES.

In many parts of Europe, where a constant warfare is waged against this bird, clubs are formed for the purpose of killing Sparrows. In some cases each member of such a club is bound to present to the secretary the heads of a certain number of Sparrows each year or to pay a fine, and the fines thus collected (sometimes augmented by voluntary contributions) are used as bounties or prizes for the members killing the most Sparrows. The following item, clipped from a recent paper, shows the interest now taken in Sparrows by the people of Stratford-upon-Avon, an English town of less than 8,000 inhabitants:

The honorary secretary of the Stratford-upon-Avon Sparrow Club, reports that during the past year [1887] over 19,000 birds have been killed. The club pays 3*d.* per dozen for heads of all Sparrows destroyed, and over £23 has been paid in this way during the year. The common Sparrow is held to be destructive to farmers' crops, and the club was formed for the purpose of keeping down the number of these birds. About 20,000 a year is the average number destroyed in the neighborhood of Stratford-upon-Avon.

Similar clubs have been formed in some parts of the United States, and if every agricultural or horticultural society, or farmer's club, would adopt some such plan of concerted action against the Sparrow a vast amount of good might be accomplished. Even without any cash prizes such clubs would accomplish something, while an occasional revival of the old-time shooting match, in which the day's hunt should be devoted exclusively to Sparrows, would yield a large amount of sport and materially lessen the Sparrows in the district. In one such hunt in Wadsworth, Ohio, recently, twenty-six men took part, and 980 Sparrows were killed.

#### THE SPARROW AS AN ARTICLE OF FOOD.

In this connection it should not be forgotten that the English Sparrow is an excellent article of food, equaling many of the smaller game birds. In fact, at restaurants it is commonly sold under the name of "Rice-bird," even at times of the year when there are no Rice-birds in the country.

When the Sparrow has been feeding on grain fields or in the wild rice marshes its flesh is especially good, and if caught alive in the city the quality of the flesh can be much improved by feeding it for a few days with oatmeal, corn-meal, or wheat.

(See also in this connection pages 38 and 39.)

SECTION

In o  
ing the  
1837 to  
asking  
birds o  
replies  
ries, m  
referen  
no resp  
on file  
latest a  
from al  
the Spa  
comple  
few mo

It sho  
merely  
"undor  
dence th  
points n  
simply t  
discussi  
head of

Alabam  
Alaska.  
Arizon  
Arkans  
birds wh  
of prey.  
deemed g  
sum \*  
destroyed  
1885, sect  
Califor  
Colorad  
" " spa  
shall viol  
of a misd  
five dolla  
punished  
in such c  
other hal  
come a pa

### SECTION THIRD.—LEGISLATION AFFECTING THE ENGLISH SPARROW IN THE UNITED STATES.

In order to obtain trustworthy information as to all legislation affecting the Sparrow in the United States, a letter was sent in the fall of 1887 to the Secretary of State of each State and Territory of the Union, asking for copies of all laws in force in that State relating to game, to birds or mammals, and especially to the English Sparrow. To date, replies have been received from a majority of the States and Territories, most of the secretaries sending the desired documents or giving references to the volumes in which they could be found. In cases where no response was made, recourse was had to the latest revised statutes on file in the libraries, but it is feared that in this way some of the latest acts have escaped notice. By combining the information received from all sources, however, the following epitome of legislation affecting the Sparrow has been compiled, and may be assumed to be measurably complete, except for such changes as may have occurred within the last few months.

It should be noted that the appearance in this place of any law which merely mentions "sparrows," "song-birds," "insectivorous birds," "undomesticated birds," and the like, must not be construed as evidence that we believe such law to affect the English Sparrow; such points must be determined by the courts, and the attempt made here is simply to show what laws *may* have a bearing on the case. A brief discussion of these laws will be found in a previous section under the head of recommendations for legislation. (See page 150.)

#### LAWS AFFECTING THE ENGLISH SPARROW.

*Alabama.*—No law bearing on the question.

*Alaska.*—No law bearing on the question.

*Arizona.*—No law bearing on the question.

*Arkansas.*—It shall be unlawful to destroy, disturb, or rob, the nests of any wild birds whatsoever, except those of crows, blackbirds, hawks, owls, eagles, and birds of prey. \* \* \* Any person violating any of the provisions of this act shall be deemed guilty of a misdemeanor, and, upon conviction thereof, shall be fined in any sum \* \* \* not less than three dollars, nor more than ten, for each nest of eggs destroyed as aforesaid, together with the costs of prosecution. (Act of February 23, 1885, sections 3 and 6.)

*California.*—No law bearing on the question.

*Colorado.*—No person shall kill, ensnare, net, or trap, within this State, any \* \* \* sparrow \* \* \* or other insectivorous birds. \* \* \* Any person who shall violate any of the provisions of the first section of this act shall be guilty of a misdemeanor, and upon conviction thereof shall be fined in a sum not less than five dollars, nor more than fifty dollars, with costs of suit, and shall be prosecuted and punished in the same manner as in other cases of misdemeanor. One-half of the fine in such cases shall be paid to the person informing against such offender, and the other half to the treasurer of the county in which the offense was committed, and become a part of the school fund. \* \* \* (Laws, chap. XLV, sections 1 and 2.)

*Connecticut*.—Every person who shall kill, cage, or trap any \* \* \* sparrow \* \* \* between the first days of February and September in any year, shall forfeit one dollar for each bird so killed, caged, or trapped, to him who shall sue therefor. (G. S., 1875, 229, section 4.)

*Dakota*.—No law bearing on the question.

*Delaware*.—If any person within either of the counties of this State shall kill, take, or destroy, upon lands not owned by himself, any of the following birds, viz: \* \* \* sparrow \* \* \* or other insectivorous bird, or shall willfully take or destroy the eggs or nest of any of the aforesaid birds, such person shall be deemed guilty of a common nuisance, and, upon conviction thereof before any justice of the peace in this State, shall be fined one dollar for each bird so killed, taken, or destroyed, or for each nest of birds' eggs take nor destroyed as aforesaid; and every person having such bird in his possession shall be deemed to have taken, killed, or destroyed the same in violation of the provisions of this section, unless the contrary be proved; and if such person shall fail or refuse to pay such fine and all costs immediately, the said justice shall forthwith commit him to the custody of the sheriff until the same are paid; one-half of said fine for the use of the State, and the other half for the informer.

If any person or persons shall enter upon any lands not owned by himself, with gun and dog, or with gun alone, for the purpose of shooting any kind of birds or game, without first obtaining permission to do so by the owner or occupant, he shall forfeit and pay a fine of five dollars. \* \* \* (Laws of 1874, chapter 55, sections 15, 16.)

*District of Columbia*.—No person shall kill or expose for sale, or have in his or her possession dead, at any time any \* \* \* sparrow \* \* \* or any other insectivorous bird, save as herein provided, under a penalty of two dollars for each bird killed or in possession dead. (Act of June 15, 1878.)

*Florida*.—No law bearing on the question.

*Georgia*.—No law bearing on the question.

*Idaho*.—No law bearing on the question.

*Illinois*.—No person shall at any time within this State kill, or attempt to trap, net, ensnare, destroy or kill, any \* \* \* sparrow \* \* \* nor rob or destroy the nests of such birds or either or any of them. And any person so offending shall, on conviction, be fined the sum of five dollars for each and every bird so killed, and for each and every nest robbed or destroyed: *Provided*, That nothing in this section shall be construed to prevent the owner or occupant of lands from destroying any of the birds herein named on the same, when deemed necessary for the protection of fruits or property. (Revised Statutes, 1874, chapter 61, section 3.)

*Indiana*.—Whoever kills or injures, or pursues with intent to do so, any \* \* \* sparrow \* \* \* or wantonly destroys or disturbs the eggs of any such birds, shall be fined not more than ten dollars nor less than one dollar. (Revised Statutes, 1881, section 2108.)

*Indian Territory*.—No law bearing on the question.

*Iowa*.—If any person kill, trap, ensnare, or in any manner destroy, any of the birds of this State, excepting birds of prey, the migratory aquatic birds, and those which are useful for food, and the killing of which at certain seasons of the year is now permitted by law, or in any manner destroy the eggs of such birds as are hereby intended to be protected from destruction, he shall be deemed guilty of a misdemeanor, and, on conviction thereof, shall be fined not less than five nor more than twenty-five dollars. \* \* \* (Statutes, 1880, section 4063.)

*Kansas*.—It shall be unlawful for any person or persons at any time, excepting as hereinafter provided, to catch, kill, trap, shoot, or ensnare, or to pursue with such intent, any wild bird except the wild goose, duck, hawk, excepting the harrier, crow, bluejay, snipe, curlew, plover, piper, bittern, heron, crane, and woodpecker. \* \* \* Any person found guilty of violation of any of the provisions of this act shall be

deemed  
peace sh  
each an  
shall be

*Kent*  
or have  
row \*  
destruct  
fence.

That  
save ou  
under a

*Louis*  
session  
cept wh  
of not le

No per  
only tho  
der a pe  
(Laws of  
*Maine*.

known  
hawks e  
such bird  
evidence

Whoev  
of any w  
such nest  
said your  
nest, egg  
23, 24.)

*Marya*  
*Massac*

except E  
or eggs o  
protection  
section 4.

*Michig*  
lic Acts

SEC. 1.  
the birds

SEC. 2.  
tion, are

This ac  
Approv

AN ACT  
(Act No.

SEC. 1.  
habitant

ship, vill  
for each

vided.

SEC. 2.  
head the

lage, or

deemed guilty of a misdemeanor, and upon conviction thereof before a justice of the peace shall be fined in a sum not less than five nor more than twenty-five dollars for each and every offense, and costs, together with attorney's fee of ten dollars, and shall be committed until paid. \* \* \* (Laws of 1885, chapter 45, sections 1 and 5.)

*Kentucky.*—That no person shall at any time catch, kill, or pursue with such intent or have in possession after the same has been caught or killed, any \* \* \* sparrow \* \* \* or other song or insectivorous bird, except where the same shall be destructive to the fruit or grain crops, under a penalty of three dollars for each offense.

That no person shall rob or destroy the nests or eggs of any wild bird whatsoever, save only those of a predatory nature and destructive of game or insectivorous birds, under a penalty of five dollars for each offense. (Act of March 11, 1876, sections 9, 10.)

*Louisiana.*—No person shall catch, kill, or pursue with such intent, or have in possession after the same has been caught or killed, any \* \* \* sparrow \* \* \* except when the same shall be destructive to the fruit or grain crop, under a penalty of not less than five nor more than twenty-five dollars for each offense.

No person shall rob or destroy the nest or eggs of any wild bird whatsoever, save only those of a predatory nature, and destructive of game or insectivorous birds, under a penalty of not less than five nor more than twenty-five dollars for each offense. (Laws of 1877.)

*Maine.*—Whoever kills or has in his possession, except alive, any birds, commonly known as \* \* \* sparrows \* \* \* or other insectivorous birds, crows and hawks excepted, forfeits not less than one dollar, nor more than five dollars, for each such bird killed, and the possession by any person of such dead bird is prima facie evidence that he killed such bird.

Whoever at any time wantonly takes or destroys the nest, eggs, or unfledged young of any wild bird, except crows, hawks, and owls, or takes any eggs or young from such nests, except for the purpose of preserving the same as specimens, or of rearing said young alive, forfeits not less than one dollar nor more than ten dollars for each nest, egg, or young so taken or destroyed. (Revised Statutes, chapter 30, sections 23, 24.)

*Maryland.*—No law bearing on the question.

*Massachusetts.*—Whoever takes or kills any wild or undomesticated bird \* \* \* except English Sparrows \* \* \* or willfully destroys, disturbs, or takes a nest or eggs of any wild or undomesticated birds, except of the birds herein exempt from protection, shall be punished by a fine of ten dollars. (Laws of 1886, chapter 276, section 4.)

*Michigan.*—An act to authorize the killing of "English Sparrows." (Act No. 4, Public Acts of 1885, p. 4.)

SEC. 1. The people of the State of Michigan enact, That it shall be lawful to kill the birds commonly called "English Sparrows."

SEC. 2. All acts heretofore passed, contrary to the provisions of the preceding section, are hereby repealed.

This act is ordered to take immediate effect.

Approved February 17, 1885.

AN ACT to provide for the payment of bounties for the killing of English Sparrows. (Act No. 29, Laws of 1887, p. 29.)

SEC. 1. The people of the State of Michigan enact, That every person, being an inhabitant of this State, who shall kill an English Sparrow, in any organized township, village, or city in this State, shall be entitled to receive a bounty of one cent for each Sparrow thus killed, to be allowed and paid in the manner hereinafter provided.

SEC. 2. Every person applying for such bounty shall take such Sparrow, or the head thereof, in lots of not less than twenty-five, to the clerk of the township, village, or city within which such Sparrow shall have been killed, who shall thereupon



decide upon such application, and if satisfied of the correctness of such claim, shall issue a certificate stating the amount of bounty to which such applicant is entitled, and deliver the same to said applicant, and shall destroy the heads of such Sparrows.

SEC. 3. Such certificate may be presented by the claimant or his agent to the county treasurer of the county in which such Sparrow or Sparrows may have been killed, who shall pay the same out of the contingent fund of said county.

This act is ordered to take immediate effect.

Approved March 15, 1887.

*Minnesota.*—No law bearing on the question.

*Mississippi.*—If any person shall at any time \* \* \* destroy or rob the nest of any wild bird whatever, except crows, blackbirds, bluejays, hawks, owls, and other birds of prey \* \* \* or shall have in his possession, or shall sell or buy, or offer or expose for sale, or receive for transportation or carriage, or on deposit, or for sale, or for any other purpose, any of the eggs of any wild bird, except those above excepted \* \* \* he shall on conviction be fined not more than one dollar for each egg, and not more than three dollars for each fowl or bird \* \* \* one-half of which on recovery shall be paid to the informer \* \* \* (Revised Code, 1880, chapter 29, section 955.)

*Missouri.*—It shall be unlawful for any person to catch, kill or injure, or attempt to catch, kill or injure any wild song bird, or any \* \* \* insectivorous bird at any season of the year \* \* \* and it shall be unlawful for any person at any time or season to disturb, rob or destroy any wild bird's nest, or take therefrom any egg or eggs of any wild bird whatsoever.

The provisions of section one shall not apply to any person who shall kill any bird on his own premises in the act of destroying fruits, grapes, or honey-bees \* \* \*

Any person who shall violate any of the provisions of this act, shall, upon conviction, be adjudged guilty of a misdemeanor, and punished by fine not exceeding twenty dollars for each and every animal and bird caught, killed or injured. \* \* \* (Act of April 11, 1877, sections 1, 2, and 5.)

*Montana.*—Any person who shall willfully shoot, or otherwise kill or in any manner whatever cause to be killed, any robin \* \* \* or any other of the small birds known as singing birds, shall be deemed guilty of a misdemeanor, and upon conviction thereof shall be fined in any sum not less than five nor more than ten dollars for each offense committed.

Any person who shall willfully destroy the nests or carry away the eggs from the nests of any of the birds or wild fowl mentioned in this act, shall be deemed guilty of a misdemeanor, and upon conviction thereof shall be fined in any sum not less than five dollars, nor more than ten dollars for each offense committed. (Act of March 8, 1883, sections 7 and 8.)

*Nebraska.*—It shall be unlawful for any person in the State of Nebraska to knowingly and intentionally kill, injure or harm, except upon the lands owned by such person, any \* \* \* sparrow \* \* \* or other bird or birds of like nature, that promote agriculture and horticulture by feeding on noxious worms and insects, or that are attractive in appearance or cheerful in song. Any person violating any of the provisions of this section shall be fined not less than three nor more than ten dollars for each bird killed, injured or harmed. (Compiled Statutes, 1884, chapter 11, section 83.)

*Nevada.*—It shall be unlawful for any person or persons at any time to kill or injure, or to pursue with such intent, any \* \* \* sparrow \* \* \* or to disturb the nest or eggs of said bird.

It shall be unlawful for any person or persons within this State at any time to \* \* \* destroy, injure or disturb the nest or eggs of any of the birds protected by this act.

Every person or persons offending against any of the provisions of this act shall be deemed guilty of a misdemeanor, and on conviction thereof shall be fined in any sum not less than twenty-five dollars, nor more than two hundred dollars, or imprisoned

in the  
ceedin  
ness sh  
impose  
New  
stroy a  
birds o  
every s  
days, o  
If an  
any of  
every e  
lar . to  
New  
solidat  
the sup  
SECT  
constru  
shall be  
SEC. 5  
be, and  
Appro  
(Supp  
New  
New  
SECT  
net, sh  
any \*  
SEC. 2  
wild bir  
SEC. 6  
among t  
intention  
laws of  
SEC. 7  
deemed  
penitent  
than ten  
SEC. 8  
recovery  
treasure  
mitted i  
the chan  
SEC. 9  
this act,  
SEC. 1  
North  
Ohio.—  
any swa  
stroys th  
dollars,  
1884, sec  
AN A  
rows.  
SECTIO  
person, L

in the county jail of the county in which said conviction is had, for any term not exceeding six months, or by both such fine and imprisonment, and the prosecuting witness shall be entitled to receive a fee equal to one-half of the amount of any such fine imposed on each conviction. (Laws of 1885, chapter 788, sections 1, 3, 7.)

*New Hampshire.*—If any person shall, at any season of the year, take, kill, or destroy any of the birds called \* \* \* sparrows \* \* \* or any other of the song birds or insectivorous birds, he shall be punished by a fine of five dollars for each and every such bird so taken, killed, or destroyed, or by imprisonment not exceeding thirty days, or both. \* \* \*

If any person shall designedly take from the nest and destroy the eggs or young of any of the birds called \* \* \* sparrows \* \* \* he shall forfeit and pay, for every egg or young of any of said birds so taken and destroyed, the sum of two dollars, to the use of the prosecutor. (Game Laws, 1886, chapter 2, sections 1, 5.)

*New Jersey.*—A further supplement to an act entitled "An act to amend and consolidate the several acts relating to game and game fish, approved March 27, 1874, and the supplement thereto, approved March 8, 1877.

SECTION 1. That nothing in the act to which this is a supplement shall hereafter be construed as applying to the English Sparrow, and that all said English Sparrows shall be excluded from any protection whatever.

SEC. 2. That all acts and parts of acts inconsistent with the provisions of this act be, and the same are hereby, repealed.

Approved March 9, 1885.

(Supplement to Revision of Statutes of New Jersey, 1887, p. 315.)

*New Mexico.*—No law bearing on the question.

*New York.*—Laws of 1886, chapter 427.

SECTION 1. No person in any of the counties of this State, shall kill, wound, trap, net, snare, catch with bird lime, or with any similar substance, poison or drug, any \* \* \* wild bird, other than a game bird. \* \* \*

SEC. 2. No person shall take or needlessly destroy the nest or eggs of any song or wild bird.

SEC. 6. The English or European House Sparrow (*Passer domesticus*) is not included among the birds protected by this act, and it shall be considered a misdemeanor to intentionally give food or shelter to the same. \* \* \* (As amended by chapter 641, laws of 1887.)

SEC. 7. Any person or persons violating any of the provisions of this act shall be deemed guilty of a misdemeanor, punishable by imprisonment in the county jail or penitentiary, of not less than five nor more than thirty days, or to a fine of not less than ten or more than fifty dollars, or both, at the discretion of the court.

SEC. 8. In all actions for the recovery of penalties under this act, one-half of the recovery shall belong to the plaintiff, and the remainder shall be paid to the county treasurer of the county where the offense is committed, except if the offense be committed in the city and county of New York, the remaining one-half shall be paid to the chamberlain of said city.

SEC. 9. All acts or parts of acts inconsistent with, or contrary to the provisions of this act, are hereby repealed.

SEC. 10. This act shall take effect immediately.

*North Carolina.*—No law bearing on the question.

*Ohio.*—Whoever, at any time, catches, kills or injures, or pursues with such intent, any swan, sparrow, other than English Sparrow, robin \* \* \* or disturbs or destroys the eggs of any such birds, shall be fined not more than fifty, nor less than two dollars, or imprisoned not more than thirty days, or both. (Revised Statutes, 1884, section 6960, as amended by act of April 19, 1883.)

AN ACT to provide for the payment of Bounties for the killing of English Sparrows.

SECTION 1. *Be it enacted by the General Assembly of the State of Ohio,* That every person, being an inhabitant of this State, shall be entitled to receive a bounty of ten

cents per dozen for all sparrows, known as the English Sparrow, killed; to be allowed and paid in the manner hereinafter provided.

SEC. 2. Every person applying for such bounty, shall take such sparrow or the head thereof in lots of not less than 25 to the clerk of the township, village or city, within which such sparrow shall have been killed, who shall thereupon decide upon such application, and if satisfied of the correctness of such claim, shall issue a certificate stating the amount of bounty such applicant is entitled [to], and deliver the same to such applicant, and shall destroy the heads of such sparrows.

SEC. 3. Such certificate may be presented by the claimant or his agent, to the city treasurer, or the treasurer of the township in which such sparrows may have been killed, who shall pay the same out of the township fund of said township.

SEC. 4. This act shall take effect and be in force from and after its passage.

Passed March 30, 1888.

Oregon.—No law bearing on the question.

Pennsylvania.—An act to permit the killing at any season of the year of the small bird known as the English Sparrow.

SECTION 1. *Be it enacted, &c.*, That from and after the passage of this act, it shall be lawful, at any season of the year, to kill or in any way destroy the small bird commonly known as the English Sparrow.

SEC. 2. All acts or parts of acts inconsistent herewith are hereby repealed.

Approved the 4th day of June, A. D. 1883.

Rhode Island.—Public laws passed at the January session, 1887, chapter 642. An act in amendment of chapter 94 of the public statutes, "Of Birds."

It is enacted by the General Assembly as follows:

SEC. 1. Section 5 of chapter 94 of the public statutes is hereby amended so as to read as follows:

"SEC. 5. All \* \* \* English Sparrows \* \* \* may be killed, taken or destroyed at any time of year."

SEC. 2. This act shall take effect immediately.

South Carolina.—It shall not be lawful for any person in this State to wantonly shoot, or entrap for the purpose of killing, or in any other manner destroy any bird whose principal food is insects, or take or destroy the eggs or young of any of the species or varieties of birds represented by the several families of bats \* \* \* and all other species and varieties of land birds, whether great or small, of every description, regarded as harmless in their habits, and whose flesh is unfit for food, including the turkey buzzard \* \* \* and any person violating the provisions of this section shall on conviction thereof forfeit and pay a fine of ten dollars, which fine, if imposed, shall go one-half to the informer, and the other half thereof to the use of the county in which the offense was committed: Provided, That no person shall be prevented from protecting any crop of fruit or grain on his own lands from the depredations of any birds herein intended to be protected. (Laws of 1882, section 1695.)

Tennessee.—[No single act affords general protection to the English Sparrow in Tennessee, but there are several sections of the State code which relate to sparrows and other birds in certain counties and groups of counties, of which the following are specimens:]

SEC. 2223. No person shall hunt, capture, or kill any \* \* \* bird that feeds on insects which destroy fruit trees, as the sparrow \* \* \* in Robertson, Davidson, Lincoln, Maury, and Shelby Counties, from the first day of February to the first day of September. \* \* \*

SEC. 2224. No person shall at any time destroy the nests or eggs of any of said birds in any of the counties named in the last section.

SEC. 2225. Any person violating sections 2223, 2224 may be prosecuted therefor before any justice of the county; and upon conviction fined \* \* \* five dollars for every \* \* \* of the above-named birds killed, and the same for every bird's nest robbed and destroyed. \* \* \* (1884.)

Texa  
sparro  
before  
a sum  
(Ger  
sequer  
the la  
Utah  
Fern  
entrap  
eggs of  
tion of  
Vermor  
Virgi  
Wash  
West  
jure, or  
And i  
birds p  
ing pro  
more th  
be impr  
tion of  
It sha  
game m  
ing, kill  
the prov  
chapter  
1884, ch  
Wisco  
ret, sna  
purposes  
of in an  
paymen  
lars for  
lection  
treasure  
the info  
Wyon

*Texas.*—If any person shall willfully kill, or in any manner injure, any \* \* \* sparrow \* \* \* he shall be deemed guilty of a misdemeanor, and, upon conviction before a justice of the peace, or other court of competent jurisdiction, he shall be fined a sum of not less than five nor more than fifteen dollars.

(General laws of 1883; amendment of art. 429 of penal code. Amendments to subsequent articles of the code exempt a large number of counties from the operation of the law quoted.)

*Utah.*—No law bearing on the question.

*Vermont.*—A person who intentionally shoots or otherwise wounds, kills or destroys, entraps, ensnares, or captures a \* \* \* sparrow \* \* \* or destroys the nest or eggs of any of said birds, shall forfeit ten dollars, which may be recovered in an action of debt, with costs, by any person who sues for the same. (Revised laws of Vermont, sec. 3896.)

*Virginia.*—No law bearing on the question.

*Washington Terr.*—No law bearing on the question.

*West Virginia.*—It shall be unlawful for any person at any time to catch, kill, or injure, or to pursue with such intent, any \* \* \* sparrow \* \* \*.

And it shall be unlawful for any person to destroy or disturb the eggs of any of the birds protected by this chapter; and any person offending against any of the foregoing provisions of this chapter shall be fined in any sum not less than two dollars nor more than twenty-five dollars for each offense on conviction in the proper court, or be imprisoned in the county jail not more than twenty days, or both, at the discretion of the court, and pay the costs of prosecution.

It shall be unlawful for any person to purchase or offer for sale any of the birds or game mentioned in this chapter, caught or killed during the time when such catching, killing, or destroying is made unlawful hereby. Any person offending against the provisions of this section shall be liable to the same penalty as is provided in this chapter for catching, killing, or destroying such birds or game. (Amended Code, 1884, chapter 62, sections 10, 12, 14.)

*Wisconsin.*—That any person who shall shoot, kill, or catch by means or use of any net, snare, trap, gin, or spring-gun any \* \* \* sparrow \* \* \* for millinery purposes shall be deemed to be guilty of a misdemeanor, and upon conviction thereof in any court of competent jurisdiction within this State shall be punished by the payment of a fine not exceeding the sum of one hundred dollars nor less than five dollars for each offense, to be collected as provided by the laws of this State for the collection of fines. One-half of such fine when collected shall be paid to the county treasurer, and by him paid into the school fund; the remaining half shall be paid to the informer. (Laws of 1887, chapter 413.)

*Wyoming.*—No law bearing on the question.

## SECTION FOURTH

## DESTRUCTION OF THE SPARROW BY POISONS.

By Dr. A. K. FISHER, *Assistant Ornithologist.*

From time to time numerous letters of inquiry have been received by the Department asking for detailed instructions in regard to the destruction of English Sparrows by poisons. So few reliable facts could be procured on the subject that it was found necessary to conduct a series of experiments in order to obtain the desired information. It was important to determine not only what poison is most efficient and best adapted for the purpose, but also the most economical poison, the quantity necessary for use, and the simplest practicable method of preparation. With these objects in view a large number of healthy English Sparrows were secured and confined in large cages. They were given an abundance of food and water during the time covered by the experiments, so that they might not be forced from hunger to partake of the poisoned grain.

THE POISONS USED IN EXPERIMENTS AND THE FORMULÆ FOR THEIR PREPARATION.

The following poisons were used in the experiments: Strychnine; arsenic; corrosive sublimate.

Of strychnine, two preparations were used: Crystals of strychnine; tincture of nux vomica.

Of arsenic the following preparations were used: Arsenious oxide (white arsenic); arsenite of copper (Paris green); arsenite of calcium (London purple); arseniate of soda; liq. potassii arsenitis (Fowler's solution).

The results of these experiments have led to the recommendation of the following formulæ as simple, efficacious, and inexpensive:

**ARSENIC.**—One part by weight of *white arsenic* to fifteen parts of corn-meal or grain. Paris green and London purple would be just as valuable as white arsenic except for their bright color, which arouses the Sparrow's suspicions.

*Directions:* If *corn-meal* is used, the arsenic should be stirred in dry, and the mixture afterward moistened. It should be fed moist. If *whole grain* is used, it should be moistened before stirring in the arsenic. It will be found advantageous to add a little gum arabic to the water used to moisten the grain, as it causes the poison to adhere more firmly to the kernels. It should be dried before using. Wheat is preferable to all other grain, because the Sparrows feed upon it more eagerly.

**STRYCHNINE.**—Dissolve 2 grams of strychnine in a liter of hot water. Ordinarily, strychnine is put up in bottles containing  $\frac{1}{2}$  ounce. Half of the contents of one of these bottles, dissolved in a quart of hot water, gives a solution of the desired strength.

*Directions:* To insure the best results it is necessary to soak the grain in the poison solution at least forty-eight hours. It should then be dried. Grain prepared in this way may be kept in jars, to be used as required.

*Corrosive sublimate, cyanide of potassium, phosphorus, and a number of other poisons, although efficient, can not be recommended on account of the danger attending their use.*

#### COST OF POISONED GRAIN.

*Arsenic* costs about seven or eight cents per pound and four pounds will poison a bushel of wheat (60 pounds), so that a bushel of arsenic-poisoned wheat would cost from a dollar to a dollar and a quarter, according to the price of wheat, and corn-meal poisoned in like manner would cost about the same. This amount of poison, however, is much larger than most persons would need to use, and probably would be sufficient to kill more than twenty-five thousand Sparrows.

*Strychnine* is much more expensive than arsenic, but ordinarily an ounce of strychnine should not cost more than \$2. An ounce of strychnine dissolved in four gallons of water suffices to poison a bushel of wheat, which will cost, therefore, from \$2.75 to \$3, according to the price of wheat.

An ounce of average winter wheat contains about seven hundred kernels. A quart (30 ounces) contains about twenty-one thousand kernels. A bushel (60 pounds) contains about six hundred and seventy-two thousand kernels. Six or seven kernels poisoned as above would be amply sufficient to kill a Sparrow, and hence a bushel of strychnine-poisoned wheat is enough to kill one hundred thousand Sparrows.

#### GENERAL SUGGESTIONS.

In dealing with as suspicious a bird as the English Sparrow, in cases where the continued use of the poison is required, a slow poison (such as arsenic) is preferable to one of rapid action (such as strychnine), for the reason that the effects of the latter may become apparent in certain individuals while the birds are still feeding, the peculiar actions of the affected birds frightening the others away before they have taken enough of the poisoned grain to insure fatal results. In such cases it has been observed that the frightened birds never return to the grain.

Before putting out poison for Sparrows, the birds should be baited to a certain locality. At the same hour each day they should be fed with the same kind of grain that subsequently is to be used as the vehicle for the poison.

#### PRECAUTIONS.

In the use of poisons the utmost caution is necessary to prevent the possibility of accident from the poison itself or from the grain employed as a vehicle for the poison. The following precautions should be observed: (1) All vessels containing poison or poisoned grain, and those in which the same are mixed, should be labeled with the word *poison* in large letters; (2) all vessels containing poison or poisoned grain should be kept out of reach of children and domesticated animals; (3) in pre-

paring and exposing poisoned grain, great care should be taken to avoid spilling any of it where it might be found by children, farm animals, or poultry.

Another possible source of danger in the use of poisons, and one that is much less easy to guard against, arises from the fact that the bodies of the poisoned birds are liable to fall where they may be picked up and eaten by man or beast. However, very little real danger is to be apprehended from this source.

#### SYNOPSIS OF EXPERIMENTS.

Following is a brief synopsis of the experiments in poisoning made by the Division:

##### EXPERIMENTS WITH STRYCHNINE.

No. 1 (1 bird).—Fed on wheat, soaked one and one-half hours in a solution of strychnine (.65 of a gram to 30 c. c. of cold water) and dried. Bird commenced eating at 1.16 p. m. At 1.27 p. m. showed first symptoms. At 3.10 p. m. it had apparently nearly recovered. Next morning it was dead. Stomach and crop contained 9 kernels of wheat.

No. 2 (1 bird).—Fed on hemp seed soaked twenty-four hours in a solution of strychnine (.325 of a gram to 30 c. c. of cold water) and dried. Bird commenced eating at 11.35 a. m.; died at 12.20. Crop contained 3 shelled hemp seed; stomach none.

No. 3 (3 birds).—Fed on hemp seed soaked twenty-four hours in a solution of strychnine (.65 of a gram to 30 c. c. of cold water) and dried. Commenced feeding at 12.15 (it is impossible to say that all three commenced at that time). Bird No. 1 died at 12.42. Crop contained 3 shelled hemp seeds; none in stomach. Bird No. 2, at about 1 o'clock, showed first symptoms while eating; at 3.10, however, it had partially recovered. It was dead the next morning. Stomach and crop contained 4-5 kernels. Bird No. 3 ate the poisoned hemp seed and non-poisoned wheat until 3.10 p. m., seemingly without bad results. It was dead next morning. Three kernels of hemp seed were all that could be discovered in the stomach and crop, which contained also 10-12 kernels of non-poisoned wheat.

No. 4 (2 birds).—Fed on wheat soaked forty-five hours in a solution of strychnine (.325 of a gram to 30 c. c. of cold water) and dried. Commenced eating at 10.20; both dead at 11.05. Each had eaten 3 kernels of wheat.

No. 5 (1 bird).—Fed same as above. Commenced eating at 12.30, died at 1.14 p. m. Stomach contained wheat partially digested; nothing in crop.

No. 6 (1 bird).—Fed on oats soaked twenty hours in a solution of strychnine (.65 of a gram to 30 c. c. of cold water) and not dried. Bird commenced eating about 11 o'clock, but seemed not to relish the food. At 11.20 the bird was unsteady in its movements, but at 3.45 it was in good condition. Next morning had wholly recovered; probably did not eat enough of the poisoned grain.

No. 7 (2 birds).—Fed on non-poisoned hemp seed and wheat, and given water to drink containing .325 of a gram of sulphate strychnine to 30 c. c. of water. Four hours afterward they were visited and both were found dead and cold.

No. 8 (5 birds).—Fed on wheat soaked for forty-eight hours in a solution of strychnine (.16 of a gram to 30 c. c. water). Commenced eating at 11.15 a. m. At 1.45 p. m. two were dead. At 2 p. m. the third was dead. At 3 p. m. the fourth was dead. The last was found dead the next morning.

No. 9 (2 birds).—Fed on wheat soaked for forty-eight hours in solution of strychnine (.065 of a gram to 30 c. c. of water). Commenced eating at 10 a. m. First bird died at 10.45. Its stomach and crop contained 10 kernels of wheat. At 11.10 the second bird died. Its crop contained 4 kernels; stomach empty.

No. 10  
(.03 of a  
bird was  
morning  
tion wou

No. 11  
vomica a  
symptom  
4 kernels  
1.10 p. m

EXPERIM

No. 12 (1  
(in water  
First bird  
2 kernels

No. 13 (1  
little wat  
good spiri

No. 14 (1  
affected at

No. 15 (3  
3 p. m. tw  
Stomachs

No. 16 (1  
Commence  
Second bir

No. 17 (1  
of arseniat  
recovered.

No. 18 (1  
arseniate o  
Stomach a

No. 19 (3  
grams to 30  
bird dead a  
at 2.35 p. m

EXT

No. 20 (2  
of arsenic  
both dead

No. 21 (1  
ple (15 to 1  
NOTE.—V  
periment).

84



No. 10 (5 birds).—Fed on wheat soaked forty-eight hours in solution of strychnine (.03 of a gram to 30 c. c. water). Commenced eating at 1 p. m. At 2 p. m. the first bird was dead and another badly affected, but recovered. Two were dead next morning. The fifth bird was not affected; probably did not eat enough. This solution would seem to be too weak to give certain results.

## EXPERIMENT WITH TINCTURE OF NUX VOMICA.

No. 11 (3 birds).—Fed on wheat soaked twenty-four hours in tincture of nuxvomica and dried. At 10.30 a. m. one bird eating; at 10.55 affected; at 1.15 p. m. symptoms passing off; recovered. At 1.15 p. m. second bird dead; stomach contained 8 kernels of wheat; crop empty. Another bird commencing to eat at 11 a. m. died at 1.10 p. m.; stomach contained 4 kernels of wheat; crop none.

## EXPERIMENT WITH CORROSIVE CHLORIDE OF MERCURY (CORROSIVE SUBLIMATE).

No. 12 (2 birds).—Fed on wheat soaked twenty-four hours in a saturated solution (in water) of corrosive sublimate and dried. Birds commenced to eat at 10.30 a. m. First bird died at 1.15 p. m.; stomach and crop empty. Second bird died at 3 p. m.; 2 kernels of wheat in stomach; crop empty.

## EXPERIMENTS WITH WHITE ARSENIC.

No. 13 (1 bird).—Fed on Indian meal and white arsenic (15 to 1) mixed with a little water. Commenced to eat immediately (9.45 a. m.). At 3.45 p. m. bird still in good spirits. Dead next morning; stomach and crop empty.

No. 14 (1 bird).—Fed same as No. 13. Commenced to eat at 9.30 a. m.; badly affected at 2 p. m.; dead at 2.54 p. m. Stomach and crop empty.

No. 15 (3 birds).—Fed same as Nos. 13 and 14. Commenced to eat at 8.45 a. m. At 3 p. m. two affected, and one seemed in good spirits. All were dead next morning. Stomachs and crops empty.

No. 16 (2 birds).—Fed on Indian meal and white arsenic (15 to 2), and moistened. Commenced to eat at 10.30 a. m. First bird died at 3 p. m.; stomach and crop empty. Second bird affected at 3.20; dead next morning.

## EXPERIMENTS WITH ARSENATE OF SODA.

No. 17 (1 bird).—Fed on hemp-seed soaked one and one-half hours in a solution of arsenate of soda (1.56 grams to 30 c. c. water) and dried. The bird ate freely, but recovered.

No. 18 (1 bird).—Fed on hemp-seed soaked one and one-half hours in a solution of arsenate of soda (2.10 grams to 30 c. c. water) and dried. Dead (time not taken). Stomach and crop contained 12 hemp-seed.

No. 19 (2 birds).—Fed on wheat soaked in a solution of arsenate of soda (2.10 grams to 30 c. c. water) three hours and dried. Commenced to eat at 9.30 a. m. First bird dead at 10.35 a. m.; crop empty; stomach contained 4 kernels. Second bird dead at 2.35 p. m.; crop and stomach empty.

## EXPERIMENT WITH LIQUOR POTASSI ARSENITIS (FOWLER'S SOLUTION).

No. 20 (2 birds).—Fed on wheat soaked for seventy-two hours in Fowler's solution of arsenic (liquor potassi arsenitis). Commenced eating at 10 a. m.; lively at 1 p. m.; both dead next morning.

## EXPERIMENTS WITH ARSENITE OF CALCIUM (LONDON PURPLE).

No. 21 (1 bird).—One hungry bird exposed to ground hemp-seed and London purple (15 to 1) for five hours, but would not touch it on account of its marked color.

NOTE.—When mixed with whole grain the color is not so conspicuous (see next experiment).

No. 22 (3 birds).—Fed on wheat and London purple (15 to 1) stirred up with a little gum-arabic water and then dried. Commenced eating at 9.45 a. m. First one dead at 3.30 p. m.; stomach and crop empty. Second and third badly affected at 3.30 p. m.; dead next morning; stomach and crop empty.

#### EXPERIMENTS WITH ARSENITE OF COPPER (PARIS GREEN).

No. 23 (3 birds).—Three hungry birds exposed to ground hemp-seed and Paris green for four hours, and refused to eat it on account of its bright color.

No. 24 (3 birds).—Fed on wheat and Paris green (15 to 1) stirred up with a little gum-arabic water and then dried. Commenced to eat at 9.45 a. m. First bird dead at 3.30 p. m.; stomach and crop empty. Second and third birds badly affected at 3.30 p. m.; dead next morning; stomachs and crops empty.

### SECTION FIFTH.

#### THE TRAPPING OF SPARROWS FOR SPORTING PURPOSES.

By W. T. HILL.

#### HISTORY AND DETAILS OF THE BUSINESS.

Previous to April of this year (1887), I did not make an exclusive business of furnishing Sparrows for trap purposes, and kept no detailed account of the business done. Therefore it will be impossible to give other than approximate numbers taken and shipped, but for present purposes this will not matter. The number taken daily or monthly depends upon the season; the average number per day for one man would be about 100, the largest number taken in one day being 366.

I have sent Sparrows to a number of places in Indiana, Ohio, and Illinois. The farthest I have sent them north was to Hudson, Wis.; west, to Kearney, Nebr.; east, to Orange Valley, N. J.; and south, to Saint Louis, Mo. I have also sent them to several points in Iowa, the largest shipment made (1,500) being to Burlington, and I have sent them into the States of New York, Pennsylvania, Maryland, West Virginia, and Michigan, but to no point so far as I know where Sparrows were not already established.

My first shipment of Sparrows for sporting purposes consisted of two lots of two hundred each to Springfield, Ohio, and two lots, one of one hundred and fifty and one of six hundred and fifty, to Saint Louis, Mo., in the fall of 1885, which is less than two years ago, and Sparrows were very plentiful at both places then.

The first Sparrows in Indianapolis were two pairs sent to a gentleman by Richie Brothers, of New York, as a curiosity which accidentally escaped from the cage. About the same time (1882) several hundred were procured and released by private individuals. Soon after this, when they had become somewhat numerous, it is reported that train men would close the doors of empty grain cars, into which the Sparrows had entered, carry them to a distance on the road, and then release them.

In 187-  
fifty) fe  
either o  
them o

Apa  
distrib  
have u  
killed;  
in the l

From  
when t  
were ta  
by bein  
increas  
nomadi  
in many

This  
young l  
birds in  
every a  
the ren  
of man

It is a  
Sparrow  
row keep  
such pla  
The Spa  
places, a  
is natur

My fa  
appeara  
it handy  
birds he  
way he

The S  
tions an  
it has fir  
live in t  
acres, of  
two roun  
ting. A  
cases co  
open cle  
I caught  
make it  
he sowe

In 1874-'75 I caught a few (all together perhaps three hundred and fifty) for propagation elsewhere. Of these I have no data, for they were either disposed of through the medium of the bird-store, or those getting them of me either took them or sent them away themselves.

Apart from this I do not think I am in anyway responsible for the distribution of the Sparrow, and from the scores sent me by those who have used them for trap shooting I find about seventy per cent. are killed; therefore the escaping birds have added, as it were, but a "drop in the bucket" to the number already there.

From observations made in catching them I believe that at the time when the propagation of the Sparrow was so strongly advocated, they were taken by enthusiasts in small numbers to this and that place, and by being unmolested, through the protection of stringent laws, they increased in numbers rapidly; their range, in consequence of their nomadic, gregarious habits, becoming wider each successive year, until in many instances the birds from different points have met.

This feature of their "spreading" I find to be especially true of the young birds in the summer and fall, and it also applies to the mature birds in early spring at the approach of the season of nidification. After every available place is monopolized in cities and towns many retire to the remote suburbs, or even to the country, following the habitations of man and the works of civilization.

It is at this season of the year, perhaps, when those who object to the Sparrow can the most effectively keep them away, precisely as the Sparrow keeps the native birds away by monopolizing, prior to their arrival, such places as would be suitable to them in the work of nidification. The Sparrow, with its established maternal cares, protects these nesting places, and the native bird, having less at stake when it first appears, is naturally enough caused to go further on.

My father-in-law, living about eight miles from the city, upon the first appearance of the Sparrow in the spring, at once gets his rifle, and keeps it handy for about a month or more; also in the fall, with the young birds he uses his shot-gun, and by "nipping them in the bud" in this way he suffers no inconvenience or material loss.

The Sparrow, while it appears brave, is nevertheless extremely cautious and mistrustful, and whenever it displays any apparent assurance it has first learned by cautious approaches that there is no danger. I live in the suburbs of the city, and close by is a wheat field of some 50 acres, of which the Sparrows "took possession" last year, and for about two rounds of the machine next the fence it was scarcely worth the cutting. After it was cut the top-sheafs of some of the shocks were in some cases completely ransacked. The renter of the field kindly left me an open cleared place on a knoll in one corner, and in six consecutive days I caught 1,240 Sparrows, and they were still sufficiently plentiful to make it an object for me to catch them there. I advised this renter, if he sowed wheat the following year, to watch the first approach of the

Sparrows to the field at the time the grain began to ripen, and told him that, by keeping vigilance for a few mornings, with the aid of a shotgun they could be caused to turn their attention elsewhere. This was done, and the consequence was that he suffered no perceptible loss, nor did they harbor there in sufficient numbers this season to justify me in trying to catch them. This may have been partly due, however, to the fact that the grain ripened very rapidly, and there were several other wheat-fields within a mile of this one which ripened earlier; yet this particular field was the nearest to the city, and therefore the first for the birds to reach. Yet about the same conditions existed the previous year, and it is my firm opinion that the birds were driven away by this timely interruption.

The buildings of the stock-yards here cover several acres. Above the alleys running in the center of each shed, the roof, in the form of a ventilator, is several feet higher than the sheds proper, and at the point where the rafters end on each side is a casing, which forms a cavity between the rafters about nine inches high, eighteen inches long, and one foot deep, with the front (facing the pens) open. As all the sheds are built alike, there are necessarily thousands of these cavities, which seem to precisely suit the Sparrow to build its nest in. A few years ago they were so numerous there as to be considered a nuisance, both dangerous and dirty, and the employés were often detailed to tear out their nests and destroy all the eggs and young birds possible. But this afforded little relief, as the birds seemed capable of building them up again about as fast as they could be torn out. During last winter I made a net suitable to catch them out of the buildings at night; consequently at the beginning of the breeding season (the first of April) I commenced operations, and continued until the beginning of June. I went, in all, sixteen evenings, and succeeded in taking one thousand three hundred and sixty-four breeding birds (often finding eggs on the floor or shelves of the bird-house after they were put in). These were not all the birds there, and some few may have gone there after I stopped netting, but with what I caught and frightened away the number there this summer has been so strikingly less as to cause no trouble or alarm.

There is an old grave-yard within the city limits which the young birds heretofore have made their principal sleeping-place, and for an hour or two in the evening they would form one dense, continuous line approaching it. I obtained permission from the sexton to catch them there at night, but I commenced too soon, for after going there three times they left, and have not as yet returned. It was so well suited to their requirements that I scarcely expected their desertion of the place, for they have frequented it for years, and I have noticed their droppings under many of the trees so thick as to completely cover the ground.

I have mentioned these few things to show in part a peculiar characteristic of the bird which comes directly under my notice in my efforts to catch it; and if possible to show how the same characteristic may

be taken  
extern  
can be  
if the n  
proper

There  
of good  
their p  
stand-p  
because  
regular  
hurt."

unless s  
ent and  
from a p

I hav  
life, and  
bers, to  
and puz  
my prev  
the utm  
escaped fr  
me, and  
with the  
bird from  
it in this  
and I ha

The no  
bent ove

After  
condition  
principal  
building  
sand, wh  
which ar  
the house  
to one en  
the door

The loss

I have ha

There a  
than the  
operation  
birds, and  
which the  
my efforts

be taken advantage of in the interest of agriculture. While I deem the extermination of the Sparrow practically impossible, still I hold that it can be in a measure suppressed and its devastating pilfering prevented, if the nature of the bird is understood and such efforts are made at the proper time.

There are still a few who think the Sparrows do a greater proportion of good than harm, and I am refused the privilege of catching them on their premises. Some object to the destruction of the Sparrow from the stand-point of religion or humanity, and some (mostly unmarried ladies) because they have become attached to them as pets by feeding them regularly through the winter, and "don't like to see the poor little things hurt." In my judgment all efforts at extermination would be futile unless such efforts were simultaneous and universal, as well as persistent and continuous; otherwise the result would be only to drive them from a place of molestation to one of security.

I have been more or less devoted to bird-catching the whole of my life, and I must say that I have found the Sparrow, considering its numbers, to be the most difficult of all birds to catch. No bird has baffled and puzzled me in its movements as has the Sparrow. In keeping with my previous remarks I will say here that to be successful one must use the utmost care. On one occasion a Sparrow after being caught escaped from the net just as I was about to reach it. It remained near me, and on the approach of other birds, by cries of alarm, or by flying with them and leading them away, it succeeded in keeping almost every bird from the net. I could not frighten it away, but was interrupted by it in this way for upwards of an hour, when some one passed with a gun and I had them shoot it, after which I proceeded as usual.

The net usually used at night is upon two poles, the tops of which are bent over and hinged at the points.

After the birds are caught they very readily adapt themselves to the conditions of confinement, yet never become reconciled to it. Their principal food is feed-meal (corn) and wheat. They are put into a building designed especially for them, capable of holding several thousand, which is provided with innumerable ledges, slats, and perches, which are portable. In caging the birds for shipment, all openings to the house are closed, and perches removed, when the birds are driven to one end into and through a chute, the narrow end of which enters the door of a cage, in which they are temporarily inclosed until counted. The loss by death, in keeping them, has been about three per cent., and I have had them on hand, on an average, about three weeks.

There are very perceptibly fewer birds in and around the city now than there were a few years ago, especially in my immediate field of operation. I have taken, since the time I first commenced, over 40,000 birds, and have perhaps driven many times as many away; besides which there has been a very general warfare upon them by others, which my efforts seem to have stimulated somewhat. I have been watched

while at work with no little attention by all classes of people, receiving one universal expression, in substance, "I wish you'd catch 'em all; they are a darned nuisance."

There is no merchantable value on Sparrows here as an article of food, but whatever birds are killed at a match are always taken by some one for this purpose. The flesh of the young bird is very edible, and in some parts of England they are sold by poulterers for one shilling a dozen, and by many are considered a delicacy.

- As far as the application of the Sparrow to sporting purposes is concerned, I do not think its admirable adaptability can be overdrawn. The only tangible objection that can be advanced is that its size makes it hard to hit. Sparrow trap-shooting is not a new thing, but has been practiced in England for a great many years, in the era of muzzle-loading, "scatter" guns. Charles Dickens makes mention of it in one of his works. To-day, with breech-loading, hammerless, close patterned guns, the Sparrow, with its grit and cunning, tenacity of life, and prompt and vigorous flight, affords the sportsman a target involving the highest type of marksmanship, which many are learning to appreciate.

Everywhere I have sent Sparrows (with but one exception, when the birds were grossly neglected, and were in a dying condition when used) they have given the greatest possible satisfaction. While my efforts at introducing them have been attended with considerable expense and labor, still it has demonstrated the fact that they can be caught in sufficient numbers for trap-shooting, and that there will be a growing demand for them, provided they can be obtained under more favorable circumstances, and at less price. In many instances, when obtained from me, the transportation has entered so largely into their ultimate cost that they have been even more expensive than pigeons procured at home, after deducting the amount obtainable for the dead birds. Besides, there has been a slight dissatisfaction as to their price from the fact that the average shooter hasn't even the remotest idea of the manner in which they are caught, and seems to think I have some secret way of scooping them up by the thousand, which I won't divulge, and that in buying of me he is patronizing a monopoly that is virtually robbing him.

I have frequently received letters of inquiry asking (sometimes, perhaps, from idle curiosity) how I catch them, and the same question has been repeatedly asked in the various sporting papers. But it would be impossible for me to convey an adequate idea in detail in a single letter, even if I had time to devote to every one that desired it. I have endeavored to do so, however, but so far as I know no one has succeeded. In all probability the system is more extensive than they had supposed, and they have refrained from entering into it without a better understanding of it. But it is all easily understood and learned. Many of the features and appliances embodied in my arrangements are

of my  
and co  
ical op  
sion.  
their n  
necessa  
They k  
the mo  
terity.  
of the  
there  
even to  
The m  
and ful

If we  
nature  
proper  
year, ar  
English  
not to  
any app  
ground  
tion, we  
ness and  
it is qui  
pulsivel

The n  
quires n  
the bird  
are influ  
means o  
or in th  
vantage  
decoy b  
or other  
nets, it  
to preve  
of the m

\* This a  
substitut  
his origin

of my own origination and are constructed with a view to simplicity and convenience, and at the same time are so perfect that the mechanical operation of the nets is within the bounds of a child's comprehension. My little boy, nine years old, displays remarkable judgment in their manipulation. I have several outfits, and it has frequently been necessary for me to engage inexperienced persons to operate them. They learn at once, and always succeed in catching a number of birds, the measure of success depending upon individual intuition and dexterity. Of course a great deal depends upon a knowledge of the habits of the bird, and the when and where to go to catch them; and while there are some given rules for this, still in most part it is perplexing even to an expert, and experience alone can teach it.

The nets and other appliances used in trapping Sparrows are figured and fully described in the accompanying paper.

---

### ENGLISH SPARROW CATCHING.\*

#### DESCRIPTION OF APPARATUS AND METHODS EMPLOYED.

If we wish to catch a bird we must first acquaint ourselves with its nature and habits, that we may intelligently bring to bear upon it the proper means to insure success. Many birds, at certain seasons of the year, are readily caught with simple devices carelessly applied, but the English Sparrow, at all times, is the same cunning, wary little fellow, not to be caught with chaff alone, and great care is necessary in any approach upon it. Considering, however, that we have a vantage ground in its gregarious, nomadic habits, and following in this direction, we produce something that appeals directly to its extreme greediness and curiosity, which shall be life-like and real; and, realizing that it is quick to take alarm, we so apply it as to cause the bird to act impulsively, and to enable us to take it by surprise as much as possible.

The method used so successfully and almost exclusively by me requires nets, with decoy and braced birds, placed in the line of flight of the birds to and from their sleeping and feeding places. The wild birds are influenced by the decoy birds and then directed into the nets by means of the braced birds, and are invariably caught while on the wing or in the act of settling. The nets can also be used to great advantage in places where the birds are known to harbor, in which case decoy birds are not necessary; but there should be no building, tree, or other object for the bird to alight upon inside of 50 yards from the nets, it being best to attract its attention while on the wing, as well as to prevent it from discerning anything unusual. The skillful operation of the nets, in the main, consists in properly judging the flight of the

---

\* This article, by Mr. Hill, taken from the *American Field* of January 14, 1888, is substituted here for the description of apparatus and methods which accompanied his original contribution of September 30, 1887.



bird in connection with the movements of the nets, and to so control the force of pulling in closing them as to cause the net to strike the bird when the radius of the semicircle of either wing is at a vertical point. The irregularity of the flight of the Sparrow makes it difficult to catch many at one time.




FIG. I.




FIG. II.

The mechanical operation of these nets is shown in Figs. I and II. Fig. I shows nets open, lying flat upon the ground. By pulling pull-line (d) each net is caused to move upward and inward to the comple-

tion  
as sh  
cheel  
street  
work  
will b  
acros  
(j) a

The  
gillin  
teen-s  
conve  
deep,  
ing of  
Fig. I  
to per

The  
inch t  
ilar to  
the to  
button

The  
arms  
the av  
A rou  
it to p

The  
diane  
III) a

The  
long,  
projec  
be ma  
wood

The  
inches  
with p

The  
of net  
the lo

The  
ing an  
wood

b is a  
is 9 in

tion of a half circle, one net slightly overlapping the other when closed, as shown in Fig. II. The four points of each net formed by the two cheeks (*f*) and two heel-pins (*e*) are on a straight line. The nets are stretched tight over tops of staffs (*b*) which have socket attachment and work on wire in cheek as a pivot or hinge. The tension on pull-line will keep the nets straight and even, except when a strong wind blows across them, in which case the arm of pull-line is shortened or a pulley (*j*) attached.

## A DESCRIPTION OF THE PARTS.

The nets should be made of linen material, about the size of No. 35 gilling-thread, of a dark, dirty-green color, the size of mesh being thirteen-sixteenths of an inch from knot to knot, or 15 knots to a foot. A convenient and serviceable size of net would be 30 feet long by 7 feet deep, to use with 4 foot staffs. They should be provided with an arming of heavier cord at the top and bottom edges, which the top line (*e*, Fig. I) should be threaded through at top, and to form a stout edging to permit of pegging to the ground at bottom.

The top-line of net should be a fine linen cord, about one-eighth of an inch thick, provided at ends with a small wooden clamp (*i*, Fig. I) similar to those used upon tents; and at the place where the net ends on the top line, one or more loops or eyes should be spliced, to admit the button on top of staff, and also to fasten the arms of pull-line into.

The pull-line should be of same material as top-line, with diverging arms at end next the net. It should be about 40 yards long, which is the average distance to stand from the middle of net while operating it. A round piece of wood, about 4 inches long, is temporarily fastened to it to permit of taking a good grip in pulling.



The staffs should be about 4 feet long and three-quarters of an inch in diameter, of some light, strong wood, with brass socket and eye (*a*, Fig. III) at bottom, and button and ridge (*b*, Fig. III), also of brass, at top.

The cheeks (*a*, Fig. IV) are wedge-shaped stakes averaging 9 inches long, with wire (No. 10) driven in about an inch from top, which at a projection of an inch is bent upward for about an inch. They should be made of hickory or other hard wood, and the wire should fit in the wood so snugly as to barely permit of being moved with the fingers.





The heel-pins (*b*, Fig. IV) should also be made of hard wood, about 18 inches long, and 1 inch in diameter at thickest part, tapering to a point, with projection at top to prevent cord from slipping off.

The crooks (*c*, Fig. IV), which are used for staking the bottom edge of net to the ground, are cut from the branches of some hard wood tree, the long end being about 6 inches in length.

The bobber (1, Fig. V), which is used in connection with fly-stick for raising and flying braced bird, is constructed as follows: *a* is a piece of hard wood  $2\frac{1}{2}$  inches long, half an inch thick, and five-eighths of an inch wide; *b* is a piece of No. 10 wire that when bent so as to form an eye at top is 9 inches long, and passes through *a*, leaving a space of half an inch



# IMAGE EVALUATION TEST TARGET (MT-3)



# Photographic Sciences Corporation

**23 WEST MAIN STREET  
WEBSTER, N.Y. 14580  
(716) 872-4503**

2.8 2.5  
2.2 2.0

10

between wires, in which the fly-stick moves up and down; *c* is also of No. 10 wire, bent as shown, passing through *a* horizontally outside of




FIG. III. FIG. IV.

perpendicular wire *b*; the ends being pointed and bent downward, are forced into the ground, together with the long ends of *b*, which keeps

it fir  
taper

FIG.  
sents l  
for ush  
3, bra  
water

leg a  
cept  
rigid

also of  
inside of

it firmly in position; *d* is also a piece of wood pivoted on wire *c*, with tapering hole in end, into which the fly-stick is inserted. The wires should fit snugly in *a*, so as to permit only of being moved to suit the conditions of hard and soft ground, and to regulate the height of raising bird; *d* should work more easily on wire *c* yet not loosely. To raise fly-stick pass brace-line through eye in top of wire *b*, and fasten to stick.

The fly-stick (2, Fig. V) to which the braced-bird is attached, and on which it is caused to sit, is a stiff willow switch about 2 feet long, with loop about  $4\frac{1}{2}$  inches long, made of fishing-line, wrapped on the small end by means of waxed thread.

The brace (Fig. VI) is composed of four cords and swivel, to be placed upon bird as a means of fastening it without injury, and to leave every movement of the bird free and natural. The ring should be of German silver wire, formed over a lead pencil, a common pin completing the swivel. The cord should be of soft cotton, which when stretched in a straight line should measure about  $1\frac{3}{4}$  inches. To put it on the bird pass it over its head so as to appear like two cords encircling its body with swivel at breast bone, and the knot of cords in center of the back, when it will only be necessary to put each wing and leg of the bird (in the order named) between the cords on each side of brace.

The brace-lines should be of mattress twine, 50 yards long, and wound upon reel to prevent twisting.



FIG. VI.

FIG. V.—The above cut represents braced bird, and appliances for using it; 1, bobber; 2, fly-stick; 3, braced bird; 4, brace-line; 5, water-cup.

Blind cages are also necessary to receive the birds after they are caught. Each consists of a light frame of wood about 1 foot square by 5 inches high, covered with cloth; a stocking leg at top, in the middle, forming the door. These, together with a receptacle for carrying them, called a pack (Fig. VII), which is a light rigid frame, also covered with cloth (the nets and other appliances be-

l, are  
keeps

ing rolled up on top), and a small hatchet, a sickle, and a camp-stool, complete the outfit.

#### HOW TO SET THE NETS.

Having described each part separately, we will now consider how to put them together. Taking for granted that the place which we have selected to put the nets down on is perfectly level and clean, and that the end of the pull line will reach a fence or other slight cover, the pack is placed upon the ground in the middle of the place where the nets are to be set, and the nets are laid in a line on each side of it. We now take two staffs and, lapping them about 9 inches, lay them on the ground at ends of top lines of nets, nearest where we intend to stand. Taking the hatchet we drive two heel-pins in at the extremes of the staffs, when the distance between the two pins will be the length of both staffs, less the 9 inches we lapped them. Having taken each top line and allowed about a foot of slack by means of clamps, and placed them over heel pins, taking also an extra turn, we go to the other end and taking with us two more heel-pins repeat what we have just done, taking care that the lines are stretched perfectly straight and tight, and that these pins, upon which so much strain comes, are secure. The top lines of nets now form two straight, parallel lines, and care should be taken not to move them in any way until after the cheeks are driven in. These should now be driven in at the points along top line where the eyes appear at ends of nets, inclining slightly outward so that the wire will project on outside of line sufficiently to cause the net when stretched on staff and held perpendicularly to have a tendency to fall inwards. We now pass the socket of staffs over wires in the cheeks, and let out sufficient of the slack of top lines to permit of their being stretched over and attached to button on top of staffs. This being done



FIG. VIII.

we proceed to stake down the bottom edges of nets—first the four corners, and then the hollow places between them. The bobbers and fly-sticks come next, and if five are used they should be placed as shown






FIG. VII.

in Fig. I, the lines attached, some food for birds placed at ends of fly-stick and their water-cups put down and filled. Then we can put on the pull-line, the ends of the arms entering into the same eyes of top lines the buttons of staffs have, as shown in Fig. VIII. Now we are all ready but the braced-birds, which are put on sticks by passing the loop at the end entirely through the ring of brace, then passing bird through the loop and pulling tight on ring. We now take the empty pack and retire to end of pull-line, and when seated upon camp-stool we are ready for business.

#### HOW TO TAKE CARE OF THE BIRDS.

The management and handling of the birds after they are caught is a very important feature, for if used for trap purposes it will be necessary to keep them in the most vigorous condition possible from the moment they are caught until used. They should be given a little seed in the blind cages, as also water in the dips outside, and the cage must be kept out of the sun, but the sooner they can be liberated into the ultimate place designed for keeping them the better. This can be either a room or out-building sufficiently tight to hold them, provided with ledges and perches, which would be more convenient when catching them out again if made portable. Their staple food here should be feed-meal (yellow corn) and wheat, with an occasional change of some other small grain or seed, or soaked stale bread, and they should be liberally fed and watered at least once a day. Their water should be given in large, flat pans, and the floor of the room should be covered with sand. If the room is not too high the birds can be caught out of it by means of a long landing net used in fishing. A flat store cage should be used to convey the birds where they are to be used, and care taken of them by seeing that they have food and water and are kept in a quiet place out of the sun, when, if there are any left, they can be returned to the room without injury. In handling the bird avoid pressure on its body; hold it firmly, and without tremor, between the forefinger and thumb around its neck—thumb across its throat, back of bird next the palm of hand—and when it is necessary to change its position in the hand, always keep the hands moving when doing so or it may escape.

Now this may all appear too extensive and complicated at first for some to attempt, but there are members of every club who have sufficient ingenuity and intuition to construct and use their own nets, which would not only be a gratification of their individual pleasure, but also a source of profit and advantage to the members in general. With these nets, and by following the instructions given, the merest tyro could catch a great many birds in a day—frequently a hundred or more. It should always be borne in mind that the method is not in any way to be considered as a baited trap, but that the principle involved is to take the bird unawares—to fool it—and that it is easier to fool one than ten. The number caught at the end of the day will depend largely on bagging every bird that comes within the scope of the nets. Make it a

rule  
ada  
teel  
A  
this  
that  
vast  
littl  
the  
whe

HIST

Th  
duced  
from  
but w  
party  
did n  
know  
Ear  
twent  
Klein  
West  
Europ  
Accor  
south  
the p  
follow  
This c  
since  
Louis  
paren  
ported  
succes  
Dur  
sent f  
tion, l  
ties ha

rule to be satisfied with one, if no others are in sight, for after the old adage "a bird in the hand," etc., a Sparrow in the nets is worth seventeen on the fence.

As to the when and where to go, while there are some given rules for this, still the birds are so quick to take alarm, and so communicative, that it is not possible at times to account for their movements. Their vast numbers and nomadic habits, however, will offset this, and by a little study of the habits of the bird, and by a few practical lessons in the shape of successes and failures, it will not be difficult to determine where a good catch can be made.

---

## SECTION SIXTH.

### HISTORY OF THE HOUSE SPARROW, *PASSER DOMESTICUS*, AND THE EUROPEAN TREE SPARROW, *PASSER MONTANUS*, AT SAINT LOUIS, MO.

BY OTTO WIDMANN.

The first European House Sparrows (*Passer domesticus*) were introduced at Saint Louis in 1869, when Mr. Cairns received a few pairs from New York City. They were liberated in the heart of the city, but were immediately lost out of sight. The following year the same party repeated the experiment with the same result, that is, the birds did not remain in the immediate neighborhood, but left for parts unknown at the time.

Early in 1870 a Saint Louis bird dealer imported, among other birds, twenty Tree Sparrows (*Passer montanus*) direct from Germany. Mr. Kleinschmidt, hearing of it, persuaded Mr. Daeuzer, of the *Anzeiger des Westens*, who was at that time experimenting with the introduction of European singing birds, to contribute to the purchase of these birds. Accordingly they were bought and taken to Lafayette Park, in the then southwestern part of the city, and liberated April 25, 1870. All left the park immediately, and none were seen again until April 24 of the following year, when a single bird was seen one mile east of the park. This discovery was considered worthy of mention in the public press, since at that time the introduction of the European Sparrow at Saint Louis was thought to be a failure. That this was an error became apparent during the ensuing summer, when these discoveries were reported so often, and from parts of the city so widely separated, that success could no longer be doubted.

During the next few years bird dealers had pairs of House Sparrows sent from New York, and well-meaning citizens bought them for liberation, but the exact number can not be learned, since the principal parties have died. Both species increased amazingly, and as early as 1875

*Passer* had spread over the entire 64 square miles which make up the city of Saint Louis. In the southern part the Tree Sparrows predominated, and as late as 1877 no House Sparrow was seen on my premises, one mile south of the arsenal, which latter point they had then occupied in large numbers. Also during the winter of 1877-'78 all of my twelve boxes set up for Sparrows were in undisputed possession of the Tree Sparrows.

On March 28, 1878, the first House Sparrow appeared on the scene, and trouble began. One pair of Tree Sparrows was dislodged and a pair of House Sparrows began nest-building. That summer no increase in House Sparrows took place in my colony, and the Tree Sparrows reared their broods in peace, but when the first cold October nights forced the Sparrows to change their roost from the now nearly leafless trees to some warm shelter, a whole flock of House Sparrows took possession of the boxes and the Tree Sparrows had to leave. Thereafter the weaker Tree Sparrow had little chance to gain a suitable nesting site around its old home. Only one pair continued breeding for a few years longer, in a box which, besides hanging lower than the rest, had an entrance which the bigger House Sparrows found uncomfortably small. It appeared to me that the Tree Sparrow would be much more of a house sparrow if his stronger cousin did not force him to be a tree sparrow by robbing him of every suitable nesting and roosting place about human habitations.

With the increase of the House Sparrow the Tree Sparrow had to yield the city almost entirely to him and betake himself to the country, spreading in all directions and resorting to tree-holes and out-of-the-way places, while the other took the cities and towns.

This Tree Sparrow is a much more acceptable acquisition than the House Sparrow. Although sharing many of its habits, it lacks the fighting qualities for which the other is so much hated. Of course, like every bird, it defends its home against intruders, but it is not aggressive. It never attacks other birds for mere sport, like its cousin; on the contrary, it enjoys the company of our native birds, and it is daily seen associating with our wintering Junco and Canada Tree Sparrow. With this latter bird it has some notes in common, and it seems that this resemblance of the voice led the early European settlers to apply the name of Tree Sparrow to this otherwise entirely different bird, a misnomer which in turn gave rise to the equally inappropriate scientific names "*montana*" and "*monticola*."

The voice of the European Tree Sparrow, although it can not be called a song, is really melodious, especially when a number of them, as is generally the case, join in common concert, much like our bobolinks and blackbirds.

Not more than two broods are raised annually, while the House Sparrow often raises three, but not four to six, as some claim.

About the bad qualities of the imported Sparrow nothing new can be

said,  
ment  
creas  
I am  
that  
I c  
with  
there  
the n  
and c  
of the  
geous  
Im  
old bo  
him, a  
begin  
honey  
search  
home  
ress, b  
box, b  
a nest.  
Besid  
with w  
good q  
diligen  
is surp  
ried in  
after d  
But  
plains  
the un  
A Spar  
other v  
from th  
fend it  
cage, t  
a room  
and are  
try to r  
let ther  
they do  
to deat  
Whil  
only tw  
ing up  
8

said, and from my own observation I can not even corroborate the statements already published. It is a strange coincidence that with the increase of the Sparrows our peaches became more and more scarce, but I am not prepared to say that *Passer* ate them before they were born—that is, in the bud.

I can say that the martin, the bluebird, and the wren find it hard to withstand the intruder, but I hope they will learn from him, and thereby become more efficient in their resistance. I dare to say that the martin has already learned much within the few years of contact and contest. The martins have become more careful in the guarding of their chosen home, and I might add they have become more courageous in defending this home.

Immediately on arriving in early spring the martin seeks a box—his old box of last year, if possible. A few days afterwards his mate joins him, and the pair regard the chosen box as their home long before they begin nest-building. During this time, in the full enjoyment of their honeymoon, the pair used to leave home together when going out in search of food. Of late they have begun to take turns, one staying at home to keep the Sparrows out. This is an important strategical progress, because it is comparatively easy to keep the Sparrow out of a box, but it is impossible for a martin to dislodge him after he has built a nest.

Besides being much more intelligent and courageous than the birds with which it comes in conflict, the House Sparrow has several really good qualities which are worthy of imitation by our native birds. Its diligence is marvelous. After removing their nest in the evening, one is surprised to see the heap of material which this single pair has carried in within a few hours the following morning; and this is done day after day with wonderful perseverance.

But the most prominent trait of its character, and the one which explains in a great measure the immense multiplication of the species, is the unsurpassed attachment of the parent Sparrows for their offspring. A Sparrow never deserts its brood. If one of the parents is killed, the other will do all the work alone. If a young one happens to fall down from the lofty nest, it is not lost; the parents feed it, shelter, and defend it. If a young Sparrow is taken from the nest and placed in a cage, the mother feeds it for days and weeks, even if she has to enter a room to get to it. Many young martins tumble out of their nests, and are invariably lost. The parents make much noise about it, and try to make the young fly up, but finding that they can not do it, they let them perish, and even if placed where they could easily get to them, they do not feed them. In times of drought many young martins starve to death, being sometimes entirely deserted by the parents.

While from the four to six eggs which the martin lays, on an average only two young are successfully reared, the Sparrow succeeds in bringing up all the young hatched, which are four or five.

The Sparrows have traits of character which may set a good example to some of our birds, and I hope they will follow it. If they do so, the danger of being displaced by the foreigner will be greatly diminished. (March 10, 1888.)

As a great lover of birds, I am naturally inclined to be mild in censuring their misdeeds, and although I have been living in war with the House Sparrow since its appearance, I still hoped sometimes that our native birds would learn to repulse the intruder, and that its presence might yet be tolerated to a certain degree. It was in such a spirit of reconciliation that I wrote last March, but the experience of this spring has demonstrated more clearly than ever that leniency toward the House Sparrow would be a crime. A careful watch has revealed the fact beyond doubt that the House Sparrow destroys the eggs of the martin by eating them up without leaving even a trace behind. Six nests were thus destroyed, with from four to six eggs in each. The martins had defended their nests successfully until the cool period about the middle of May, when the scarcity of winged insects caused them to go far from home and to stay away long. This absence from their nests enabled the Sparrows to enter the boxes and to eat the eggs.

In one case *Passer* was hindered from proceeding farther than drilling holes ( $\frac{1}{4}$  by  $\frac{3}{8}$  inch), through which he probably intended to empty the contents of the eggs and then finish by eating the shells. In the other cases the eggs disappeared without leaving any traces. Only in one case did the Sparrows begin to build in the box; in all other cases the nests were left undisturbed.

The martins watch their treasures well enough during the morning hours, but in the afternoon, especially in cool or dry weather, they like to go off for a hunt and to stay away for several hours. This is the time when the Sparrows sneak into the boxes, and it requires constant vigilance on our part to keep them off and to save the eggs (eighty-five contained in the boxes to-day).

As long as eight years ago, seeing that the House Sparrow became irrepressible, I tried to compromise with him by putting up separate boxes for his special use, giving him to understand that he would be tolerated there, but nowhere else. This plan seemed to work well, but for a short time only, and I soon found that the only way to deal with them was to destroy their nests and young ones.

Last spring, being much warmer than this year, was favorable for the martins; they could stay about home nearly all the time, and it really seemed as if they had learned to be more effective in the defense and repulse. But this cool spring showed me that the martin is too much dependent on the weather to be a successful defender of its home, and the verdict is, therefore, that the House Sparrow will no longer be tolerated on my grounds, and that it will be destroyed without mercy, by any means, and at every time of the year, not merely in spring as heretofore. (Saint Louis, Mo., June 2, 1888.)

od exam-  
ey do so,  
ly dimin-

d in cen-  
with the  
that our  
presence  
spirit of  
is spring  
ward the  
ealed the  
gs of the  
ind. Six  
ach. The  
riod about  
used them  
rom their  
eggs.

an drilling  
empty the  
the other  
only in one  
cases the

e morning  
, they like  
his is the  
s constant  
ighty-five

w became  
separate  
would be  
well, but  
deal with

ple for the  
it really  
fense and  
too much  
ome, and  
ger be tol-  
mercy, by  
g as here-

---

## PART II.

---

## EVIDENCE.

---



Little  
introdu  
was rec  
schedul  
as follow

The De  
to the fol  
"English

I. Is yo  
II. Is th  
point at v

III. Is i

IV. Is i

V. Is it

VI. Ho

VII. Do

tempt to c  
kinds and

VIII. W

are occupi

IX. Has

birds? If

X. Does

ples.

XI. Does

XII. Doe

XIII. Ha

culturist c

rived?

XIV. Un

rious or be

XV. Wh

Sparrow?

XVI. Wh

Informat

row in the

A circu

contained

## EVIDENCE.

### SECTION FIRST.—ORIGINAL TESTIMONY IN DETAIL.

Little need be added here to what has been said already in the introduction to the Bulletin. The majority of the evidence printed here was received in reply to printed questions contained in a circular and schedule distributed in the latter half of 1886. These questions were as follows :

The Department of Agriculture desires facts, from personal observation, in answer to the following questions concerning the European House Sparrow, commonly called "English Sparrow," in this country.

- I. Is your locality c<sup>o</sup>, suburb, or country ?
  - II. Is the English Sparrow present in your vicinity ? If not, what is the nearest point at which you know it to occur ? If present, when did it first appear ?
  - III. Is it abundant and on the increase ?
  - IV. Is it protected by law ?
  - V. Is it artificially housed and fed ?
  - VI. How many broods and young does a single pair rear in a season ?
  - VII. Do any of our non-predatory birds habitually resist encroachments of, or attempt to drive off, the English Sparrow unless themselves first attacked ? If so, what kinds and with what success ?
  - VIII. Which of our native birds attempt to reclaim former nesting sites when these are occupied by the Sparrows ? Give examples.
  - IX. Has the English Sparrow been observed to molest or drive off any of our native birds ? If so, what species are so molested or expelled from their former haunts ?
  - X. Does it injure shade, fruit, or ornamental trees or vines ? If so, give examples.
  - XI. Does it injure garden fruits and vegetables ? If so, give examples.
  - XII. Does it injure grain crops ? If so, give examples.
  - XIII. Has any case in which it has been of marked benefit to the farmer or horticulturist come under your notice ? If so, in what way has the benefit been derived ?
  - XIV. Under what circumstances does it feed upon insects ? What kinds of injurious or beneficial insects or their larvæ does it destroy and to what extent ?
  - XV. What means, if any, have been taken to restrict the increase of the English Sparrow ?
  - XVI. What is the prevailing public sentiment in respect to the bird ?
- Information is particularly desired concerning the presence of the English Sparrow in the Southern States and in the region west of the Mississippi.

A circular issued by the Department of Agriculture in July, 1885, contained three or four questions on the English Sparrow, but these are

covered by the above circular, except that one question asked for information as to injury to "grapes or other fruits." Replies to some of these questions were received from a few persons who did not contribute information in reply to the later circular.

About one hundred and ten persons answered a circular sent out in 1883 by a committee of the American Ornithologists' Union, and these replies have been incorporated in the evidence now printed. The questions were similar to those subsequently sent out by the Department of Agriculture, but made more particular inquiries as to the food of old and young Sparrows, and the variation in food dependent on season and location. Replies to these questions will be recognized readily by the date—1883 or earlier.

The replies from all these sources have been grouped under seven heads, as follows:

- (A) Distribution by States.
- (B) Rate of increase; checks, natural and artificial.
- (C) Injury to buds and foliage.
- (D) Injury to fruits, garden seeds, and vegetables.
- (E) Injury to grain crops.
- (F) Relation to native birds.
- (G) Relation to insects.

The material under each head has been arranged alphabetically by States, and under each State alphabetically by post-offices. Information relating to Canada follows that relating to the States.

As already noted in the introduction, every scrap of information relevant to the inquiry will be found here in its appropriate place, under the name of the person contributing it, and accompanied, whenever possible, by the exact date and locality to which the information relates.\* Moreover, in most cases each bit of testimony is followed by the number of years which the Sparrow is believed to have been present at the point named.

Whenever possible, the replies have been printed in the same form in which they were received, and when it has been found necessary to change the form of a reply, either in dismembering a statement relating to several subjects or in condensing several statements relating to the same subject, the utmost care has been taken to preserve the exact meaning of the observer.

As a rule, all statements received in reply to questions have been printed in full, the main exceptions to this rule being in cases of (a) evident misapprehension of the question; (b) replies too vague and indefinite to be of any value; (c) hearsay statements, which could not be considered as evidence.

As was to be expected, a large amount of purely negative evidence was received. Hundreds of observers wrote simply yes or no after

\* This plan was reluctantly, but necessarily, abandoned. See foot-note on page 12, in introduction.

most  
show  
habit  
been  
stru  
only  
ing o  
Th  
of nu  
pose  
impa  
sary)  
kind.

In A  
lowing

Loc

Annis  
Athens  
Auburn  
Brierfield  
Colera  
Centre  
Clanton  
Clayton  
Cross P  
Cullman  
Do  
Dadeville  
Edward  
Do  
Eufaula  
Gunters  
Hayne

It wa

L

Albertv  
Blount S  
Blountv  
Candlen  
Carrollto  
Columbi  
Daphne  
Eutaw  
Evergre  
Flora  
Geneva  
Good W  
Greensbu  
Jasper

most of the questions, and when such reports contained nothing to show that the writers had ever taken pains to notice the Sparrow's habits at all, it seemed unadvisable to print these replies. The fact has been kept constantly in mind, however, that all omissions might be construed by some as evidence of partiality or prejudice, and this is the only excuse for retaining many statements which seem to contain nothing of value.

The friends of the Sparrow, as well as its enemies, have been guilty of numberless intemperate utterances, which have served no useful purpose whatever. The following pages contain sufficient evidence for an impartial verdict, and no apology is made (and none is deemed necessary) for the omission of *mere opinions*, unsupported by evidence of any kind.

## DISTRIBUTION BY STATES.

In ALABAMA the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Anniston .....	1883	A. L. Tyler.	Jacksonville .....	1883	G. B. Douthit.
Atiessa .....	1880†	Postmaster.	Midway .....	1880	M. E. Pruitt.
Anburn .....	1883†	State Agr'l D. p't.	Montevallo .....	1885	F. A. North.
Brierfield .....	1885†	Jno. F. Bondman.	Moulton .....	1885	J. M. Sandlin.
Calera .....	1884†	P. T. Wagner.	New Market .....	1886	Dr. George D. Norris.
Centre .....	1884	J. J. B. McElrath.	Notasulga .....	1883†	Sam. Duke.
Clanton .....	.....	F. A. Hannon.	Oxford .....	1881†	Fannie Shuford.
Clayton .....	1883	E. R. Quellan.	Rock Mills .....	1884	Postmaster.
Cross Plains .....	1884	W. A. Wilson.	Salem .....	1884	Sam. W. Burt.
Cullman .....	1884	S. H. Herrin.	Scottsborough .....	.....	A. Snodgrass.
Do .....	1882	Dr. W. L. Mangum.	Talladega .....	1880	R. R. Hunley.
Dadeville .....	1884	Postmaster.	Tusculum .....	1883	F. A. Ross.
Edwardsville .....	1886	W. H. Howle.	Tuskegee .....	1884	Samuel Q. Hale.
Do .....	1886	Postmaster.	Union Springs .....	1880	Henry Harris.
Eufaula .....	1882	E. L. Brown.	Weaver's Station.	1885	Postmaster.
Gautersville .....	1884	Postmaster.	Wetumpka .....	1885	G. A. B. Smith.
Hayneville .....	1886	Tom Baine.			

† About.

It was reported not present at the following places in Alabama:

Locality.	Observer.	Locality.	Observer.
Albertville .....	William A. McClellan.	Larkinville .....	Dr. Andy Boyd.
Blount Springs .....	Postmaster.	Linden .....	C. B. Cleveland.
Blountsville .....	Rufus B. Simms.	Livingston .....	K. E. Hopkins.
Camden .....	J. J. Roach.	Monroeville .....	F. A. Seymour.
Carrollton .....	D. C. Hodo.	Mount Vernon .....	Christian Becker.
Columbia .....	W. C. Kornee.	Ozark .....	Postmaster.
Daphne .....	John Wilson.	Pine Apple .....	M. A. Carter.
Eutaw .....	M. P. Brugh.	Prattville .....	George W. Ward.
Evergreen .....	Postmaster.	Rutledge .....	Postmaster.
Flora .....	John A. Weems.	Smalley .....	W. F. Ponder.
Genova .....	Postmaster.	Tallassee .....	J. A. Dubberly.
Good Water .....	D. B. Brown.	Tuscaloosa .....	W. H. Wilds.
Greensborough .....	Dr. W. C. Avery.	Vernon .....	A. A. Wall.
Jasper .....	J. F. Haley.	York Station .....	R. B. Hightower.

In ARIZONA, in the summer of 1886, the Sparrow was known to be present at but one point. Lieut. Harry C. Benson states that it was then established at Camp Huachuca. It was reported not present in the autumn of 1886 at the following places in Arizona:

Locality.	Observer.	Locality.	Observer.
Flagstaff.....	J. R. Kilpatrick.	Tucson .....	Herbert Brown.
Florence.....	John Miller.	Yuma.....	J. H. Taggart.

In ARKANSAS the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Avoca .....	1883	D. D. Ames.	Little Rock .....	.....	Carl von Jagersfeld.
Berryville .....	.....	Postmaster.	Lonoke .....	.....	A. F. Huntsman.
Clarendon .....	1886	Horace Ward.	Marianna .....	1885	Postmaster.
Dallas .....	1876	T. M. Carder.	Marion .....	1882	Do.
Helena .....	1883	J. O. Bagwell.	Nashville .....	1881	W. J. Lee.
Hot Springs .....	1880	Richard d'Ally.	Oacola .....	1880	Dr. D. A. Richardson.
Do .....	1870	Postmaster.	Poplar Grove .....	1882	James R. Turner.

† About.

It was reported not present at the following places in Arkansas:

Locality.	Observer.	Locality.	Observer.
Argenta .....	Charles J. Humphreys.	Harrison .....	J. W. Andrews.
Arkadelphia .....	B. Cook.	Harrisburgh .....	M. D. Simmons.
Augusta .....	J. P. Ferguson.	Hope .....	T. H. Bayless.
Austin .....	Robert L. Brown.	Jacksonport .....	William A. Monroe.
Batesville .....	F. D. Denton.	Jasper .....	Postmaster.
Beebe .....	L. B. Gist.	Jonesborough .....	John W. Owens.
Booneville .....	John M. Oathout.	Lewisville .....	B. P. Wheat.
Do .....	J. S. Lambkin.	Little Rock .....	John Karr.
Boonaborough .....	W. D. McBride.	Do .....	S. H. Nowlin.
Camden .....	W. F. Averá.	Lockesburgh .....	F. C. Floyd.
Carlisle .....	James Hennessey.	Malvern .....	Richard d'Ailly.
Centre Point .....	Postmaster.	Marshall .....	Postmaster.
Charleston .....	A. P. Richardson.	Morrilton .....	H. T. Gordon.
Clarksville .....	Postmaster.	Mountain Home .....	J. S. Russell.
Clinton .....	W. R. Greason.	Mountain View .....	Joseph Hixson.
Coal Hill .....	J. M. Bench.	Mount Ida .....	G. D. Goodner.
Conway .....	A. R. Witt.	Mulberry .....	J. W. Bailey.
Corning .....	C. R. Beloate.	Murfreesborough .....	Postmaster.
Cotton Plant .....	W. T. Echols.	Ozark .....	Jno. Berry.
Danville .....	Postmaster.	Pine Bluff .....	W. H. Westbrook.
Des Arc .....	J. J. Baugh.	Pocahontas .....	S. T. Thompson.
Devall's Bluff .....	Reuben B. Carl Lee.	Quitman .....	W. M. Garner.
Dover .....	H. Klothof.	Rocky Comfort .....	Samuel Walters.
El Dorado .....	M. A. Craig.	Rogers .....	Postmaster.
Eldridge .....	Postmaster.	Russellville .....	W. T. Reynolds.
Eureka Springs .....	Jno. H. Hamilton.	Searcy .....	John C. McCauley.
Fayetteville .....	Prof. F. L. Harvey.	Sheridan .....	J. N. Noll.
Do .....	Prof. George D. Purinton.	Sulphur Rock .....	Postmaster.
Do .....	Postmaster.	Tolado .....	Do.
Fort Smith (I) .....	Dr. F. W. Johnson.	Walbron .....	M. M. Benvers.
Do .....	W. J. Fleming.	Warren .....	Postmaster.
Gainesville .....	Thomas W. Crawford.	Washington .....	Carl von Jagersfeld.
Greenbrier .....	J. K. Donnell.	Witcherville .....	S. E. Smith.
Gurdon .....	W. D. Gage.	Wittsburgh .....	Postmaster.
Hampton .....	L. G. Tomlinson.		

In CALIFORNIA the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Berkeley .....	1884	Dr. M. C. O'Toole.	San Francisco ..	1879†	Wm. McK. Heath.
Cloverdale .....	1884	John Field.	Do .....	1877†	George P. Lowell.
Eureka .....	1885	Charles Fiebig.	Do .....		J. G. Scott.
Haywards .....	1880	Dr. J. G. Cooper.	Do .....		Colonel Warren.
Do .....	1880	W. Otto Emerson.	Do .....	1871†	A. H. Webb.
Hollister .....	1883	Will Steinbeck.	Do .....		E. J. Wickson.
Mission San José ..	1885	J. W. Muaser.	San José .....		F. H. Holmes.
Napa City .....	1884†	Postmaster.	Do .....	1881†	A. L. Parkhurst.
Oakland .....	1880†	Walter E. Bryant.	Stockton .....	1883	L. Belding.
Do .....		E. F. Lorquin.	Do .....	1880 [?]	Postmaster.
Redwood City .....	1874	H. F. Jacobson.	Vallejo .....		Fred. T. Bond.
San Francisco .....	1875†	F. Gruber.			

† About.

It was reported not present at the following places in California:

Locality.	Observer.	Locality.	Observer.
Arcata .....	Carl C. Marshall.	Oroville .....	John J. Smith.
Arluckle .....	Dr. C. H. Gibbons.	Pacheco .....	Postmaster.
Bodie .....	A. M. Phlegan.	Quincy .....	J. E. Pardee.
Bolinas .....	I. C. Gibson.	Riverside .....	R. P. Chandler.
Colusa .....	Bennett A. Pryor.	Rohnerville .....	S. H. Crabtree.
Downieville .....	Postmaster.	San Buena Ventura ..	Dr. Stephen Bowers.
Dutch Flat .....	B. F. Walker.	San Diego .....	G. Holterhoff, Jr.
Fresno City .....	W. M. Williams.	Do .....	J. H. Orcutt.
Grass Valley .....	S. G. Lewis.	San Luis Obispo .....	McD. R. Venable.
Hanford .....	E. J. Plummer.	Santa Barbara .....	William Lavies.
Igo .....	E. L. Ballou.	Sebastopol .....	John Dougherty.
Los Gatos .....	C. A. Menefee.	Tomales .....	Postmaster.
Marshall .....	Joseph Palla.	Visalia .....	Susan Mitchell.
Mokelumne .....	Thomas Peters.	Wilmington .....	A. Laubersheimer.
Murphy's .....	John J. Snyder.	Windsor .....	B. F. Bennel.
Nevada City .....	Wallace J. Williams.	Yreka .....	Postmaster.

In COLORADO the Sparrow was reported present only from Denver, and there is some doubt as to its presence there now. Mr. Edward E. Achert states that he let loose six pairs in Denver about 1877, but all subsequently disappeared.

Mr. W. C. Wynkoop says there were a few there in October, 1886, though their presence was not generally known. They were first seen there about a year earlier. Several other residents of Denver are positive that it did not exist there in 1886.

It was reported not present at the following places in Colorado:

Locality.	Observer.	Locality.	Observer.
Alfalfa .....	Postmaster.	Evans .....	John H. Farrar.
Aspen .....	James C. Connor.	Fair Play .....	A. Schringer.
Boulder .....	J. A. Sewall.	Fort Lewis .....	I. G. Price.
Buena Vista .....	C. B. Wilson.	Georgetown .....	S. C. Bennett.
Caddo .....	J. E. York.	Glenwood Springs ..	James H. Kerwin.
Cañon City .....	A. L. Hayes.	Golden .....	Arthur Lakes.
Do .....	G. G. Shayer.	Gold Hill .....	Jay Thompson.
Catlin .....	J. M. McClain.	Granada .....	Guy R. Potter.
Coul Creek .....	G. S. Warner.	Grand Junction .....	Thomas B. Crawford.
Colorado Springs ..	Charles E. Aiken.	Greeley .....	O. Howard.
Do .....	Postmaster.	Do .....	C. W. White.
Concejos .....	S. W. Hatch.	Holly .....	C. L. McPherson.
Corona .....	Postmaster.	Howardsville .....	T. M. Tripp.
Denver .....	A. T. Allen.	Hugo .....	A. K. Clark, Jr.
Do .....	A. W. Anthony.	Hyde .....	Postmaster.
Do .....	H. G. Smith.	Iliff .....	H. G. Mosher.
Do .....	Mrs. A. L. Peabody.	Irwin .....	Alex. Fraser.
Do .....	H. F. Wegener.	Longmont .....	Joseph J. Topleff.
Eckley .....	A. W. Voorhees.	Louisville .....	L. E. Andrews.
Elizabeth .....	Jennie R. Pierce.	Loveland .....	J. W. Seaman.
Erie .....	M. S. Haines.	Mayaville .....	G. E. Blatchford.

Locality.	Observer.	Locality.	Observer.
Monarch .....	D. D. Hatfield.	Silver Cliff .....	Postmaster.
Montrose .....	A. E. Buddecke.	Snyder .....	D. E. Risedorff.
Nepesta .....	G. W. McReynolds.	South Pueblo .....	Postmaster.
Orchard .....	J. M. Parrott.	Starkville .....	W. R. Smethera.
Ouray .....	David Frakes.	Telluride .....	H. C. Lay.
Poncho Springs .....	C. Eubank.	Thatcher .....	J. M. Thompson.
Pueblo .....	H. W. Nash.	Tin Cup .....	D. Mawhorter.
Querida .....	Postmaster.	Tomichi .....	E. F. Blain.
Red Mountain .....	Do.	Trinidad .....	H. Stark.
Rocky Ford .....	Do.	Villa Grove .....	Postmaster.
Saguache .....	R. H. Jones.	Walsenburg .....	Do.
Salida .....	Dr. C. B. Underhill.	White Pine .....	Do.
Sedgwick .....	A. D. Moorhead.	Wray .....	Nathaniel Sisson.

In CONNECTICUT the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Brookfield Centre .....		George C. Jones.	New Haven .....	1876?	Louis B. Bishop.
East Hartford .....	1878†	Willard E. Treat.	Do. ....		Frank S. Platt.
Ellington .....	1880†	S. T. Kimball.	Do. ....		Robert D. Camp.
Farmington .....	878†	Henry H. Mason.	Norwich .....	1872†	G. Geduldig.
Gaylordsville .....		E. H. Austin.	Do. ....	1869†	S. T. Holbrook.
Hartford .....	1874†	Mrs. W. Seliger.	Plantville .....	1877†	E. K. Newell.
Do. ....		W. G. Talmadge.	Portland .....	1860	John H. Sage.
Do. ....	1878†	Daniel S. Wadsworth.	Ridgefield .....	1882	Edward J. Couch.
Jewett City .....	1875†	Dr. Geo. H. Jennings.	Rockville .....	1883†	C. D. Tucker.
Manchester .....	1872†	James B. Olcott.	Sharon .....	1875†	George M. Marchess.
Mansfield .....	1885	Prof. B. F. Koons.	Shelton .....	1874†	J. Tomlinson.
Meriden .....	1870	H. C. Hull.	South Woodstock .....		Mrs. G. S. F. Stoddard.
Middle Haddam .....	1878	Henry L. Stewart.	Stratford .....	1872†	Robert W. Curtis.
Middletown .....	1870†	Walter B. Barrows.	Suffield .....		Jesse F. Smith.
New Haven .....	1871	A. C. Sheldon.	Windsor .....	1879†	Stephen Hills.

† About.

In DAKOTA, in the autumn of 1886, the Sparrow was known to be present at but one point. Mr. O. M. Whaling states that it appeared at Milltown early in 1885. It was reported not present at the following places in Dakota:

Locality.	Observer.	Locality.	Observer.
Aberdeen .....	Charles A. Fisher.	Elkton .....	Postmaster.
Alexandria .....	Postmaster.	Ellendale .....	Do.
Almont .....	Do.	Estelline .....	C. P. Gould.
Argusville [1885] .....	S. M. Edwards.	Fairview .....	W. H. Hubbard.
Arlington .....	Postmaster.	Fargo .....	Postmaster.
Ashton .....	Do.	Fort Abraham Lincoln .....	William Cannon.
Athol .....	C. M. Sullivan.	Goodwin .....	G. F. Nelson.
Aurora .....	Postmaster.	Hamilton .....	G. W. Boylan.
Bath .....	Thomas Edwards.	Harold .....	John A. Sigler.
Beresford .....	Thomas T. Brady.	Henry .....	E. H. Waldron.
Big Stone City .....	L. A. Card.	Hope .....	Postmaster.
Bismarck .....	Andrew T. Sherwood.	Hudson .....	T. W. Millham.
Blanchard .....	Douglas Robertson.	Huron .....	Dana Duran.
Blunt .....	Charles A. Berger.	Do. ....	George T. Love.
Bon Homme .....	B. D. Graves.	Hyde Park .....	George Wilder.
Brandon .....	William J. Jones.	Iroquois .....	James Kilo.
Bristol .....	E. Stevenson.	Postmaster.	Do.
Buxton .....	Postmaster.	Jamestown .....	Do.
Canton .....	O. A. Rudolph.	Kelso .....	George H. F. Johnson.
Casselton .....	L. J. Fulton.	Kindred .....	Postmaster.
Castlewood .....	William Marshall.	La Moure .....	N. B. Wilkinson.
Cavour .....	Andrew J. Sweetser.	Larimore .....	T. F. Eastgate.
Chamberlain .....	William Gilman.	Le Beau .....	J. J. Jones.
Clark .....	S. D. Jeffries.	Lisbon .....	J. Durbin.
Columbia .....	J. R. James.	Madison .....	J. M. Preston.
Crandon .....	Flora Z. Wagner.	Manvel .....	W. B. Stevenson.
Cumings .....	D. B. Wilbur.	Mapes .....	H. K. Stearns.
Dwight .....	S. R. Norris.	Marion .....	John Ryan.
Egan .....	Postmaster.	Marvin .....	Charles B. Williams.



Locality.	Observer.	Locality.	Observer.
Meckling .....	C. N. Taylor.	Salem .....	Postmaster.
Medora .....	Postmaster.	Sanborn .....	Do.
Mellette .....	W. T. Dale.	Sheldon .....	James W. Allen.
Millbank .....	Charles L. King.	Sioux Falls .....	Postmaster.
Miler .....	W. H. Kopbart.	Springfield .....	M. Griffin.
Minor .....	Postmaster.	Steele .....	Postmaster.
Minto .....	John Gallagher.	Troy .....	Do.
Do .....	Fred. Twanley.	Vermillion [1885] .....	Dr. G. S. Ageraborg.
Mount Vernon .....	Postmaster.	Vermillion .....	C. G. Shaw.
Neshe .....	Do.	Wahpeton .....	B. C. Wilson.
Northville .....	S. K. Stables.	Walhalla .....	T. S. Burley.
Northwood .....	Postmaster.	Warner .....	W. P. Kingston.
Olivet .....	G. W. Baker.	Webster .....	J. B. Prendergast.
Oriska .....	Alfred C. Lee.	Wentworth .....	Postmaster.
Parker .....	John J. Cutler.	White Lake .....	James McCauley.
Portland .....	H. A. Langlie.	Willows .....	David H. Hennman.
Rapid City .....	Postmaster.	Willmot .....	Postmaster.
Rockport .....	Do.	Wolsey .....	Harrie A. Watson.
Rousseau .....	M. C. Rousseau.	Yankton .....	L. D. Palmer.

In the DISTRICT OF COLUMBIA the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Mount Pleasant .....	1872†	William Holmead.	Washington .....	.....	George Henning.
Washington .....	1872†	Michael Durkin.	Do. ....	1870†	Robert Ridgway.

† About.

In FLORIDA the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	Observer.	Locality.	Observer.
Cerro Gordo .....	N. B. O'Donoho.	Lake City .....	Prof. A. Q. Holladay [1882]*
Crescent City .....	Sidney L. Benham.	Tampa .....	W. H. Dall.

\* First appeared.

It was reported not present at the following places in Florida:

Locality.	Observer.	Locality.	Observer.
Apalachicola .....	John W. Wakefield.	Lake City* .....	J. J. Thompson.
Apopka .....	Postmaster.	Leesburgh .....	F. C. Childs.
Archer .....	Do.	Madison .....	H. J. McCall.
Baldwin .....	G. W. Ford.	Mandarin .....	W. Y. Merry.
Barlow .....	R. H. Burr.	Marianna .....	Q. E. Hearn.
Bronson .....	C. E. Taylor.	Micanopy .....	Postmaster.
Cedar Keys .....	Postmaster.	Millview .....	Rix M. Robinson.
Chaires .....	Do.	Milton .....	I. M. McGhee.
Clear Water Harbor .....	I. K. Munnerlyn.	Monticello .....	John W. Garwood.
Cottdondale .....	John E. Voss.	Mount Pleasant .....	Postmaster.
De Land .....	C. F. A. Bickby.	New Berlin .....	A. W. Lawless.
Enterprise .....	J. E. Alexander.	Norwalk .....	D. L. Morgan.
Euchee Anna .....	Postmaster.	Ocala .....	L. Dorier.
Federal Point .....	J. F. Tenally.	Orange City .....	F. C. Austin.
Fernandina .....	Samuel T. Riddell.	Orlando .....	E. W. Speir.
Gainesville .....	Frank M. Chapman.	Palmer .....	C. S. Goss.
Green Cove Springs .....	Thomas Roberts.	Plant City .....	E. S. Tyner.
Highland .....	Postmaster.	Quincy .....	Postmaster.
Honston .....	Dr. C. T. McMannen.	Rosewood .....	C. M. Jacobs.
Do .....	Postmaster.	Saint Augustine .....	Postmaster.
Jacksonville .....	William H. Ashmead.	South Lake Weir .....	William Foster.
Jasper .....	E. J. McKee.	Tallahassee .....	D. W. Gwynn.
Key West .....	Postmaster.	Tampa* .....	H. E. Benjamin.
Lake Butler .....	M. C. Levy.	Waldo .....	Samuel J. Kennard.

\* Reported present by another observer.

C. L. Hopkins (Department of Agriculture, Washington, D. C.) reports no English Sparrows seen or heard of at any points in Florida visited by him August 23 to September 10, 1887. The points visited were Jacksonville, Astor, Unatilla, Enstis, Tavares, Sanford, Orlando, and intermediate points.

In GEORGIA the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Albany .....	1867	Postmaster.	Isabella .....	1876	Postmaster.
Alpharetta .....	1884	William A. Porter.	Jackson .....	1881†	Do.
Americus .....	1884	M. B. Council.	Jonesborough .....	1876†	J. C. Haws.
Do .....	1876†	W. C. Furlow.	Kingston .....	1884	Postmaster.
Appling .....	1886	Postmaster.	Knoxville .....		J. H. Hatt.
Atlanta .....		Hon. W. A. Harris.	La Grange .....	1881†	Thos. H. Whitaker.
Do .....	1876†	R. J. Redding.	Lawrenceville .....	1883†	Postmaster.
Do .....		Postmaster.	Lawtonville .....	1880†	Do.
Augusta .....	1871†	Dr. J. P. H. Brown.	Lexington .....	1882†	John T. M. Hain.
Do .....	1878	K. Boyce.	Lumpkin .....	1881†	A. W. Latimer.
Buena Vista .....	1884	Thomas B. Lumpkin.	Do .....	1883	J. B. Latimer.
Byron .....	1881	V. E. Walton.	Macon .....		E. M. Francis.
Calhoun .....	1881†	J. M. Harkins.	Do .....	1870†	Thomas Hardeman.
Camilla .....	1882	Miss Etta Culpepper.	Do .....	1870†	Prof. J. E. Willet.
Canton .....	1882	H. C. Kellogg.	Marietta .....	1871	Hugh N. Starnes.
Carneville .....	1878	W. J. Fincher.	Martin .....		Postmaster.
Carrollton .....	1885†	E. A. Merrell.	Meriwether .....		B. H. Myrick.
Do .....	1882†	M. R. Russell.	Midville .....	1886	Postmaster.
Cartersville .....	1883†	William Milner.	Milledgeville .....	1880	Do.
Cedartown .....	1884	Postmaster.	Morgan .....	1885	J. H. Coram.
Clayton .....	1877	Do.	Moultrie .....	1884	E. A. Milligan.
Covington .....	1883	James M. Levy.	Oxford .....	1882	Mary W. Henderson.
Crawford .....	1885	C. S. Hargrue.	Palmetto .....	1882	Simson Zellars.
Cumming .....	1884†	Paul A. Clement.	Paschal .....	1883†	Postmaster.
Cuthbert .....	1880	J. E. Owen.	Perry .....	1870†	E. M. Hubert.
Dakotah .....	1876	S. C. Prudden.	Pope's Ferry .....	1880	W. D. H. Johnson.
Dalberton .....	1882	Postmaster.	Rome .....	1882†	Postmaster.
Fairburn .....	1883†	George Latham.	Savannah .....	1878	J. N. Johnson.
Fort Valley .....	1870†	Postmaster.	Smithville .....	1881	G. W. Warwick.
Georgetown .....	1885	R. G. Morris.	Sparta .....	1880†	Postmaster.
Gordon .....	1881	J. G. Pearson.	Sunnewville .....	1884	George D. Hollis.
Greenville .....	1882	Postmaster.	Swainsborough .....		J. M. Nunez.
Greensborough .....	1878	Do.	Talbotton .....	1876†	O. D. Gorman.
Griffin .....	1880	J. H. Barnes.	Tallapoosa .....	1885	J. H. Davis.
Do .....		Abel A. Wright.	Thomaston .....	1879	J. D. Alexander.
Hamilton .....	1880†	Charles L. Dendy.	Thomson .....	1881†	J. T. Neal and Dr. G.
Harmony Grove .....	1884	W. W. Jordan.	Do .....		W. Durham.
Hartwell .....	1884	James L. Johnson.	Trenton .....	1884†	R. S. Rodgers.
Irwin .....		A. W. Baum.	Way Station .....		George L. Appleton.

†About.

It was reported not present at the following places in Georgia:

Locality.	Observer.	Locality.	Observer.
Allapaha .....	James H. Kirby.	Herndon .....	Joseph B. Jones.
Arlington .....	Postmaster.	Hollywood .....	William H. Hatfield.
Barton .....	Do.	Homer .....	J. E. Stephens.
Blakely .....	H. C. Fryer.	Homerville .....	Sherod Smith.
Boggy .....	R. H. Chappellear.	Jeffersonville .....	M. E. Solomon.
Boston .....	J. W. Carmine.	Jesup .....	Postmaster.
Braganza .....	M. Albertson.	Marlow .....	Do.
Brunswick .....	Moses Daniel.	Neilly .....	N. A. Smith.
Cairo .....	S. A. Roldenberg.	Newton .....	B. F. Hudspeth.
Cameron .....	W. M. Henderson.	Oconee .....	C. W. Snell.
Cochran .....	Quinn L. Harvard.	Quitman .....	Hiram Hubert.
Conyers .....	William L. Peck.	Rising Ford .....	Postmaster.
Davisborough .....	F. M. Francis.	Rocky Ford .....	George Heard.
Dawson .....	R. G. Jones.	Roanoke .....	Postmaster.
Dawsonville .....	Postmaster.	Saint Mary's .....	Do.
Dillon .....	I. W. Bryan.	Stateborough .....	B. E. Turner.
Douglas .....	W. R. Googo.	Sun Hill .....	C. D. Thigpen.
Dublin .....	Postmaster.	Traders Hill .....	R. Hatcher.
Eastman .....	Do.	Tusculum .....	Postmaster.
Ellijay .....	W. A. Cox.	Wadley .....	James A. Thigpenn.
Faceville .....	W. B. McDaniel.	Wareborough .....	Postmaster.
Fort Gaines .....	S. E. Lewis.	Waycross .....	A. H. Morgan.
Graham .....	Postmaster.	Waynesville .....	J. N. Highsmith.
Green's Cut .....	Do.	White Sulphur Springs .....	W. A. Gillespie, jr.
Hawkinsville .....	E. P. King.	Wrightsville .....	James H. Hicks.

\* Reported abundant six months later.

In IDAHO, in the autumn of 1886, the Sparrow was known to be present at but one point. Mr. James Oliverson states that it appeared at Franklin in 1884. It was reported not present, in the autumn of 1886 and spring of 1887, at the following places:

Locality.	Observer.	Locality.	Observer.
Paisé City .....	G. S. Himrod.	Rexburgh .....	Henry Flamin.
Cherry Creek .....	Evan G. Jones.	Saint Charles .....	V. M. Pugmire.
Fish Haven .....	John Stock.	Shoshone .....	Will. A. Gilmore.
Montpelier .....	Postmaster.	Silver City .....	E. H. Moore.
Paris .....	Annie Budge.	Weston .....	Postmaster.

In ILLINOIS the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared	Observer.	Locality.	First appeared	Observer.
Albion .....	1871	George Ferriman.	Johnsonville .....	1883	James J. Johnson.
Aledo .....	1885	Charles W. Carter.	Knoxville .....	1881	O. L. Campbell.
Do .....	1885	J. F. Henderson.	Lenzburg .....	1883	H. Volkening.
Alton .....	1872	Hon. Wm. McAdams	Louisville .....	1880	Conrad E. Kaehler.
Alton Junction .....	1882	John Koch.	Marissa .....	1884	James I. Johnson.
Batavia .....	1881	John Brady.	Moline .....	1876	Daniel W. Gould.
Belleville .....	1881	Aug. Barthel.	Moumouth .....	1872†	Dr. S. M. Hamilton.
Belvidere .....	1886	A. E. Jenner.	Mount Carroll .....	1881	S. Hall.
Bernadotte .....	1885	Dr. W. S. Strode.	Do .....	1881	Dr. Henry Shimer.
Campbell Hill .....	1881	Aug. Dudenbostel.	Mount Sterling .....	1883	John J. McDannold.
Carbondale .....	1880	Prof. G. H. French.	Mount Vernon .....	1878†	John S. Bogan.
Carlyle .....	1881	William S. Hervey.	New Athens .....	1872	August Gierschner.
Carmi .....	1876	Dr. Daniel Berry.	Oak Park .....	1881	Rev. George B. Pratt.
Centralia .....	1879	Jabez Webster.	Olin .....	1881	W. Ingraham.
Chatham .....	1884†	Postmaster.	O'Fallon Depot .....	1860†	D. D. Gartside.
Chicago .....	1874 [?]	H. K. Coale.	Olney .....	1874†	J. C. Allen.
Do .....	1881	Henry D. Emory.	Oquawka .....	1882	Postmaster.
Collinsville .....	1874†	Henry De Wald.	Paxton .....	1881	G. W. Anderson.
Coulterville .....	1880†	Stiles H. Wirts.	Peoria .....	1870†	Postmaster.
Cullom .....	1880	P. J. Cook.	Peoria .....	1881	W. S. Cobleigh.
Danville .....	1876†	W. T. Cunningham.	Quincy .....	1876	T. Butterworth.
Dubois .....	1882	Isom Chesney.	Do .....	1870	J. H. Richardson.
East Wheatland .....	1884†	William D. Patterson.	Roberts .....	1878	E. O. Newman.
Fairbury .....	1882†	C. F. H. Carrithers.	Rockford .....	1878	Dr. F. H. Kimball.
Do .....	1881	A. H. Mundt.	Rock Island .....	1880	W. H. Hatch.
Fernwood .....	1881	George B. Holmes.	Rushville .....	1880†	John S. Bagby.
Flora .....	1878	A. T. Galbraith.	Salem .....	1876	L. D. Lear.
Forreston .....	1876	J. D. Covell.	Do .....	1880	Louis O. Vogt.
Freeburgh .....	1877	Charles Becker.	Sannemin .....	1880	C. S. Brydla.
Gilman .....	1881	David H. Henman.	Shawneetown .....	1881	George Rarden.
Golconda .....	1876†	Postmaster.	Swanwick .....	1883	M. S. Acheson.
Griggsville .....	1883	T. W. Parker.	Sycamore .....	1881†	L. E. Wyma.
Hamilton .....	1882	C. B. Rockwell.	Tamara .....	1883†	S. R. Haines.
Hardin .....	1884	Alonzo H. Carter.	Tilden .....	1884	Postmaster.
Hillsborough .....	1879	A. J. Edwards.	Troy .....	1876†	Robert Williamson.
Do .....	1881	P. J. Edwards and William Abbott.	Warsaw .....	1880†	Charles K. Worthen.
Jacksonville .....	1881	P. H. Rucker.	Waukegan .....	1880†	L. F. Watson.
Do .....	1881	Prof. J. B. Turner.	West Belleville .....	1880†	James Moran, jr.
Jerseyville .....	1881	James S. Daniels.	Woodstock .....	1880†	George C. Bunsen.
Do .....	1881	H. O. Goodrich.	Wright's Grove .....	1875†	A. S. Wright.
					John Gall.

† About.

It was reported not present at the following places in Illinois:

Locality.	Observer.	Locality.	Observer.
Albany .....	E. H. Olas.	Hamilton * .....	W. L. Guthrie.
Colona Station .....	H. H. Sale.	Harvel .....	Josephine Peebles
Elliott .....	Joseph Richmond.	Percy .....	Isom Chesney.

\* Reported present by another observer.

In INDIANA the Sparrow was reported present in the autumn of 1886 at the following places:

Locality	First appeared.	Observer.	Locality.	First appeared.	Observer.
Aaron .....	1882	F. W. Seaver.	Jasper .....	1880	J. F. Friedman.
Albion .....	1880†	Charles M. Clapp.	Laconia .....	1883†	George B. Brum
Angola .....	1880	Frank M. Powers.	La Fayette .....	1874†	J. M. Dresser
Biedfort .....	1879	Noyes E. Strout.	Do .....		F. M. Webster.
Birdseye .....	1883	Herman Koerner.	La Porte .....	1880	Dr. Geo. J. Andrew.
Bloomington .....	1878	C. H. Bollman.	Leavenworth .....	1875	Postmaster.
Do .....	1875†	Prof. B. W. Evermann	Magnolia .....	1883	Peter J. Deu
Booneville .....	1875†	William Swint.	Marengo .....	1863(?)	Postmaster
Brazil .....	1879	D. W. Brattin.	Markland .....	1878	Julia B. Brown
Burlington .....	1870	W. A. Wright.	Milltown .....	1881†	Charles P. Trotter.
Camden .....	1881†	F. C. Grouniger.	Mount Vernon .....	1876	A. A. Sparks.
Charlestown .....	1874	Postmaster.	Muncie .....	1880†	Granville Cowing.
Do .....	1882†	Dennis F. Willey.	Nebraska .....	1883	J. D. Kuster.
Cornuna .....	1881	W. J. Lanning.	New Albany .....	1875†	John B. Mitchell.
Crandall .....	1885	G. W. Jenkins.	Do .....	1865(?)	James N. Payton.
Cynthiana .....	1876	Joseph L. Blase.	Newbern .....	1883	U. F. Glick.
Deer Creek .....	1877†	Barnard and Plank.	Newburgh .....	1874	J. B. McKinney.
Delphi .....		John Barnard.	New Harmony .....	1876	Frank D. Bolton.
Dupont .....	1880	T. S. Williams.	New Washing'tn .....	1882	H. F. Work.
East Enterprise .....	1882†	William H. Madison.	Oakland City .....	1883	J. H. McFellan.
Edwardsville .....	1882	Edwin Yenowine.	Owensville .....	1880†	H. L. Strickland.
Evansville .....	1873	Dr. William Weber.	Patoka .....		William C. Fisher.
Farmland .....	1884†	N. W. Wright.	Patriot .....	1884	J. T. Bodkin.
Ferdinand .....	1878†	A. J. Fisher.	Poseyville .....	1882	Charles Kightly.
Fort Branch .....	1882†	C. F. Garrison.	Richmond .....	1869	Joseph C. Kulliff.
Frankfort .....	1878	A. B. Ghers.	Rochester .....		John M. Davis.
Fredonia .....	1884†	S. McFall.	Rome .....	1882	J. T. Connor.
Georgetown .....		L. M. Mottweller.	Rosewood .....	1884	John H. Calvin.
Goshen .....	1880†	John W. Irwin.	Salem .....	1880†	Thad. Huston.
Greencastle .....	1872†	W. H. Ragan.	Scottsborough .....		Melvin Hubbard.
Harristown .....		E. G. Berkey.	Stony Point .....	1875	Thos. H. Watlington.
Hazleton .....	1880†	J. H. Briner.	Tell City .....	1874	John L. Huber.
Henryville .....	1881	Postmaster.	Tobinsport .....	1886	C. C. Whitehead.
Holman Station .....	1882	W. V. Hardy.	Valparaiso .....	1880	E. S. Beach.
Home .....	1884	A. B. Tevis.	Vernon .....	1872†	Dalton Hinchman.
Hooker .....		Mary Benson.	Vevay .....	1875†	William R. Stratford.
Huntingburgh .....	1880	Morman Fisher.	Westville .....	1881†	E. L. Reynolds.
Indianapolis .....	1878†	J. G. Kingsbury.	Wheatland .....	1877	Robert Ridgway.
Ireland .....	1880†	Sne E. Williams.	Yeoman .....	1882	Charles Metsker.
Irvington .....	1870	Hon. S. Johnson.			

† About.

In INDIAN TERRITORY the Sparrow was reported not present in the autumn of 1886 at the following places:

Locality.	Observer.	Locality.	Observer.
Caddo, Choctaw Nation .....	F. C. Meadows.	Okmulgee, Creek Nation .....	C. C. Belcher.
Muscogee, Creek Nation .....	Postmaster.	Vinita, Cherokee Nation .....	W. G. Nelms.
Oak Lodge, Choctaw Nation .....	C. H. Patterson.		

In IOWA the Sparrow was reported present in the autumn of 1886, at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Ackley .....	1886	W. Francis.	Hampton .....	1886	J. B. Peck.
Agency .....	1884	E. T. Sage.	Independence .....	1883	David Dorman.
Albia .....	1885	F. M. Milliken.	Iowa City .....	1881	H. L. Bond.
Albion .....	1885	J. H. Jacques.	Do .....	1881	C. C. Nutting.
Bedford .....	1881	A. J. Sowers.	Knoxville .....	1883	George K. Cherrie.
Bellevue .....	1876	Dr. Lawrence Millar.	Lenox .....	1886	A. C. Brice.
Bloomfield .....	1881	H. C. Evans.	Leot Nation .....	1881	F. M. Frazier.
Burlington .....	1881	D. Y. Overton.	Lyons .....	1880	M. H. Westbrook.
Do .....	1860	Howard Kingsbury.	Maquoketa .....	1880	F. W. Crane.
Cedar Rapids .....	1874	Alex. Charles.	Marengo .....	1885	A. J. Morrison.
Chariton .....	1884	C. C. Simmons.	Marshalltown .....	1883	Max Kruskopf.
Do .....	1883	Thomas Spencer.	Monticello .....	1883	P. O. Babcock.
Clarinda .....	1876	H. E. Tomlinson.	Montrose .....	1884	Thomas Ward.
Coralville .....	1885	John Thos. Paintin.	Morning Sun .....	1884	W. A. McCormick.
Corydon .....	1884	J. S. Whitaker.	Moulton .....	1884	J. M. Willett.
Creston .....	1884	S. R. Davis.	Muscataine .....	1878	James J. Russell.
Davenport .....	1870	Davenport Academy	Newton .....	1884	W. E. Dingman.
Do .....	1870	Natural Sciences.	Osage .....	1886	F. W. Anus.
Denmark .....	1884	G. B. Brackett.	Do .....	1886	S. B. Chase.
Des Moines .....	1884	James B. Green.	Oskaloosa .....	1884	B. F. Lindly.
Do .....	1884	Dr. E. M. Morrison.	Do .....	1881	Gid. B. McFall.
Do .....	1885	George H. Nichols.	Ottumwa .....	1880	D. C. Beaman.
Do .....	1884	C. R. Keyes.	Do .....	1880	F. M. Milliken.
De Witt .....	1882	J. D. Bourne.	Parkersburg .....	1886	N. G. Baker.
Dubuque .....	1876	Edward T. Keim.	Red Oak .....	1883	Jacob L. Bake.
Do .....	1879	A. F. Hofer.	Do .....	1883	H. E. Dremer.
Do .....	1878	Theo. W. Ruete.	Shenandoah .....	1885	J. R. Hakekin.
Dyersville .....	1883	R. W. Gadsden.	Sidney .....	1881	G. V. Swearingen.
Eldridge .....	1875	M. H. Calderwood.	Solon .....	1884	C. H. Shirriff.
Fairfield .....	1884	Thomas C. Ross.	Vail .....	1884	M. J. Caser.
Farley .....	1882	W. V. Oldridge.	Vinton .....	1882	S. D. Redfield.
Ferry .....	1884	F. Eveland.	Wapello .....	1882	L. M. Jamison.
Glenwood .....	1881	Theo. W. Ivory.	Waukon .....	1886	E. M. Hancock.
Grinnell .....	1884	John Houghton.	Do .....	1886	D. W. Reed.
Do .....	1881	Lynds Jones.	West Liberty .....	1877	Dr. E. H. King.
Guttenberg .....	1880	Carl Kelsey.	Winthrop .....	1885	M. A. Chamberlain.
Hamburg .....	1881	James Schroeder.	Wolcott .....	1882	L. Bunnewitz.
Do .....	1881	Sidney Moor.			

† About.

It was reported not present at the following places in Iowa:

Locality.	Observer.	Locality.	Observer.
Albia .....	Postmaster.	De Soto .....	E. C. Payne.
Alt-n .....	H. A. Lieb.	Eagle Grove .....	Postmaster.
Altoona .....	W. H. Tompkins.	Earling .....	J. H. Kuhl.
Ames .....	Prof. Herbert Osborn.	Early .....	Postmaster.
Andrew .....	C. W. Long.	Elkader .....	M. W. Moir.
Aplington .....	C. J. Fitzpatrick.	Elkader .....	D. G. Griffith.
Arcadia .....	Postmaster.	Elwood .....	S. H. Clark.
Avoca .....	A. P. Cramer.	Emmetsburgh .....	Postmaster.
Battle Creek .....	Postmaster.	Epworth .....	Do.
Bayard .....	Elmer S. Shannon.	Essex .....	Do.
Beacon .....	Mary Salisbury.	Estherville .....	Do.
Blairtown .....	Carrie Applegate.	Exira .....	Do.
Boone .....	John A. Hall.	Farragut .....	S. J. Beach.
Britt .....	Postmaster.	Ferry .....	F. Eveland.
Brooklyn .....	W. T. Sharp.	Fletcher .....	W. H. Mong.
Butler Centre .....	H. N. Walker.	Fontanella .....	Postmaster.
Cambridge .....	J. B. Green.	Forest City .....	Martin Cooper.
Centerville .....	H. C. Haynes.	Fort Dodge .....	Mr. Rain.
Charles City .....	Dr. Joel W. Smith.	Garnaville .....	Theo. J. Krainsky.
Do .....	T. A. Hand.	Gilman .....	J. H. Seages.
Coin .....	Postmaster.	Gilmore City .....	F. E. Beera.
Colfax .....	S. V. Wilson.	Grand Junction .....	Tenny Smith.
Conwa .....	R. A. Holland.	Greene .....	Postmaster.
Correctionville .....	Postmaster.	Greenfield .....	Paul Dowlin.
Dakota .....	Do.	Guthrie Centre .....	Postmaster.
Dayton .....	Do.	Harlan .....	B. I. Kinsey.
Decorah .....	John Finn.	Hawarden .....	J. C. Miller.
Dellance .....	Postmaster.	Homestead .....	William Moershel.
Denison .....	Do.	Hull .....	Edward O. Plumber.

Locality.	Observer.	Locality.	Observer.
Ida Grove	George S. Witters.	Peterson	Postmaster.
Imogene	Postmaster.	Ponchartraine	J. F. Harlan.
Indianola	I. L. Eno.	Pomeroy	William T. Ivey.
Do	F. M. Milliken.	Postville	N. J. Beedy.
Iowa City	Henry N. Berry.	Preston	N. Godes.
Jenau	Postmaster.	Primghar	J. M. Long.
Jewell	Do.	Randolph	Postmaster.
Kellerton	F. C. Smith.	Reinbeck	William E. Fallas.
Lake Mills	Postmaster.	Rockford	C. F. Myers.
Lansing	J. Ruth.	Rock Rapids	Measra, Pierce & Co.
Le Mars	N. Redmon.	Rock Valley	Postmaster.
Do	J. E. Vogt.	Runnells	Do.
Leon	Postmaster.	Ruthven	Do.
Lewia	V. M. Conrad.	Sac City	J. W. Garra. 1.
Livernmore	Postmaster.	Saukborn	D. R. Phelps.
Logan	J. T. Stern.	Schaller	F. G. Butler.
Lynnville	J. S. Kitch.	Seymour	M. G. Cain.
Macedonia	Postmaster.	Sheffield	W. S. Bowen.
McGregor	A. F. Hofer.	Shellsburgh	Alex. Runyon.
Do	O. A. Kenyon.	Shelby	R. D. Prouty.
Mackaburgh	John D. Love.	Sheldon	C. S. M. Laury.
Malvern	R. L. Gidley.	Sibley	A. D. Tinsley.
Marble Rock	O. E. Wood.	Silver City	J. C. Christy.
Mapleton	W. F. Scott.	Sioux Rapids	A. P. Roberts.
Marne	Olaf Reimen.	Sloan	J. S. McSparran.
Mason City	H. Keerl.	Smithland	Postmaster.
Menlo	A. H. Grisell.	Spencer	Do.
Do	R. B. Shaver.	Spirit Lake	John Mosher.
Melrose	James Duggan.	Strawberry Point	P. W. Keith.
Millersburgh	Eli Sweet.	Templeton	Peter Neu.
Minburn	D. C. Bligh.	Unionville	A. Hicks.
Namouth	L. W. Hubbard.	Urbanna	E. Gee.
Nashua	J. M. Gilliland.	Van Horn	Postmaster.
Nevada	E. D. Fenn.	Victor	W. L. Eckhard.
Nevinsville	J. J. Crawford.	Villisca	P. D. Merrick.
New Providence	O. E. Miller.	Wall Lake	R. Pattison.
Northborough	C. P. Greene.	Walma	W. Hopper.
Oakland	J. A. T. Bates.	Webster City	Charles Aldrich.
Odebolt	F. R. Bennett.	Wesley	Postmaster.
Onawa	F. P. Fisher.	West Point	John Kemper, jr.
Do	C. G. Perkins.	Westside	L. Scofield.
Orange City	W. H. Cusady.	Whittemore	H. P. Hatch.
Panora	Postmaster.	Wiota	A. S. Kaber.
Persia	James Laing.	Woodbine	L. W. White.
Perry	D. C. West.	Worthington	Postmaster.

In KANSAS the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Abilene	1884	H. H. Floyd.	Fort Riley	1886	John D. Parker.
Do	1875(?)	Prof. Jno. W. Robson.	Fort Scott	1885	J. F. Cottrell.
Arvonia	1882	Postmaster.	Frankfort	1880	Postmaster.
Baker	1883	Do.	Fulton	1881	D. C. Johnston.
Baldwin City	1885	Do.	Garnett	1882	J. S. McCarty.
Beatle	1881	Do.	Do	1885	M. A. Page.
Blaine	1878	Do.	Greeley	1886	Postmaster.
Bronson	1884	A. Ford.	Grenola	1883	Thos. B. Hatcher.
Burlingame	871	J. Mayberry.	Havensville	1883	L. W. Dennen.
Burlington	1883	Patrick W. Floyd.	Hawatha	1880	H. C. Baker.
Cedar Point	1884	William M. Doughty.	Highland	1884	Wesley Truett.
Chanute	1886	S. H. Scott.	Hillsboro	1885	John G. Hill.
Cherryvale	1884	Postmaster.	Iola	1885	Altes H. Campbell.
Circleville	1882	M. H. Rollor.	Larkin	1883	P. C. Sweeney.
Colony	1884	Postmaster.	Lawrence	1877	B. F. Smith.
Cottonwood Falls	1885	W. P. Martin.	Lebo	.....	J. D. Ambrose.
Derby	.....	Michael Cooke.	Le Roy	1884	A. V. Coffin.
Doniphan	1880	Postmaster.	Louisburgh	1884	R. A. Wright.
Edlingham	1884	J. A. Coloon.	McPherson	1883	Warren Knaus.
El Dorado	1883	Postmaster.	Manhattan	1882	Dr. Chas. P. Blachly.
Elmdale	1882	James R. Jeffrey.	Do	1880	Prof. D. E. Lantz.
Emporia	1883	Rev. Henry Mackay.	Marion	1884	Charles Hardcastle.
Enterprise	1875	Prof. J. W. Robson.	Melvern	1880	R. D. Criss.
Eureka	1884	A. W. Hart.	Morantown	1885	P. J. McLaughan.
Fall River	1884	William McBrown.	Morganville	1885	Postmaster.
Fontana	1886	M. J. Campbell.	Morrill	1884	A. Cottrell.

[ About,

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Neosho Falls .....	1882†	H. D. Dickson.	Robinson .....	1883†	James T. Pomeroy.
Netawaka .....	1886	John H. Johnson.	Severance .....	1882	E. Hamey.
Olathe .....	1883	E. P. Diehl.	Solomon City .....	1875(?)	Prof. Jno. W. Robson.
Do .....		Postmaster. (?)	Spring Hill .....	1883	S. W. Young.
Omio .....	1885	Dr. S. P. Morse.	Stafford .....	1886	G. R. Cruzen.
Onida .....	1881	Postmaster. (?)	Stroß .....	1883	J. L. Cochran.
Osgo Mission .....	1885	John R. Brunt.	Tonganoxie .....	1886	J. S. Grist.
Oskaloosa .....	1880	A. J. Buck.	Topeka .....	1874	F. W. Giles.
Do .....	1881	M. L. Critchfield.	Toronto .....	1885	J. B. Stockton.
Oswego .....	1885	D. Doyle.	Vinland .....	1882	Joseph Hiff.
Do .....	1885†	Dr. W. S. Newlon.	Westmoreland .....	1883	J. B. Pierce.
Parkerville .....	1880	H. S. Day.	Wetmore .....	1879†	D. C. Rising.
Parsons .....	1886	F. W. Frye.	Wichita .....	1885	D. A. Mitchell.
Quenemo .....	1882	Dr. A. R. Bodley.	Williamsburgh .....	1883	Postmaster.

†About.

It was reported not present at the following places in Kansas:

Locality.	Observer.	Locality.	Observer.
Alamota .....	M. S. Ketch.	Lincoln .....	J. B. Goff.
Alma .....	Matt Thomson.	Litchfield .....	W. B. Denison.
Altamont .....	Postmaster.	Lyons .....	George W. Clark.
Altona .....	M. Moore.	Do .....	W. T. Nicholas.
Ashland .....	M. Milton Bailey.	McPherson* .....	Theodore Boggs.
Atwood .....	Postmaster.	Do .....	B. S. Bonney.
Barclay .....	David B. Embree.	Mankato .....	E. P. Bancroft.
Barnes .....	Postmaster.	Mapleton .....	E. P. Higby.
Bennington .....	B. W. Flournoy.	Marquette .....	J. A. Foster.
Beloit .....	E. A. Taylor.	Marvin .....	Postmaster.
Benton .....	W. H. Litson, Jr.	Millbrooke .....	W. B. Anderson.
Do .....	Postmaster.	Moline .....	J. F. Goch.
Blue Mound .....	Do.	Monrovia .....	Thomas F. Cook.
Caldwell .....	O. Beeson.	Montment .....	John B. Ennis.
Cawker City .....	William Whitney.	Mound Valley .....	Postmaster.
Cedarville .....	T. W. Rea.	Mulberry Grove .....	Ada L. Miller.
Cheever .....	Prof. John W. Robson.	Norton .....	Walter R. Cannon.
Clay Centre .....	E. C. Wilson.	Oak Valley .....	George R. Sater.
Dodge City .....	F. M. Reemer.	Opolis .....	Postmaster.
Dorrance .....	B. J. Rankin.	Osborne .....	Leroy T. Weeks.
Downs .....	D. S. Gardiner.	Pittsburgh .....	Postmaster.
Elk Falls .....	George Fain.	Plainville .....	Do.
Eudora .....	T. C. Darling.	Pottersville .....	W. G. Short.
Farnsworth .....	George H. Huleman.	Pratt .....	Postmaster.
Fredonia [1887] .....	George B. Brown.	Prescott .....	Do.
Garden Plain .....	J. S. Gilchrist.	Reece .....	E. F. Mullan.
Garfield .....	M. W. Elder.	Rush Centre .....	F. E. Jerome.
Girard .....	E. A. Wassor.	Russell .....	William Walker.
Glascu .....	Noah Welch.	Sedalia .....	D. J. Moore.
Great Bend .....	H. P. Bain.	Shermanville .....	Postmaster.
Greenleaf .....	C. E. Howe.	Smith Centre .....	L. E. Reese.
Hays City .....	Joseph E. Wilson.	Solomon City* .....	D. W. Wilson.
Hepler .....	J. T. Didlake.	South Haven .....	M. Musgrove.
Hunnell .....	J. O. Brewster.	Sterling .....	J. B. Schlichter.
Hutchinson .....	E. M. Yoden.	Towanda .....	A. Swiggett.
Industry .....	A. T. Munroe.	Uniontown .....	J. U. Moore.
Ionia .....	Herman Colson.	Vining .....	Postmaster.
Irving .....	Postmaster.	Wa Keeney .....	George M. Ufford.
Iuka .....	S. W. Taylor.	Washington .....	Postmaster.
Jetmore .....	J. W. Winn.	Waterville .....	George H. Titcomb.
Jewell .....	R. W. Hill.	Wathena .....	Postmaster.
Kinsley .....	James P. Aloorin.	Weir .....	J. Morgan, Jr.
Kirwin .....	C. E. Monell.	Westphalia .....	Postmaster.
Larned .....	S. S. Dickinson.	White Rock .....	A. B. Warner.
Do .....	Henry Booth.	White Cloud .....	Samuel Flinn.
Lenora .....	T. J. Gilbert.	Winfield .....	George C. Pembough.
Liberty .....	A. F. Johnson.		

\* Reported present by another observer.



In KENTUCKY the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Adairville .....	1884	A. M. Mosely.	Hopkinsville .....	1881†	John W. McPherson.
Albany .....	1884	W. L. Stouf.	Inc.. ..	1884	N. W. Crum.
Anburn .....	1878†	I. O. Perkins.	Irvine .....	1883	June B. Park.
Augusta .....	1880†	J. H. Boude.	Jamestown .....	1882	Postmaster.
Bagdad .....	1879†	E. P. Denton.	La Grange .....	1879	J. R. Clark.
Barbourville .....	1880	Thomas H. Amis.	Laurester .....	1877†	W. H. Wherritt.
Bardwell .....	1885	John W. Tusk.	Lexington .....	1808†	Dr. Robert Peter
Bedford .....	1883	Leonard G. Peak.	Liberty .....	1884	Postmaster.
Bloomfield .....	1886†	John Allan Terrell.	London .....	1882	R. M. Jackson.
Booneville .....	1883	Hon. Green Breeding.	Louis .....	1876	Mrs. C. C. Sullivan.
Bowling Green .....	1883†	W. Cook.	Louisville .....	1874	J. B. Nail.
(near).			Madisonville .....	1880	J. F. Dempsey.
Bowling Green .....	1878	Postmaster.	Marion .....	1882	J. G. Rochester.
Brownsville .....	1884	Henry E. Smith.	Maysville .....	1876†	A. C. Rosques.
Burkeville .....	1880†	W. F. Alexander.	Morganfield .....		B. B. Hughes.
Burlington .....	1880†	Postmaster.	Murray .....	1880†	W. T. Scott.
Cadiz .....	1883	G. Smith.	New Haven .....	1874†	Dr. H. D. Rodman.
Carrollton .....	1881†	Postmaster.	New Liberty .....	1880†	John Curtis.
Casky .....	1886	Frank B. Hancock.	Newport .....		P. B. Spence.
Cattlettsburgh .....	1879†	J. C. Rardin.	Nicholasville .....	1878	Postmaster.
Clinton .....	1884	W. C. Porter.	Do .....		De Witt C. Shely.
Columbus .....	1883	F. H. Gardner.	Paducah .....		W. C. Clark.
Creascent Hill .....	1880†	Thomas S. Kennedy.	Paintsville .....	1884	Postmaster.
Danville .....	1874	James R. Marra.	Pikeville .....	1884	F. C. Hatcher.
Dawson .....	1882	W. D. Halloman.	Providence .....	1881	J. A. Rudy.
Elizabethtown .....		Postmaster.	Richmond .....	1879†	Stephen D. Parrish.
Elkton .....	1880†	E. W. Weathers.	Sandy Hook .....	1885	L. Hancey.
Emmerson .....	1882†	Postmaster.	Sebre .....	1884†	John A. Willingham.
Enbank .....	1886	John B. Lewis.	Shelbyville .....	1878†	Dr. Ormus Gray.
Falmouth .....	1880†	Mrs. M. A. Clark.	Shepherdsville .....	1883	C. C. Lee.
Flemingsburgh .....	1881	H. C. Ashton.	Simpsonville .....	1879	R. H. George.
Frankfort .....		C. E. Bowman.	Smithland .....	1880	A. J. Bebout.
Franklin .....	1882†	T. M. Good Knight.	Smith's Grove .....	1881†	Postmaster.
Fulton .....	1883	H. F. Taylor.	Somersaet .....	1881†	John Inman.
Germantown .....	1880	J. A. Walton.	South Carrollton .....	1881	J. O. Eversly.
Ghent .....	1878†	George R. Bowie.	Stanford .....	1873	Thomas Richards.
Grayson .....	1877	A. F. Hill.	Taylorville .....	1878†	Ruth C. Burton.
Greensburgh .....	1881	W. J. Taylor.	Tompkinsville .....	1885	Postmaster.
Greenville .....	1880	C. W. Short.	Trouton .....	1882†	L. H. Arnold.
Hartinsburgh .....		J. R. Johnson.	Vanceburgh .....	1879†	J. Spurr.
Hartford .....	1880	A. B. Baird.	West Liberty .....	1884	William M. Kendall.
Hawesville .....	1879†	D. L. Adair.	Williamstown .....	1876†	Postmaster.
Hickman .....	1877	L. O. Pindar.			

† About.

It was reported not present at the following places in Kentucky:

Locality.	Observer.	Locality.	Observer.
Backusburgh .....	Henry C. Wade.	Edmonton .....	J. P. Van Zant.
Bandana .....	W. L. Bridgewater.	Jackson .....	W. D. Cardwell.
Blandville .....	W. I. Watson.	Salysersville .....	S. E. Hager.
Crocos .....	J. P. Miller.	Young's Springs .....	William H. Caragan.

In LOUISIANA the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Barataria .....	1883†	William B. Berthoud.	Napoleonville .....	1884	Dr. Charles McAville.
Bayou Goula .....		W. C. Percy, jr.	New Orleans .....	1874†	W. W. Edwards.
Do .....	1882†	P. L. Viallon.	Plaquemine .....	1880	Charles E. Dupuy.
Black Hawk .....	1884	W. C. Percy, jr.	Pointe Coupee .....	1885	Postmaster.
Donaldsonville .....	1881	L. E. Bentley.	Port Hudson .....	1882	Do.
Do .....		Charles E. Nesmith.	Saint Joseph .....	1886	A. Bondusant.
Edgard .....	1884	Postmaster.	Schriever .....	1885	Postmaster.
Hahnville .....	1881	Joseph W. Carew.	Welcome .....		J. A. Burbank.
Lafourche Cross- ing .....	1886	Postmaster.			

† About.

It was reported not present at the following places in Louisiana:

Locality.	Observer.	Locality.	Observer.
Amite City .....	Postmaster.	La Fayette .....	Postmaster.
Arcadia .....	J. C. Brice.	Lake Providence .....	J. G. Oldfield.
Baldwin .....	J. M. Hills.	Do. ....	F. H. G. Taylor.
Bastrop .....	Charles A. Bibbins.	Lamarie Bridge .....	Postmaster.
Bayou Courant .....	J. William Brown.	Leesville .....	J. O. Winfree.
Bayou Sara .....	Postmaster.	Manifest .....	R. B. Hodges.
Bellevue .....	F. M. Mumford.	Many .....	J. B. Vandagriff.
Cameron .....	J. H. Caboon.	Marksville .....	H. Dupuy.
Centreville .....	S. P. Henry.	Minden .....	J. C. T. Chaffo.
Church Point .....	A. B. Etienne.	Morgan City .....	H. M. Mayo.
Colfax .....	P. L. Guldry.	Monroe .....	I. Garrett.
Convent .....	A. L. Grow.	Mound .....	C. H. Lucas.
Coushatta .....	Joseph Blandig.	Natchitoches .....	E. Suddath.
Delhi .....	J. R. McGoldrick.	Nowellton .....	Louis Buckner.
Dennis Mills .....	R. H. Dollorhide.	Pattersonville .....	Postmaster.
English Lookout .....	Thomas F. Anderson.	Port Eads .....	W. L. Wright.
Farmeraville .....	D. L. Green.	Port Vincent .....	D. C. Leftwich.
Foster .....	I. Shelton.	Rayne .....	Alphonse Ducloux.
Franklin .....	J. E. Munson.	Robeline .....	James M. H. McCook.
Frierson's Mill .....	John A. O'Neill.	Ruston .....	Postmaster.
Harrisonburgh .....	C. J. Frierson.	Saint Martinville .....	Albert Bienvenu.
Homer .....	John H. Carter.	Shreveport .....	George D. Alexander.
Houma .....	D. W. Harris.	Sparta .....	H. F. Schern.
Jackson .....	P. Ulmer.	Tallulah .....	O. P. Hebert.
Jennings .....	Lee Kiblinger.	Tigerville .....	Postmaster.
Jewella .....	Postmaster.	Water Proof .....	Myles Bonney.
Keatchie .....	Do.	Winnborough .....	S. Wylie.
	William G. Spilker.		

In MAINE the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Bangor .....		F. P. Briggs.	North Livermore .....	1883	George H. Berry.
Bath .....		George E. Newman.	Ogunquit .....	1882†	Daniel W. Perkins.
Belfast .....	1883	George E. Brackett.	Orono .....	1881	Prof. C. H. Fernald.
Brewer .....	1884†	Manly Hardy.	Portland .....	1898	Nathan C. Brown.
Calais .....	1883†	George A. Boardman.	Do. ....		Charles B. Fuller.
China .....	1884	Dr. G. A. Martin.	Do. ....	1876†	C. P. Mattoch.
Damariscotta .....	1883	E. W. Dunbar.	Do. ....	1853	Everett Smith.
Dexter .....		J. D. Cochrane.	Presque Isle .....		John Stewart.
Fairfield .....	1876†	Jas. O. Whittimore.	Readfield .....	1886	H. O. Nickerson.
Farmington .....	1880†	E. E. Richards.	Saccarappa .....		Arthur H. Norton.
Houlton .....		John Stewart.	South Windham .....		C. K. Allen.
Lewiston .....	1882	W. R. Wright.	Waterborough .....		C. W. Costellow.

† About.

It was reported not present at the following places in Maine:

Locality.	Observer.	Locality.	Observer.
East Surry .....	Samuel Warson.	Skowhegan .....	A. R. Smiley.
Hudson .....	F. P. Briggs.		

In MARYLAND the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Annapolis .....		F. K. Steele.	Mechanicstown ..	1877†	E. L. Boblitz.
Baltimore .....		Otto Luggen.	Middletown .....	1878	E. M. Bowlin.
Boonsborough .....	1875†	Robert Lamar.	New Windsor .....	1876†	J. F. Buffington.
Burkittsville .....	1879†	William C. Karn.	Oakland .....	1875†	P. Hamill.
Clear Spring .....	1876†	L. Peterman.	Salisbury .....	1880	E. Stanley Toadvin.
Cumberland .....	1868	A. Willison.	Sandy Spring .....	1880†	Henry C. Hallowell.
Emmitsburg .....	1879†	S. N. McNair.	Do .....	1879†	H. H. Miller.
Frostburg .....	1878†	C. H. Walker.	Sharpsburgh .....	1878†	Henry M. Johnson.
Grantsville .....	1880	George P. Thistle.	Smithsburg .....	1876†	Manoah Metz.
Hagerstown .....	1876†	W. T. Swartz.	Taneytown .....	1876†	J. A. Brichner.
Hancock .....	1865	S. C. Crown.	Union Bridge .....	1877†	Edward W. Leeda.
Looncong .....	1878†	Patrick Carroll.	Westminster .....	1876†	Joseph B. Boyle.
Manchester .....	1872†	Adam Shower.	Williamsport .....	1870	S. R. Wolf.

† About.

In MASSACHUSETTS the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Amherst .....	1872†	Hubert L. Clark.	Newton Highlands ..		James F. C. Hyde.
Boston .....		Joseph M. Wade.	New Worcester .....	1874†	Theo. G. Ball.
Brookline .....	1868	N. A. Francis.	Norfolk .....	1883†	L. C. Keith.
Do .....		Gordon Plummer.	North Adams .....	1880	Nelson Dupuy.
Cambridge .....	1874†	William Brewster.	Northampton .....	1875†	L. C. Ferry.
Do .....	1873†	Dr. H. A. Hagen.	Rehoboth .....	1879	E. H. Carpenter.
Cottage City .....	1882†	E. P. Vincent.	Simsenot .....	1880†	P. M. Almy.
Cuttyhunk .....		Alonzo Dargett.	Somerset .....	1874	Elisha Slade.
Dracut .....	1883	Asa Clement.	Spencer .....	1875†	Clarence L. Cate.
East Templeton .....	1880	Charles E. Ingalls.	Springfield .....		J. W. Adams.
Edgartown .....	1884†	Henry A. Pease.	Do .....	1866†	George A. Solly.
Falmouth .....	1882†	F. J. C. Swift.	Do .....	1876†	Dr. P. L. B. Stickney.
Fitchburg .....	1872†	Prof. F. E. L. Beal.	Taunton .....	1878†	Charles H. Andros.
Holyoke .....	1870†	Thomas Chalmers.	Do .....	1878	John C. Cahoon.
Do .....		William F. Lamb.	Tyngsborough .....		C. W. Swallow.
Lynn .....	1873†	R. H. Metcalf.	Vineyard Haven .....	1834†	John F. Robinson.
Do .....		Waldo Thompson.	Westford .....	1883†	L. W. Wheeler.
Medford .....	1869†	John B. Tolman.	West Roxbury .....	1876†	C. A. Hewins.
Middleborough .....	1875†	E. A. Bowen.	West Springfield ..	1880†	J. N. Bagg.
Nantucket .....	1882†	J. F. Murphey.	Woburn .....	1875†	E. H. Richards.
Newton .....	1877†	J. W. Pearson.	Wood's Holl .....	1884	J. H. Kidder.

† About.

It was reported not present at the following places in Massachusetts:

Locality.	Observer.	Locality.	Observer.
Gay Head .....	Wm. A. Vanderhoop.	Spencer [country] .....	H. H. Kingsbury.
Halifax .....	G. A. Parker.	West Tisbury .....	C. W. Nickerson.
Royalston .....	Miss M. E. Paine.		

In MICHIGAN the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Ada .....	1884	Postmaster.	Ithaca .....	1882	H. Morrison.
Agricultural College.	1885	A. J. Cook.	Jackson (1881) .....	1880†	William K. Gibson
Do .....		Professor of botany and forestry.	Do do .....	1876†	P. B. Loomis.
Albion .....	1885	Martin Haven.	Do do .....	1874†	Grove H. Wolcott.
Allegan .....		Rev. D. D. Chapin.	Jonesville .....	1884	R. J. Coryell.
Allen .....	1876	John H. Parish.	Kalamazoo .....	1876†	Dr. Morris Gibbs.
Alma .....		T. D. Ely.	Do .....	1878†	Frank Little.
Almont .....	1878†	F. C. Andrus.	Kent City .....	1882	Henry H. Wylie.
Alpena .....		William Boulton.	Kingsley .....	1885	A. G. Edwards.
Ann Arbor .....		J. B. Steere.	Lansing .....		Jason E. Nichols.
Athens .....	1870†	J. F. Culp.	Lapeer .....	1879†	Fred S. Odle.
Bad Axe .....	1882	Bell Irwin.	Lenawee Junction.	1871†	M. Graves.
Do .....	1883	J. T. Rorick.	Lickley Corners.	1885	A. H. Carver.
Baldwin (1888) .....		Robert J. Matthews.	Locke .....	1882	Dr. H. A. Atkins.
Bay City .....	1879	F. W. Grinnell.	McMillan .....		D. L. West.
Beaumont (1888) .....	1883†	John N. Brodie.	Manistee (1888) .....		Robert Johnson.
Benzie .....	1883†	A. S. Abbott.	Manistique .....	1884	W. H. Hill and Corwin Atkins.
Berrien Springs .....	1883	Edson Packard.	Marquette .....		W. W. Dunt.
Big Rapids .....	1878†	Fremont D. Nichols.	Do .....	1885†	Frank E. Wood.
Bozette City .....	1883	J. T. Escott.	Marshall .....	1880	Samuel S. Lacey.
Boyne City .....		Walter Ware and Jas. L. Campbell.	Martin .....	1884	George Redpath.
Boyne Falls .....	1885	Monroe Dickinson.	May .....	1882	O. A. Myers.
Buchanan .....	1871†	J. L. Richards.	Mears .....	1883	George Wyckoff.
Burdickville .....	1881	A. S. Fritz.	Menominee .....	1882	J. W. Bird.
Burlington .....	1883	Postmaster.	Merrill .....	1883	Postmaster.
Caledonia Station .....	1884	Kate Konklo.	Midland .....	1881	H. L. Fairchild.
Cassopolis .....	1881†	L. H. Glover.	Do .....	1878[?]	Postmaster.
Centerville .....	1879	J. A. Russell.	Millet .....	1884	L. E. Crane.
Charlotte .....	1875	C. S. Barrett.	Monroe .....	1873†	James C. Critchett.
Chelveygan .....	1882	C. A. Gallagher.	Morenci .....	1878	Henry S. Wyman.
Clare .....		A. C. Aldrich.	Mount Clemens .....	1883	John B. Leonardson.
Coldwater .....	1876	David B. Dennis.	Muskegon (1888) .....		Martin Waalkes.
Coeur d'Alene .....	1881	David E. Haskins.	Nashville .....	1876	James M. Pilbeam.
Corunna .....	1881	Dr. C. T. Armstrong.	New Haven .....		John Leonardson.
Detroit (1888) .....		Ralph Phelps, jr.	North Adams .....	1881	O. C. Smith.
Dorr .....	1885	Frank Sommer.	North Branch .....		R. A. McDougall.
Eaton Rapids .....	1881†	S. R. Fuller.	Northville .....	1880	Denn F. Griswold.
Elk Rapids .....	1880	James E. Rankin.	Nunica .....	1881	J. J. Wiseman.
Escanaba .....	1879	T. Killian.	Omer .....	1885	J. H. Delknap.
Exeter .....	1882	W. L. Stoddard.	Oscoda .....	1879	H. C. King.
Farmington .....	1885	Frank D. Clark.	Otisville .....	1880†	Postmaster.
Farwell .....		Postmaster.	Oxosus .....	1876	A. Lee Williams.
Fife Lake .....	1884	Do.	Paw Paw .....	1874	Postmaster.
Frankfort .....	1881†	Charles Burmeister.	Perry .....	1881	Do.
Do .....	1882	Wm. G. Voorheis.	Petersburgh .....	1877†	Jerome Trombley.
Gaines Station .....	1876	N. P. Seeland.	Pineckney .....	1878	Postmaster.
Gallen .....	1882	G. A. Blakeslee.	Pittsford .....		Do.
Gladwin .....	1884	Postmaster.	Plainwell .....	1874†	A. C. Roberts.
Grand Haven .....	1871†	Do.	Plymouth .....	1876	W. J. Burrow.
Grand Rapids .....	1881	James Cox.	Portland .....	1880†	P. M. Cutcheon.
Do .....	1881†	Charles W. Garfield.	Reading .....	1881	H. F. Doty.
Grass Lake .....	1882	Frank O. Heilner.	Reese .....	1878	John J. Gies.
Grayling .....		J. O. Hadley.	Richmond .....		E. F. Hunt.
Greenville .....	1882	J. E. Taylor.	Rogers City .....	1885†	Hermann Hoeft.
Harbor Springs .....	1882	Will E. Hampton.	Saginaw .....	1881†	F. S. Smith.
Harrison .....	1884	William W. Green.	Saint Clair .....	1876†	T. D. Barron.
Do .....		Postmaster.	Saint John's (1883) .....		James H. Conn.
Harrisville .....	1830	Do.	Saline .....	1880	Norman A. Wood.
Hart .....	1882	E. T. Mugford.	Sand Hill .....		Wm. J. Muldragh.
Do .....	1870†	E. D. Richmond.	Sandusky .....	1881	Thomas Doyle.
Hastings .....	1870	Edward Finley.	Sandusky (1888) .....		Chris. Murphy.
Hillman .....	1881	John Bessmer.	Saranac .....	1879	M. S. Lord.
Hillsdale .....	1882	Postmaster.	Saugatuck .....	1880	Postmaster.
Holland .....	1878	Ira B. Carl.	Sault de Ste. Marie.	1883	William S. Shaw.
Homestead .....	1883	William Verbeek.	Schoolcraft .....	1877†	P. D. Miller.
Hopkins Station .....		C. F. Collins.	Shelby .....	1880	Geo. W. Woodward.
Hudson .....	1875	Postmaster.	Sherwood .....	1884†	Postmaster.
Huron .....	1885	A. H. Boies.	Sparta .....	1880	E. Bradford.
Inlay City .....	1883	Andrew Shaw.	Springport .....		J. B. Conklin.
Ithaca .....	1878	E. J. Landers.	Stanton .....	1881†	Postmaster.
		O. F. Jackson.	Tawas City .....	1882	Do.

† About.

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Tecumseh .....	1870	C. A. Wright and C. A. Story.	Watrousville ...	1882	E. B. Hayes.
Thomson .....	1876(?)	R. B. Wallace.	Wayland .....	1882	John Graves.
Thornville .....	1882	Dr. John S. Caulkins.	West Bay City ..	1881	Postmaster.
Traverse City ..	1878	H. D. Campbell.	West Windsor ..	1884	Mary E. Tuttle.
Utica .....	1881	Samuel P. St. John.	White Cloud .....	1883	R. S. Trask.
Vassar .....	1876†	Levi H. Emerson.	Whittemore .....	1883	Frank Duplanty.
Watervliet .....	1882	W. E. Walden.	Wixom .....	1880†	Postmaster.
			Ypsilanti .....		William Lambie.

† About.

It was reported not present at the following places in Michigan:

Locality.	Observer.	Locality.	Observer.
Atlantic Mine .....	Postmaster.	Michigamme .....	Postmaster.
Baldwin .....	Andrew Ozmun.	Munising * .....	W. A. Cox.
Calumet .....	A. T. Streeter.	Newberry .....	T. J. Stewart.
Camden .....	J. B. Alward.	Ontonagon .....	Asa A. Parker.
Crystal Falls .....	Postmaster.	Quinnesec .....	Postmaster.
Hancock .....	James B. Looney.	Republic .....	John Maguire.
Houghton .....	E. R. Penbentry.	Ripley .....	Frank E. Wood.
Iron Mountain ..	Postmaster.	Rives Junction ..	John Heffernan.
Lake City .....	F. O. Gaffney.	Saint Ignace .....	R. W. Hornbach.
Lake Linden .....	Postmaster.	Saint James .....	James R. Gibson.
L'Anse .....	John Q. McKernan.		

\* Reported present in 1887.

In MINNESOTA the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Austin .....	1886	H. O. Bayard.	Redwood Falls ..	1881†	J. L. Thompson.
Do. ....	1885	G. L. Case.	Rochester .....	1886	Samuel De Wolf.
Chatfield .....	1884	John R. Jones.	Do. ....	1886	W. D. Hurlbut.
Elk River (1887) ..	1886	Vernon Bailey.	Saint Paul .....	1876	Dr. Thos. S. Roberts.
Lanesborough .....	1886	Dr. J. C. Hvoslef.	Wabasha .....	1886	J. H. Evans.
Minneapolis .....	1876	Dr. P. L. Hatch.	Waseca .....	1886	D. McLaughlin.
Do. ....	1876	Dr. Thos. S. Roberts.	Winona .....	1886†	Prof. J. M. Holsinger.
Monticello .....	1882	William Tubbs.	Do. ....	1886	Postmaster.

† About.

It was reported not present at the following places in Minnesota:

Locality.	Observer.	Locality.	Observer.
Albert Lea .....	R. B. Abbott.	Cloquet .....	Hamilton Curry.
Anoka .....	J. A. Foote.	Detroit City .....	S. N. Horneck.
Aitkin .....	E. F. Barrett.	Duluth .....	John Flynn.
Atwater .....	Marcus Johnson.	Elk River .....	U. P. Burrell.
Audubon .....	George Wendel.	Excelsior .....	Dr. James R. Walker.
Beaver Falls .....	J. Leon Wieland.	Fairmont .....	A. L. Ward.
Belle Plaine .....	E. E. Chatfield.	Farmington .....	Hamilton H. Judson.
Benson .....	John D. Lyons.	Fort Snelling .....	Victor Roberson.
Bird Island .....	F. L. Puffer.	Glenwood .....	Thomas Schweiger.
Blue Earth City ..	J. H. Sprunt.	Glyndon .....	J. W. Rodgers.
Breckenridge .....	H. Champion.	Granite Falls .....	C. A. Bennett.
Do. ....	George F. Cook.	Hallock .....	William Thompson.
Brownsville .....	A. L. Darling.	Hamline .....	E. B. Higgins.
Buffalo .....	J. C. Nugent.	Hastings .....	Rev. George B. Pratt.
Carver .....	Charles Johnson.	Helena .....	George Beckman.
Centre City .....	Postmaster.	Henderson .....	Adam Buck.
Chaska .....	George F. Taber.	Houston .....	S. B. McIntire.

\* Reported present by another observer.

Locality.	Observer.	Locality.	Observer.
Howard .....	Mark Fosket.	Osseo .....	William Krueger.
Iona .....	Martin W. Donnell.	Owatonna .....	L. L. Wheelock.
Jackson .....	John Feildes.	Oxford .....	Stephen Hewson.
Jordan .....	Michael Beck.	Perham .....	Henry Kemper.
Kasson .....	George B. Arnold.	Pipestone .....	D. E. Sweet.
Kimberly .....	M. F. Showell.	Preston .....	Thomas Hall.
La Crescent .....	John S. Harris.	Princeton .....	Newell A. Ross.
Do .....	Thomas Minshall.	Richfield .....	J. N. Richardson.
Lake City .....	David O. Irwin.	Rush City .....	F. McKeon.
Do .....	George H. Selover.	Rushford .....	H. F. Robie.
Lake Crystal .....	M. W. Kelly.	Saint Charles .....	D. F. Murphy.
Lake Park .....	C. Borge.	Saint Cloud .....	John Pickert.
Lakeville .....	C. H. French.	Saint Paul .....	Postmaster.
Le Sueur .....	I. M. Farmer.	Saint Peter .....	D. L. Kichle.
Do .....	E. R. Smith.	Sauk Centre .....	Charles A. Johnson.
Litchfield .....	A. J. Revill.	Sauk Rapids .....	Charles F. Hendryx.
Long Lake .....	B. F. Christlieb.	Shakopee .....	Julia A. A. Wood.
Luverne .....	C. O. Hawes.	Stillwater .....	Charles Bornarth.
Madelia .....	A. H. Benton.	Taylor's Falls .....	E. G. Butts.
Mankato .....	James Cannon.	Tower .....	N. W. Humphrey.
Marine Mills .....	Charles Westergren.	Tyler .....	John Anderson.
Marshall .....	Squire D. How.	Verndale .....	J. A. Bigham.
Mendota .....	T. Fee.	Warren .....	E. E. Parker.
Merriam Junction .....	Henry Dols.	Washburn .....	A. P. McIntire.
Minnetonka .....	D. M. Burwell.	Wells .....	Frederick Miller.
Montevideo .....	E. L. Kempe.	White Bear Lake .....	J. W. Polleys.
Moorhead .....	E. Fay.	Willmar .....	Daniel Getty.
Mora .....	Stanton D. Seavey.	Windom .....	O. Selvig.
New Ulm .....	Francis Baasen.	Do .....	S. M. Espey.
Norcross .....	Postmaster.	Winnebago .....	S. B. Stutman.
North Star .....	John Schrooten.	Worthington .....	A. B. Davis.
Oak Dale .....	Joseph Streiff.	Zumbrota .....	L. B. Bennett.
Olivia .....	Daniel Haire.		C. B. Anderson.

\*Reported present by another observer.

In MISSISSIPPI the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Aberdeen .....	1884†	M. H. Gillespie.	Hernando .....	1872†	D. M. Stocumb.
Do .....	1883	A. A. Wall.	Holly Springs ..	1882†	John S. Finlay.
Booneville .....	1884†	E. E. Marshall.	Iuka .....	1884	A. T. Scruggs.
Coffeeville .....	1884†	J. F. Kelly.	Natchez .....	1880	R. Holmes.
Columbus .....	1883†	Dayton Hale.	Ripley .....	1884	E. W. Simpson.
Do .....	1884†	D. C. Hodo.	Senatobia .....	1881†	C. P. Varner.
Corinth .....	1884	Postmaster.	Starkville .....		W. B. Stark.
Do .....		Dr. Rawlings Young.	Tupelo .....	1886	F. M. Goar.
Friar's Point .....	1878†	F. D. Robinson.	West Point .....	1880	J. H. Brinker.
Grenada .....	1881†	R. N. Hall.	Winona .....	1883†	D. S. Young.

† About.

It was reported not present at the following places in Mississippi:

Locality.	Observer.	Locality.	Observer.
Agricultural College ..	W. B. Stark.	Magnolia .....	E. Safford.
Austin .....	T. W. L. Askew.	Mississippi City .....	Phelps.
Baldwyn .....	T. B. Stables.	Monticello .....	W. F. McInnis.
Bay Saint Louis .....	Ella E. Ioor.	Morton .....	L. R. Moore.
Belon .....	F. M. Hamlet.	Moss Point .....	A. Blumer.
Bollinger's Mills (1889).	Jos. H. Grant.	Do .....	C. H. Wood.
Bolton's Depot .....	M. Allie Davis.	Mulden .....	J. C. Cunningham.
Brookhaven .....	V. L. Tyler.	Pass Christian .....	Howard P. Beeman.
Canton .....	G. W. Thomas.	Pontotoc .....	Samuel Miller.
Carrollton .....	M. E. Love.	Poplarville .....	R. L. Ratliff.
Clinton .....	T. G. Rice.	Port Gibson .....	Mrs. O. A. Hastings.
Columbia .....	Thaddeus Boemer.	Quitman .....	E. E. West.
Duncanaby .....	W. F. Westcott.	Raleigh .....	George W. Currie.
Edwards .....	R. H. Smith.	Rodney .....	Gideon Mabbett.
Enterprise .....	M. E. Hyrne.	Rolling Fork .....	S. W. Langford.
Forest .....	H. Eastland.	Rosedale .....	T. R. McGuin.
Gloster .....	T. L. Hoff.	Summit .....	R. P. Godbold.
Hattiesburgh .....	D. M. Carter.	Terry .....	W. M. Bracey.
Jackson .....	Wirt Adam.	Utica .....	H. J. Sarrett.
Johnsouville .....	John R. Baird.	Vicksburg .....	William Groome.
Jonestown .....	C. Barnes.	Do .....	F. M. Webster.
Kosciusko .....	R. Boyd.	Waynesborough .....	O. K. Williams.
Leakesville .....	Daniel McLeod.	Wesson .....	Kate Bostwick.
Lee .....	Lehman Colin.	Williamsburgh .....	C. M. Edmonson.
McComb .....	C. S. Kellogg.	Woodville .....	W. A. Elder.
Macon .....	T. J. Stokes.		

In MISSOURI the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Albany .....	1883	F. M. Setzer.	Jefferson City ..	1873†	William G. McCarty.
Aurora Springs ..	1885†	M. D. Wright.	Kansas City .....	1883†	George M. Shelley.
Billings .....		M. T. Russell.	Kearney .....	1885†	P. D. Anderson.
Breckenridge .....	1886	J. T. Alexander.	Kirkville .....	1883	George T. Spencer.
Brookfield .....	1883†	C. W. Freeman.	La Belle .....	1882†	R. A. Bagby.
Brunswick .....	1881†	J. S. Wallace.	Lexington .....	1880	Dr. J. B. Alexander.
Burlington June ..	1886	S. J. Butcher.	Louisiana .....	1877†	Thomas W. Lock.
Butler .....	1886	Harvey Clark.	Macon City .....	1885	F. A. Deasert.
Do .....	1882†	Henry Speer.	Marshfield .....	1886	Oliver Wells.
Cape Girardeau ..	1880	Henry A. Astholz.	Memphis .....	1883	J. P. Craig.
Do .....	1881†	S. S. Harris.	Mexico .....	1876	John Saunders.
Carrollton .....	1884†	M. R. Gittings.	Montgomery City ..	1883†	Irvin P. Powell.
Central .....	1878†	H. M. Snow.	Mt. Carmel .....		Mrs. M. Musiek.
Chamolois .....	1884	B. L. Hull.	Nevada .....	1884	Henry Shepley.
Charleston .....	1882	G. W. Martin.	New Haven .....	1880†	C. T. Murphy.
Chillicothe .....	1876	B. B. Smith.	New London .....	1881†	J. D. B. Freeman.
Clinton .....	1885	S. D. Gorth.	Oregon .....	1882†	William Kaucher.
Columbia .....	1882†	Eli Hodge.	Palmyra .....	1876	E. A. McLeod.
Craig .....	1884†	J. H. Williams.	Paris .....	1882†	James S. McGee.
Denver .....	1885	Willis Marra.	Perryville .....	1881†	Joe R. DeLassus.
De Soto .....	1884†	James W. Clarke.	Poplar Bluff .....	1880†	Jesse Reynolds.
Dixon .....	1884	W. W. Howard.	Potosi .....	1884	John Teasdale.
Elaberry .....	1885	J. W. Bibb.	Queen City .....	1883†	J. R. Brown.
Fairmont .....	1885	Henry J. Hewitt.	Rich Hill .....	1885†	Lee Beall.
Farmington .....	1885	Willard Roriden.	Rolla .....	1884	H. S. Herbert.
Fayette .....	1885†	C. J. Walden.	Ste. Genevieve .....	1883†	Augustine Menard.
Fulton .....	1883†	J. E. Watson.	Saint Joseph .....	1881	John C. Evans.
Glenwood .....	1885	Thomas Peury.	Saint Louis .....		Estill McHenry.
Hartville .....	1880†	Andrew J. Farmer.	Sedalia .....		F. A. Sampson.
Hermann .....	1874	Gustav Etzmuehler.	So. Saint Louis ..	1874†	V. Spindler.
Holden .....	1881†	John D. Crisp.	Trenton .....	1884†	W. O. Garvin.
Independence .....	1881†	William Grosbeak.	Weston .....	1881	Edw. J. Broen.
Ironton .....	1884†	John F. T. Edwards.	Westport .....	1885	L. A. Goodman.
Jefferson City ..	1883	W. E. Coleman.	West St. Louis ..	1876	John Carroll.

† About.



It was reported not present at the following places in Missouri:

Locality.	Observer.	Locality.	Observer.
Advance.....	David C. Flynn.	Granby.....	George A. Sweet.
Appleton City.....	James Hodgkins.	Green Castle.....	H. T. Jones.
Ash Grove.....	Henry R. Hall.	Greenridge.....	James S. Ream.
Austin.....	William Shields.	Indian Springs.....	R. W. Williams.
Ava.....	M. C. Reynolds.	Jamesport.....	C. E. Orcutt.
Bethany.....	G. L. Phillips.	Lamar.....	John H. Douglas.
Bolivar.....	C. W. Furman.	Lebanon.....	R. J. Wickersham.
Buffalo.....	John George.	Linn Creek.....	C. P. Churchill.
Cabool.....	George F. Pettigrow.	Lincoln.....	Fred Brill.
Carthage.....	G. Blakney.	Malden.....	W. H. Shelton.
Do.....	Z. T. Russell.	Malta Bend.....	A. G. Bailey.
Cassville.....	T. D. Steele.	Marionville.....	E. B. Gillette.
Clarksburgh.....	A. M. Moles.	Maysville.....	Henry E. Glazier.
Colleysburgh.....	J. R. Cunningham.	Moundville.....	L. H. Orndorff.
College Mound.....	B. D. Singleton.	New Madrid.....	Charles A. Loforge.
Cuba.....	A. U. Farrow.	Purdy.....	Wash. E. Smith.
Dadeville.....	Joseph W. Tohim.	Richmond.....	S. F. Bassett.
Doniphan.....	J. A. Ferguson.	Salem.....	Postmaster.
El Dorado Springs.....	John W. Selby.	Springfield.....	D. S. Holman.
Forsyth.....	H. C. Everett.	Do.....	W. H. Pipkin.
Fredericktown.....	A. A. Deguire.	Unionville.....	Alex. Elson.
Galena.....	S. A. Carr.	Versailles.....	James B. Spurlock.
Glenwood *.....	H. D. B. Cutler.	West Plains.....	Samuel Risley.
Golden City.....	J. Poore.		

\* Reported present by another observer.

In MONTANA, in the autumn of 1886, the Sparrow was known to be present at but one point. Mr. J. R. Widmyer states that it appeared at Glendive in 1885. It was reported not present, in the autumn of 1886, at the following places in Montana:

Locality.	Observer.	Locality.	Observer.
Angusta.....	P. A. Manix.	Maiden.....	William Maurer.
Billings.....	T. Whitney.	Miles City.....	John McAusland.
Bozeman.....	R. P. Menefee.	Missoula.....	Joseph S. Booth.
Butte City.....	W. Egbert Smith.	Park City.....	Alice A. St. John.
Dillon.....	P. E. Poindexter.	Phillipsburgh.....	John W. Dawson.
Fort Assinaboine.....	R. L. McCulloch.	Radersburgh.....	E. M. Batchelder.
Fort Custer.....	Theodor Bornp.	Sheridan.....	R. P. Bateman.
Fort Shaw.....	J. H. McKnight.	Townsend.....	William Wood.
Glendale.....	E. O. Hulszr.	Virginia.....	Mary Delmbing.
Do.....	Charles D. Curtis.	Walkerville.....	Daniel O'Grady.
Livingston.....	William Gibbs.	White Sulphur Springs.....	J. J. Hennessy.
	P. W. Wright.		

In NEBRASKA the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Beatrice.....	1882†	Samuel E. Rigg.	Lincoln.....	1885†	Albert Watkins.
Bennet.....	1883	Chas. W. Hedley.	Louisville.....		Thomas W. Shryock.
Blair.....	1885	W. H. Eller.	Nebraska City.....		Thomas Morton.
Blue Hill.....		Edgar Hilton.	Omaha.....	1876†	Charles K. Coutant.
Brownville.....	1882†	R. T. Rainey.	Palmyra.....	1884†	T. W. Foster.
Central City.....	1886	John C. Logue.	Papillon.....	1885	J. P. Spearman.
Grand Island.....	183†	C. L. Howell.	Plattsmouth.....	1874†	J. N. Wise.
Hardy.....	1886	William M. Peabler.	Sterling.....	1881	Charles C. Wilson.
Hastings.....	1885	G. J. Evans.	Talmage.....	1884	H. Bord.
Humboldt.....	1884†	J. F. Walsh.	Tecumseh.....	1882	C. M. Wilson.
Lincoln.....	1885	Prof. C. E. Bessey.			

† About.

It was reported not present at the following places in Nebraska:

Locality.	Observer.	Locality.	Observer.
Ainsworth.....	O. B. Ripply.	Kearney.....	E. R. Watson.
Albion.....	H. Rice.	Lee Park.....	J. L. H. Knight.
Alma.....	C. W. Stewart.	Linwood (1885).....	W. J. Kingsbury.
Araphoe.....	Thomas B. McPherson.	Long Pine.....	C. E. Glover.
Atkinson.....	Willard A. Wheeler.	Loup City.....	Cyrus M. Walworth.
Aurora.....	John Tweedy.	Madison.....	Dr. F. A. Long.
Bazile Mills.....	G. W. Harper.	Minden.....	T. T. McGinnis.
Bradshaw.....	Eugene Shallenberger.	Do.....	J. L. McPheely.
Broken Bow.....	I. T. Merchant.	Neligh.....	W. C. Estes.
Carlisle.....	W. T. Shawha.	Nemaha City.....	R. J. S. een.
Central City*.....	S. L. Wiser.	North Platte.....	Adam Ferguson.
Clay Center.....	Mrs. S. Cruickshank.	O'Neill City.....	James Miller.
Do.....	Harry B. Strong.	Osceola.....	A. C. S. allenberger.
Clearwater.....	Marcus N. Palmer.	Plainview.....	Ben S. etson.
Columbus.....	W. N. Hensley.	Ponca.....	I. Conner.
Cozad.....	Samuel W. Schooley.	Do.....	J. W. Radford.
Croto.....	T. A. C. Beard.	Red Cloud.....	A. S. Marsh.
Culbertson.....	B. Cleven.	Saint Paul.....	C. E. Forbea.
Dakota.....	Henry Herweg.	Schuyler.....	J. F. Woods.
David City.....	F. E. Wilson.	Scotia.....	L. J. Traynor.
Fairbury.....	Will. W. Watson.	Seward.....	John S. Kittle.
Falls City.....	W. R. Crook.	Sidney.....	William J. Breeman.
Fullerton.....	E. G. Cook.	Wahoo.....	L. W. Gilchrist.
Geneva.....	W. H. Cooksey.	Wayne.....	M. Dearborn.
Do.....	V. C. Shiekley.	West Point.....	R. F. Keoke.
Hartington.....	J. P. Jenal.	York.....	F. L. Whedon.
Holdrege.....	T. D. Trovis.		

\* Reported present by another observer.

In NEVADA, in the autumn of 1886, the Sparrow was not known to be present at any point. It was reported not present at the following places:

Locality.	Observer.	Locality.	Observer.
Belmont.....	J. A. Ball.	Eureka.....	William J. Smith.
Carson City.....	G. C. White.	Genoa.....	W. L. Cox.
Cherry Creek.....	Daniel R. Collins.	Hawthorne.....	F. A. Angell.
Dayton.....	John Lothrop.	Paradise Valley.....	J. B. Case.
Elko.....	C. H. Sproule.	Pioche.....	John Shier.

In NEW HAMPSHIRE the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Franklin Falls ..	1879†	George Stoworthy.	Liabon (1884) ...	1881†	Dr. C. H. Boynton.
Hanover.....		Arthur Fairbanks.	Millford.....	1876†	James P. Melzer.
Lancaster.....		I. W. Quimby.	Portsmouth ('84)	1877†	Sarah H. Foster.

† About.

In NEW JERSEY the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Blawenburgh.....	1883	David C. Voorhees.	Mount Holly.....	.....	Henry I. Budd.
Bridgeport.....	1868	Charles E. Bellows.	New Providence.....	1866†	H. F. Barrell.
Caldwell.....	1870†	Marcus S. Crane.	Orange.....	.....	Lloyd McK. Garri-on
Chatham.....	1868†	George M. Swalm.	Do.....	.....	Sereno E. Todd.
E. Orange (1884) ..	1877†	H. B. Bailey.	Passaic Bridge.....	.....	F. M. Carryl.
Flemington.....	.....	J. L. Connst.	Pennington.....	1881†	H. W. Westwood.
Frehold.....	1878	D. D. Denise.	Ridgewood.....	1872	Henry Hales.
Haekensack.....	1871	Weldon F. Fosdick.	Tuckerton.....	1873†	S. J. Jilison.
Do.....	1870†	Henry Stewart.	Trenton.....	1870†	Prof. A. C. Apgar.
Haddonfield.....	1870; †	Samuel N. Rhoads.	Woodstown.....	1874	James D. Lansen.
Merchantville.....	1876†	Edward Burrough.			

† About.

In NEW MEXICO, in the autumn of 1886, the Sparrow was not known to be present at any point. It was reported not present at the following places:

Locality.	Observer.	Locality.	Observer.
Blossburgh.....	A. Cox.	Raton.....	R. K. Vandiver.
Chloride (1885).....	G. Douglas Robertson.	Santa Fé.....	A. Seligman.
Elizabethtown.....	J. F. Carrington.	Silver City.....	O. L. Scott.
Fort Union.....	Ed. D. Woodbury.	Socorro.....	I. E. Leonard.
Fort Wingate.....	Dr. R. W. Shufeldt.	Springer.....	A. J. Howell.
Las Vegas.....	T. Labodie.		

In NEW YORK the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Albion.....	.....	L. H. Beach.	Lockport.....	.....	Lewis H. Hill.
Alfred Centre.....	.....	F. S. Place.	Lyons.....	.....	J. S. Royce.
Amityville.....	.....	Andrew Chichester.	Mexico (1884).....	1876†	George A. Davis.
Angellia.....	1883	E. D. Barnum.	New York (1884) ..	1864†	W. A. Conklin.
Atlanteville.....	1880	Eugene A. Jackson.	Do.....	.....	James B. Williams.
Baldwinsville.....	.....	Rev. W. M. Beau- champ.	Northport (1884) ..	.....	William Crozier.
Bath.....	1871†	Reuben E. Robie.	Old Westbury.....	1870†	John D. Hicks.
Binghamton.....	1871†	H. J. Gaylord.	Oswego (1884) ..	1870†	D. D. Stone.
Boonville.....	.....	A. M. Church.	Painted Post.....	1876†	A. H. Wood.
Do.....	1874†	Edward Snow.	Penn Yan.....	.....	G. C. Snow.
Brooklyn.....	.....	W. J. Kenyon.	Phoenix.....	1884	Benjamin F. Hessa.
Do.....	1850	Hon. Nicolas Pike.	Pt. Washington.....	.....	Henry M. Burtis.
Buffalo.....	1871†	Dr. W. H. Bergtold.	Do.....	.....	Percy Hicks.
Cairo.....	1878†	O. T. Schermerhorn.	Po'keepsie (1884) ..	1864†	Dr. A. Hasbrouck.
Cannaseraga.....	.....	E. S. Gilbert.	Rochester (1884) ..	1869†	H. Roy Gilbert.
Charlton.....	1878†	F. D. Curtis.	Rochester.....	1872	Henry Harrison.
Clyde.....	1877	William McLachlan.	Rochester (sub- urbs).....	1875†	H. M. Jennings.
Conscabieville.....	.....	S. T. Miller.	Rochester.....	1865†	P. C. Reynolds.
Constantia.....	1881	Wallace D. Rhines.	Schuyler's Lake.....	1880	Le C. Southworth.
Dobbs Ferry.....	1860†	Dr. E. B. McQuesten.	Shelter Island.....	1877	W. W. Worthington.
Dunkirk.....	.....	D. A. A. Nichols.	Sing Sing (1887) ..	1860†	Dr. George J. Fisher.
East Genoa (1884) ..	1875†	T. J. Henry.	Southampton.....	1875†	G. H. White.
Flushing (1884) ..	1874†	D. C. Beard.	Sparkill.....	.....	J. G. Bell.
Fort Schuyler.....	.....	Alexander Ferreira.	Staten Island.....	.....	Thomas Munroe.
Fredonia.....	1870†	C. E. Bartram.	Syracuse.....	1863†	E. M. Hasbrouck.
Geneva.....	.....	C. S. Plumb.	Tully.....	1878	J. A. Dakin.
Ghent.....	1878†	George T. Powell.	Utica.....	1861†	Thomas Birt.
Heath.....	1860†	Howard Burhans.	Vernon Centre.....	1878	Graham Bronson.
Highland Falls (1884).....	1871†	Dr. E. A. Mearns.	Warsaw.....	1877	James O. McClure.
Hinsdale.....	1882†	C. R. Bowen.	Watertown.....	.....	Herbert M. Hill.
Hudson.....	1880†	Charles W. Snyder.	West Brighton.....	.....	C. M. Raymond.
Ithaca.....	.....	A. G. Gouge.	West Farms.....	1864†	James Angus.
Do.....	1883	Prof. J. F. Roberts.	Westport.....	1876	George C. Osborne.
Le Roy.....	.....	Prof. F. M. Comstock.	Winfield.....	1879†	O. P. Hitchings.
Little Valley.....	.....	H. S. Huntley.	Yonkers (1884) ..	.....	F. T. Holder.

† About.

It was reported not present at the following places in New York:

Locality.	Observer.	Locality.	Observer.
Centro Lisle.....	A. L. Reed.	Springwater.....	D. B. Waite.
Gilbertsville.....	J. C. Donaldson.		

In NORTH CAROLINA the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Albemarle.....	1883†	J. M. Bivins.	Milton.....	1877†	J. W. Fancette.
Asheville.....	1884	J. D. Cameron.	Mocksville.....	1881†	Jane E. Austin.
Brevard.....	1886	B. C. Lankford.	Morganton.....	1883†	J. A. Claywell.
Carthage.....	1883†	G. C. Graves.	Mount Airy.....	1880	B. Y. Graves.
Cashiers.....		E. J. Bennett.	Mount Gilead.....	1886	L. A. Christian.
Charlotte.....	1880	D. K. Collins.	Murfreesboro.....	1877	W. B. Spencer.
Clayton.....	1884	W. J. Y. Thurston.	New Berne.....	1876†	M. Manly.
Clinton.....	1883†	C. P. Johnson.	Do.....		John D. Whitford.
Columbia.....	1883	C. E. Tatem.	New Market.....	1882	H. H. Beeson.
Company's Shops.....	1883	M. M. Shoffner.	Oxford.....	1884†	L. A. Taylor.
Concord.....	1879	Mary E. Dusenberg.	Pigeon (1887).....		Dr. C. Hart Merriam.
Dallas.....	1883†	Mrs. S. A. Moore.	Pittsborough.....	1881†	E. T. Adney and Ivy Hill.
Danbury.....	1883†	N. A. Martin.	Pittsborough.....	1881†	Laura E. Horne.
Durham.....	1875†	J. H. Allen.	Plymouth.....	1885†	J. B. Hilton.
Edenton.....	1883†	L. L. Brinkley.	Polkton.....	1884	R. B. Gaddy.
Enfield.....	1884†	T. L. Whitaker.	Raleigh.....	1881†	S. A. Ashe.
Fayetteville.....	1883†	G. W. Lawrence.	Do.....	1880†	Clement S. Brimley.
Do.....	1884†	J. B. Smith.	Do.....	1881†	T. C. Williams.
Franklin.....	1885	John O. Harrison.	Rockingham.....	1883†	P. W. Stansall.
Franklinton.....	1880†	H. S. Furman.	Rocky Mount.....		S. L. Hart.
Gatesville.....	1884†	William T. Croas.	Rutherfordton.....	1885†	Albert L. Grayson.
Goldensborough.....	1879†	John H. Hill.	Salisbury.....	1883†	Postmaster.
Graham (1888).....		Robert J. Thompson.	Snow Hill.....	1882†	James T. Sugg.
Henderson.....	1877	Postmaster.	Statesville.....	1881†	W. S. Lewis.
Hendersonville.....	1883†	J. L. Egerton.	Do.....	1880	Mont. Robbins.
Hickory.....	1883†	Postmaster.	Trenton.....	1883†	M. C. Giddens.
Jackson.....	1882	D. A. Jordan.	Washington.....	1883†	Macon Bonner.
Jefferson.....	1885	J. D. Thomas.	Waynesville.....	1886	John M. Davis.
Kemansville.....	1880†	Mary A. Watson.	Wentworth.....	1881†	Numa F. Hancock.
Kernersville.....	1881†	J. H. Lindsey.	Wilkesborough.....	1881†	A. Rousseau.
King's Mountain.....	1884†	W. A. Manney.	Williamston.....	1884†	John R. Lanier.
Kinston.....	1879†	W. J. Barrett.	Wilmington.....	1883	Norwood Giles.
Lenoir.....	1884	J. R. Widby.	Wilson.....	1876†	William M. Gay.
Lexington.....	1878	John C. Hunt.			

† About.

It was reported not present at the following places in North Carolina:

Locality.	Observer.	Locality.	Observer.
Aaron.....	C. C. Banner.	Mann's Harbor.....	Julia A. Mann.
Plyborough.....	W. H. Sawyer.	Marshall.....	F. C. Ebbs.
Beaufort.....	David Pierce.	Murphy.....	J. W. King.
Boone.....	D. B. Daugherty.	Nashville.....	William T. Griffin.
Burgaw.....	A. H. Paddison.	New Market.....	H. H. Beeson.
Burnsville.....	Julio A. Abernathy.	Smithville.....	W. R. Fergerson.
Chapel Hill.....	W. R. Mallett.	Vineyard.....	S. Otho Wilson.
Clarkton.....	A. K. Cromastic.	Welch.....	T. J. Welch.
Fairfield.....	R. L. Young.	Yadkinsville.....	N. E. Thomarron.
Laurel Hill.....	Jesse Hargrave.		

In OHIO the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Akron.....	1875	Prof. E. W. Claypole.	Lima.....	1881	R. W. Melly.
Do.....	1875	Ferdinand Schumacher.	Logan.....	1881†	A. H. Wilson.
Ashley.....	1880†	W. W. Stratton.	London.....	1886	T. W. Blackiston.
Augusta.....	1881†	A. McLean.	McArthur.....	1878†	George Lantz.
Avondale.....	.....	Charles Dury.	McConnelsville.....	1883	C. H. Morris.
Bainbridge.....	1874†	A. S. Jones.	Macksburgh.....	1883†	O. S. Gilchrist.
Barry.....	1886	U. G. Gordon.	Madeira.....	1882†	Jos. A. Muchmore.
Batavia.....	1886	Stephen Cramer.	Malta.....	1884†	George H. Street.
Bellair.....	.....	D. W. Cooper.	Marietta.....	1879	Dudley S. Nyc.
Do.....	.....	W. K. Morrison.	Martin's Ferry.....	1882†	Thomas Y. Patterson.
Berea.....	1880†	Dan C. Stearna.	Marysville.....	1880	E. W. Porter.
Bevia.....	1871†	George A. Wyckoff.	Mechanicstown.....	1881†	E. S. Martin.
Brecksville.....	1878†	George W. Hollis.	Mentor.....	1881†	J. M. Keck.
Bridgeport.....	1881	John Cook.	Middletown.....	1874†	Lewia Lambright.
Brookfield.....	1880†	J. D. Clark.	Milnersville.....	1882†	J. T. Johnson.
Bucyrus.....	1878	Shannon Clements.	Morristown.....	.....	John H. Carey.
Barton.....	1881†	P. W. Parmelee.	Do.....	1882†	W. A. Fenton.
Caldwell.....	1881†	D. S. Spriggs.	Mount Airy.....	1884	Henry Telgheder.
Cambridge.....	1830	W. H. H. Mellins.	Mount Healthy.....	.....	Empson Reeves.
Canal Dover.....	1881	S. M. McLean.	Mount Vernon.....	1876†	B. L. Swetland.
Canton.....	1883	J. F. Niesz.	Napoleon.....	1879†	J. L. Haltes.
Carthage.....	1875	C. S. Johnson.	New Athens.....	1882	T. M. Sewell.
Castalia.....	1878†	P. A. Delghan.	New Lisbon.....	1880	J. F. Benner.
Chagrin Falls.....	1876	J. F. Stranahan.	New Philadelphia.....	1884†	E. Fribley.
Chester Hill.....	1883	Charles A. Her.	Newton Falls.....	1881	E. W. Turner.
Cheviot.....	1871†	Fannie Hagen.	New Winchester.....	1882†	Josiah Keiter.
Chillicothe.....	1871†	William E. Gilmore.	Niles.....	1878†	J. H. Mason.
Cincinnati.....	.....	Wm. Hubbell Fisher.	Noble.....	1884	A. D. Lowden.
Cincinnati (1888).....	1809	Dr. F. W. Langdon.	North Bend.....	1875	R. H. Warder and James B. Matson.
Cincinnati.....	.....	Adolph Lene.	North Linndale.....	1878†	Robert Linn.
Hamilton County.....	.....	F. G. Skinner.	North Royalton.....	1879†	Thomas C. Coatz.
Circleville.....	1878	Dr. Howard Jones.	Norwalk.....	1879†	S. Gray.
Clarington.....	1878†	B. H. Mallory.	Do.....	1880†	George Lanekin.
Cleveland.....	1877	L. M. Davies.	Do.....	1880†	J. J. Lukart.
Do.....	1873†	W. F. Doertenbach.	Do.....	1882†	J. C. Alexander.
Do.....	1872†	S. R. Ingersoll.	Do.....	1877†	A. Osborn.
Do.....	1869	Dr. E. Sterling.	Oxford.....	1878†	L. N. Bonham.
Do.....	1871†	P. P. Spencer.	Do.....	1884	Oliver Emerson.
Cleves.....	1876†	James Carlin.	Parma.....	1876†	J. L. Ernst.
Coalton.....	1883†	John Brady.	Petersburgh.....	1876†	A. L. Bodine.
Coe Ridge.....	1879†	H. O. Carpenter.	Plainville.....	1880†	C. Hile.
Collamer.....	1876†	L. A. Steele.	Pomeroy.....	1874†	S. R. Ross.
College Hill.....	.....	H. A. Koch.	Portsmouth.....	1875	Thomas Shroyer.
Do.....	.....	W. T. Southgate.	Proton.....	1877†	S. C. Prout.
Collinwood.....	1881†	Chas. L. Gilbreath.	Reading.....	1874†	H. H. Varjohar.
Columbus (1884).....	1872†	Dr. J. M. Wheaton.	Ridgeway.....	1874†	John Davis.
Coshocton.....	1874	H. D. Beach.	Ripley.....	1870†	M. M. Murphy.
Dayton (1884).....	1867†	John L. H. Frank.	Saint Clairsville.....	.....	T. W. Emerson.
Delaware.....	1876†	Geo. W. Campbell.	Salent.....	1878†	Mrs. L. S. Solberg.
Dent.....	1874†	William Gettlinger.	Sandusky.....	1881†	James W. Sulist.
Dover.....	1871†	N. B. Hurst.	Sciotoville.....	1884	John T. Mack.
Dunkirk.....	1881†	Charles Mahon.	Sharon Centre.....	1883	J. H. Holman.
East Liverpool.....	1878†	Harry H. Sula.	Sidney (1887).....	.....	F. G. Cottingham.
East Rockport (1884).....	.....	Henry W. Elliott.	Solon.....	1883	Edward Russell.
East Rockport.....	.....	A. Hall.	Sparta.....	1882†	W. W. Richards.
Elida.....	1876	S. D. Crites.	Springfield.....	1880†	J. C. Swetland.
Euclid.....	.....	Edward D. Petton.	Staubenville.....	1875†	James Johnson.
Fayette.....	1880†	Samuel Binns.	Strongsville.....	1880†	George Moore.
Gallipolis.....	1872†	S. F. Neal.	Sugar Grove.....	1881†	J. Gallup.
Garrettsville.....	1881	A. J. Smith.	Urbana.....	1880†	Dr. S. Roushaw.
Georgetown.....	1881†	Elizabeth Roth.	Wadsworth (1887).....	1874†	S. L. P. Stone.
Glen Dale.....	1879†	Mrs. M. Devanney.	Wakeman.....	1881†	Dr. J. F. Detweiler.
Greenville.....	.....	M. W. Miles.	Wapakoneta.....	1882†	D. B. Hall.
Hamilton.....	1888†	J. N. Leary.	Warren.....	1869	W. J. Davis.
Harrison.....	1874†	George Harbron.	Warsaw.....	1880†	William Hapgood.
Hillsborough.....	1883†	D. C. Jones.	Wauseon.....	1884	Levi Gamble.
Ironton.....	1877†	Edward L. Warson.	Waverly.....	1882†	Thomas Mikesell.
Jefferson.....	1879†	B. F. Ellsberry.	Wellston.....	1882†	H. H. Overman.
Kempton.....	1885	A. C. White.	West Berlin.....	1883	Minor R. Potter.
Kenton.....	1885	S. W. Kemp.	Weston.....	1884	Charles H. Shaw and J. P. Roloson.
Kingston.....	1878†	N. R. Piper.	West Union.....	1889†	J. O. Avery.
Kingston.....	1878†	Benj. P. Asbury.			T. W. Ellison.
Lebanon.....	1884†	Martin A. Jameson.			
Lee.....	1884	Henry Fisher.			
Leetonia.....	1879†	C. N. Schmick.			

†About.

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Weymouth .....	1880†	Dr. Frank Young.	Wintersville .....	1879	Rev. F. I. Swaney.
Willow .....	1881	Ethie C. Kingsbury.	Winton Place .....		H. R. Crowl.
Wilmington .....	1876	William Clevenger.	Woodstock .....	1878†	George P. Dorr.
Do .....		J. M. Haynes.	Do .....	1879†	Jas. R. Morris.
Do .....		Nathan M. Linton.	Wyoming .....	1874†	C. V. Stephenson.
Wilson's Mills .....	1883	D. S. Gilmore.	Young Hickory .....	1884	Jas. M. Hutcheson.
Winchester .....	1880	J. Osburn.	Youngsville .....	1884†	U. A. Silcott.

† About.

It was reported not present at the following places in Ohio:

Locality.	Observer.	Locality.	Observer.
Ashtabula .....	Dan. J. Sherman.	Windsor Mills .....	Postmaster.

In OREGON, in the autumn of 1886, the Sparrow was not known to be present at any point. It was reported not present at the following places:

Locality.	Observer.	Locality.	Observer.
Amity .....	Thomas J. Jellison.	Jacksonville .....	Max Müller.
Arlington .....	F. T. Hurlbut.	La Grande .....	J. H. Shambaugh.
Astoria .....	John C. Bell.	Lake View .....	T. W. Calvin.
Aumsville .....	F. S. Matteson.	Linkville .....	William A. Wright.
Baker City .....	C. L. Palmer.	McMinnville .....	J. F. Wisecarver.
Beaverton (1885) .....	A. W. Anthony.	Oregon City .....	J. M. Bacon.
Canyon City .....	E. Hall.	Pendleton .....	Frank B. Clopton.
Cedar Mill .....	William B. Malleis.	Portland .....	C. W. Roby.
Corvallis .....	N. R. Barber.	Prineville .....	Jas. F. Moore.
Dallas .....	James D. Smith.	Roseburg .....	B. Doulen.
Empire City .....	J. B. Gilbert.	Salem .....	W. H. Odell.
Eugene City .....	F. W. Osburn.	Saint Helen .....	F. A. Moore.
Hoppper .....	C. G. Sloan.	Tillamook .....	M. B. Feamside.
Hillsboro .....	Mary A. Brown.		

In PENNSYLVANIA the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Albion .....	1880†	J. A. Robison.	Clarion .....	1877†	Miller Beatty.
Allegheny .....	1877	John Swan.	Clearfield .....	1876†	A. B. Weaver.
Altoona .....	1878†	T. B. Patton.	Collegeville .....		house.
Apollo .....	1876†	Labanah Townsen.	Columbia .....	1874†	C. F. Young.
Atglen .....	1876	William D. Dean.	Conneautville .....	1879†	William A. Hammon.
Barnhart's Mills .....	1879†	P. A. Rattigan.	Coudersport .....	1880†	M. S. Thompson.
Beatty .....	1881†	Sarah A. and George	Danville .....	1880†	Thomas Chalfant.
		H. Adams.	Delmont .....	1884	J. D. Paily.
Beaver Falls .....	1871†	S. S. McFerran.	Du Bois .....	1878†	J. P. Taylor.
Belle Vernon .....		James Hagerty.	Duncannon .....		Jos. M. Shatto.
Blairsville .....	1877†	Isabella Campbell.	East Bethlehem .....	1880	Emma C. Adams.
Bloomsburgh .....	1877	George A. Clark.	Ebensburgh .....	1871†	Jas. G. Hasson.
Bradford .....		Jas. A. Teulon.	Elk Lick .....	1882†	Silas A. Wagner.
Do .....	1880†	C. B. Whitehead.	Emlentown .....	1880†	H. A. Hamilton.
Bristol .....	1884†	Dr. J. De Benneville	Emporium .....	1874	J. M. Judd.
		Abbott.	Enon Valley .....	1873	John O. Caskey.
Brockwayville .....	1882†	B. T. Chapin.	Erie .....	1871†	T. Dwight Ingersoll.
Brookville .....	1878†	Laselle R. Erdice.	Do .....	1874†	H. C. Shannon.
Brownsville .....	1877†	J. Holmes Patton.	Fayette City .....	1880†	J. M. Barker.
Bryn Maur .....	1878†	A. R. Montgomery.	Foxburgh .....	1882	John G. Hager.
Butler .....		W. P. Roessing.	Franklin .....		D. D. Grant.
Carmichael's .....	1878†	Charles W. Barkman.	Gap .....		John C. Linville.
Do .....	1880	G. W. Daugherty.	Germantown .....		Thomas Meehan.
Chambersburgh .....	1872†	Davison Greenawalt.			

† About.

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Germantown .....	1873	Witmer Stone.	Northumberland .....	1872	J. C. Forsyth.
Do .....		Wm. Rotch Wister.	Oaccola Mills .....	1877	Jacob Ritzman.
Gettysburg .....		H. L. Benner.	Parker's Landing .....	1875	P. Bracken.
Glen Rock .....	1880	L. W. Shafer.	Philadelphia .....		J. Percy Moore.
Greencastle .....	1873	H. P. Prather.	Do .....		F. R. Welsh.
Greensborough .....	1881	A. V. Boughner.	Phillipsburgh .....	1881	John Cowland.
Greensburgh .....	1874	W. G. Loof.	Pittsburgh .....	1871	J. B. Larkin.
Hanover .....	1872	William Heltzel.	Pleasantville .....	1881	Geo. L. Haworth.
Harc's Valley .....	1884	Samuel B. Greene.	Pottstown .....	1870	John H. Steele.
Holidaysburgh .....	1870	James M. Lingafelt.	Punxsutawney .....	1880	H. C. Blair.
Do .....	1881	M. A. Young.	Radnor .....	1878	W. W. Montgomery.
Huntingdon .....	1878	Margaret A. Tyhurst.	Renfrew .....	1883	F. H. Brown.
Irwia .....	1872	S. D. Laufer.	Reynoldsville .....	1884	W. C. Schultze.
Jamestown .....	1878	M. E. Gardner.	Ridgway .....	1881	J. H. Hagerty.
Johnstown .....	1878	Herman Baumed.	Rockwood .....	1883	Harrison Snyder.
Kittanning .....	1870	E. A. Brodhead.	Rouseville .....	1870	George A. Lyford.
Lancaster .....	1870	Dr. S. S. Rathvon.	Saegertown .....	1878	C. E. Hunter.
La Porte .....	1882	Walter Spencer.	Saltsburgh .....	1870	Francis Laird.
Larrobe .....	1880	John A. Showalter.	Scottdale .....	1880	J. P. Owens.
Lewisburgh .....	1876	Dr. George G. Groff.	Solin's Grove .....	1870	George H. Hendricks.
Lewistown .....		R. W. Patton.	Sharon .....		C. W. Ray.
Ligonier .....	1870	C. F. Marker.	Shippensburg .....	1808	J. A. C. McCane.
Lock Haven .....		William W. Rankin.	Smethport .....	1881	M. A. Sprague.
McConnellsburgh .....	1876	J. S. Shade.	Somerset .....	1879	J. K. Coffoth.
McDonald .....	1880	P. Hoey.	Do .....	1876	J. H. Fritz.
McKeesport .....		J. B. Shale.	South Bethlehem .....		Robert W. Barrell.
Mansfield .....	1879	N. A. Elliot.	Steelton .....		W. H. H. Sieg.
Mansfield Valley .....	1882	Dr. R. L. Walker.	Stroudsburg .....	1870	Darius Drecker.
Marysville .....	1874	W. S. Gault.	Taylorstown .....	1882	John Knox.
Meadville .....		E. W. McArthur.	Tidionto .....	1883	William R. Dawson.
Meadsdale .....	1874	M. A. Rutter.	Tionesta .....	1880	Samuel H. Haslet.
Middleburgh .....	1808	L. G. Barber.	Titusville .....	1871	M. N. Allen.
Middletown .....	1870	Eva Rosa Wiestling.	Towanda .....	1870	E. A. Parsons.
Milbinton .....	1878	Charles B. Crawford.	Troy .....	1875	A. K. Linderman.
Milford .....	1874	C. W. Dimmick.	Tyrone .....	1873	P. A. Reed.
Monongahela C'y .....	1880	James H. Moore.	Uniontown .....		M. D. Baker.
Mount Pleasant .....	1879	John D. McCaleb.	Ursina .....	1881	L. J. Benford.
Muncy .....	1874	J. H. Fulmer.	Wampum .....	1882	Charles C. Cox.
New Bedford .....	1881	Martin Jackson.	Warren .....	1870	Postmaster.
New Bethlehem .....	1877	James E. Williams.	Washington .....	1874	Jas. Brady.
New Brighton .....	1880	W. G. Braden.	Waynesborough .....	1878	E. B. Engle.
New Castle .....	1881	William T. Butz.	Waynesburgh .....	1871	Jas. S. Jennings.
Do .....	1873	William Gordon.	West Chester .....		Dr. B. H. Warren.
New Lexington .....	1875	Dr. H. D. Moore.	West Newton .....	1884	A. M. Dick.
Newport (1884) .....	1872	E. L. Knight.	Williamsport .....	1870	W. F. Logan.
Newville .....	1874	John M. Woodburn.	Willow Street .....		Dr. I. H. Mayer.
New Wilmington .....	1882	Hugh Wilson.	Wrightsville .....	1807	Jacob H. Freet.
North East .....	1880	Isaac Houtan.	York .....		James Kell and H. L. Fisher.
Do .....	1878	Harry E. McNichol.			

† About.

It was reported not present at the following places in Pennsylvania:

Locality.	Observer.	Locality.	Observer.
Dushore .....	E. A. Strong.	Thorndale .....	John H. Steele.
Milledgeville .....	L. Wilson Shaw.		



In RHODE ISLAND the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Central Falls.....		William H. Lewis.	Peace Dale .....	1868	R. G. Hazard, 2d.
Hill's Grove.....		Fred. T. Jencks.	Providence .....	1860†	Fred. T. Jencks.
Newport.....	1875†	Chas. H. Lawton and	Do.....		W. V. Osterhout.
Do.....	1881	John J. Peckham.	Westerly .....	1874	B. F. Maxson.
Pawtucket.....		John M. Swan, jr.	Do.....		Byron J. Peckham.
Peace Dale .....	[1858]	William H. Lewis.	West Kingston.	1882†	John G. Clarke.
		Eli Whitney Blake,			
		3d.			

† About.

In SOUTH CAROLINA the Sparrow was reported present in the autumn of 1886 at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Aiken .....	1880	James E. Crossland.	Greenville County.....	1884	Dr. M. A. Hunter.
Anderson C. H. ..	1881†	Charles W. Webb.	James Island.....	1882	W. I. Hinson.
Bamberg .....		D. F. Hooton.	Jonesville .....	1884	R. A. Whitlock.
Bennettsville .....	1880†	T. L. Crossland.	Lancaster C. H. ..	1884†	Howell J. Gregory.
Camden .....	1883	D. C. Kirkley.	Laurens C. H. ....	1883†	H. W. Anderson.
Charleston (1884) ..		Dr. G. E. Manigault.	Meriwether.....	1881†	J. W. Johnson.
Cheraw .....	1881†	M. W. Duvall.	Mount Pleasant.	1885	J. R. Thomsinson.
Chester, C. H. ....	1872	J. K. Henry.	Newberry C. H. ..	1876†	D. O. Herbert.
Do.....	1873	J. N. Youngblood.	Rock Hill.....	1883†	Buena V. Wood.
Columbia .....	1869†	W. H. Gibbes.	Savannah.....	1883†	Clara K. Livingston.
Darlington C. H. ..	1883†	B. C. Law.	Sumter C. H. ....		D. J. Auld.
Edgeland C. H. ....	1884†	W. H. Brunson.	Winnabow .....	1881†	D. Eggleston.
Gaffney .....	1881†	N. C. Sneed.			
Greenville .....	1876†	S. S. Crittenden.			
Greenville County.....	1886	Joseph Cooper.			

† About.

It was reported not present at the following places in South Carolina :

Locality.	Observer.	Locality.	Observer.
Aiken* .....	S. C. Satterthwaite.	Manning .....	S. J. Bowman.
Conway .....	James H. Porter.	Marion C. H. ....	M. Gue Dubois.
Frogmore.....	Walter Hoxie.	Port Royal.....	R. E. Jenkins.
Georgetown .....	S. M. Ward.	Walterborough .....	Edward M. Jones.
Hampton .....	John B. Binnicker.	Waterley Mills.....	W. St. I. Mazyck.
Kingstree .....	John A. Whittemore.		

\* Reported present by another observer.

In TENNESSEE the Sparrow was reported present, in the autumn of 1886, at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Alamo.....	1884†	R. G. Harris.	Livingston.....	1883†	John Hart, Jr.
Andersonville.....	1883†	J. K. P. Wallace.	Loudon.....	1880†	J. T. Simpson.
Ashland City.....	1886	W. W. Sanders.	Lynchburgh.....	1884	J. N. Taylor.
Athens.....	1878†	John Q. Strange.	McMinnville.....	1883†	R. Kennedy.
Brownsville.....	1879†	John Clinton.	Madison (1887).....		Dr. C. Hart Merriam.
Camden.....	1884	W. A. Steele, Jr.	Madisonville.....	1882†	E. W. Cozatt.
Carthage.....	1881	Callio Merony.	Manchester.....	1885	S. N. Burger.
Celina.....	1886†	D. W. Cullom.	Maynardville.....	1881	A. L. Lelhart.
Centerville.....	1885	J. H. Passell.	Memphis.....	1871	J. M. Fowlkes.
Chattanooga.....	1879†	George W. Martin.	Murriatown.....	1877	S. W. Shields.
Clarksville.....	1881	M. B. Johnson.	Mountain City.....	1883	S. D. Jackson.
Cleveland.....	1881	Postmaster.	Murfreesboro.....	1882†	Frank White.
Clifton.....	1885	W. Y. Montague.	Nashville.....	1878	Mrs. Anna B. Cheat-
Clinton.....	1870	R. S. Kincaid.	Do.....	1878†	ham.
Cookville.....	1884	Jas. M. Hinds.	Do.....	1878†	Judge John C. Fer-
Covington.....	1882	Jas. Byars.	Do.....	1878†	riss.
Do.....	1882†	W. M. Hall.	Do.....	1877	A. J. McWhirter.
Dandridge.....	1881†	H. C. Routh.	Do.....	1880	A. H. Sharp.
Dayton.....	1882†	W. T. Broyles.	Newport.....	1882†	George P. Mines.
Decatur.....	1883†	I. C. Arrants.	Ooltawah.....	1883†	Z. S. Watkins.
Decaturville.....	1881†	J. H. Stott.	Paris.....	1882†	Dr. John T. Irion.
Dickson.....	1883	Eugene Kelsey.	Pikeville.....	1882†	Wall A. Brown.
Dover.....	1883	W. P. Bruton.	Pulaski.....	1882†	H. Clay McLaurine.
Ducktown.....		I. J. Stamp.	Do.....	1883	J. B. Stacy.
Dyersburgh.....	1885	M. V. Borum.	Purdy.....	1884	W. H. Braden.
Elizabethtown.....	1882†	W. M. Shell, Jr.	Rhea Springs.....	1885	J. A. Abernathy.
Erin.....	1883†	N. O. Thomas.	Ripley.....	1885	H. T. Hanks.
Fayetteville.....	1881†	Wm. B. Douthat.	Rogersville.....	1882†	Samuel P. Powell.
Franklin.....	1883†	Thomas E. Haynes.	Savannah.....	1886	D. T. Street.
Gallatin.....	1882	A. A. Lewis.	Sevierville.....	1881†	Pleasant Stafford.
Greeneville.....	1884†	T. J. Lane.	Shelbyville.....	1884†	Eugene Blakemore.
Hartsville.....	1882†	John D. Stalker.	Sneedville.....	1881†	G. W. Margraves.
Humboldt.....		J. H. Koffman.	Somerville.....	1879†	C. L. Dickinson.
Huntingdon.....	1880	H. C. Brewer.	South Pittsburgh.....	1885†	Jennie R. Livingston.
Jacksborough.....	1883	J. Henderson Reid.	Sparta.....	1885	W. L. Dibrell.
Jackson.....	1883	R. R. Dashiell.	Tate Springs.....	1885†	Thomas Tomlinson.
Do.....		Prof. E. H. Randle.	Taylorville.....		Dr. C. Hart Merriam.
Jamestown.....		S. V. Bowden.	(1887).		
Jonesborough.....	1881†	F. W. Earnest.	Tazewell.....	1883†	R. F. Carr.
Kingston.....	1881	W. H. McNutt.	Do.....	1879	Thomas P. Graham.
Knoxville.....	1874†	J. M. King.	Tiptonville.....	1881	John D. Arnett.
La Fayette.....	1883†	E. G. Cartwright.	Tree Hill (1885).....		E. T. Wine.
Lawrenceburgh.....	1885	W. T. Nixon.	Trenton.....	1881†	Everett Bell.
Do.....	1885†	W. A. Stewart.	Do.....		H. C. Pearce.
Lebanon.....	1881†	J. B. Tolliver.	Union City.....	1883	W. R. Andrews.
Lewisburgh.....	1884†	E. A. Fergus.	Do.....	1884	W. C. McCampbell.
Lexington.....	1884†	W. F. Jones.	Waverly.....	1883†	R. J. McAdoo.
Linden.....	1886†	J. H. Housels.	Woodbury.....	1883†	R. H. Preston.

† About.

It was reported not present at the following places in Tennessee:

Locality.	Observer.	Locality.	Observer.
Alexandria.....	Irenus Beckwith.	Newburgh.....	Nancy Grider.
Dunlap.....	Mrs. Lella Howard.	Rugby.....	Arthur Churchill.
Erwin.....	W. T. Davis.	Spencer.....	A. M. Clark.
Glenmary.....	A. McDonald.	Winchester.....	George D. Bramblett.
Henderson.....	J. M. Cunningham.		

In TEXAS the Sparrow was reported present, in the autumn of 1886 and spring of 1887, at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Galveston .....	1867	J. M. Brown.	Houston .....	1884†	Robert Burns.
Do .....	1877	Oswald Schindler.	Jefferson .....	1882†	E. Stern.
Do .....	1872†	Arthur Walker.	San Saba .....	1886	A. B. Hayworth.

† About.

It was reported not present at the following places in Texas:

Locality.	Observer.	Locality.	Observer.
Abilene .....	H. H. Harden.	Hitchcock .....	Arthur Walker.
Athens .....	Thomas M. Matthews.	Hockley .....	James Norman.
Austin .....	A. V. Lane.	Huntsville .....	W. H. Woodall.
Do .....	Dr. Q. C. Smith.	Jacksonville .....	J. B. Brittain.
Do .....	Dr. E. P. Stiles.	Kaufman .....	J. A. Marshall.
Baird .....	J. F. Rettig.	Kildare .....	C. C. Galloway.
Bastrop .....	C. E. Haynie.	La Grange .....	Arthur Meirschmidt.
Beaumont .....	A. J. Ward.	Laredo .....	H. A. Burbank.
Bello Plain .....	Lucas W. Bellamy.	Liberty .....	O. P. Baillio.
Big Spring .....	John Snoddy.	Livingston .....	Walter D. Willis.
Bobbins .....	J. M. Stinson.	Longview .....	Fidela Kilgore.
Bonham .....	John W. Duncan.	Manor .....	John E. Hill.
Bowie .....	Barbara E. Cook.	Marionfield .....	John A. Konz.
Brockville .....	C. A. Gildea.	Marlin .....	T. C. Oltorf.
Buzsadia .....	Mrs. Maria S. Cochran.	Marshall .....	J. H. Riggs.
Brenham .....	J. M. Byrnes.	Mason .....	Ira B. Henry.
Brownsville .....	Benjamin Kinalaki.	Matagorda .....	A. A. Duffy.
Bryan .....	John Q. Tabor.	Meridian .....	J. H. Johnson.
Burnet .....	M. E. Coffee.	Mincoala .....	John W. Cage.
Caldwell .....	James J. McMillan.	Montague .....	A. H. Palmer.
Calvert .....	T. J. McHugh.	Mount Pleasant .....	B. F. Johnson.
Cameron .....	J. M. Barton.	Mount Vernon .....	C. G. Parker.
Canton .....	J. B. Hanes.	Navasota .....	P. A. Smith.
Carthage .....	H. M. Knight.	Newton .....	L. B. Clark.
Castroville .....	Samuel Lytle.	Orange .....	H. T. Davis.
Cat Spring .....	August Kinkler.	Paint Rock .....	William Lloyd.
Centerville .....	Jerry McDaniel.	Palo Pinto .....	W. S. Conatser.
Clarks Creek .....	E. P. Rutherford.	Paris .....	James T. Craigo.
Clear Creek .....	T. Cooke.	Pena Station .....	C. E. Bowers.
Cleburne .....	S. N. Clark.	Pittsburgh .....	J. A. Derrick.
College Station .....	George W. Curtis.	Plano .....	John P. Alexander.
Collins .....	Frederick B. Nayer.	Ranger .....	M. Davis.
Do .....	George Hobbs.	Refugio .....	L. A. Rogers.
Colorado .....	P. A. Hazzard.	Richmond .....	D. A. Ferguson.
Comanche .....	R. M. Garner.	Rio Grande City .....	Luciana G. Davis.
Cooper .....	J. N. Boyd.	Roma .....	Fred H. Hastings.
Corpus Christi .....	J. H. C. White.	Rusk .....	N. C. Trimble.
Cotulla .....	H. A. Keck.	San Antonio .....	Gastav Jermey.
Daingerfield .....	L. M. Allen.	Do .....	H. P. Howard.
Dallas .....	John H. Cochran.	San Augustine .....	B. D. Crockett.
Do .....	Julien Reverchon.	San Diego .....	George Bodet.
Decatur .....	A. H. Shoemaker.	Schulenburg .....	Charles A. Kessler.
Denison .....	L. L. Matigbs.	Seguin .....	J. Zorn, jr.
Do .....	James Nimen.	Sherman .....	L. S. McPherson.
Denton .....	J. D. Bates.	Smith's Point .....	Charles N. Eley.
Dublin .....	H. E. Brown.	Spring .....	C. Bender, jr.
Elmo .....	W. M. Lindsey.	Stephenville .....	E. B. Jones.
Emory .....	M. S. Pierson.	Strawn .....	T. A. Guthrie.
Enclinal .....	M. J. Ellis.	Sweet Water .....	A. F. Decker.
Fairfield .....	L. G. Sandifed.	Taylor .....	J. O. Frink.
Farmville .....	A. J. Johnson.	Terrell .....	B. S. Martin.
Fort Stockton .....	R. W. Young.	Trinity .....	R. T. Walker, jr.
Fort Worth .....	Julian Field.	Troup .....	R. H. Powell.
Franklin .....	E. Reynolds.	Tyler .....	R. B. Long and F. L. Yaokum.
Gabon .....	E. A. Wilson.	Uvalde .....	N. L. Stratton.
Gainesville .....	T. J. Parrish.	Victoria .....	Thomas R. Cocke.
Do .....	George H. Ragsdale.	Waco .....	G. B. Gerald.
Georgetown .....	D. T. Chessher.	Wallisville .....	F. H. Holmes.
Giddings .....	M. A. Clark.	Waxahachie .....	Edwin B. Clark.
Gilmer .....	W. F. Shrum.	Do .....	Dr. Thomas W. Florer.
Gonzales .....	W. V. Collins.	Weimar .....	F. A. Hill.
Groesbeck .....	Drew D. Pender.	Wharton .....	Postmaster.
Hamilton .....	A. E. Steir.	Wichita Falls .....	George A. Giddings.
Harwood .....	M. C. Doyal.	Willis .....	Lacy M. Bell.
Hempill .....	L. C. Whitlesey.	Willis Point .....	W. F. Weaver.
Hempstead .....	John B. Young.	Windsorborough .....	A. McBride.
Henderson .....	C. G. Barnett.	Woodville .....	W. H. Stewart.
Henrietta .....	Henry Eddy.		

In UTAH the Sparrow was reported present, in the autumn of 1886, at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Alpine City.....	1884	T. J. McCollough.	Morgan.....	1885	J. Williams.
Call's Fort.....	1886	Elmer Loveland.	North Ogden...	1882†	Sidney Stevens.
Cedar Valley.....	1881†	L. B. Rodeback.	Ogden.....	1882†	J. G. Scott.
Chester.....	1883†	A. W. Candland.	Plain City.....	1883†	Charles Neal.
Coalville.....	1873†	Mary E. Rhodes.	Pleasant Grove..	1878†	Mrs. P. Sterrett.
Corinne.....	1883	Edward R. Chase.	Provo City.....	1883†	Daniel Graves.
Draper.....	1883†	James Jenson.	Do.....	1880	James G. Kenney.
Echo City.....	1883†	F. Hirst.	Richmond.....	1885†	Cornelius Traveller.
Farfield.....	1882	H. Snyder.	Salt Lake City..	1876†	W. C. Brown.
Granite City.....	1884†	Wm. Thompson, jr.	Sandy.....	1883†	George Marriott.
Hyde Park.....	1882†	E. A. Daine.	Santaquin.....	1884	T. J. Kirkman.
Juab.....	1884†	Orraell Williams.	Smithfield.....	1885†	James S. Cantwell.
Logan.....	1885	M. A. Shirley.	South Jordan....	1876†	John Holt.
Mendon.....	1881†	Fred Larsen.	Springville.....	1884	H. M. Dougall.
Mill Creek.....	1874†	John Morgan.	West Jordan.....	1884†	B. L. Cutler.
Mona.....	1881†	W. A. Newton.	Willard.....	1881†	Thos. W. Brewerton.

† About.

It was reported not present at the following places in Utah:

Locality.	Observer.	Locality.	Observer.
Alta.....	Henry C. Wallace.	Fountain Green .....	Rees R. Lowellyn.
Beaver.....	Willson G. Nowers.	Nephi.....	James Larsen.
Bingham Canyon.....	Bernard Quinn.	Petersen.....	Edwin Williams.
Blue.....	C. M. Clay.	Salem.....	J. J. Davis.
Centerville.....	T. J. Brandon.	Stockton.....	Alma N. Yaunly.
Croyden.....	Thomas W. Walker.	Terrace.....	S. H. Cave.
Cub Hill.....	Samuel J. Allen.	Wales.....	Jonathan Midgley.

In VERMONT the Sparrow was reported present, in the autumn of 1886, at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Burlington (1884).....	1876†	George H. Perkins.	Lyndonville....	1884†	I. W. Sanborn.
Charlotte (1881).....	1883	F. H. Horsford.	Montpelier.....	1874†	Caleb C. Eaton.
Charlotte.....	1881	Minerva E. Wing.	Rutland (1884) ..	1874†	Jennosa Richardson.
East Bethel.....	1880†	C. S. Paine.	Saint Johnsbury	1874†	Rev. Henry Fairbanks.
Glover.....	1881†	C. P. Owen.	Taftsville (1884).	1874†	C. O. Tracy.
Hartford.....	1883	A. I. Johnson.	West Pawlet.....	1874†	Dr. Frank H. Braymer.
Keeler's Bay.....	1881	Stephen P. Gordon.	West Pawlet (1884).	1874†	Albert H. Phelps.
Lanesburgh.....	1884	W. E. Balch.	Woodstock.....	1884†	Norman Paul.
Do.....	1880	Dr. Hiram A. Cutting.			

† About.

In VIRGINIA the Sparrow was reported present, in the autumn of 1886, at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Abingdon .....	1875†	J. M. Rose.	King and Queen	1880†	W. B. Bird.
Accomac C. H. ....	1881†	William P. Bell.	C. H. ....		
Accotink .....	1874†	E. E. Mason.	Lawrenceville ..	1876	W. T. Sledge.
Amelia C. H. ....	1884†	G. H. Southall.	Lebanon .....	1881†	J. F. Amburgey.
Amherst C. H. ....	1880†	W. H. Wills.	Lexington .....	1876	John A. R. Varner.
Appomattox C. H. ....	1881†	N. H. Ragland.	Lick Run .....	1880	J. T. Paxton.
Ashland .....		A. C. Mayo.	Lovingsston .....	1883	William Stephenson.
Barboursville .....	1884	G. S. Parker.	Lynchburg .....	1876†	Chas. W. Button.
Berryville .....	1870	J. N. Shepherd.	Madison C. H. ....	1878†	Brittall Kridler.
Blacksburgh .....	1881†	A. T. Keister.	Manassas .....	1876†	Robert C. Weir.
Bland C. H. ....	1883†	R. C. Green.	Manchester .....	1874	H. A. Jordan.
Bowling Green .....	1878†	L. J. Baker.	Marion .....	1877†	R. J. Haller.
Bridgewater .....	1879†	M. Strickler.	Martinsville .....	1880†	C. L. Putzel.
Broadway .....	1878†	Mary E. Pugh.	Montrose .....	1884†	John Goodridge.
Buckingham C. H. ....	1876	Alex. T. Moseley.	New Castle .....	1880†	John C. Carper.
Burkeville .....	1879†	H. H. W. Crittenden.	New Kent C. H. ....	1885†	J. R. Taylor.
Charlottesville .....	1881†	M. H. L. Long.	New Market .....	1874†	George M. Necae.
Chase City .....	1881	I. C. Bacon.	Newport News .....	1883	W. D. Crowell.
Chatham .....	1879†	William B. Hurt.	Norfolk .....	1873	M. Glennan.
Christiansburgh .....	1876†	E. M. Gardner.	Onancock .....	1880†	Stephen Hopkins.
Clifton Forge .....		S. M. Butler.	Orange C. H. ....	1884†	R. C. Macon.
Clover Depot .....	1880	Postmaster.	Petersburgh .....	1874†	J. R. Patterson.
Covington .....	1881†	John B. Pitzer.	Pocahontas .....		J. L. Deaton.
Cuckoo .....	1883	W. P. Thornton.	Portsmouth .....		A. H. Lindsay.
Culpeper .....	1873†	Jas. T. Robertson.	Powhatan C. H. ....	1884†	A. M. Howard.
Cumberland C. H. ....	1883†	John S. Taylor.	Pulaski Station .....	1883	W. T. Dudley.
Danville .....	1874†	T. R. McDearman.	Pungotague .....		W. T. Mason.
Dayton .....	1881†	H. K. Devier.	Richmond .....	1872	Wm. H. Cullingworth.
Dublin .....	1878†	W. F. Peters.	Do .....	1882	Hugh L. Davis.
Eastville .....	1885†	Leonard J. Nottingham.	Do .....		Col. Randolph Harrison.
Edenburgh .....	1882†	Mary M. Calohan.	Salem .....	1870†	W. S. Oakley.
Emory .....	1886†	C. B. Akers.	Saluda .....	1883†	Herbert L. Smither.
Estillville .....	1882	W. F. Edmonds.	Scottsville .....	1878†	H. G. Harris.
Fairfax C. H. ....	1880	Jos. W. Whitehead.	Smithfield .....	1881†	E. A. Morrison.
Farmwell .....	1880	C. A. Rundell.	Smithville .....	1881	B. P. Eggleston.
Fincastle .....	1881†	C. B. Camper.	Spottsylvania C. H. ....	1876†	C. M. Ashby.
Floyd C. H. ....	1876	William Pendleton.	Stafford C. H. ....	1882†	M. W. Baines.
Fortress Monroe, (1881) .....		Lieut. A. W. Vogdes.	Standardsville .....	1881†	J. G. Stephens.
Franklin .....	1875†	A. M. Brownley.	Staunton .....	1870†	W. A. Burke.
Fredricksburgh .....	1878†	Frank T. Forbes.	Stuart .....	1884	C. R. Martin.
Front Royal .....	1880†	W. C. Weaver.	Suffolk .....	1874	Florine A. Hines.
Glen Allen .....	1883†	J. Hopkins.	Surry .....	1879†	Peyton A. Cocke.
Gloucester C. H. ....	1881†	A. P. Davies.	Sussex C. H. ....	1882	John S. Bobbitt.
Gooseland C. H. ....	1880†	C. H. Powell.	Tappahannock .....	1880	J. L. Henley.
Halifax C. H. ....	1882†	E. H. Edmondson.	Tazewell C. H. ....	1882	Jas. C. Spotts.
Hampton .....	1881†	Mattie K. Chisman.	Town House .....	1882†	Dr. John S. Apperson.
Harrisonburgh .....	1871†	Wm. H. Rittenour.	Upperville .....	1875†	Jas. M. Kincheloe.
Hicksford .....	1877†	P. R. Farley.	Variety Mills .....	1881	H. Martyn Micklem.
Hillsville .....	1876†	H. H. Farmer.	Warm Springs .....	1884†	Robert T. Payne.
Independence .....	1883†	J. W. Boyer.	Warrenton .....	1876†	L. W. Caldwell.
Jonesville .....	1881	John M. Couk.	Waterford .....	1876†	William T. Bennett.
Keswick Depot .....	1882†	H. E. Magruder.	Waynesborough .....		R. G. Wright.
Do .....	1880†	E. C. Mead.	West Point .....	1879†	L. S. Garrett.
King George C. H. ....	1882†	H. H. Hunter.	Williamsburgh .....	1880†	H. D. Cole.
			Winchester .....	1876†	William S. White.
			Wytheville .....	1875†	Alex. S. Haller.
			Yorktown .....	1878†	F. M. Sheild.

† About.

The Sparrow was reported not present at the following places in Virginia:

Locality.	Observer.	Locality.	Observer.
Birdsnet .....	C. R. Moore.	Princess Anne C. H. ..	James H. Bonney.
Grundy .....	R. C. Beavers.	Warsaw .....	F. A. Shackelford.
Mathews .....	L. M. Garnett.		

Addis.  
Anst.  
Clito.  
Hick.  
Peery.

In WASHINGTON TERRITORY, in the autumn of 1886, the Sparrow was not known to be present at any point. It was reported not present at the following places:

Locality.	Observer.	Locality.	Observer.
Asotin.....	Jennie L. Case.	Port Townsend.....	George G. McNamara.
Chelan.....	William West.	Prescott.....	Jas. S. Haviland.
Daxton.....	J. T. Burns.	Payallup.....	C. C. Field.
Ellensburg.....	Jacob J. Mueller.	Seattle.....	Prof. O. B. Johnson.
La Conner.....	J. F. Dwyer.	Sprague.....	John J. Burns.
Medical Lake.....	Thomas Campbell.	Steilacoom.....	L. R. Bigney.
Montesano.....	W. H. Blair.	Tacoma.....	L. E. Sampson.
North Yakima.....	G. W. Carey.	Vancouver.....	Hattie Denuison.
Olympia.....	A. D. Glover.	Waitsburg.....	T. H. Jessup.
Palouse.....	W. D. Irwin.	Whatcom.....	P. M. Isensee.
Pomeroy.....	C. A. McCabe.		

In WEST VIRGINIA the Sparrow was reported present, in the autumn of 1886, at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Alderson.....	1881	J. N. Alderson.	Mason.....	1882	Jacob Roush.
Barboursville.....	1883	F. M. Farrell.	Middlebourne.....	1884	L. E. Smith.
Berkley Springs.....	1876	Thomas H. Hodgson.	Milton.....	1880	A. D. Neal.
Bethany.....	1880	M. E. Brown.	Moorefield.....	1878	J. P. Slyer.
Beverly.....	1881	S. N. Bosworth.	Morgantown.....	1880	A. L. Nye.
Braxton C. H.....	1883	Jas. W. Humphreys.	Moundsville.....	1884	M. L. Gans.
Backhannon.....	1883	Tom G. Brady.	Newburgh.....	1880	F. Mortimer Dent.
Do.....	1881	Dr. J. R. Mathers.	New Cumberland.....	1876	L. R. Smith.
Buffalo.....	1884	J. H. Shank.	New Martinsville.....	1880	Ben M. Welch.
Burning Springs.....	1884	R. C. Tucker.	Oceana.....	1884	F. P. Roach.
Cairo.....	1881	Van A. Zevy.	Parkersburg.....	1878	A. N. Williams.
Cameron.....	1883	Jas. C. Crawford.	Petersburg.....	1876	H. Thalaker.
Charleston.....	1876	R. J. Ashby.	Phillippi.....	1876	D. W. Gall.
Charlestown.....	1878	George H. Flagg.	Piedmont.....	1882	P. J. Rogers.
Clarksburg.....	1878	J. Philip Clifford.	Point Pleasant.....	1881	E. D. Hoy.
Do.....	1878	Lloyd Reed.	Princeton.....	1876	Z. Fellers.
Coal Valley.....	1881	J. W. Montgomery.	Quinnimont.....	1882	T. S. Maloney.
Elizabeth.....	1883	S. B. Sayre.	Raleigh C. H.....	1885	J. S. Hall.
Do.....	1884	Z. E. Thorne.	Ravenswood.....	1883	E. C. Smith.
Fairmont.....	1880	N. S. Burns.	Ritchie C. H.....	1884	Postmaster.
Franklin.....	1876	Caddie Moorman.	Romney.....	1882	Jas. Shutz.
Glennville.....	1880	William W. Johnson.	Saint George.....	1882	William M. Cayton.
Grantsville.....	1883	John J. Thomas.	Saint Mary's.....	1881	George Kelsall.
Gaysville.....	1880	A. E. Smith.	Shepherdstown.....	1866	D. S. Retch.
Haltown.....	1879	John H. Strider.	Sistersville.....	1883	Frank D. McCoy.
Hamlin.....	1884	L. R. Sweetland.	Spencer.....	1883	Henry A. Smith.
Harper's Ferry.....	1875	C. B. Wentzell.	Terra Alta.....	1880	Dr. S. M. Scott and
Hillsdale.....	1881	A. K. Parker.	Union.....	1881	Jos. Adair.
Huntington.....	1880	Ira R. Wood.	Volcano.....	1881	C. M. Magill.
Jackson C. H.....	1882	M. D. L. Lewis.	Wellsburg.....	1883	Emma L. Ackison.
Keyser.....	1876	E. H. Davis.	Weston.....	1881	W. H. Aspinall.
Kingwood.....	1879	Jas. E. Muddock.	Wheeling.....	1880	Robert Simpson.
Leon.....	1860	G. W. Knapp.	White Sulphur Springs.....	1880	John F. Garing.
Lewisburg.....	1878	A. Boine.	Winfield.....	1882	Jas. H. Hanly.
Logan C. H.....	1884	J. B. Buskirk.			
Madison.....	1884	William C. Hopkins.			
Malden.....	1878	Jas. N. Scott.			
Martinsburg.....	1876	William B. Colston.			

† About.

It was reported not present at the following places in West Virginia:

Locality.	Observer.	Locality.	Observer.
Addison.....	T. B. Horan.	Ronceverte.....	J. H. Caraway.
Ansted.....	O. B. Wills.	Sand Run.....	Mrs. M. J. Moss.
Clifton Mills.....	Postmaster.	Wayne C. H.....	Adkins Chapman.
Hickory.....	J. H. Shank.	West Union.....	F. P. Ford.
Peeryville.....	J. Frank Johnson.		

In WISCONSIN the Sparrow was reported present, in the autumn of 1886, at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Amherst .....	.....	A. J. Smith.	Mazo Manie ....	1878†	L. A. Lincoln.
Antigo .....	1883	W. H. Danley.	Menasha .....	.....	Curtis Reed.
Bangor .....	1885†	John Kupp.	Milwaukee (sub-urb).	1880	Walter B. Hull.
Baraboo .....	1880†	Matthew H. Monld.	Milwaukee .....	.....	Charles Keeler.
Beaver Dam .....	1882†	R. V. Bogert.	Do. ....	1871†	George H. Paul.
Beloit .....	1883†	Clinton Babbitt.	Michigan .....	.....	N. H. Terens.
Berlin .....	1870†	D. L. Harkness.	Montello .....	1884	Ella J. Cogan.
Boscobel .....	1884†	John Pepper.	New London .....	1882†	M. B. Patchin.
Burlington .....	1880†	Charles W. Wood.	Oconto .....	1883†	F. C. Sharp.
Chilton .....	1873†	Jas. W. McCabe.	Oshkosh .....	1876	A. C. Anstia.
Chippewa Falls .....	1885†	W. W. Crandall.	Do. ....	1879†	W. F. Webster.
Clinton .....	1879	C. N. Crotzburg.	Do. ....	1881†	A. W. Weisbrod.
Cumberland .....	1880	C. F. Kalk.	Peshigo .....	1879†	Jas. J. O'Leary.
De Pere .....	1870†	E. Van De Castele.	Pine River .....	1885†	T. H. Patterson.
Dodgeville .....	1885†	Thomas Rogers.	Platteville .....	1881†	William H. Elgar.
Durand .....	1886	E. L. Brown.	Port Washing- ton.	1872†	Ulrich Landolt.
Eau Claire .....	1883†	Do.	Racine .....	1874†	Dr. P. R. Hoy.
Elkhorn .....	1882†	W. D. Lyon.	Do. ....	1874†	Clarence Snyder.
Fond du Lac .....	1877†	S. M. Smend.	Randolph .....	1881†	John S. Lightner.
Fort Howard .....	1875†	George Richardson.	Richland Centre .....	1880†	J. M. Keys.
Fox Lake .....	1881†	W. H. Keeney.	Ripon .....	1876	A. Everhard.
Grand Rapids .....	1885	F. L. Tibbits.	Sauk City .....	1876†	C. Kuoni.
Hartford .....	1876	J. H. Simon.	Shawano .....	1880†	James Miller.
Hillsborough .....	1886	William Lind.	Sheboygan .....	1878†	Jos. Bast.
Janesville .....	1876†	H. Richardson.	Do. ....	1875	Carl Zillier.
Do. ....	1880†	H. L. Skaylen.	Shell Lake .....	1885†	M. D. Gochling.
Juda .....	1881†	Jas. A. Patton.	Stevens' Point .....	1874	G. W. Cate.
Kenosha .....	.....	Otis G. King.	Stoughton .....	1881†	W. W. Gilman.
Kewaunee .....	1884†	Ransom A. Moore.	Do. ....	1876†	Z. L. Welman.
Do. ....	1883†	M. Riedy.	Waukesha .....	1876†	E. Enos.
La Crosse .....	1881†	Walter Tillman.	Wausau .....	1880	V. Ringle.
Lancaster .....	1883†	S. A. Brow.	West Bend .....	1872	Joseph Ott.
Lena .....	.....	R. R. Byram.	Whitewater .....	1876†	H. H. McGraw.
Madison .....	1873	William Helm.			
Manitowoc .....	1875	A. Piening.			

† About.

It was reported not present at the following places in Wisconsin:

Locality.	Observer.	Locality.	Observer.
Alma .....	M. W. McDonnell.	La Crosse* .....	C. H. Burroughs.
Arendia .....	George Mathys.	Medford .....	M. W. Ryan.
Ashland .....	J. Sullivan.	Menomonie .....	E. L. Everts.
Cambria .....	F. B. Ernsperger.	Merrill .....	W. H. Canon.
Chetek .....	Postmaster.	Neillsville .....	Isaac T. Carr.
Clear Lake .....	J. L. Warren.	Phillips .....	A. M. Hunt.
Durand* .....	A. W. Hammond.	Rio .....	Kennedy Scott.
Do. ....	Miletus Knight.	River Falls .....	R. McGregor.
Eau Claire* .....	C. R. Gleason.	Shawano .....	Mary F. French.
Florence .....	W. H. Clark, jr.	Stoughton (near) .....	Z. L. Welman.
Fountain City .....	John B. Oenning.	Sturgeon Bay .....	Charles O. Larsen.
Friendship .....	J. M. Harrison.	Superior .....	John A. Bardon.
Do. ....	John B. Keyes.	Tall Point Light Sta- tion.	George A. Gaylord.
Grantsburg .....	Postmaster.	Tomah .....	R. P. Hitchcock.
Hayward .....	Malcolm Dobie.	Viroqua .....	O. B. Wyman.
Hudson .....	S. C. Simonds.		
Independence .....	David Garlick.		

\* Reported present by another observer.



In WYOMING, in the autumn of 1886, the Sparrow was known to be present at but one point. Alanza A. Bailey states that it appeared at Evanston about 1885; and Dr. R. W. Shufeldt states that in 1877 he saw a flock of five in the streets of Cheyenne. Other observers, however, have failed to find it in Cheyenne, and in October, 1887, there certainly were none there. It was reported non-present in 1887 at the following places in Wyoming:

Locality.	Observer.	Locality.	Observer.
Atlantic City .....	Robert McAuley.	Green River City.....	P. J. Hines.
Carbon .....	F. P. Shannon.	Laramie City .....	J. H. Donkersley.
Cheyenne City .....	Frank Bond.	Rawlins .....	John C. Friend.
Do .....	A. C. Snyder.	Rock Springs.....	L. L. Daus.
Fort Bridger.....	M. E. Carter.		

† About.

In ONTARIO the Sparrow was reported present, in the autumn of 1886, at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Bellefonte (1884) ..	1877	Prof. James T. Bell.	Ottawa (1881) ..	1870†	H. B. Small.
Charlinch .....	.....	C. J. Tisdall.	Ottawa .....	.....	W. L. Scott.
Cottam .....	1880	W. E. Wagstaff.	Pembroke .....	1874†	E. Odium.
Dunnville .....	1875†	Dr. G. A. McCallum.	Plover Mills .....	1881†	R. Elliott.
Galt .....	1886	George R. Prescott.	Strathroy .....	1874	L. H. Smith.
Hamilton (1884) ..	1874†	Thomas McIlwraith.	Toronto (1884) ..	1875†	J. B. Williams.
Hyds Park .....	1880	H. Keays.	Toronto (1888) ..	.....	Dr. William Brodie.
Listowel .....	1877†	William L. Kells.	Trouton .....	1870†	Charles McLellan.
Mildmay .....	1878†	W. A. Schoenau.	Yarker .....	1877†	John Ewart.
Oshawa .....	1870†	W. J. Stevenson.			

† About.

In QUEBEC the Sparrow was reported present, in the autumn of 1886, at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Godbout .....	1884†	Napoleon A. Comeau.	Montreal .....	1870†	Ernest D. Wintle.
Montreal .....	.....	George J. Bowles.	Quebec (1884) ..	1864†	Col. Wm. Rhodes.

About.

In NEW BRUNSWICK the Sparrow was reported present, in the autumn of 1886, at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Chatham .....	1880†	Dr. Jas. Baxter.	Saint John .....	1883†	Montague Chamberlain.
Fredericktown ..	1876†	C. W. Beckwith.	Wickham .....	1886†	D. W. Pilkington.
Petitcodiac .....	1886	John Brittain.	Woodstock .....	1884	John Stewart.
Portland .....	1883†	J. W. Banks.			
Sackville .....	1885†	T. A. H. Mason.			

† About.

It was reported not present at the following places in New Brunswick:

Locality.	Observer.	Locality.	Observer.
Dalhousie.....	H. A. Johnson.	Oak Point .....	Gibson Williamson.
Eel River.....	Marshall Reid.	Woodland's Cove ..	F. S. Cheney.

In NOVA SCOTIA the Sparrow was reported present, in the autumn of 1886, at the following places:

Locality.	First appeared.	Observer.	Locality.	First appeared.	Observer.
Halifax (1884) ...	1875†	J. Matthew Jones.	Two Rivers ....	.....	B. B. Barnhill.
Kentville .....	1881	T. A. H. Mason.			

It was reported not present at one place in Nova Scotia: Prof. A. H. Mackay states that it was not present at Pictou in the autumn of 1886.

In PRINCE EDWARD ISLAND the Sparrow was reported only from Charlottetown, where Francis Bain saw half a dozen January 10, 1887.

It was reported not present at the following place in Prince Edward Island:

Locality.	Observer.	Locality.	Observer.
Alberton .....	James Hunter.	Alberton .....	J. Hunter Duvar.

In the autumn of 1886 the Sparrow was not known to have reached any of the towns in MANITOBA or NORTHWEST TERRITORY.

It was reported not present at Winnipeg by A. McArthur and L. H. Smith, and at Qu'Appelle by George F. Guernsey.

### RATE OF INCREASE; CHECKS, NATURAL AND ARTIFICIAL.

The testimony relating to the rate of increase of the Sparrow and the checks which affect such increase more or less, is by no means as full and specific as could be desired, and its character is such as to preclude the possibility of summarization. The following replies, selected from upwards of two hundred received, will serve to show the general character of the whole.

CALIFORNIA.—*San Francisco.* F. Gruber: On the average it raises two broods a year, and five or six young to a brood. In some instances three broods are raised, and rarely seven to eight young. (March 5, 1885.)

CONNECTICUT.—*New Haven.* Louis B. Bishop: A single pair will rear in a season four or five broods, aggregating twenty or thirty young. (August 23, 1886.)

*New Haven.* Robert D. Camp: I have seen four broods raised in a single season. (April, 1887.)

DISTRICT OF COLUMBIA.—*Washington.* Walter B. Barrows: On the evening of August 11, 1887, the city was visited by a short but severe thunder-storm, which proved very destructive to English Sparrows. The rain began to fall about an hour before sunset, and in little more than an hour the precipitation amounted to more than an inch. It was accompanied by a high wind, which in some parts of the city was strong enough to twist off or uproot a few shade trees. A second but lighter shower, without much wind, occurred during the night. On the following morning it was found that hundreds, perhaps thousands, of Sparrows had perished in this city alone. A large proportion of the Sparrows which are not nesting (mainly young ones) pass the night together in large companies, frequently congregating to the number of five hundred or a thousand in some large tree or group of trees where they resort regularly. Under such a group of trees, near the main entrance of the Smithsonian Build-

ing, two hundred and fifty-four dead Sparrows were picked up, and later in the day it was learned that one hundred and twenty were counted beneath another group of trees near the eastern entrance of the National Museum.

At a large roosting place in the Agricultural Grounds the destruction seems to have been even greater, but most of the dead birds were carried away before being counted. Several persons were seen collecting them in baskets or bags, and as the last man carried off nearly a peck (probably one hundred or one hundred and twenty-five birds), there is little doubt that three hundred or four hundred Sparrows were killed at this roost alone.

Thus far no birds but English Sparrows are known to have been killed by the storm, but this is easily accounted for by the fact that the English Sparrows in this city probably outnumber all other birds at least 500 to 1. It is also worth noting that the great majority of those killed were young of the year, although perhaps two or three per cent. were old birds.

The cause of death is somewhat doubtful: Mr. Ridgway, ornithologist of the National Museum, believes that the Sparrows roost together in such numbers that many of them are compelled to put up with tips of branches or small twigs, where they are whipped about by the wind and finally beaten to the ground and actually drowned. It seems more probable, however, that while some may be killed in the manner described, the majority die from cold; for the feathers once wet, the birds are unable to keep warm, and the chill, together with the exhaustion caused by the struggle with wind and rain, is too much for them. About a year ago a similar storm occurred here, and on the following morning Mr. Ridgway found 50 or 60 dead Sparrows beneath one tree on the Agricultural grounds. (August 13, 1887.)

Since the above was written, it has been learned that the recent storm was very destructive to Sparrows both at Baltimore, Md., and Jersey City, N. J. An account of the destruction at the latter place will be found on page 236, under the head of Jersey City. (September 14, 1887.)

*Washington.* Michael Durkin, gardener at the navy-yard: We have used rice and bread, wet and then sprinkled with arsenic, to feed the Sparrows, and many have been killed in this way. We have also paid boys to pull down all the nests that could be reached, but thus far little change seems to have been made in the number of Sparrows. (August 22, 1887.)

*ILLINOIS.—Bernadotte.* Dr. W. S. Strode: The northern shrike has appeared here in unusual numbers, and seems to be giving its attention mainly to this Sparrow. I frequently notice one among the evergreens and shrubbery back of my office, in the center of the town, in active pursuit of these little vagrants. (December 6, 1887.)

*Centralia.* Jabez Webster: No means of restriction has been taken, but in cold weather the boys have killed them by scattering "tailings" from a fan-mill and then shooting into a flock, and have also caught them with a large sieve-trap. (December 21, 1886.)

*Chicago.* H. K. Coale: The northern shrike (*Lanius borealis*) feeds on them all winter. Many Sparrows freeze in very cold winters. (August 21, 1886.)

*Monmouth.* Dr. S. M. Hamilton: The jay is one of the Sparrow's worst enemies here. It destroys many nests, and kills the young birds or eats the eggs. (September 24, 1886.)

*Quincy.* J. H. Richardson: In 1870 six pairs were brought to this city, and it is estimated that the progeny of these few now number tens if not hundreds of thousands. (October 4, 1886.)

*Rockford.* Dr. F. H. Kimball: I have not observed many Sparrows more than a mile from the city, although occasionally a few may be seen 4 or 5 miles out. I observed a single pair nesting in the cornice of a building in July, 1878. They raised two broods that season. During the next three years they multiplied very rapidly, or we received a fresh importation, for at the beginning of the winter of 1881-'82 there were hundreds here, but about three-fourths of them were destroyed by the cold

weather of that winter. Although many have been des- by subsequent win-  
 ters, the destruction has never been so general since. ver we have a hail-  
 storm large numbers are killed. After one such storm, accompanied by lightning,  
 this last summer over a half bushel of dead Sparrow- found under a few trees  
 in a single yard. I noticed a sparrow-hawk within days hunting Sparrows in  
 a thickly-settled portion of the city. Owing to the many checks, Sparrows do not  
 seem to have increased during the last two seasons. (September 28, 1886.)

*New Albany.* James N. Payton: Last winter was an exceedingly cold winter, and  
 many Sparrows froze to death or were starved out. (September, 1885.)

*INDIANA.—Indianapolis.* J. G. Kingsbury: No means in a public way has been  
 taken to restrict its increase. A man living here traps large numbers to sell to mark-  
 men for sporting purposes, but the thousands he takes at the grain elevators make no  
 perceptible diminution in the crop. (August 18, 1886.)

*IOWA.—Burlington.* Howard Kingsbury: One pair under my observation raised  
 three broods, aggregating nine birds, and two of the eggs were removed. (December  
 28, 1886.)

*Corydon.* J. S. Whittaker: One observer on a farm 5 miles from town says they  
 are in his barn, get in through a knot-hole, and when outside are sometimes attacked  
 by his doves and driven in again. (October, 1886.)

*Dubuque.* Edward T. Keim: A petition to the city council, asking for the exter-  
 mination of the Sparrow, was generally signed. (August 19, 1886.)

*KANSAS.—Topeka.* F. W. Giles: No means has been taken to restrict their increase  
 here; but, being entirely left to care for themselves, many perish in winter storms,  
 and many from depredations of the blue jay, while the insufficiency of nesting places  
 is a great hinderance to their increase. There has been no perceptible increase of  
 Sparrows in Topeka for the last five years. (October 6, 1886.)

*KENTUCKY.—Bowling Green.* Postmaster: Some have been shot, and one or two  
 successful efforts have been made to poison them with strychnine mixed with dough,  
 but the danger of this method has restricted its use. (October 3, 1886.)

*Lancaster.* W. H. Wherritt: They were greatly thinned out in this vicinity by  
 the exceptionally cold winters of 1884-'85, and 1885-'86. (October 11, 1886.)

*Taylorville.* Ruth C. Burton: Many perished from the severe cold last winter.  
 (October 30, 1886.)

*LOUISIANA.—Schriever.* Postmaster: No means whatever has been taken to re-  
 strict the increase of Sparrows here. They are so plentiful that they can not be de-  
 stroyed. (October 8, 1886.)

*MAINE.—North Livermore.* George H. Berry: To-day I found a thorn bush in  
 which was a nest of a shrike (species not determined) containing four young. Im-  
 paired on the thorns were numbers of large insects (mostly grasshoppers), a few  
 mice, a small green snake, and quite a number of birds, among them a red-eyed vireo,  
 a couple of chipping or bush sparrows, an indigo bunting, and seven English Spar-  
 rows. Under the tree, or rather clump of trees, were the bodies of three more En-  
 glish Sparrows. I think the shrike, where found, is fully as good an agent as any in  
 effecting the destruction of the English Sparrow. (December 20, 1887.)

*MARYLAND.—Baltimore.* Otto Luger: The only means taken to restrict its in-  
 crease is the destruction of its eggs in the parks. (May 10, 1887.)

*Baltimore.* Dr. A. P. Sharp: The rapidity of their increase is wonderful; three to  
 four broods a season, and the young or spring birds hatch out a brood the same sea-  
 son, before fully grown. The old birds begin to lay very early in the spring and keep  
 it up late in the fall. I usually leave the country about October 1, and before doing  
 so destroy all the eggs, often five in a nest. I have a number of boxes within easy  
 reach, and when they build in them I usually wait until the young are nearly ready  
 to leave the nest, and then give my cats a feast of them. I sometimes kill from four  
 to six birds by baiting for them in my chicken yard with wheat or rye. There ought  
 to be a law passed to compel every farmer to present to the county clerk a certain

number every season in part payment of his tax bill, so as to keep down their rapid increase. (February 16, 1887.)

The Sparrows know me as well as my dogs, and I can not get near them. They have the keenest hearing of anything I know. The cock of the gun drives them in every direction, even when I cock inside of the house with shutters partly closed. It is impossible to get a shot at them outside. I formerly killed a good many, but now have tried every means to feed them. They will eat with the chickens, seeming to know that I will not shoot them. (February 29, 1887.)

*Sandy Spring.* H. H. Miller and other members of county farmers' club: At a meeting of the Montgomery Farmers' Club held on the 13th instant, the following resolution was unanimously passed: *Resolved*, That, in the opinion of this club, the English Sparrow is an unmitigated evil, and should be fought incessantly until driven out of the country. (February 16, 1887.)

MASSACHUSETTS.—*Cambridge.* William Brewster: It rears three broods yearly at least; twelve young yearly to a pair would not be an overestimate. A few are killed by boys with stones, "catapults," etc., but the number so destroyed is inconsiderable. Fire-arms can not be used within our city limits, and the Sparrow can not be easily trapped. No bounty has been offered here, but one has been paid this year, I understand, in the neighboring town of Waltham. (January 30, 1884.)

MICHIGAN.—*Ann Arbor.* Israel Hall: Inasmuch as the depredations of these birds are universal, the effort and expense of their extermination should be national and simultaneous. The birds being the adjuncts of high civilization, will be found in cities and villages in about the proportions of their respective populations. Therefore, I will suggest that you try experiments by feeding wheat that has been saturated in a solution of arsenic. If this be effectual, procure a commission with power to purchase and saturate, in every city and village, such quantity of wheat as will be needed to scatter in the streets during February, when the birds are starved and frozen to the least numbers. If this be discreetly done, I think the birds will be exterminated in the course of three winters. (June 10, 1887.)

*Flint.* John Campbell: So far as Genesee County is concerned, the bounty on Sparrows has amounted to nothing. I have paid for such purposes, since the law took effect, \$1.02 and that to one person, who had killed the birds more for sport than for the bounty. In my opinion the bounty will have to be increased materially before it will be much of an inducement for men or boys to spend their time in destroying the birds. (April 9, 1888.)

*Homer.* C. F. Collins: The hard winter of 1885-'86 nearly destroyed these birds in this section. I do not think there are more than about one hundred here now. (October 8, 1886.)

*Ionia.* J. Warren Peake: In my opinion the bounty law of 1887 has been a total failure in this county. More heroic measures will have to be adopted or the Sparrows will continue to increase. (March 30, 1888.)

*Manistique.* W. H. Hill and Corwin Adkins: The winters are very long and cold on this upper peninsula, and a good many Sparrows die each winter. (October 28, 1886.)

*Mason.* W. D. Longyear: It is my opinion that the passing of the act for the payment of bounties has not reduced the number of Sparrows in this county enough to be discernible, although there have been some Sparrows killed. One reason why I think there have not been more killed is that the bounty is so small that any person who undertakes to kill twenty-five Sparrows will give it up before he secures the required number. (March 30, 1888.)

*Port Huron.* William Burns: In this county act No. 29 of the laws of 1887 has not been efficacious in reducing the number of Sparrows. It seems to be generally conceded that the bounties are too small. Also people in the township consider it an additional annoyance to have to apply to the county for payment. If the bounties

were increased, and paid by the several townships instead of the county, I think it would be more of a success. (March 30, 1888.)

*Sparta.* E. Bradford: No means has been taken for its restriction except that every one who can, shoots them. One man here has shot about three hundred during the past summer. (October, 1886.)

*Tecumseh.* C. A. Wright and C. A. Story: A few farmers have been shooting them, which drives them away for the time being. (October 11, 1886.)

*Traverse City.* Charles Burmeister: I learn that at a regular meeting of the village council of Traverse City, held on February 7, 1887, it was voted that "Mr. Morgan and Mr. Barnes are appointed a committee to exterminate the Sparrows in the village," (Frankfort, Mich., February 9, 1887.)

**MINNESOTA.**—*Minneapolis.* Dr. Thomas S. Roberts: No means of restriction has been taken here. The severe winters and late springs seem to have effectually kept them in check. Although the first flock came here in the fall of 1876, they have increased very slowly and even now there are but two or three little parties of them in the city. (November 16, 1886.)

*Rochester.* W. D. Hurlbut: They first appeared here in November last and seem to be as much at home as if raised here. This unusually cold winter does not seem to discourage them, none having died that we know of. The German and English residents assure me these birds will thrive here as well as anywhere in Europe. Some people, especially Germans, are inclined to welcome and feed them. (January 27, 1887.)

The English Sparrows, which multiplied greatly during the past summer, and were probably re-enforced by fresh colonies, have not appeared to suffer at all from this unusually severe winter. No very bad weather is ever observed here after this date, and I may therefore conclude that they are acclimated and fully established. During the worst weather they housed in the coal sheds and under the eaves of the grain warehouses. (January 31, 1888.)

**MISSOURI.**—*Carrollton.* M. R. Gittings: One gentleman who takes quite an interest in birds says that two years ago he noticed five or six Sparrows here, and now there are seventy-five or one hundred. (November 19, 1886.)

*Dixon.* W. W. Howard: In the winter of 1884 I first noticed about four birds, and they have increased to about forty at the present time. (November 12, 1886.)

*Memphis.* J. P. Craig: It first appeared here three years ago this fall, and has multiplied until now there are thousands. (November 12, 1886.)

**NEBRASKA.**—*Blair.* W. H. Eller: There were two pairs here in 1885, and as many as sixteen birds were seen at one time a few weeks ago; but seed soaked in strychnine was used, and twelve of them were killed. There are four here now. (November 11, 1886.)

*Plattsmouth.* J. N. Wise: They have been here about twelve years, but are not abundant, and not troublesome in this vicinity. Their increase is scarcely perceptible. (November 22, 1886.)

**NEW HAMPSHIRE.**—*Portsmouth.* Sarah H. Foster: No effort has been made to destroy the Sparrow, as it is protected by law. Three years ago a petition, numerously signed, was sent from Portsmouth to Concord, asking to have the game law altered in this respect, but not being properly presented it was not acted upon. (April 2, 1884.)

**NEW JERSEY.**—*Caldwell.* Marcus S. Crane: Three broods were raised this year in a box near our house. (September 20, 1884.)

*Haddonfield.* Samuel N. Rhodes: I think last year the law protecting them was repealed by the legislature. This is indirectly destructive to the Sparrow, but of no avail against increase. (September 9, 1886.)

*Jersey City.* Jno. T. Bragaw: A storm passed over the city on the evening of the 11th day of August, accompanied by a severe gale and a great downfall of rain. On the following morning I had occasion to pass by one of the parks of Jersey City, Van Vorst Square, and was greatly surprised to see a large number of dead Sparrows on the



walks and in the grass of said park. The inclosed article, clipped from the Jersey City Journal of August 12, 1886, gives a more minute description of the great destruction of Sparrows:

" \* \* \* The sight presented in the pretty park would have delighted those who are determined to do away with the Sparrow nuisance. Piled in a heap near the fountain the reporter saw over four hundred dead Sparrows. Constant additions were being made to the mass by boys who were scouring the lawns in search of dead birds. The park-keeper stated that two wheelbarrow-loads of dead Sparrows had already been gathered up and taken away. There must have been nearly one thousand live hundred deaths in the Van Vorst Park Sparrow colony last night.

"Exactly what caused this mortality is unknown. Policeman Sturgis stated that when he locked the park gates last night hundreds of Sparrows that had been thoroughly drenched by the storm were hobbling about the paths. There were a lot of cats about, and the felines could be seen seizing Sparrows in all directions. When Sturgis returned to the park this morning dead birds were lying about in all directions. Under a large willow tree that had lost a big limb in the storm twenty-eight dead birds were found. The paths and lanes were sprinkled with tiny feathered carcasses in all directions. \* \* \* There are very few live Sparrows in the park to-day, and they are unusually quiet and subdued." (August 23, 1887.)

*Passaic Bridge.* F. M. Carryl: I manage to kill one or two a day the year round, but it seems to make no difference. (August 20, 1886.)

*Woodstown.* Jas. D. Lausen: It breeds monthly. One pair now has three young in the nest. (August 18, 1886.)

*New York.—Highland Falls.* Dr. Edgar A. Mearns: They are shot by farmers and gardeners. Grape producers hire boys to shoot them. (February 27, 1884.)

*Northport.* William Crozier: I do not allow them to be destroyed on my farm. I wish we had more of them, for I consider the species a most valuable one. (August 26, 1884.)

*Phenix.* Benjamin F. Hess: The first Sparrows, a single pair, came to our farm in the spring of 1884, and to-day undoubtedly one hundred can be seen about the trees and buildings. (August 25, 1886.)

*Rochester.* H. Roy Gilbert: It rears three broods yearly. Eggs can be got at any time. (August 20, 1884.)

*Utica.* Thomas Birt: The English Sparrows, which were to be seen in flocks of hundreds previous to the cold snap, have dwindled down to a dozen or two in a flock, or even less. Would that the past cold month had exterminated the pest altogether. (February 4, 1888.)

*Onio.—Akron.* Ferdinand Schumacher: They have increased a thousandfold during the ten years of their presence here. (October 25, 1886.)

*Cleveland.* Dr. E. Sterling: Outside the city gardeners and fruit-growers shoot them on sight. (February 25, 1884.)

*Columbus.* William B. Alwood: They have increased very rapidly for some years, but I can not see that there has been any noticeable increase during the past year. No means has been taken to restrict their increase, except shooting when they become troublesome on wheat-fields. I have been told by different parties that they destroyed Sparrows very successfully in winter by feeding them poisoned grain. (July 16, 1887.)

*New Athens.* T. M. Sewell: It first appeared here in 1882, and was most abundant in 1885. Great numbers were destroyed by hail this present season. (November 11, 1886.)

*Newton Falls.* E. W. Turner: They are breeding so fast in our large towns that during the last two years they have invaded the country and done incalculable damage. (November 16, 1886.)

*North Bend.* R. H. Warder: There is constant destruction of nests and eggs here, (November 27, 1886.)



*Portsmouth.* S. R. Ross: About twelve years ago our city council imported two pairs of Sparrows for our city park, and from these the city is overrun with the increase, and they are also finding their way to the adjoining farms and villages. (September 2, 1886.)

*South Salem.* W. N. Irwin: The screech owls are working on them very industriously, and many of the Sparrows have perished by being frozen in the eave-troughs around buildings, as they will roost in the troughs, and if any water is in the bottom they freeze and starve. (December 26, 1887.)

*Wadsworth.* Dr. J. F. Detweiler. No hunting is more acceptable to farmers in this vicinity than a Sparrow hunt, and these are quite common here, and result in the destruction of great numbers of Sparrows. Inclosed you will find an account of one of these hunts. The man that shot three hundred had fed the birds in sheep-troughs for some time. When the trough was lined on both sides he raked them, killing at one shot sixty-one birds. (January 11, 1888.)

The item here alluded to is as follows:

"*The great Sparrow hunt.*—Monday was a cold day for English Sparrows. About one thousand departed for the 'sweet by and by.' The hunt was exciting, and the 'bang' of the double-barrel shotgun and old flint-lock could be heard at all times during the day. Some of the hunters scored goose-eggs, but the scores were generally creditable. Lewis Heiser was the champion shot, killing three hundred birds. The boys said he had a Gatling gun and a few dynamite cartridges. Jake Kreider came next with one hundred and forty-five. Eli Brouse killed one 'poor Sparrow.' Kreider's side had three hundred and ninety-six of a majority." \* \* \*

[The grand total was nine hundred and eighty.]

*PENNSYLVANIA.—Allentown.* W. B. K. Johnson: I have tried various poisons, and find that crystallized arsenic is too slow. As soon as they detect anything they disgorge the food from their crops. Strychnine kills them, but it is seldom that I can get them to take it on account of its bitterness. I have tried seeds, grain, and bread crumbs with but partial success, and then only when a snow-storm covered up all other food. Some winters I may have killed two hundred or perhaps three hundred, but this winter I have killed scarcely fifty. They are too cunning to go into traps, as I have tried that. If you can tell me of the best method of exterminating them I should be very thankful. (February 7, 1888.)

*Collegeville.* C. Augustus Rittenhouse: Boxes are being removed wherever the Sparrow builds. The bird is a curse to the country, and there should be a reward to the person killing the most in a year's time. Perhaps this would be the quicker way to rid the country of the pest. (August 18, 1886.)

*TENNESSEE.—Decatur.* I. C. Arrants: About three years ago they were first noticed in small numbers in the grove surrounding the court-house, but now they exist in swarms all over the town. (November 13, 1886.)

*UTAH.—Pleasant Grove.* Mrs. P. Sterrett: It has become a great nuisance to farmers and gardeners. Our barns and sheds are filled with nests, and they increase rapidly. (November 11, 1886.)

*Provo City.* Daniel Graves: I learn that in Salt Lake the city fathers are giving a premium for its destruction, and the same is being talked of in this city. (November 16, 1886.)

*VERMONT.—Lunenburg.* Dr. Hiram A. Cutting: There is no law to protect them. Cats catch them here as fast as they increase. (September 5, 1886.)

*Rutland.* Jenness Richardson: I have notes of two broods in winter and three in summer. There are from four to seven young in a brood. They are destroyed mainly by the northern shrike; in 1880 they were nearly exterminated by this bird. (February 8, 1884.)

*WEST VIRGINIA.—Cameron.* Jas. C. Crawford: They first appeared here in 1883, and at present their numbers are estimated in the thousands. (November 12, 1886.)

*Halltown.* John H. Strider: Our town authorities have given the boys a bounty

of two cents per head for them, but they are spreading in the country, and nothing but a general war on them simultaneously will do any good. (September 6, 1886.)

WISCONSIN.—*Janesville*. H. Richardson: The little birds suffer excessively from our cold winters, but they increase so fast during the summer that their number keeps up. (November 12, 1886.)

*Kenosha*. Otis G. King: The last winter killed off a great many, but this fall there is a full supply again. (November 12, 1886.)

*Ripon*. A. Everhard: At one time it was very abundant here, but a hard winter killed a great many, and since then they have not increased very fast. (November 18, 1886.)

*Sheboygan*. Carl Ziller: Three pairs were brought here from Germany in 1875, and they have multiplied so that now there are millions of them here and in the surrounding country. (November 15, 1886.)

CANADA. ONTARIO.—*Strathroy*. L. H. Smith: The Sparrow stands our winter well, although I have seen him with the thermometer at 20° to 30° below zero fluffed out like a ball of feathers, and wishing, no doubt, notwithstanding earthquakes, that he were in Charleston, S. C. (October 11, 1886.)

*Yarker*. John Ewart: The winters are too severe here for the Sparrows to become very numerous. I have never found any myself that were frozen, but another party found quite a lot which had been frozen in an unused grain storehouse; also some in a shed attached to the grist-mill in this place. I have also noticed a marked decrease in their numbers after a cold dip, but of course that may be caused by a move south. (November 19, 1886.)

NEW BRUNSWICK.—*Fredericton*. Charles W. Beckwith: The English Sparrows are not yet a nuisance here, and unless they increase more rapidly than at present are not likely to become troublesome in the future. They winter here, but each spring the colony is largely reduced from cold; by autumn, however, they appear to have increased to the original numbers. (October 8, 1886.)

IRELAND.—*Dublin*. Percy Evans Freke: With regard to the destruction of this pest, I hope you will allow me to offer a suggestion. In cases where vines are trained over any flat surface, such as the wall of a house, they afford the best possible Sparrow traps. Not only in the nesting season, but also in winter they will, if evergreen, become the roosting place at night of armies of Sparrows. Then a large net spread between two poles, should be laid against the vines, which should be then beaten with long rods. Lanterns, raised if necessary on poles, should be held before the net. The birds fly from the vines toward the light and are caught in the net, or flutter down to the bottom of it, which should be turned up inward to receive them.

In this way numbers of adult Sparrows may be destroyed. The nests can of course always be taken. I fear, however, it will be found impossible to get rid of them altogether. A few will always survive, and will again increase rapidly. (October 1, 1887.)

ENGLAND.—Sparrow clubs are formed in the old country, each member being required to show a given quota of heads each week or month. Farmers pay their boys so much a dozen for eggs, young, and old birds. We used to poison them also with poisoned wheat till stopped by law on account of the wholesale destruction of other birds. Nets and every device were used to take them; a favorite one with myself and with all boys was, and still is, to take a lantern on a dark night under a thatched shed where the Sparrows slept. One boy drove them out with a pole, while three or four others stood round the lantern in a corner, and caught them in their hands. (David H. Henman, Willows, Griggs County, Dak., December 12, 1886.)

## INJURY TO BUDS, BLOSSOMS, AND FOLIAGE OF TREES AND VINES.

In reply to the question, *Does the Sparrow injure shade, fruit, or ornamental trees or vines?* five hundred and eighty-four replies were received, of which three hundred and forty-nine were extremely brief, and may be summarized as follows :

	Reports.		Reports.
No .....	161	Not as a rule .....	3
Think not; believe not.....	56	Only by driving off other birds.....	2
Not to my knowledge.....	36	Only by roosting and nesting in them..	14
Not so far as observed.....	15	No complaint heard.....	1
Not here; not yet.....	7	Does not injure trees.....	18
Not much.....	5	Yes .....	17
Not materially.....	3	To some extent.....	4
Not seriously.....	3	Said to do so.....	1
Not to any extent .....	3		

The remaining two hundred and thirty-five reports are, for the most part, much more full and specific. It is impossible to summarize them satisfactorily, but they may be classified as follows :

	Reports.
Wholly favorable to the Sparrow.....	7
Wholly unfavorable to the Sparrow.....	213
Partly favorable and partly unfavorable.....	15

The following examples of these reports will give a fair idea of the character of the whole :

CALIFORNIA.—*Berkeley*. C. H. Dwinelle : It is accused in California (and I believe rightly) of denuding trees of their fruit-buds to a very serious extent. (Brooklyn, N. Y., December 4, 1886.)

CONNECTICUT.—*Middletown*. Walter B. Barrows : A few doors from my house a colony of Sparrows has taken possession of an English ivy which covers the entire north side of a brick house. Upwards of fifty pairs nest in this vine, and although their nests have been pulled down more than once, several wheelbarrow-loads at a time, their numbers still increase. The ivy has become filthy, ragged, and unsightly ; and, unless some more effective means are taken, its ultimate destruction is only a question of a year or two more. The ivy on the chapel of the Divinity School has also been seriously injured, and the building disfigured in the same manner. (July, 1886.)

Norwich. S. T. Holbrook : They build in and deface vines on churches and private dwellings. I have seen from seventy-five to one hundred nests on one vine, entirely destroying its appearance. (August 16, 1886.)

Stratford. Robert W. Curtiss : I saw quite a flock at work in a pear tree early last spring, and shot three of them. I opened their crops and found buds in all, but so mutilated that I could not tell whether they were fruit-buds or wood-buds. (October 11, 1886.)

DISTRICT OF COLUMBIA.—*Washington*. S. M. Clark : My grape-vines are easily accessible, but I have never noticed the Sparrows among them. They will pick off peach and pear buds and young blossoms, but they eat only a portion of them, dropping the most on the ground. (January 11, 1886.)

GEORGIA.—*Lawtonville*. Postmaster : It is very destructive to apple trees, feeding on the bloom in the spring ; but as yet it is not here in sufficient numbers to do much damage. (October 4, 1886.)

ILLINOIS.—*Chicago*. B. T. Gault : For two seasons these pests have almost stripped our grape-vines of their fruit ; first, by eating the fruit-buds in the early spring, and,

## VINES.

or crna-  
were re-  
ely brief,

## Reports.

..... 3  
..... 2  
a them. 14  
..... 1  
..... 18  
..... 17  
..... 4  
..... 1

the most  
rize them

## Reports.

..... 7  
..... 213  
..... 15

lea of the

nd I believe  
(Brooklyn,

ny house a  
s the entire  
d although  
s at a time,  
ightly; and,  
y a question  
s also been  
y, 1886.)

and private  
ne, entirely

e early last  
all, but so  
(October

are easily  
ill pick off  
hem, drop-

es, feeding  
to do much

st stripped  
pring, and,

later, by eating whatever blossoms may have been put forth after the first raid. (October 29, 1885.)

*Monmouth.* Dr. S. M. Hamilton: I have never seen the least bit of injury done by the Sparrow to trees and vines. (September 24, 1886.)

*INDIANA.—New Albany.* John B. Mitchell: It injures fruit trees by eating the buds, and disfigures other trees by roosting in them. (October 6, 1886.)

*IOWA.—Davenport.* Davenport Academy of Natural Sciences, per W. H. Pratt, curator: The fruit-growers are afraid of the Sparrow, but so far as actual knowledge goes here it scarcely seems to do much injury, except by soiling roofs, trees, fruit, and vines. (April 20, 1887.)

*Des Moines.* C. R. Keyes: It has been reported from Iowa City as doing injury to ornamental or shade trees, but I have watched them for the past two winters, and have had a large flock roost every night in the trees in front of my window, and they have done no injury whatever. (February 27, 1887.)

*Iowa City.* C. C. Nutting: It is injurious to cedar and pine trees. The injury is caused by a habit they have of roosting in flocks in some particular tree, often a pine, and rendering it unsightly by their litter. Their nesting habits result in disfiguring trees. Although these habits may not seriously injure the vitality of the tree, they certainly injure its usefulness for ornamental purposes. I am also informed by a trustworthy observer that they eat the buds of the pine. (January 18, 1887.)

*KANSAS.—Netawaka.* John H. Johnson: I have seen the Sparrow destroy fruit-buds of both vines and trees. (February 18, 1887.)

*KENTUCKY.—Crescent Hill.* Thomas S. Kennedy: It does not injure the trees or vines, but it plucks the fruit-buds in the spring. (October 5, 1886.)

*LOUISIANA.—Donaldsonville.* L. E. Bentley: The Sisters of Charity in charge of the St. Vincent Institute at this place lost an ornamental or shade tree, and attribute its death to the injury inflicted by a flock of Sparrows which nested or roosted in it. This is the only instance of the kind of which I have heard. (October 30, 1886.)

*MASSACHUSETTS.—East Templeton.* Charles E. Ingalls: I have seen them in winter stripping the buds from pear trees, and from ornamental trees along our village streets. (August 23, 1886.)

*Medford.* John Ayres: It never, to my knowledge, injures trees in any way. (May 29, 1884.)

*Mount Auburn.* M. Abbott Frazar: It buds pear trees, but in large orchards and on a bearing year this is to the advantage of the trees, as it removes but a portion of the surplus fruit which would otherwise have to be picked off. A single tree in a city back-yard very likely would be stripped, rather overdoing the business. (Autumn, 1885.)

*Springfield.* Dr. P. L. B. Stickney: It is continually picking at the blossoms and buds of trees and vines early in the season. (October 13, 1886.)

*Taunton.* H. G. White: During winter the Sparrow bites off the buds of many trees and lets them fall to the ground untouched. (February 25, 1886.)

*MICHIGAN.—Bay City.* F. W. Grinnell: It does not injure trees or vines very much; in spring it takes buds from apple and pear trees. (December 4, 1886.)

*Eaton Rapids.* S. R. Fuller: It eats the young buds from the maples where it gathers in large flocks. (October 11, 1886.)

*Mount Clemens.* Jno. B. Leonardson: It nests in evergreens and deadens their tops; and it eats the fruit-buds of the grape-vine in early spring, also the buds of the apricot to a greater extent. (August 29, 1886.)

*Springport.* J. B. Conklin: It does not seriously injure trees or vines. Evergreens, being favorite roosting-places, are left in a filthy condition, especially in winter. (October 6, 1886.)

*NEW JERSEY.—Blawenburgh.* David C. Voorhees: It picks the germs from the buds of fruit trees at the time of blossoming. (December, 1885.)

*Caldwell.* Marcus S. Crane: My friend, Mr. William Davenport, tells me he has seen it picking to pieces pear and peach blossoms. (February 19, 1884.)

*Freehold.* D. D. Denise: It picks the blossoms from fruit trees. (September 2, 1886.)

*Haddonfield.* Samuel N. Rhodes: It injures fruit buds; but on my farm and in small villages the destruction is slight. (September 9, 1886.)

*Merchantville.* Edward Burrough: It injures fruit buds. I have detected it this spring eating the buds on a Bartlett pear tree, and also on the white elm. I have frequently heard them charged with this habit, but never caught them at it before. (May 16, 1887.)

*Passaic Bridge.* F. M. Carryl: I have seen it take buds of the plum, apple, and quince trees, and have found them in the stomachs of birds shot. (August 26, 1886.)

*NEW YORK.—Binghamton.* H. J. Gaylord: It destroys everything it comes in contact with. It is very destructive in the fruit orchards in the early spring, eating fruit buds from the plum and cherry trees. (September 26, 1885.)

*Clyde.* William M. McLachlan: I have observed it destroying the fruit buds of the pear, and I have seen it on my currant bushes. (May 15, 1884.)

*Dobbs Ferry.* Dr. C. B. McQuesten: They pick off the budding flowers of the apple and pear trees and the budding leaves of the maples. (October 8, 1886.)

*Geneva.* C. S. Plumb: It picks out the buds of plum and pear trees in early spring, before they have started to any extent. (August 28, 1886.)

*Rochester.* P. C. Reynolds: It sometimes picks off buds of the pear and cherry before they open in spring. (September 2, 1886.)

*OHIO.—Akron.* Prof. E. W. Claypole: I have not observed it to injure trees or vines, but testimony on this point is contradictory. (December 31, 1886.)

*Avondale.* Charles Dury: Four Sparrows examined March 25, 1885, were full of tree buds; these were shot out of a flock in a cherry tree near home. (February 3, 1886.)

*Burton.* P. W. Parmelee: It injures grape blossoms. (September 1, 1886.)

*Cleveland.* L. M. Davies: I have seen it picking buds from an apple tree in our yard in the spring, and am sure it was not "after insects." (November 1, 1886.)

*Marietta.* Dudley S. Nye: Fruit-growers condemn them as injuring fruit buds. (November 25, 1886.)

*Oxford.* L. N. Bonham: It eats the first spring buds of fruit trees and vines. (Columbus, Ohio, November 30, 1886.)

*Saint Clairsville.* T. W. Emerson: It roosts, and even nests, in climbing vines in such numbers as to make them nuisances instead of ornaments. (March 2, 1887.)

*PENNSYLVANIA.—Berwick.* Dr. A. B. McCrea: Before the early vegetables are above ground he will destroy the fruit buds, often doing considerable damage. (September 1, 1885.)

*Berwyn.* Frank L. Burns: I have seen it pick off buds from the apple trees when other food was scarce. I have also found buds of plants in its stomach in winter. (1885.)

*Chambersburgh.* Davison Greenawalt: The English Sparrow is the only bird I ever knew to do any damage to buds or foliage. Peach, pear, and apple trees are the ones most damaged. (February, 1884.)

*Lancaster.* Dr. S. S. Rathvon: I have it from an intelligent fruit-grower and nurseryman (Mr. Daniel Smeych) in this city, that they destroy the young leaves and flower buds of fruit trees and grape-vines in early spring. (October 8, 1886.)

*Landis Valley.* H. K. Landis: It has been observed to feed on the buds and foliage of trees. It destroys the blossoms of peach trees. (September 8, 1885.)

*Waynesborough.* E. B. Engle: I have seen them pull off the buds of peach, plum, and cherry trees in winter and early spring. (August 30, 1886.)

*Willow Street.* Dr. I. H. Mayer: It attacks and injures the buds of grape-vines and fruit trees, especially the blossom buds. (January 31, 1886.)

**RHODE ISLAND.**—*Westerly*. Byron J. Peckham: I have seen it eating fruit buds, but do not think its ravages are extensive in this line. (February 20, 1884.) I observed it this spring picking off the blossoms of our cultivated cherries to a large extent. (1885.)

**VERMONT.**—*Lunenburg*. Dr. Hiram A. Cutting: It does not usually injure trees, but I saw one instance where they nested so abundantly in a hedge that it was injured. (August 19, 1884.)

*Saint Johnsbury*. Rev. Henry Fairbanks: It works upon some buds, but probably does little harm. (February 5, 1884.) A flock this year stripped the currant bushes of their blossoms. (1885.)

**VIRGINIA.**—*Variety Mills*. H. Martyn Micklem: It sometimes eats out young buds of vines and fruit trees. (December 21, 1886.)

**WEST VIRGINIA.**—*Elizabeth*. Z. E. Thorn: It injures grapes and evergreen trees principally. (November 4, 1886.)

**WISCONSIN.**—*Mishicott*. N. H. Terons: It injures cherry trees, currant bushes, and grape-vines. (November 17, 1886.)

**CANADA.** **ONTARIO.**—*Dunnville*. Dr. G. A. McCallum: I have frequently seen it eating the buds of fruit trees, especially the fruit buds. (August 20, 1886.)

*Ottawa*. W. L. Scott: I can positively affirm that I have seen them eat the buds of the elm, maple, and other shade trees in the early spring, though I do not think the damage was ever great enough to be especially noticeable. (January 26, 1886.)

*Strathroy*. L. H. Smith: I never saw any injury to my trees or vines by the Sparrow. In one instance a gardener of our town complained to me of the Sparrows budding one of his trees, a cherry, I think. (October 4, 1886.)

*Toronto*. Dr. William Brodie: The stomachs of almost all Sparrows taken in March, April, and May, contained buds of trees, and during these months the birds were repeatedly seen feeding on the buds of elms and maples throughout the city. [See Dr. Brodie's tables of the food of the Sparrow, page 311 of this Bulletin.]

**NEW BRUNSWICK.**—*Saint John*. D. W. Pilkington: It eats the buds of the plum, gooseberry, etc. (Wickham, N. B., September 6, 1886.)

## INJURY TO FRUITS, GARDEN SEEDS, AND VEGETABLES.

In response to the question, *Does the Sparrow injure garden fruits and vegetables?* seven hundred and eighty-eight replies have been received. Of this number 343 are brief, and for the most part unimportant, as they probably represent in most cases only the *opinions* of the writers, and afford no clue to the kind or amount of observation on which they are based. The following summary is a complete list of these three hundred and forty-three replies:

	Reports.		Reports.
No.....	163	No complaints heard .....	6
Think not; believe not.....	33	Yes .....	27
Not to my knowledge.....	15	Think so; believe so .....	2
Not so far as observed .....	22	Am told so .....	1
Not here; not yet .....	3	To some extent .....	5
Not much .....	6	Injures fruits .....	6
Not materially; not seriously.....	6	Injures small fruits.....	3
Not to any great extent .....	6	Injures gardens .....	4
Only to a limited extent.....	3	Destroys garden seeds .....	2
But very little; slightly.....	9	Does not injure fruits.....	4
Not more than some other birds.....	5	Not observed to injure fruits.....	12

The remaining four hundred and forty-five reports, containing the most valuable information on this subject, can not be satisfactorily summarized, but they may be classified as follows :

	Reports.
Wholly favorable to the Sparrow.....	24
Wholly unfavorable to the Sparrow .....	394
Partly favorable and partly unfavorable.....	37

A few examples of this evidence have been inserted already in connection with the summary in Part I of this Bulletin, where the various injuries to fruits, vegetables, and seeds have been tabulated; and these, in connection with the following reports, will give a fair idea of the whole.

ALABAMA.—*Enfaula*. E. L. Brown: It eats vegetable seeds before they fully mature. It is impossible to save such seed. (September 17, 1886. Present about four years.)

*Notasulga*. Sam Duke: They fly down on the vines and eat the grapes; they also scratch up garden seed. (November 2, 1886. Present about three years.)

ARKANSAS.—*Clarendon*. Horace Ward: It injures grapes and strawberries. (September 20, 1886. Present "since June.")

*Little Rock*. Carl von Jagersfeld: It injures fruits and vegetables to a considerable extent. (Washington, Ark., September 23, 1886.)

*Lufya*. W. P. Hale: My little vineyard came into bearing in 1836, and was very well fruited. It was afflicted with rot to some extent, but its worst enemy is the English Sparrow, which eats the grapes about as fast as they ripen. (Autumn, 1887.)

CALIFORNIA.—*Berkeley* (suburb). Dr. M. C. O'Toole: It eats every kind of fruit, and in great quantities considering the size of the bird. (February 17, 1887. Present about three years.)

*Napa City*. Postmaster: It is apt to eat buds and leaves on young and tender garden plants. (January 11, 1887. Present two or three years.)

*Stockton*. Postmaster: It injures peas, apples, cherries, peaches, plums, prunes, grapes, etc. (November, 1886. Present three years or more.)

CONNECTICUT.—*Ellington*. S. T. Kimball: It will eat the seeds of turnip, beet, and cabbage, if they are not well protected. Once in a while it has made a raid on our peas. (August 20, 1886. Present five or six years.)

*Meriden*. H. C. Hull: It injures grapes and devours berries. (August 31, 1886. Present sixteen years.)

*New Haven*. Frank S. Platt: I have twenty varieties of choice grapes which they peck and ruin. (September 9, 1886.)

*New Haven*. Dr. Fred. Sumner Smith: In New Haven the Sparrows used to spoil our grapes by the bushel, picking the ripest ones and sucking the juice. (West Hartford, Conn., November, 1885.)

*Plantville*. E. R. Newell: It has been observed to feed on grapes and other fruits, but in this section not to any great extent. \* \* \* Since writing the above I have seen a row of choice grapes of various kinds entirely ruined by the Sparrow, and find that they are committing depredations on all the vines in this neighborhood. (September 4, 1885.)

*South Woodstock* (country). Mrs. G. S. F. Stoddard: I have not observed it to feed upon grapes or other fruit. (January, 1886.)

*Stratford*. Robt. W. Curtiss: I have seen it eat sweet corn when in the milk. It tears open the husk when in that condition, and, besides what it eats, it lets the weather and dampness in upon the ear, which is apt to mold, though to no very great extent. (February 6 and October 11, 1886.)



DISTRICT OF COLUMBIA.—*Washington*. William Saunders, superintendent of gardens and grounds, U. S. Department of Agriculture: Small fruits do not seem to be damaged much here in the city. As the boys prevent any of our grapes from ripening, I do not know how the Sparrows would affect that fruit. (April 13, 1887.)

*Washington*. Michael Durkin, gardener at the Navy Yard: It is very destructive to fruit. This season it took all the cherries from the trees on the grounds, so that not a single one remained. Early grapes, against the wall of the grounds, were attacked as soon as they began to ripen, and we obtained none fit for use. It also attacked the tops of peas as they came through the ground, as well as the tops of sprouting carrots and beets. (August 22, 1887. Present about fifteen years.)

*Washington*. Hawkins Taylor: The cat-bird and other birds eat my cherries and other fruits, greatly to my disgust, but I am sure the Sparrows have never touched a cherry, grape, or berry, and there are swarms of them about all the time, and no other birds; and if the Sparrows do not eat my grapes and fruits, why do they eat other people's grapes and fruits? (May 18, 1887.)

GEORGIA.—*Americus*. M. B. Council: It is very destructive to all garden seeds. (September 2, 1886. Present about two years.)

*Atlanta*. Judge John D. Cunningham, president Georgia Fruit Growers' Association: I have heard no complaint of the English Sparrow. (October 18, 1886.)

*Cartersville*. William Milner: We observe that they are very destructive to the grape crop and to all berry crops. (October 4, 1886. Present about three years.)

*Fairburn*. George Latham: It eats English peas, young turnips, and nearly all young vegetables. (October 16, 1886. Present three or four years.)

*Lumpkin*. A. W. Latimer: It injures garden fruits and vegetables to a limited extent; it destroys cabbage and turnip seed. (September 5, 1886. Present about five years.)

*Macon*. Prof. J. E. Willet: It injures garden fruits and vegetables to some extent. It has eaten early lettuce and the leaves of English peas in January, February, and March. It also eats the seeds of lettuce, and I think of the sunflower. (November 2, 1886. Present ten or twelve years.)

*Milledgeville*. Postmaster: There is some complaint by gardeners. When plants are seeding it destroys small seeds to a limited extent. (November 4, 1886. Present about six years.)

*Savannah*. J. N. Johnson: It injures fruits and vegetables but little; eating grapes and destroying flower seeds in gardens. On the garden farms in the suburbs it destroys to a limited extent various seeds, but it has not gone into the country generally as yet. (October 7, 1886. Present about eight years.)

ILLINOIS.—*Alton Junction* (country). John Koch: It likes peas, and cherries are not safe from it; but it is not plenty enough here yet to do much damage. (September 25, 1886. Present about four years.)

*Bernadotte*. Dr. W. S. Strobe: Latterly instead of cereals I have found grape pulp in large quantities in the stomachs, and this crop has been fearfully damaged; fully one-half, or even more, of the grapes on the bunch being eaten, probably one-third of the crop being destroyed. The bird operates by inserting his bill and sucking out the contents, leaving the empty skins on the vine. (September 7, 1887.)

The fact that the English Sparrow seems determined to sample everything that the agriculturist can produce from the soil was illustrated here this fall by its picking holes into the sides of turnips, damaging many of them even while on every side there was an abundance of grain and weed seeds. (December 6, 1887. Present two or three years.)

*Collinsville*. Henry De Wald: It does not injure fruits or vegetables much; it eats a few berries and cherries. (October 5, 1886. Present about twelve years.)

*East Wheatland*. W. D. Patterson: It injures currants and raspberries, and eats a few strawberries. It also eats peas. (January 1888. Present about three years.)

*Hillsborough*. A. J. Edwards: It is a constant visitor to our gardens, but I have

never seen it molest either fruits or vegetables. (October 6, 1886. Present about seven years.)

*Louisville.* Conrad E. Kaehler: It injures the cherry crop badly. It also scratches up garden seeds. (September 27, 1886. Present about six years.)

*Monmouth.* Dr. S. M. Hamilton: I have never seen the least bit of injury done to fruits or vegetables by the Sparrow. (September 24, 1886. Present twelve or fourteen years.)

*Mount Vernon.* John S. Bogan: I have two gardens, and I never noticed the Sparrow interfering with anything but cherries. (September 2, 1886. Present seven or eight years.)

*Shawneetown.* George Rearden: It does not eat the vegetables themselves, but destroys nearly all kinds of small seed, such as turnip, radish, lettuce, etc., and scratches up larger seeds. It also injures cherries. (October 2, 1886. Present about five years.)

*INDIANA.—Albion.* Charles M. Clapp: I know of numbers of cases where they have destroyed peas and many other vegetables. (October 14, 1886. Present five or six years.)

*Charlestown.* Dennis F. Willey: It injures peas and grapes, and any seeds that chickens would eat. (September 23, 1886. Present about four years.)

*Dupont (country).* T. S. Williams: They eat anything in the garden that is left to mature for seed. They eat or bite and break the skin on grapes, especially the sweet grapes, causing the bees to swarm after them. (October 6, 1886. Present about six years.)

*Farmland (country).* N. W. Wright: It eats garden seeds, and a flock of one hundred or more worked on a patch of sweet corn last fall and damaged the ears considerably. (March 7, 1887. Present two or three years.)

*Hooker (country).* Mary Benson: It injures cherries, but does no damage to vegetables. (October 11, 1886.)

*Markland.* Julia B. Brown: They work on currants, strawberries, and grapes to some extent. (October 11, 1886. Present about eight years.)

*Newbern.* U. F. Glick: It does not injure grapes or other fruit to any great extent here. (October 12, 1886. Present about two years.)

*Vevay.* William R. Stratford: It is fond of cherries and grapes, and will eat the fruit of nearly all our ornamental vines or shrubs. (October 7, 1886. Present about eleven years.)

*IOWA.—Burlington.* Howard Kingsbury: It is not nearly as injurious to fruits and vegetables as some of the migratory species, such as blackbirds, cow-birds, etc. (December 23, 1886. Present sixteen or seventeen years.)

*Davenport.* Davenport Academy of Natural Sciences, per W. H. Pratt, curator: It does not appear to do much injury here to fruits or vegetables. Some gardeners in the city report it as an expert at shelling peas, and it pecks at some small fruits a little. (April 20, 1887. Present about seventeen years.)

*Dubuque.* Edward T. Keim: Some damage to lettuce has been reported in wet seasons. (August 19, 1886. Present about ten years.)

*Fairfield.* Thos. C. Ross: This year, for the first time, it was seen five miles out in the country, on corn, in August. (November, 1887.)

*Lost Nation.* F. M. Frazier: It injured my grape crop this year, and it injures young plants, such as cabbage, in the spring. (October 16, 1886. Present five or six years.)

*Sidney.* G. V. Swearingen: They are destructive to grapes, raspberries, and other small fruits, and peck nearly everything that is grown in the garden. (October 8, 1886. Present four or five years.)

*KANSAS.—Blaine.* Postmaster: It picks young grapes and currants. (October 6, 1886. Present seven or eight years.)

*Doniphan.* Postmaster: It injures grapes very badly, also cherries and small fruits, such as raspberries, blackberries, etc. (October 12, 1886. Present five or six years.)

*Eureka.* A. W. Hart: It injures tomatoes and grapes. (September 4, 1886. Present two or three years.)

*Garnett.* M. A. Page: It injures leguminous fruit, and eats turnip seed and radish seed. (September 3, 1886. Present one year.)

*Manhattan.* Prof. D. E. Lantz: They have been known to injure grapes by puncturing the skin, but have not proved more destructive than some of our native birds. (Autumn, 1885. Present about six years.)

KENTUCKY.—*Adairville.* A. M. Moseley: There is great complaint of the Sparrow from the grape-growers. (Autumn, 1886.)

*Bagdad.* E. P. Denton: Grapes, cherries, and all small fruits are almost entirely destroyed by the Sparrow. (October 5, 1886. Present six or seven years.)

*Bowling Green* (country, 3 miles from city). W. Cook: It eats all fruits and seeds, including those of the sunflower. It also picks off pea-blossoms and young peas. (September 2, 1886. Present about three years.)

*Casky.* Frank B. Hancock: It injures grapes, berries, and all small fruits, and promises to be a pest in this way. (August 19, 1886. Present about six months.)

*Ghent.* George R. Bowie: It plucks off fruits and pulls up vegetables while tender. (October 8, 1886. Present six or eight years.)

*Hartford.* A. B. Baird: It destroys cabbage and radish seed as they commence maturing; but I have not known of its molesting fruits. (October 5, 1886. Present about six years.)

*Hickman.* L. O. Pindar: It picks off grapes and cherries, and drops half on the ground. It destroys ten times as much as it eats. It also injures strawberries, gooseberries, etc. (February, 1887. Present about ten years.)

*Louisville.* J. B. Nall: When other food was scarce I have seen it eat grapes, or rather ruin them by sticking its bill into them. (September 8, 1886. Present about twelve years.)

*Stanford.* Thomas Richards: It injures raspberries and strawberries to a small extent, and sunflowers when raised for seed. (October 29, 1886. Present about thirteen years.)

LOUISIANA.—*Schriever.* Postmaster: It eats the blossoms of English peas, and injures all vegetables bearing flowers. (October 8, 1886. Present one or two years.)

MAINE.—*Brewer.* Manly Hardy: It injures grapes to the extent of its capacity to do so. It also eats garden seeds. (August 31, 1885. Present about four years.)

MARYLAND.—*Baltimore.* Otto Lugger: Germinating seeds are eaten, and the sunflower no longer ripens its seeds, as they are greedily eaten by the Sparrow. (May 10, 1887.)

*Boonsborough.* Robert Lamar: It is a nuisance here, plucking the blossoms of early vegetables. (November 12, 1886. Present about eleven years.)

MASSACHUSETTS.—*Amherst.* Hubert L. Clark: In regard to the English Sparrow's attacks on fruit, my attention has been called to the fact that it is very injurious to early pears and apples. On a tree bearing about fifty pears (the variety known as "Beurre Gifford") more than thirty were destroyed by these birds. They would eat out a part of one side of the pear before it was ripe, and then leave the work to be finished by ants and other insects. I never saw the birds at their work but once, and then being at some distance I mistook them for young and dingy orioles, but am now convinced of my mistake. A friend living in the center of the town reports the same thing in regard to early apples, but he has seen the Sparrows at work. (September 8, 1887. Present fifteen years.)

*Falmouth* (country). F. J. C. Swift: They have been known to pick into and destroy pears. (Autumn, 1885.)

*Medford.* John Ayres: It was in my garden many years. I cultivated with my own hands and knew every tree and bush and all the fruit, and I never saw it touch either fruit or vegetables, as I have often seen the robin do. (May 29, 1884. Present twelve to fifteen years.)

*Middleborough* (country). E. A. Bowen: It destroys much corn, injuring spindle, silk, and ear. (September 21, 1856. Present ten or eleven years.)

*Northampton*. L. C. Ferry: It damages the grape crop greatly when the fruit is ripening. (September 10, 1886. Present about eleven years.)

*Somerset*. Elisha Slade: The Sparrow feeds on grapes, strawberries, cherries, raspberries, and blackberries. It is as bad on cherries as the robin, probably injuring as many as it eats. (August 20, 1886. Present about twelve years.)

*Springfield*. George A. Solly: Fruits, vegetables, and all kinds of seeds are devoured by the miserable Sparrow. It will have the first strawberries, cherries, and grapes; and in a few years we shall have to cover them with nets, as they do in England. (October 8, 1886. Present about twenty years.)

*Taunton*. H. G. White: It eats a great many grapes, and is partial to pears and strawberries, but is too fond of them to wantonly injure them. Cherries, however, it bites off and lets fall to the ground untouched. (February 25, 1886.)

**MICHIGAN.**—*Centreville*. J. A. Russell: It destroys garden seed, and has been known to injure cabbage by perforating the heads with its bill. (October 8, 1886. Present about seven years.)

*Eaton Rapids*. S. R. Fuller: It has done great injury to my vineyard this season. It can be driven but a few yards at a time, and returns immediately. (October 11, 1886. Present four or five years.)

*Hart*. E. D. Richmond: It is very destructive to fruits, such as cherries, berries, and grapes. (September 4, 1836. Present about four years.)

*Hastings*. John Bessmer: It injures vegetables a little; attacking lettuce, beets, and the like, in early spring. (October 7, 1886. Present about ten years.)

*Hopkins Station* (country). Postmaster: They are not injurious in gardens, except to hemp and sunflower seed. (October 6, 1886. Present about three years.)

*Jackson*. Grove H. Wolcott: It is complained of as injuring small fruits, but I have never seen it doing the least injury to them. (August 15, 1884. Present ten years.)

*Kalamazoo*. Dr. Morris Gibbs: It eats berries and cherries. It also goes into the garden and tears up vines and digs into apples, and some vegetables. (November 23, 1886. Present nine or ten years.)

*Lapeer*. Fred. S. Odle: It injures several species of garden fruits; it is fond of ripe pears. (September 13, 1856. Present six or seven years.)

*Mount Clemens* (country). Jno. B. Leonardson: It eats raspberries and grapes (for the seeds) around the market gardens to considerable extent, and it nearly destroys the whole crop of salsify and turnip seed. (August 29, 1886. Present about three years.)

*Saginaw*. F. S. Smith: It eats plums, cherries, pears, and almost any soft, sweet fruit. (October 6, 1886. Present four or five years.)

*Saline* (country). Norman A. Wood: It eats green peas as fast as they grow; also raspberries, blackberries, and strawberries, I think for the seeds. (September 6, 1886. Present about six years.)

*Shelby*. George W. Woodward: It gathers in great numbers and eats and destroys great quantities of cherries, grapes, and all small fruits. It will destroy the small fruits of a garden very quickly. (November 10, 1886. Present about six years.)

**MISSISSIPPI.**—*Aberdeen*. A. A. Wall: It is troublesome on cherries, strawberries, currants, raspberries, grapes, and vegetables. It makes havoc with everything going to seed in gardens. (Vernon, Ala., September 21, 1886.)

*Holly Springs*. John S. Finlay: It is very destructive to all kinds of fruit. November, 1886. Present about four years.)

**NEW JERSEY.**—*Caldwell*. Marcus S. Crane: Three of my neighbors say it injured their grapes this fall by picking holes in them. (November 30, 1886. Present about sixteen years.)

*East Orange*. H. B. Bailey: It injures cherries and strawberries to a great extent. (February 7, 1884. Present about seven years.)

*Hackensack.* Weldon F. Fosdick: Like the robin, it enjoys our cherries and strawberries, but does not cause us any loss, as we can not get at the small limbs which they reach. (August 26, 1886. Present about fifteen years.)

*Hackensack.* Henry Stewart: It eats strawberries, raspberries, currants, blackberries, and grapes. (February 5, 1884. Present about fourteen years.)

*Ridgewood* (country). Henry Hales: It destroys grapes with me to a great extent; it pecks holes in them and leaves them spoiled. (January 18, 1887. Present about fifteen years.)

NEW YORK.—*Binghamton* (suburbs). H. J. Gaylord: He will pick every pea from the pod if he once gets a taste of them. He destroys grapes when they get sweet and ripe, gashing but never eating them. He takes them all unless you fight him. (September 26, 1885. Present about fourteen years.)

*Geneva* (country). C. S. Plumb: It eats nearly all garden seeds, and is especially destructive to lettuce, cabbage, and salsify. (August 28, 1886.)

*Highland Falls.* Dr. Edgar A. Mearns: It destroys peas and other tender vegetables as soon as they appear above the ground, thus doing great damage. It destroys grapes in large quantities. (February 27, 1884. Present about thirteen years.)

*Port Washington* (country). Henry M. Burtis: It injures grapes and pears. (October 1, 1886.)

*Rochester.* H. Roy Gilbert: It attacks garden fruits, and I have known it to destroy beds of tulips and other flowers. (August 20, 1884. Present about fifteen years.)

*Rochester.* Henry Harrison: It picks the small grapes as soon as the blossom falls, and picks holes in grapes when ripe, as well as in apples and pears. (August 23, 1886. Present about fourteen years.)

*Schuyler's Lake* (country). La Grande Southworth: It injures peas and corn, and I have seen it eating the fruit of the black cherry and choke cherry, but have never known it to injure any other fruit except the strawberry. (December 2, 1886. Present about six years.)

*Sing Sing.* Dr. A. K. Fisher: Young cabbage and cauliflower plants are attacked just after they are transplanted.

*Syracuse* (city and country). Edwin M. Hasbrouck: We have had our grape-vines almost cleaned, the Sparrow pecking the grapes for the seed until scarcely a bunch remained that was not ruined. It also eats cherries. (August 20, 1886. Present twenty-two or twenty-three years.)

*Watertown.* Herbert M. Hill: It injures grapes, berries, apples, and plums. (January 29, 1887.)

*West Farms, New York.* James Angus: It does some injury to garden fruits and vegetables, but not a tithe of that done by insects. (February 11, 1884. Present fifteen or twenty years.)

*Westport.* George C. Osborne: It eats all kinds of berries and pecks green corn. (November 5, 1886. Present about ten years.)

NORTH CAROLINA.—*Fayetteville* (suburbs). G. W. Lawrence: It pecks young peas and other early plants just after they come out of the ground. (September 4, 1886. Present three or four years.)

*Morganton.* George H. Moran: It is very fond of strawberries. (May 18, 1887.)

*New Market* (country). H. A. Beeson: It is abundant within ten miles, and pecks grapes, strawberries, tomatoes, plums, apples, peaches, and pears, causing them to decay. It also eats mustard, etc. (November 30, 1886. Present four years.)

OHIO.—*Bellaire.* W. K. Morrison: When the common gooseberry is only a few days old the Sparrow attacks it and cuts it in two, eating the front and leaving the other part on the bush. (October 28, 1886.)

*Cincinnati* (suburbs). Adolph Leue: I have seen it pick at ripe tomatoes. A few years ago I had two cherry trees laden with fruit all taken by this robber. In 1885 it was especially numerous in this locality, and completely devoured the ears of a whole patch of sugar-corn containing two square rods. (October 12, 1886. Present more than twelve years.)

*Columbus, Ohio State University* (suburbs). William B. Alwood: We have never observed the Sparrows injuring fruits of any kind, although we have taken some care to notice them. (July 16, 1887. Present more than ten years.)

*Hamilton*. George Harbron: It injures young peas, radishes, and lettuce. (September 13, 1886. Present about eighteen years.)

*Napoleon*. J. L. Haltes: It injures cherries and sweet apples. (September 2, 1886. Present eight or ten years.)

*New Lisbon*. J. F. Benner: I know that it injures grapes and mulberries. (August 27, 1886. Present about six years.)

*North Bend* (suburbs). R. H. Warder: It eats small fruits and is very troublesome among grapes; it also eats lettuce seed and peas. (November 27, 1886. Present about eleven years.)

*Norwalk*. S. Gray: It will eat almost any fruit, and also garden seeds. It is hard on ripe apples. (April 23, 1884. Present about five years.)

*South Salem*. W. N. Irwin: Among the forest-tree seeds that I noticed them working on were sassafras and spice-wood, and the only good I found them at was eating the rag-weed seed, so abundant in this State. (December 26, 1887.)

*Wadsworth*. Dr. J. F. Detweiler: They destroyed most of the pea and bean crop of a neighbor by pecking the young leaves as they appeared above the ground. (December 10, 1887. Present about thirteen years.)

*Weymouth*. Dr. Frank Young: It does not injure fruits or vegetables. It injures flax. (August 20, 1896. Present about six years.)

PENNSYLVANIA.—*Berwick*. Dr. A. B. McCrea: Lettuce, peas, and beets are its favorite food in the early spring, and often the entire bed is destroyed. It also destroys grapes to a considerable extent. (September 1, 1885.)

*Collegeville*. C. A. Rittenhouse: It injures grapes and strawberries to a large extent. (1885.)

*Gap* (country). John C. Linville: It scratches out and eats small garden seeds after they are planted. (November 16, 1886.)

*Germanstown* (suburbs). Thomas Meehan: It injures strawberries and peas, and wild cedar trees are stripped of their berries as fast as they color. (August 21, 1886. Present twenty years or more.)

*Holidaysburgh* (country). M. A. Young: They have been decidedly injurious here by pulling up early vegetables. (December 22, 1886. Present four or five years.)

*Lancaster*. Dr. S. S. Rathvon: Possibly it may injure garden fruits or vegetables, but I have not observed it, nor have I been able to positively ascertain that it does so. (October 8, 1886. Present sixteen years or more.)

*Newport*. E. L. Knight: It attacks divers vegetables, but does not injure them, or fruits, to any appreciable extent. (April 30, 1884. Present ten or twelve years.)

*Philadelphia*. J. Percy Moore: I have often seen the Sparrow feeding on cherries, (July 18, 1885), and several times on wild grapes (October 19), but never on cultivated ones, at least I have no records in my notes of such observations. (October 15, 1885.)

*Philadelphia*. F. R. Welsh: It feeds on no fruit but cherries, as far as I know, and the damage to these is very trifling. It seems to eat only the cherries that other birds or insects have made holes in. (October 6, 1885.)

*Pottstown*. John H. Steele: It eats the early salad plants and devours the peas. (May 15, 1884.) I have repeatedly seen it take grapes when ripening, and it also takes cherries. It eats early lettuce, peas, and other small green vegetables. (August 19, 1886. Present about sixteen years.)

RHODE ISLAND.—*Providence*. W. V. Osterhout: It is very fond of cherries and grapes, and when these fruits are ripe it really does a great deal of damage. (May 9, 1887. Present twenty years or more.)

TENNESSEE.—*Lawrenceburgh*. W. T. Nixon: It does not injure garden vegetables or small fruits. I have observed it feeding on the berries of the honeysuckle when

snow covered the ground but at no other time. (February 21, 1887. Present about two years.)

*Tiptonville.* John D. Arnett: It has been very injurious to our fruit crops, especially grapes. (November 19, 1886. Present five years.)

TEXAS.—*Galveston.* Oswald Schindler: What little fruit is grown here is taken care of by the Sparrow, without permission of owner. (February 12, 1887. Present about nineteen years.)

UTAH.—*North Ogden.* Sidney Stevens: It does a deal of damage to fruit and crops. (November 22, 1886. Present about four years.)

*Pleasant Grove.* Mrs. P. Sterrett: it has become a great nuisance to gardeners. (November 11, 1886. Present about eight years.)

*Provo City.* Jas. G. Kenney: It is commonly reported destructive to fruit. (November 15, 1886. Present about six years.)

VIRGINIA.—*Lick Run.* J. T. Paxton: It eats all the small fruit, currants, raspberries, and strawberries. (March, 1887. Present six or seven years.)

*Richmond.* Hugh L. Davis: It mutilates strawberries, and destroys raspberries and cherries. (November 5, 1886. Present about four years.)

*Variety Mills* (country). H. Martyn Micklem: It eats gooseberries, currants, and peas (when first sown, when growing, and when in pod), and picks up small seeds generally. (December 21, 1886. Present about five years.)

WEST VIRGINIA.—*Halltown.* John H. Strider: It destroys early peas and cabbages, and later in the season garden seeds. It is very destructive to sunflower seed. (September 6, 1886. Present about seven years.)

WISCONSIN.—*Kewaunee* (country). Ramsom A. Moore: It injures small fruits, such as berries, grapes, cherries, currants, etc. (November 8, 1886. Present about two years.)

*Lena.* R. R. Byram: I have known it to injure garden vegetables, such as the tomato, etc. (August 20, 1886. Present several years.)

*Milwaukee* (suburb). Walter B. Hull: I have noticed but few examples of injury to fruit or vegetables, but there would be more if the Sparrows were not frightened on their first appearance. (August 23, 1886. Present about six years.)

*Oshkosh.* W. F. Webster: I saw them after sunflower seeds in my garden this year for the first time. I think they do not injure fruits or vegetables. (November 16, 1886. Present about seven years.)

CANADA. ONTARIO.—*Belleville.* James T. Bell: It does not injure garden fruits and vegetables to any great extent. (August 19, 1886.)

*Oshawa.* W. J. Stevenson: I have known them in a short time to clean out all the vegetables, etc., in a whole garden when first coming through the ground. (August 21, 1886. Present about ten years.)

*Strathroy.* L. H. Smith: There are several professional gardeners in our town, but I have heard no complaints of injury to fruits or vegetables. (October 4, 1886. Present about twelve years.)

*Toronto.* J. B. Williams, for committee of the Natural History Society of Toronto: It injures garden fruits and vegetables. People generally have been very favorable toward the Sparrow, but those who have gardens are beginning to complain of it. (August 27, 1884. Present about nine years.)

QUEBEC.—*Montreal.* George John Bowles: The market gardeners and farmers in the neighborhood complain greatly of the injury done by the Sparrow to garden fruits and vegetables. (August 8, 1884.)

NEW BRUNSWICK.—*Portland* (suburb of Saint John). J. W. Banks: It is very destructive to currants, raspberries, and pea blossoms. (October 10, 1886. Present two or three years.)

ENGLAND.—I know from personal observation that in England it is very partial to small fruits. (Douglas Robertson, Chloride, N. Mex., August 27, 1885.)

In England it is one of the greatest enemies to the fruit and grain crops, and pre-



minums for its destruction are given in all the farming districts in the country. (Daniel Graves, Provo City, Utah, November 16, 1886.)

*Cambridge County.* In cherry orchards and gardens, when I was a boy, it was necessary to keep one or more boys with a shotgun from early daylight to dark. (Jabez Webster, Centralia, Ill., December 21, 1886.)

They operate on fruit, especially grapes, which they seem to wantonly destroy by boring a hole in every berry, which is then left to rot. (Thomas Birt, Utica, N. Y., September 16, 1887.)

GERMANY.—It eats cherries, and in the spring when the cabbage plants come up picks off the bud at the top, and by so doing uproots the tender plant or spoils it. (Mrs. W. Seliger, Hartford, Conn. March 13, 1884.)

### INJURY TO GRAIN CROPS.

In answer to the question, *Does the Sparrow injure grain crops?* seven hundred and fifty replies were received. Three hundred and twelve of these were very brief and may be summarized as follows:

	Reports.		Reports.
No .....	96	Not more than any other bird.....	2
Think not; believe not.....	19	But slightly.....	5
Not to my knowledge.....	5	No complaint heard.....	9
Not so far as observed.....	16	Yes.....	31
Not here; not yet.....	13	Think so; believe so.....	2
No; confined entirely to cities.....	8	Is said to; have heard so.....	4
No; not abundant enough.....	15	Farmers complain that it does.....	3
Not much; confined mainly to cities.....	2	To some extent.....	9
Not much; not abundant enough....	11	Injures all cereals.....	4
Not materially.....	3	Injures all small grains.....	8
Not seriously.....	10	It eats grain.....	26
Not to any extent.....	11		

The remaining four hundred and thirty-eight replies are more full and explicit, often giving illustrations of the damage done and the manner in which it is inflicted. These replies can not be summarized satisfactorily, and, for reasons explained elsewhere, only a portion of them can be printed. They may be classified roughly as follows:

	Reports.
Wholly favorable to the Sparrow.....	2
Wholly unfavorable to the Sparrow.....	431
Partly favorable and partly unfavorable.....	5

The following examples, representing less than one quarter of the evidence contained in these four hundred and thirty-eight replies, will give same idea of the character of the whole:

ALABAMA.—*Dadeville.* Postmaster: It stripped of seed in a short time some cat-tailed millet which had been left to ripen. (November 30, 1886. Present two or three years.)

CALIFORNIA.—*Berkeley.* C. H. Dwinelle: It seems to me that the so-called English or House Sparrow threatens to become in our mild climate (California) a nuisance of the first order. It has already made it almost impossible to conduct certain kinds of field experiments with grains, etc., with any kind of satisfactory results. (Brooklyn, N. Y., December 4, 1886.)

CONNECTICUT.—*East Hartford* (country). Willard E. Treat: I have often known it to do considerable damage to a rye crop, making a clean sweep wherever it alighted. (October 23, 1886. Present about three years.)

*Stratford*. Robert W. Curtiss: I have seen it eating wheat and oats in the field, when ripe, doing injury according to the number in the vicinity. (February 6, 1886.)

DISTRICT OF COLUMBIA.—*Washington*. Robert Ridgway: In the summer of 1886 I saw flocks of hundreds feeding on grain in stacks in Prince William County, Va., and I have also seen the same elsewhere. (February 8, 1887. Present sixteen or seventeen years.)

*Washington*. William Saunders: Seeds of many kinds are eaten greedily. It is very difficult to start grass anywhere about the grounds, as the seed is eaten as fast as sown. (April 13, 1887.)

GEORGIA.—*Americus*. M. B. Council. Country: It picks up the newly-sown seed, and is very destructive to the unharvested, ripened grain. (September 2, 1886. Present about two years.)

*Hamilton*. Charles L. Dendy: One of our citizens, Judge William I. Hudson, informs me that he was trying to mature the seeds of Millo maize from a small plat in his garden, but it was all destroyed by the Sparrow. (September 8, 1886. Present five or six years.)

*Kingston*. Postmaster: It attacks wheat and oats before they are ripe, and eats all the grain out of the heads. (October 11, 1886. Present about two years.)

*La Grange*. Thomas H. Whitaker: Like the rice bird, it injures tops of wheat, oats, rye, and barley. (September 3, 1886. Present about five years.)

ILLINOIS.—*Alton Junction*. John Koch: When the wheat stands in shocks I have seen at some places over twenty Sparrows on one shock. (September 25, 1886. Present about four years.)

*Bernadotte*. Dr. W. S. Strode: All the small-grain crops are more or less injured and the ears of new corn are torn open and the grain is bitten in two and eaten. (September 7, 1887.)

In my daily rides now I often notice small flocks of them out in the country, often 4 or 5 miles from any town, and on shooting one and examining the stomach I find it to contain for the most part wheat or rye, occasionally with bits of corn grains and weed seeds. (September 20, 1887. Present two or three years.)

*Fernwood*. George B. Holmes: I do not know that it injures grain crops, but I notice that the oat and wheat fields are always filled with flocks of them in the last of July and early part of August. (August 27, 1886. Present about five years.)

*Griggsville*. T. W. Parker: It has not been observed to feed on cereals until mature in the fall, when it feeds in flocks on corn and small grain. (September 7, 1885. Present two or three years.)

*Louisville*. Conrad E. Kaehler: Where the Sparrow is abundant, thousands of them take possession of the grain fields and greatly damage them. (September 27, 1886. Present about six years.)

*Peoria*. W. S. Cobleigh: I have heard farmers say that it attacks oats in the field and shock, and sometimes destroys a considerable amount. (August 24, 1886. Present five years.)

*Quincy*. T. Butterworth: It eats the wheat and oats in fields near the city, and threatens to be a greater curse than the grasshopper or locust. (August 19, 1886. Present about ten years.)

INDIANA.—*Angola*. Frank M. Powers: They alight on wheat in flocks, pecking the grain and breaking down the stalks. (November 5, 1886. Present about six years.)

*Bedford*. Noyes E. Strout: It injures all kinds of small grain; gathering in large numbers upon it when in the shock and stack. (September 13, 1886. Present seven or eight years.)

*Brookville*. Amos W. Butler: It feeds upon corn, wheat, rye, oats, millet, and grass seed, being most destructive to wheat when "shocked" in the field. (Autumn, 1885.)

**Camden.** F. C. Groninger: In harvest I have seen large flocks in the grain fields, on the shocks, and they destroyed a large quantity of the grain. (August 20, 1886. Present about 5 years.)

**Farmland.** N. W. Wright. Country: A flock of one hundred or more worked on a patch of sweet corn last fall and damaged the ears considerably; they also eat other corn in the same manner. (March 7, 1887. Present two or three years.)

**Greencastle.** W. H. Ragan: It injures wheat in shock and in field when left for late harvest, but under our system of husbandry this damage can never amount to anything serious. (September 28, 1886. Present about fourteen years.)

**La Fayette.** F. M. Webster: It injures wheat and oats in the field; and, I think, corn also; but possibly the injury to corn which I saw was due to blackbirds, which peck the ears in early fall. (August 25, 1886.)

**Markland.** Julia B. Brown: It begins on wheat as soon as the grain is formed in the head, and continues until it is housed or thrashed. (October 11, 1886. Present about eight years.)

**New Albany.** John B. Mitchell: In some wheat fields near the city the outside sheaves in the shock are denuded of grain. (October 6, 1886. Present about eleven years.)

**Patriot.** J. T. Bodkin: It works on wheat, rye, and oats, and on corn while young and tender. I have examined one or two dead ones and found their craws filled with wheat and rye. (May 24, 1887. Present about three years.)

**Stony Point.** Thomas H. Watlington: Last harvest I noticed small spots, sometimes three or four feet square, on which the grain was taken out of the wheat heads, and on investigation I found that the Sparrow did it. (September 20, 1886. Present about eleven years.)

**IOWA.—Grinnell.** John Houghton: It has been known to flock into wheat fields in great numbers. (October 6, 1886. Present about two years.)

**Iowa City.** C. C. Nutting: It is injurious to grain, eating habitually any of our common cereals growing near town. (October 13, 1886. Present about five years.)

**Newton.** W. E. Dingman: On July 21, 1886, I saw a flock of Sparrows alight in a wheat field, and found, on coming closer, that they were eating the grain. (October 15, 1886. Present two or three years.)

**KANSAS.—Manhattan.** Prof. D. E. Lantz: It feeds upon wheat and oats. The damage observed here has been inconsiderable, but this is due to the fact that the birds have not been with us long enough to become very numerous. (Autumn, 1885. Present about five years.)

**KENTUCKY.—Caskey.** Frank B. Hancock: It destroys a great deal of wheat, rye, and oats in shock. After wheat harvest I saw a flock of about 50 on and among the wheat and oat shocks, and they ate a great deal of grain. It is only a question of time in regard to their being very injurious to grain fields. (August 19, 1886. Present less than a year.)

**Crescent Hill** (suburbs of Louisville). Thomas S. Kennedy: It visits wheat fields in large flocks and feeds on wheat and other grain in the shock, showing what it will do when it becomes more numerous. (October 5, 1886. Present five or six years.)

**Lexington.** Dr. Robert Peter: Professor Scovell states that it feloniously spoiled his experiments in wheat culture at the State Agricultural station by stealing the grain from the ear. (November 11, 1886. Present fifteen to eighteen years.)

**Madisonville.** J. F. Dempsey: It predares on wheat fields in immense flocks. (September 3, 1886. Present about six years.)

**Nicholasville.** Postmaster: I have heard of oat and wheat crops being attacked by thousands of these birds and to some extent injured. (October 4, 1886. Present about eight years.)

**Vanceburgh.** J. Sparks: It congregates in grain fields and devours vast quantities of the grain. (October 20, 1886. Present about seven years.)

**LOUISIANA.—Barataria** (country). William B. Berthoud. It injures grain crops

largely. Any small seed, such as oats, millet, etc., is eagerly sought after when sowed and lightly covered. (June 27, 1887. Present about four years.)

*Schriever.* Postmaster: It injures the rice crop. (October 8, 1886. Present one or two years.)

**MAINE.**—*North Livermore* (country.) George H. Berry. They eat oats and wheat in the field, working on it in the same manner as the bobolink. As far as observed rye and barley are not eaten. (August 23, 1886. Present about three years.)

**MARYLAND.**—*Baltimore.* Otto Lagger: Wheat and other ripening cereals are eaten, and the Sparrows injure more by their weight than by their appetite. (May 10, 1887.)

**MASSACHUSETTS.**—*Cambridge.* Dr. H. A. Hagen: I have not observed that it injures grain here, but I have no doubt it will do so in the fall, as it certainly does to a certain extent in Germany. (April 13, 1884. Present about eleven years.)

*Holyoke.* Thomas Chalmers: In the grain districts the Sparrow is very destructive to the grain crop; and in my opinion all the good qualities of the bird will not counter-balance the damage done in this way. (March 6, 1884. Present about fifteen years.)

*Somerset.* Elisha Shade: The Sparrow feeds upon all the cereals to as great an extent as any native bird. He devours Indian corn in the milk, and is as destructive in this respect as the crow or blackbird, because he stays in the field and will not easily be driven out. (October 19, 1885.)

**MICHIGAN.**—*Ann Arbor.* J. B. Steere: It has already moved out into the country to some extent, and lives on wheat when standing and nearly ripe, and also when in the shock. (1885.)

*Bad Axe.* J. T. Rorick: It gathers newly sown grain from fields, and shells grain from standing crops. (October 7, 1886. Present about three years.)

*Centerville.* J. A. Russell: When the grain fields are near the town it injures them by breaking down the stalk and picking out and destroying the grain. (October 8, 1886. Present about seven years.)

*Hartford.* Edward Finley: It feeds on grain stacks in the vicinity of the village in flocks of several hundred. (October 9, 1886. Present about seven years.)

*Jackson.* P. B. Loomis: I have seen it picking up the sown oats. (July 20, 1881. Present eight years.)

*Kalamazoo.* Dr. Morris Gibbs: It injures grain crops, more particularly oats, but also buckwheat, wheat, and any and all grains excepting corn in a dry state. It eats green corn. (November 23, 1886. Present nine or ten years.)

*Lickley Corners* (country). A. H. Carver: It is reported to have nearly destroyed some small fields of wheat 10 or 12 miles north of here. (August 24, 1886. Present one or two years.)

*Marshall.* Samuel S. Lacey: Farmers complain that when it gets a footing it injures wheat both before it is cut and in the shock, and even troubles their stacks. (November 20, 1886. Present about six years.)

*Paw Paw* (village and country). Postmaster: They alight on heads of wheat and oats and break them down; they also pick out the grains of wheat and oats in the sheaf. (November 4, 1886. Present twelve years.)

*Petersburgh* (country). Jerome Trombley: I have seen it feeding largely on standing crops of oats and wheat, as well as when in the shock and stack. (August 23, 1886. Present about nine years.)

*Schoolcraft.* P. D. Miller: Farmers tell me that it worked on their wheat and is now working on their corn. (October 11, 1886. Present about nine years.)

*Tecumseh.* C. A. Wright and C. A. Story: The injury is much greater to grain than to fruit or vegetables. It feeds first on grain, second on fruit, third on insects. When it is abundant it certainly destroys much grain. (October 11, 1886. Present seven years.)

*Watrousville* (country). E. B. Hayes: Large flocks settle down upon standing wheat when nearly or quite ripe, and not only feed upon it, but shell out the grain. (October 25, 1886. Present about four years.)

*Ypsilanti* (country, one and one-half miles from town). William Lambie: The Sparrows came out from the city when the wheat was first ripe, and fed on it and tangled down the straw. The most of them went away after harvest. (September 29, 1886. Present five or six years.)

MISSISSIPPI.—*Columbus*. D. C. Hodo: They are injurious to grain, eating all kinds. (September 21, 1886. Present about two years.)

MISSOURI.—*Oregon*. William Kaucher: In August it gathers in large flocks and invades the grain fields; and the numbers are not so great as to make these invasions very serious as yet. (September 21, 1886. Present about four years.)

NEW JERSEY.—*Blawenburgh*. David C. Voorhees: The Sparrow devours wheat, corn, and other grains; eating the wheat from the head in the field at the time of ripening, and afterwards in the shock and stack. It strips the husk off the corn at the small end of the ear and eats the grains when they are in the soft, milky state. It is eminently a granivorous bird, and will thrive with no insect food whatever. It appropriates food thrown out for the chickens, creeps through knot holes in stables, barns, and store-houses, and devours the grain in the racks and cribs to a very damaging extent. (December, 1885, and August, 1886. Present about three years.)

*Caldwell* (country). Marcus S. Crane: A flock gathers about our stacks of wheat, rye, and oats every season, and feeds on the grain. A pane of glass fell out of a window in the granary and the Sparrows soon learned to enter and steal wheat from the bin. Occasionally I have seen them forage in the field. (November 30, 1886. Present about sixteen years.)

*Hackensack*. Henry Stewart: It is very injurious to wheat and corn crops. I have seen a strip of wheat 10 feet wide laid down level all around the edge of the field. It injures field corn by tearing open the husks and eating the grain. (February 5, 1884. Present about fourteen years.)

*Hackensack*. Weldon F. Fosdick: I have seen the Sparrows for weeks in flocks of 300 or 400, eating rye and oats that had been stacked in barracks in the fall of the year. I have not known them to meddle with grain in the spring when first planted. (1885. Present about fourteen years.)

*New Providence*. H. F. Barrell: It feeds only on grain and seeds. I have repeatedly seen it in great numbers on fields of wheat and oats, eating the grain from the head. (1885. Present about twenty years.)

*Passaic Bridge* (suburbs). F. M. Carryl: It feeds in large flocks in fields of rye, oats, wheat, and buckwheat, and birds killed were stuffed full of these grains. (August 20, 1886. Present many years.)

NEW YORK.—*Baldwinsville*. Rev. W. M. Beauchamp: It feeds largely upon wheat, and perhaps on other grain, being driven in flocks just in advance of the reaper. (October 15, 1885. Present many years.)

*Clyde*. William M. McLachlan: I have seen great numbers on my grain stacks, stripping the grain off wherever exposed. (May 15, 1884.)

*Constantia*. Wallace D. Rhines: It is very injurious to wheat and oats. It does not eat as much as it wastes by breaking off the stems and shelling out the grain after being cut. (August 23, 1886. Present four or five years.)

*Fredonia* (country). C. E. Bartram: Flocks pull down the grain and destroy by shucking it out and scattering it over the ground. (August 25, 1886. Present about sixteen years.)

*Ithaca* (suburbs). Prof. I. P. Roberts: It injures wheat, rye, oats, and barley on the stalk, in shock, and in the barn. (August 24, 1886. Present about three years.)

*Le Roy* (country). Prof. F. M. Comstock: It eats grain in the field before it is cut, and after it is drawn into the barn. It lives in flocks about barns and in straw and hay stacks. (October 12, 1886.)

*Long Island City*. W. F. Hendrickson: I have seen flocks numbering hundreds in the grain fields in June when the grain was ripening, and believe they did a great deal of damage. (October 22, 1885.)

*New York City.* Hon. Robert B. Roosevelt: It is pretended that he devours enormous quantities of growing grain and threatens a famine in the land. His diminutive proportions are of themselves a tolerably conclusive reply to that accusation; moreover, he does nothing of the kind with us on Long Island, whatever may be his habits elsewhere. I have never seen a single one in the fields of grain. (August 8, 1886.)

*Painted Post.* A. H. Wood: It collects in large flocks in the fall, when it attacks fields of ripe wheat and oats, and is very destructive. (August 22, 1885. Present about nine years.)

*Penn Yan.* G. C. Snow: I have seen flocks of Sparrows alight on heads of wheat when ripe, or nearly so, eating the grain and breaking it down. (September 6, 1886.)

*Rochester* (suburbs). H. M. Jennings, gardener and seedsman: I have found it very destructive to grain crops. (February 12, 1887. Present about twelve years.)

*Rochester.* P. C. Reynolds: It is very destructive to wheat. (September 2, 1886. Present about twenty-one years.)

*Sing Sing.* Dr. A. K. Fisher: The Sparrows are very destructive to grain, both in the field and after it is placed in the stack. They prefer wheat, hence in this locality, where little wheat is grown, the loss is comparatively much greater than in localities where it is a staple crop. (1885. Present about nineteen years.)

*Southampton.* G. H. White: If grain is shocked up in the lot for a few days, the Sparrow will shell the tops of the shocks all out. It also shells it in the field somewhat. (August 23, 1886. Present ten or eleven years.)

*Syracuse* (city and country). Edwin M. Hasbrouck: I have seen large flocks, often numbering hundreds, in the oat, wheat, and buckwheat crops. (August 20, 1886. Present twenty-two or twenty-three years.)

*West Brighton.* C. M. Raymond: For two years we had a field of oats, and when ripe an immense flock of Sparrows would settle on it and feed all day long. (September, 1886.)

*Westport.* George C. Osborne: I have commonly seen flocks of hundreds settle in an oat or wheat field and begin their mischief by eating the grain. (November 5, 1886. Present about ten years.)

*Ohio.—Arondale.* Charles Dury: I endeavored to seed a patch of ground about 50 by 30 feet with a mixture of clover and other seed, but the Sparrows picked up every seed, and I was obliged to go over the place again and reseed it and cover the seeds with earth, and though I shot more than one hundred Sparrows from the spot they persisted in returning to the place as long as a seed remained in sight. (February 3, 1888.)

*Canton* (country). J. F. Niesz: Some of the fields of wheat are almost stripped for a distance of several rods from the fences. Oat-fields are likewise injured. (September 6, 1886. Present about three years.)

*Cleveland.* William F. Doertenbach: September 14, 1886, I saw a large flock of Sparrows in a wheat-field, and the owner said they did considerable damage. The only means he had taken to prevent their depredations was shooting them, but this did not lessen the number. (November 8, 1886. Present about thirteen years.)

*Cleveland.* S. R. Ingersoll: I have often seen large flocks of these pests settle down on newly-cut oats and wheat and eat large quantities of the grain. (September 1, 1886. Present about fourteen years.)

*Cleveland.* Dr. E. Sterling: About the 25th of July the early broods begin to gather in flocks of from fifty to four hundred. They go into the country for 5 miles around, eating every seed and grain that is ripe, and returning at night. They keep this up until November. (August 18, 1886. Present about seventeen years.)

*College Hill* (6 miles from Cincinnati). H. A. Koch: In the summer of 1884 I noticed a field of wheat along a roadside. A large flock of Sparrows had perched on the fence alongside, and the birds were continually flying in and out of the wheat, which was just about ripe. I found that for about 15 feet in from the road a large

amount of grain was picked from the ears, but farther in the wheat became more full in the ear. (August 25, 1885.)

*East Rockport.* A. Hall: I have seen large numbers feeding upon shocks of oats, and farmers tell me they are very destructive to other grain. (August 26, 1886. Present about fifteen years.)

*Laurel.* Daniel Bohl: When the wheat is ripe one can see how much they eat and destroy. I have seen patches of grain which looked as though some one had taken the wheat heads and rubbed them between his hands—nothing left but straw and chaff. (August 6, 1887.)

*Mount Vernon.* B. L. Swetland: Mr. James Rodgers, who lives in the west part of this town, owns several acres of gardens and also grows a few acres of wheat each year. He told me that last year and this the Sparrows destroyed several bushels of his wheat (each year), and that in a few days they would have destroyed the entire crop. They worked on it as long as it remained in the field. (November 15, 1886. Present about ten years.)

*South Salem.* W. N. Irwin: The Sparrows began on the wheat as soon as it was in the milk, taking from one to a dozen or more grains from one side of the head. They worked on one side of the field along a wire fence and for a distance of about 50 feet into the field, and the entire length, about 80 rods. The ground was pretty well covered by the chaff they picked off. I also found them working on my buckwheat. (December 26, 1887.)

*Wadsworth.* Dr. J. F. Detweiler: One man in town had about three acres of wheat last year, and the Sparrows destroyed three-quarters of the crop. I have repeatedly seen great droves alight upon a grain-field and begin picking the grain from the heads. (December 10, 1887. Present about thirteen years.)

*Waucon.* Thomas Mikesell: Last summer hundreds of Sparrows gathered on my wheat shocks, and in a few minutes had taken every grain from the outside of many shocks. Others tell me of their doing the same way at their places. (April 24, 1886.)

*West Berlin.* Charles H. Shaw: Some of the farmers in this section have had to cut their wheat earlier than they otherwise would, as the Sparrow was taking it badly. There is a flock at our wheat nearly all the time. (July 7, 1887. Present about four years.)

PENNSYLVANIA. *Berwick.* Dr. A. B. McCrea: I have seen wheat and oats materially injured when standing in the field. A farmer told me he had noticed the Sparrows going in and out of his mow, and upon examination found the top cleaves of the oats entirely husked. (September, 1885.)

*Berwyn.* Frank L. Parns: The Sparrow does considerable damage to ripening grain, principally wheat and oats. On the former it works in large flocks, shelling out much more than it eats. It is also very troublesome in the barn after the crops have been harvested, as it is impossible to keep it out. The extent of the damage is difficult to estimate, but it must be considerable, as it works on the grain about two weeks before harvest time, and also in the barn until it is thrashed. (1885.)

*Chambersburgh (country).* Davison Greenawalt: In the fall of 1884 we did not thrash our grain until November. We had a large mow in the barn filled with wheat. Large flocks of Sparrows came and soon had every head of wheat as far down as could be reached by them completely cleaned out. I have also noticed them in the grain-fields just before harvest. They will pick out the kernels of wheat as soon as they are sufficiently hard. (February, 1886.)

*Lancaster.* Dr. S. S. Rathvon: It does not seriously injure grain crops. Mr. J. Duffy, while cultivating a small farm in the vicinity of Lancaster, once reported to me that it appeared in flocks of from fifty to one hundred during midsummer and autumn, and fed on the grain in shock, but mainly on the gleanings. (October 8, 1886. Present sixteen years or more.)

*Philadelphia.* J. Percy Moore: On a number of occasions this year, in early August when the oats were being harvested, I noted immense flocks in the fields, picking



large quantities of ripe grain from the hulls, and afterward taking what had fallen to the ground. I also noticed them in the corn. (September 7, 1886.)

On April 26, 1886, they were observed pulling and eatingsprouting wheat. (March, 1887. Present twenty years or more.)

*West Chester.* Dr. B. H. Warren: They alight on fields of wheat and oats, and consume a great quantity of the grain, and by swaying to and fro and flapping their wings they shower the remainder on the ground. (January, 1887.)

*SOUTH CAROLINA.—Annandale.* Alexander Macbeth: I am informed that last week a flock of English Sparrows visited Captain Hazzard's barn-yard near Annandale, settled on a stack of rice, and commenced eating. They were with difficulty driven off. (Georgetown, S. C., February 4, 1887.)

*VERMONT.—Charlotte.* F. H. Horsford: They ruined my field of oats, seeming to prefer it to wheat or barley, though both were raised near by. (February 21, 1884.)

*Hyderville.* A. I. Johnson: I have observed them in large numbers feeding on wheat and oats in the fields, and they will subsist there as long as the grain is left in the field. (August, 1886. Present about three years.)

*West Pawlet.* Dr. Frank H. Braymer: They alight in oat fields in large numbers, and injure the crop very much. (August 31, 1886. Present eleven or twelve years.)

*VIRGINIA.—Accotink (country).* E. E. Mason: I have noticed its operations on standing grain and grain in the shock. (August 23, 1886. Present about twelve years.)

*New Market.* George M. Neese: They are very destructive to wheat in the garner, and to sorghum seed in the field. (December 30, 1885.) After wheat is cut and in shocks in the field the Sparrows go in flocks and eat the wheat from the shocks. I heard a farmer say they worked on his oats before it was cut. (August 27, 1886. Present about twelve years.)

*Variety Mills (country).* H. Martyn Micklem: Wheat fields just before harvest are sometimes much injured by the Sparrow, also wheat when first sown. (December 21, 1886. Present about five years.)

*WISCONSIN.—Milwaukee.* Walter B. Hull: During the fall they move in large flocks and feed on grain, etc. When frightened they rise with a "whir," like immense flocks of blackbirds. (August 23, 1886. Present about six years.)

*Racine.* Dr. P. R. Hoy: It visits farms and does considerable damage to wheat, oats, barley, etc. The farmer would be greatly the gainer if the Sparrow were exterminated. (November 17, 1886. Present eleven or twelve years.)

*CANADA. ONTARIO.—Belleville.* Prof. James T. Bell: They have assembled in large flocks on the grain fields of Mr. J. W. Ponton and others in the vicinity of the city, and have destroyed the crops on several acres in the whole. (August 19, 1886.)

*Dunnville.* Dr. G. A. McCallum: Flocks of them may be seen for miles around this town frequenting wheat and other fields, but principally the grain fields; and many farmers kill large numbers during the winter in and about their barns, where they feed on the grain in sheaf. (August 20, 1886. Present nine or ten years.)

*Listowell.* William L. Kells: Large flocks have been seen to settle down on wheat, standing and in shock, and devour much of it. (August 23, 1886. Present about nine years.)

*Oshawa.* W. J. Stevenson: In the suburbs of the town they can be seen just before the grain is cut, and when it is in the stock in countless numbers completely destroying the crop. (August 21, 1886. Present about ten years.)

*Plover Mills.* R. Elliott: I have shot Sparrows in wheat fields (July 18, 1885) and found a large percentage of the food at that time to be wheat taken from standing grain. (September 6, 1886. Present about five years.)

*Strathroy.* L. H. Smith: What I fear about the English Sparrows is the injury they may yet do to the farmers by eating their wheat. When wheat is getting ripe they go out into the country in flocks and feed on it. They are spreading out in colonies amongst the farms, and should they do this to any great extent, I fear the damage they may do will be considerable; still, not more than in England, and I dare say they

will not consume more than is willfully wasted in the fields by the farmers themselves. However, it is enough to raise a cry against them by agriculturists. Whether the bird does enough good to pay for the wheat he consumes when standing ripe in the field and in the shock is something I can not say. (October 11, 1886. Present about twelve years.)

QUEBEC.—*Montreal*. George John Bowles: Farmers in the neighborhood complain greatly of the injury it does to grain crops. (August 8, 1884.)

Quebec. Col. William Rhodes: It does not injure the grain crop about here. Our grain ripens so rapidly the birds have no time to injure it. (February 11, 1884. Present about twenty years.)

ENGLAND.—*Cambridge County*. This county is a grain and stock country; most of it is known as the Fen country. For many years previous to the time I left this country (1858) the farmers had taxed themselves three pence per acre to exterminate the Sparrows. They were so numerous that they were a terribly destructive pest to the grain farmers, in the winter time appearing in very large flocks of from five hundred to five thousand. When a lad of ten or twelve years of age, I was employed with a shotgun to keep them from pulling up and destroying the sprouting grain in October, but in the spring it was often necessary to have two boys in a 30-acre field of rye, oats, or barley to keep them from carrying off the newly-sown grain. So numerous and destructive were they that for a full week after the grain was up boys would be employed to keep them off. (Jabez Webster, Centralia, Ill., December 21, 1886.)

It does great damage to wheat crops. When a boy in Norfolk, England, I have seen fields where the wheat was destroyed two rods in from the fence by the Sparrow. The town paid so much per dozen for killing them. (Henry Harrison, Rochester, N. Y., August 23, 1886.)

I remember an old farmer in England who claimed that he raised 80 bushels of wheat to the acre. "That was a tremendous crop," said his hearers. "Yes," said he, "the way of it was this: All my men told me they were sure the Sparrows ate half of my wheat, and yet I thrashed 40 bushels to the acre." I saw the depredations myself on that particular crop, and they were very great. They generally attack the corners of fields and the parts along high hedges near a village or farm stack. (David H. Henman, Willows, Griggs County, Dak., December 12, 1886.)

For years previous to 1841, at which time I left England, we saw the grain crops around Leamington, Warwickshire, devoured by these little gluttons. My grandfather had to employ from thirty to forty girls and boys to drive the rascals from his fields of wheat, oats, and barley. My share in the work was simply to knock them down with the shotgun when the clouds were raised. The people in this country have no idea of the countless millions of Sparrows on the other side. (Thomas Birt, Utica, N. Y., September 16, 1887.)

I have seen wheat fields in England, adjoining timber and near towns, with belts six or eight feet wide totally divested of all grain. (Robert Williamson, Troy, Ill., October 2, 1886.)

#### RELATION TO OTHER BIRDS.

The original testimony on this subject consists of replies to several distinct questions, and is thus more difficult of analysis than the evidence in the preceding sections.

One thousand and forty-eight observers contributed information, and in one hundred and fifty-three cases their entire replies are of such a nature as to be readily summarized, while in three hundred and thirty-seven other cases only part of the evidence in each report can be treated thus. The following lists show the character of the evidence so far as it can be summarized briefly.

Among the responses to the question, *Does the Sparrow molest or drive off any of our native birds?* the following were received:

Reports.	Reports.
No ..... 14	Think so ..... 7
Not abundant enough here yet ..... 12	To a certain extent ..... 2
Think not ..... 13	Frequently ..... 1
Not observed to ..... 70	Constantly ..... 1
Not to my knowledge ..... 14	It seems to ..... 3
No trouble observed ..... 9	Am told so; have heard so ..... 4
Not much trouble observed ..... 4	Does not drive them away ..... 3
Yes ..... 49	Not observed to drive away any ..... 6
Yes, some birds ..... 35	Has driven none away yet ..... 6

Among the replies to the question, *What species are molested or expelled?* were the following:

Reports.	Reports.
All other birds ..... 56	Nearly all small birds ..... 21
Nearly all other birds ..... 67	All except hawks ..... 2
Nearly all species, I think ..... 8	All except the kingbird ..... 3
All song-birds ..... 11	All except the bluebird ..... 2
Nearly all song-birds ..... 14	All weaker birds ..... 2
All small song-birds ..... 2	Small birds ..... 6
All small birds ..... 25	Many birds ..... 2

Among the replies to the question, *What birds habitually resist the Sparrow, or attempt to drive it away unless themselves first attacked?* are the following:

Reports.	Reports.
None ..... 15	None except the blue jay ..... 5
None successfully ..... 4	

The remainder of the testimony relating to the Sparrow's influence on native birds, consisting of reports from more than eight hundred observers, is not only the larger but by far the most valuable part, and it is with the greatest reluctance that any of it is omitted. Some examples of this testimony have been cited in Part I of this Bulletin (pages 82 to 98), and the following additional reports will give some idea of the character of the whole.

**ALABAMA.**—*Cullman.* S. H. Herrin: The Sparrows usually take possession of the homes of the black martin and bluebird, and in many cases the latter have to give way to them. The bluebirds, and sometimes the black martins, try to retake their nesting sites, but fail. (September 24, 1886. Present about two years.)

*Enfaula.* E. L. Brown: None of our birds molest the Sparrow, but it attacks and drives away mockingbirds. (September 17, 1886. Present about four years.)

*Jacksonville.* G. B. Douthit: Mockingbirds are attacked, and are not nearly so numerous here as before the appearance of the Sparrow. (September 22, 1886. Present about three years.)

*Moulton.* J. M. Sandlin: I have known none except the bluebird to attempt to reclaim former nesting sites when these were occupied by the Sparrow. I have observed no trouble with any other native birds. (September 21, 1886. Present about one year.)

*Tuskegee.* Samuel Q. Hale: The bluebird resists the Sparrow, but is beaten every time. The Sparrow molests and drives off the mockingbird and all others. (September 17, 1886. Present about two years.)

ARKANSAS.—*Hot Springs*. Postmaster: The Sparrows fight everything, but martins are the principal sufferers. (September 17, 1886. Present about ten years.)

CALIFORNIA.—*Berkeley* (suburbs). Dr. M. C. O'Toole: The Sparrow, living almost exclusively around dwellings, comes in contact with few birds except the house swallow. In 1884 they took the nests of swallows under the eaves of my house, and the swallows left. I destroyed the nests, and although the Sparrows visit the place daily, they have built no nests since. (February 17, 1887. Present about three years.)

*Berkeley*. T. S. Palmer: I have known the English Sparrow to take possession of the nesting site occupied by house finches (*Carpodacus frontalis*) for several years, and, after adding to the old nest, use it for the reception of its own eggs. I have not observed that it drives out the house finches by force. Probably the Sparrow is not abundant enough as yet to do any considerable damage. (December 31, 1887.)

*Haywards*. Dr. J. G. Cooper: The cliff swallow and bluebird are the only species which appear to resist the Sparrow, but they are unable to hold possession. (August 25, 1885. Present six or seven years.)

*Oakland*. Walter E. Bryant: I have noticed that swallows (noticeably one pair of white-bellied, and several pairs of cave swallows) discontinued building on houses where the Sparrow nested, although before the advent of the Sparrow they had used them for several years. (August 28, 1886. Present five or six years.)

*Oakland and San Francisco*. E. F. Lorquin: It is driving away most of the indigenous birds in the cities. Some, like the cliff swallows, try to resist, but are generally unsuccessful, as the Sparrows combine and attack them in force. (August, 1887.)

*San Francisco*. F. Gruber: It molests, and to some extent drives away, native birds, such as blackbirds, house finches, snowbirds, warblers, and some species of sparrows. (March 5, 1884.)

*San Francisco*. A. H. Webb: Native birds have simply given place to the Sparrow. (September 13, 1886. Present about fifteen years.)

CONNECTICUT.—*East Hartford*. Willard E. Treat: It does not, to my knowledge, molest other birds in this locality. I once saw one fighting with the chipping sparrow, but the latter came off victorious. (November, 1885.)

Purple martins and robins resist the Sparrow, but generally with little success, as the Sparrow attacks them with superior numbers. I have known of its taking possession of martin boxes in early spring, before the martins arrived, but upon their coming the martins in two or three cases regained their nests by force. In addition to the birds already mentioned, bluebirds and barn swallows are attacked. (October 23, 1886. Present about nine years.)

*Enfield*. Newell A. Parsons: I have several martin-houses around my place, and in the spring the Sparrows and martins have great battles for possession of the houses. I frequently shoot several Sparrows, as I do not allow my martins to be molested by them. (1885.)

*Gaylordsville* (country). E. H. Austin: The bluebird is driven away, but the wren has always been successful. If Sparrows were numerous, however, I think the result might be doubtful. (August 19, 1886.)

*Meriden*. H. C. Hull: I have made boxes for both wren and bluebird, and the Sparrow took possession of both. (August 31, 1886. Present sixteen years.)

*Middle Haddam* (country). Henry L. Stewart: In the spring of 1885 the Sparrows had taken possession of the bluebird box in a pear tree, and there was fighting for three or four days, but the Sparrows conquered. Again, in 1886, the bluebirds were forced to leave another box. (September 2, 1886. Present eight years.)

*Middletown*. Walter B. Barrows: In May, 1886, a robin began a nest in a pear tree in my yard, only 30 or 40 feet from the house. The Sparrows at once attacked her, not in large numbers, but a few at a time and repeatedly, and although she persisted for several days, and nearly completed the nest, she was finally compelled to give up the fight and look elsewhere for a nesting site. In this case the Sparrows

not only did their best to pull the nest to pieces during the bird's absence, but while she was sitting on the nest and shaping it, two or three of them would fly at and peck her until she was forced to take to her wings. (July, 1886. Present about sixteen years.)

*Middletown.* William P. Post: One morning last May I saw an English Sparrow engaged in pulling to pieces the partly finished nest of a robin built in a tree beside the walk. Supposing the Sparrow wanted the materials for its own nest, I stopped to see what turn affairs would take when the owner of the nest should appear. The Sparrow continued to tug at and pull out straws, strings, rags, mud, etc., dropping them to the ground as fast as loosened, until the robin, with a load of new material, perched on a neighboring tree before flying to the nest. The Sparrow at once left the nest, and taking up a position on a branch some distance above it, appeared to be completely absorbed in its own affairs, remaining quiet and unconcerned while the robin (who did not seem to see him) repaired her damaged nest, arranged the new material she had brought, and started in search of more. No sooner had she gone than the Sparrow returned to his work of demolition, and continued until again interrupted by the return of the owner, when the same performance was gone through without variation. I saw this exhibition repeated several times in the course of a few moments, and when I finally left the robin was still trying to complete her nest, and the Sparrow still doing his best to demolish it while she was away. I was satisfied that the Sparrow did not intend to use any of the materials of the nest, but was simply trying to prevent the building of a nest in that place. Later I found the Sparrow still busy in the same way, and the warfare was kept up for about a week, until the ground was covered with the wreckage. Finally the Sparrow gave up the attempt, and the robin, not seeming discouraged, raised her little family.

Again, the same month, while watching a chipping sparrow with its bill full of canker-worms, an English Sparrow appeared and attacked the chippy, which abandoned its load of worms and took to its wings. The English Sparrow examined the worms carefully from all sides, but seemed to conclude that they were not what he expected, for he refused to touch them, and the chippy afterwards returned and again took them in charge. (January 25, 1887. Present about sixteen years.)

*Norwich.* S. T. Holbrook: I have never seen an attack by our birds except in self-defense. The bluebird and house martin are driven from their houses, and the robin and wren are attacked, but the wren is a match for the Sparrow. (August 26, 1886. Present twenty years or more.)

*Portland.* John H. Sage: It drives off the bluebird, house wren, and purple finch, the latter for some years occupying a balsam-fir tree until expelled by the Sparrow. I have also seen it drive away the golden-crested kinglet, the redpoll, and the gold-finch. (August 16, 1886. Present about seventeen years.)

*West Hartford.* Dr. Fred. Sumner Smith. It has driven off (to a certain extent) bluebirds, purple martins, orioles, warblers, and flycatchers, expelling them from their nests time after time. (November, 1885.)

DISTRICT OF COLUMBIA.—*Washington.* Walter B. Barrows: Twice within the past month I have seen Sparrows acting as escorts for robins. On April 2, while crossing the Capitol grounds, a robin left a tree near which I passed and flew to another about 25 yards distant. He was followed at a distance of a couple of yards by five Sparrows which alighted all about him, and all within a very few feet, but did not attack him, and simply appeared to be waiting for him to move on. In the meantime two or three more Sparrows joined the original five, and when the robin flew to the next tree all of them followed closely and settled near him again. He seemed uneasy and yet disinclined to fly again, so I walked up within a few yards and watched for the next move. The Sparrows chattered a good deal, but did not hop about much, and the robin looked hopelessly about without uttering a sound or moving from the branch where he had alighted. Presently I took a step toward him, and he flew dejectedly toward another tree at a little distance, closely attended by his officious

body-guard, which was augmented by several more Sparrows. This was too much for the robin, and, pausing but an instant on this tree, he started off swiftly across the grounds, as if determined not to stop again until he could stop alone. I watched him several hundred yards on his way, and saw one or two Sparrows turn back, but the majority still followed as he went out of sight.

Again, on April 26, I saw a robin in the Congressional Gardens followed persistently about in the same way by a single English Sparrow, apparently a female. While watching to see the outcome of this matter my attention was distracted for a moment by a yellow warbler, and on looking again both robin and Sparrow had disappeared and were not seen again.

Many times in this city, and at least twice in Boston, Mass., I have seen domesticated pigeons chased and attacked by single Sparrows, precisely as a kingbird attacks a crow; the Sparrow trying to strike the pigeon on the head, and following it in every case several blocks before giving up the chase. I did not in any of these cases see the origin of the trouble, and so do not know what was the cause of attack. (April 27, 1887.)

More recently I have seen a Sparrow attack and drive off a warbling vireo; and it is an every-day occurrence to see Sparrows persecuting robins, and snatching from them the worms and insects which they so carefully search out on the grass ground.

Only a few pairs of robins have nested on the Agricultural grounds this season, but whenever one appears upon the grass he is very soon confronted by from one to five Sparrows, which watch every motion and attempt to seize everything eatable which he finds. I have seen the robin lose in this way angle-worms and cut-worms, besides other species too small to identify positively. (June 15, 1887.)

*Washington* (Smithsonian Institution). Robert Ridgway. In some instances purple martins successfully resist the encroachments of the Sparrow, and song sparrows, being of very different habits, hold their own. Bluebirds and wrens resist until they find the task hopeless. The bluebird, house wren, Bewick's wren, and purple martin are affected far more than any other species, for the reason that their nesting sites are taken possession of by the Sparrows. (February 8, 1887. Present sixteen or seventeen years.)

*Washington*. William Saunders, superintendent of garden and grounds, U. S. Department of Agriculture: I do not think that native birds have been much affected in this city by the Sparrows. Birds seem to be as numerous about the Agricultural grounds now as formerly. I have, however, often seen Sparrows watching robins while hunting earth-worms, and have repeatedly seen them snatch a worm from the robin as soon as it had been dragged from the ground. (April 13, 1887.)

*GEORGIA*.—*Alpharetta*. William A. Porter: For years past the swallows have raised their young in the chimneys and niches of the court-house here, but now for two years the Sparrows have taken possession of these places. (September 8, 1886. Present about two years.)

*Fairburn*. George Latham: The Sparrow molests nearly all of our native birds, but they simply change their haunts, not going far unless again attacked. (October 16, 1886. Present three years or more.)

*Kingston*. Postmaster: It drives off all other birds; the mockingbird and bluebird fight it very hard, but the Sparrow whips them. (October 11, 1886. Present about two years.)

*Macon*. Prof. J. E. Willet: I have known it to oust the red-headed woodpecker from its nest; the catbird, however, raised two broods this year on my lot, where Sparrows are abundant. (November 2, 1886. Present ten to twelve years.)

*Savannah*. J. N. Johnson: It has driven off most of our native birds from the parks and trees within the city. The warblers are seldom seen now, and the absence of mockingbirds, redbirds, nonpareils, and especially house [chipping] sparrows, is notable. (October 7, 1886. Present about eight years.)

*ILLINOIS*.—*Aledo*. J. F. Henderson: The blue jay seems to be the only bird which can resist its encroachments. (September 29, 1886. Present one or two years.)

*Alton.* Hon. William McAdams, president State Natural History Society: That the Sparrow seems to be usurping the place of a number of our domestic birds, or rather those we have been used to having in the trees in our yards, seems to be a fact; yet there seldom seems to be actual combats between the Sparrows and other birds. I admit that I do not see why the robin, the blue jay, the thrush, the blackbird, oriole, redbird, and others should go away, but the very common expression and feeling of our people here is that our native birds are now, within the last few years, much less numerous; and this fact is recognized with a feeling of sorrow by everybody. (August 30, 1886. Present about fourteen years.)

*Carbondale.* Prof. G. H. French: I have seen martins try to reclaim former nesting sites. The bluebirds are all known to have forsaken my premises on account of the Sparrow. (September 29, 1886. Present about six years.)

*Carmi.* Dr. Daniel Berry: Most of our house lots are large, containing fruit and shade trees, and the complaint is general that the Sparrow has driven away the robin, catbird, bluebird, and wren. (October 6, 1886. Present about ten years.)

*Centralia.* Jabez Webster: It drives away the yellow-bird we call wild canary, the wren, bluebird, swallow, bee-martin, mockingbird, and oriole. I think none of our native birds except the kingbird attempt to drive it off. The bluebird, robin, and thrush often have trouble with the Sparrow. I have seen the red-headed woodpecker, when four or five of them were together, put to flight a flock of thirty-five or more Sparrows. (December 21, 1886. Present about seven years.)

*Chicago.* H. K. Coale: It has driven away the bluebird, Baltimore oriole, white-bellied swallow, purple martin, chipping sparrow, kingbird (once common, now rare in the city), house wren, and red-eyed vireo. All these were once abundant, but have now taken up quarters in the country. (August 21, 1886. Present about twelve years.)

*Collinsville* (small city and country). Henry DeWald. I have seen different small birds, when driven away from their nesting sites, come back time and again, but the Sparrow always kept the place. (October 5, 1886. Present about twelve years.)

*East Wheatland.* W. D. Patterson: The Sparrow has occupied the nests of swallows, purple martins, and wrens, and usually holds possession. It has driven off nearly all our small insect-eating birds. (January, 1889. Present about three years.)

*Fernwood.* George B. Holmes: In a yard near my house is a martin-box which was taken possession of by the Sparrows during the winter, and when the martins returned there was quite a fight. The Sparrow conquered, but the box was removed by the owner and cleaned out. The bluebird and robin are driven away. (August 27, 1886. Present about five years.)

*Hillsborough.* A. J. Edwards: I have no evidence of any trouble between the Sparrow and other birds. (September 1, 1886. Present about seven years.)

*Jacksonville.* Prof. J. B. Turner: The bluebird and blue jay seem to hold their own best. Other birds seem to steadily and rapidly diminish, whether from their dislike to the Sparrow or from its monopoly of the bird food, or from some unknown cause, I can not tell. Apparently all the best singing birds retire before it. I have observed no special quarrels. I only observe the apparent, constant, and rapid, increase of the one and decrease of the other, to me unexpected and still unaccountable, from any specific and adequate known cause. (September, 1886.)

*Johnsonville.* Jas. J. Johnson: A pair of bluebirds had nearly finished a nest when the Sparrows came, two at first, then a dozen or more; but the bluebirds kept their position and reared a brood. (March, 1887. Present three or four years.)

*Louisville.* Conrad E. Kaehler: Martins will fight for their boxes when these are taken possession of by the Sparrow. (September 27, 1886. Present about six years.)

*Monmouth.* Dr. S. M. Hamilton: There is no more war between Sparrows and other birds than among birds of the same species, or between Sparrow and Sparrow. Martins, robins, bluebirds, wrens, and swallows try to reclaim former haunts, but no more than among themselves. The Sparrow is no match for the bluebird or robin,



and the little wren holds its own with him. I do not believe the Sparrow drives away any of our native birds. I speak from careful observation, and they are just as plentiful here now as before the advent of the Sparrow. I have never seen the Sparrows band themselves together for attack, and am satisfied they do not do it; it is pair against pair. The assertion that they attack other birds in a body is sheer nonsense; no such thing is known in natural history of any species of bird. (September 24, 1886. Present twelve or fourteen years.)

*Odin (suburbs).* W. Ingram: The house wren sometimes has trouble with the Sparrow, but as a general rule they live in harmony. The Sparrow is not known to a certainty to have driven off any bird, but there is a noticeable decrease in the number of purple martins since the Sparrows have become numerous. (February 24, 1887. Present about six years.)

*Olney.* J. C. Allen: We know of no birds that successfully resist it. When it becomes numerous the bluebird, red-bird, robin, oriole, and chip bird all leave. (September, 1886. Present about twelve years.)

*Pekin.* Postmaster: One or two pairs of robins, catbirds, and brown thrashers still return and build nests in the court-house yard, but the mockingbird comes to our city no more to nest. Since the Sparrow was brought here our singing birds have decreased yearly. The Sparrows make their attacks in squads of three or more. (October 7, 1886. Present about sixteen years.)

*Rock Island.* W. H. Hatch: It sometimes drives martins from their boxes and pigeons from their food; it also drives away the robin. I have seen no resistance on the part of any bird. (October 25, 1886.)

*Shawneetown (country).* George Rearden: It has taken the houses from the martin almost altogether. The martin resists, but with little success. The barn swallow and bluebird are also driven off. (October 2, 1886. Present about five years.)

*Troy.* Robert Williamson: I have watched the house swallow, in breeding season, drive Sparrows away from its nest. (October 2, 1886. Present about ten years.)

*INDIANA.—Albion.* Charles M. Clapp: A few years ago Mrs. A. S. Clapp had lots of martins, and every spring now they come back to these boxes, but the Sparrows drive them away. This spring not a martin could be seen near their old nests until I shot the Sparrows off the boxes for a few days, and then the martins came back. (October 14, 1886. Present five or six years.)

*Bloomington.* Prof. B. W. Evermann: I have seen Sparrows molest or drive off purple martins, house wrens, bluebirds, and a pair of great-crested flycatchers. (August 25, 1886. Present about eleven years.)

*Burlington.* W. A. Wright: The purple martin is the only bird that has come under my observation as trying to reclaim former nesting sites. In the spring of 1879 a pair of martins returning to their old home, a box in my yard, found it occupied by the Sparrows. They flew away, but soon returned with re-enforcements and took possession. I have noticed the Sparrow nesting in holes excavated by the hairy and downy woodpeckers, but whether the latter were driven away or not I can not tell. (September 21, 1886. Present sixteen years or more.)

*Camden.* F. C. Grouinger: In my lot I constructed quite a number of houses for the bluebird and house wren. They occupied them and were driven away by the multitude of Sparrows, but have since reclaimed their abodes through my protection. I have noticed the wren fight the Sparrow when I was around, and have seen the Sparrow fly from it. The Sparrow molests the purple martin, bluebird, wren, robin, chipping-sparrow, and red-winged blackbird, but none are entirely expelled from their former haunts. (August 20, 1886. Present about five years.)

*Crandall.* G. W. Jenkins: The martin and Sparrow quarrel for nesting places, but the one which first builds in the house continues to hold possession. (October 12, 1886. Present one or two years.)

*Delphi (country).* John Barnard: It has been known to drive away all kinds of birds—martins, robins, grosbeaks, warblers, etc. The martin resists, but with no suc-

Sparrow drives  
they are just as  
seen the Spar-  
not do it; it is  
ly is sheer non-  
d. (September

e with the Spar-  
ot known to a  
e in the number  
January 24, 1887.

. When it be-  
ll leave. (Sep-

rown thrashers  
rd comes to our  
ing birds have  
or more. (Oc-

their boxes and  
no resistance on

from the mar-  
e barn swallow  
e years.)

breeding season,  
ten years.)

Clapp had lots  
the Sparrows  
old nests until  
ns came back.

st or drive off  
catchers. (Au-

t has come un-  
prising of 1879 a  
it occupied by  
s and took pos-  
the hairy and  
I can not tell.

of houses for  
n away by the  
my protection.  
have seen the  
l, wren, robin,  
expelled from

ing places, but  
October 12, 1886.

by all kinds of  
t with no suc-

ess, for if one begins to fight he always has five or six Sparrows on him, and there are one hundred Sparrows to one martin. (October 12, 1886. Present many years.)

*Ferdinand.* A. J. Fisher: The robin, summer martin, and bluebird are most troubled by the Sparrow. The latter is always the aggressor and nearly always the victor. They have furious conflicts. (October 8, 1886. Present about eight years.)

*Fort Branch.* C. F. Garrison: In one case here the martins had a nest in a box on a pole and the Sparrows drove them from the box after a fierce fight. The bluebird is also attacked and driven away. (October 7, 1886. Present three or four years.)

*Greencastle.* W. H. Ragan: The crow-blackbird, robin, jay, bluebird, and wren will drive it away from the vicinity of nesting places. I think the stories of the pugnacious character of the Sparrow are greatly exaggerated. The pugnacious boy has probably had more to do with banishing native birds than the Sparrow. As a rule the Sparrow occupies a field (streets and populated regions) that other birds are not adapted to, and it holds this territory the year round. (September 28, 1886. Present about fourteen years.)

*Irvington.* Sylvester Johnson: It does not attempt to usurp the rights of other birds. There are as many birds here now as before the Sparrow came, and all live in peace and harmony. (September 20, 1886. Present about six years.)

*La Fayette.* F. M. Webster: The blue jay is the only bird that will nest in my yard where these birds are abundant. (August 25, 1886. Present about twelve years.)

*New Albany.* Jas. M. Payton: The Sparrows are good fighters, and attack every bird that attempts to nest in boxes where they build. They do not migrate, but remain all winter, and when the bluebird and martin return in the spring they find the Sparrows in possession of their houses and hard to dislodge. The martin is most generally successful, but the bluebird usually gives it up. A few years ago when the martins came in the spring and found the Sparrows in their boxes there was hard fighting for several days; then they stopped, and the martins occupied the upper tier of boxes and the Sparrows the lower, and there was no more fighting that year. (September, 1885, and September 6, 1886. Present since 1867.)

*Richmond (suburbs).* Joseph C. Ratliff: I have seen the conflict between the bluebird and Sparrow, and know of martins that staid about their box for several days after the Sparrows had possession. I think it either drives other birds away, or that other birds will not stay in its company. Among the birds thus affected may be mentioned the robin, field or song sparrow, and woodpecker. (November 5, 1886. Present about seventeen years.)

*Stony Point (city and country).* Thomas F. Watlington: The bluebird and house-martin attempt to reclaim their nesting sites. I have seen some fighting, but as yet the martins appear to hold their boxes against all opposition. I have not noticed that any other birds are molested as yet. (September 20, 1886. Present about eleven years.)

*IOWA.—Belleve.* Dr. Lawrence Millar: I saw a pair of chickadees drive a pair of Sparrows from their nesting place in an old apple tree in my garden. Warblers, the chipping sparrow, the bluebird, and yellow finch are molested or driven away by the Sparrow. (October 24, 1886. Present about ten years.)

*Davenport.* Davenport Academy of Natural Sciences, per W. H. Pratt, curator: As far as can be determined in this locality, it has had very little influence in driving off our native birds; it perhaps interferes somewhat with the bluebird. (April 20, 1887. Present about seventeen years.)

*Grinnell.* John Houghton: The wren, bluebird, martin, blue jay, and robin resist the Sparrow with varied success. I have seen battles for nesting places between the Sparrow and the wren, bluebird, and martin. In addition to the above, the goldfinch, oriole, and golden-crowned kinglet are molested, but I do not think the Sparrow is abundant enough here to expel any native birds yet. (October 6, 1886. Present about two years.)

*Sidney.* G. V. Swearingen: The best and most useful of our smaller birds in this country are whipped, and some of them have nearly disappeared. On my own farm I have seen the pewee, robin, thrush, native sparrows, and others trying to whip the rascals out, but without help from man they all fail. (October 8, 1886. Present four or five years.)

*West Liberty.* Dr. E. H. King: The Baltimore oriole successfully attacks it wherever met. The Sparrow has nearly driven the bluebird, wren, and even the blue jay from our village, and, with the exception of the oriole, robin, and catbird, it molests all birds which are semi-domestic in their habits. (October 14, 1886. Present about nine years.)

*KANSAS.—Burlingame.* J. Mayberry: Other birds are less numerous since the appearance of the Sparrow; the wren and bluebird have very sensibly diminished in numbers, and the mockingbird, oriole, and robin are molested or driven away. (October 6, 1886. Present about fifteen years.)

*Chanute.* S. H. Scott: It fights the cliff swallow, and I have seen it take possession of a swallow's nest about the time it was completed. (October 5, 1886. Present less than a year.)

*Fontana.* M. J. Campbell: It molests or drives away the swallow, martin, wren, and robin. The kingbird resists it, but without success. (October 9, 1886. Present less than a year.)

*Manhattan.* Dr. Charles P. Blachly: A few English Sparrows came here two or three years ago, at which time there were robins, Baltimore orioles, and orchard orioles in considerable numbers. The Sparrows have increased in town, while the others named have decreased, although the opportunities for the increase of the natives are much better. I have seen the Sparrows drive away robins and martins. (November, 1885. Present two or three years.)

*Manhattan.* Prof. D. E. Lantz: The Sparrow has frequent fights with the robin and some other familiar birds, but is not always victorious, and no birds have been driven away. (September 27, 1886. Present about six years.)

*Morantown.* P. J. McGlashan: It has not been known to drive away any of our native birds. This year a small martin box with four holes was reclaimed by the martins, except one hole, which was retained and occupied by the Sparrows. (October 15, 1886. Present about eighteen months.)

*Quenemo.* Dr. A. R. Bodley: I do not think any bird fears the Sparrow more than other birds. It does no more fighting than the jay, kingbird, or crow-blackbird. I have not known it to molest any of our native birds, and I have the jay, crow-blackbird, migrating thrush, bluebird, and cardinal grosbeak all about my house in spring and summer. (October 13, 1886. Present four years.)

*Topeka.* F. W. Giles: My opportunities for observing the Sparrow's habits have been most excellent, and I dispute any man who says he knows better of the habits of the bird in Kansas than I do. In the twelve years during which I have been a constant observer of their mingling with native birds I have never seen a case of antagonism. The ridiculous complaint of their being quarrelsome toward native birds has prevailed here as at the East. I have many times offered \$10 reward for proof of a Sparrow having attacked any other bird, except it were a blue jay or other predatory bird destroying their eggs or young. True we have now very few native birds, less than we had twelve years ago, but in what city of thirty thousand inhabitants are native birds abundant? (October 6, 1886. Present twelve years.)

*KENTUCKY.—Bowling Green* (country, three miles from city). W. Cook: It molests and drives away all other birds, except, perhaps, the bluebird, which sometimes successfully resists it. (September 2, 1886.)

*Burkesville.* W. F. Alexander: It molests the redbird, mockingbird, common sparrow, and snowbird. The bluebird attempts to reclaim its former nesting site. (October 27, 1886. Present five or six years.)

*Crescent Hill* (suburb of Louisville). Thomas S. Kennedy: The Sparrows came from

the city in large flocks and located themselves in outhouses, barns, and about the dwelling. They have driven away the American sparrows and finches, the titmouse, wren, catbird, robin, and other birds. (October 5, 1886. Present five or six years.)

*Ghent.* George R. Bowie: It drives away the bluebird and black martin. It takes possession of their nesting places during winter and does not allow them to come back. (October 8, 1886. Present six or eight years.)

*Hartford.* A. B. Baird: I have witnessed contests between the English Sparrow and our native birds, in which the Sparrows confederated and soon became the victors. In attempting to reclaim former nesting places the bluebird appears to hold its own, but the catbird, which has frequent contests with the Sparrow, is obliged to remove. (October 5, 1886. Present about six years.)

*Lancaster.* W. H. Wheritt: I do not know the cause, but several of our small birds, among them the wren, common sparrow, and snowbird, have almost disappeared since the Sparrow came. I think no bird except the martin ever comes in conflict with the Sparrow. (October 11, 1886. Present eight or nine years.)

*Louisville.* J. B. Nall: Before the introduction of the Sparrow the bluebird and pewee were common on every farm; now it is a rare thing to see one. The martin is also molested. (September 8, 1886. Present about twelve years.)

*LOUISIANA.*—*Barataria* (country). William B. Berthoud: The mockingbird resists the encroachments of the Sparrow, and on rare occasions the tyrant flycatcher, or kingbird, attacks it with partial success. Warblers and flycatchers are the birds most commonly molested and driven away, but also the wren. (June 27, 1887. Present about four years.)

*MAINE.*—*Fairfield.* James O. Whittemore: I have known but one instance in which any of our native birds attempted to drive off the Sparrow when not first attacked. A pair of woodpeckers (yellow-shafted flicker) took possession of a hole formerly occupied by these birds and successfully held it against a great number. I have known bluebirds and tree swallows to be driven from holes by the Sparrows, and unable to make resistance. I remember an instance of a Baltimore oriole dispersing a large number of Sparrows, but the case of the flickers was the most positive one I have known. I have never observed any actual molestation except the above, and do not think the Sparrows are plenty enough in this locality to diminish the number of other birds. (August 19, 1886. Present ten years.)

*Farmington.* E. E. Richards: It has a habit of attacking nearly all birds coming in its way, especially about nesting places or feeding ground. I think it is always the aggressor, except perhaps in contests for martin houses and nesting places. (August 20, 1886. Present about six years.)

*North Limermore.* George H. Berry: It molests and drives away the robin, bluebird, chipping sparrow, red-eyed vireo, and the smaller birds in general. The purple martin and white-bellied swallow attempt to reclaim former nesting sites. (August 23, 1886. Present about three years.)

*Portland.* Nathan Clifford Brown: I have seen it attack the downy woodpecker, and molest the robin and Baltimore oriole. It drives away the white-bellied swallow by taking possession of its nests. (1884. Present ten years or more.)

*MASSACHUSETTS.*—*Amherst.* Hubert L. Clark: I have noticed that the Baltimore oriole (*Icterus galbula*) is almost the only bird which does not seem to be troubled by the Sparrow. It is the only bird which is to be found breeding in our streets as abundantly as five or six years ago. This may be an exception, but I thought it worthy of note. (September 8, 1887. Present about fifteen years.)

*Cambridge.* William Brewster: Markedly and unmistakably and with appalling rapidity our native birds are leaving. I do not often see the Sparrows actually attack them, however. All species, with the exception of robins, blue-jays, and crow-blackbirds, are affected, but house wrens, bluebirds, swallows, least pewees, and orioles most noticeably. (January 30, 1884. Present eleven years or more.)

*Holyoke.* W. F. Lamb: It certainly molests and drives away such birds as the

purple martin, robin, cherry bird, chipping sparrow, white-bellied swallow, goldfinch, and song sparrow. (February 29, 1884. Present fifteen years or more.)

*Holyoke.* F. H. Metcalf: Bluebirds, wrens, and martins generally attempt to drive it away from some nesting places, but the Sparrows are too numerous. I have seen one wren at the door of a bird-house successfully resist the attack of nine Sparrows. She then tore the Sparrow's nest to pieces. Bluebirds generally give in to the Sparrow. It molests the robin, bluebird, wren, orioles, vireos, song, field, Savanna, and other sparrows, grass finch, and martin. The latter is becoming extinct, I believe, from this cause. (August 23, 1886.)

*Medford.* John Ayers: I never saw it assail birds of other varieties, but have often seen them fight among themselves. I have heard many persons repeat the current stories of their driving off native birds, but have never seen a person who could name any kind that suffered from them. Certainly the robins are as abundant as ever, and peck and destroy my peaches, pears, and grapes as usual. (May 29, 1884. Present twelve or fifteen years.)

*Rhoboth (country).* F. H. Carpenter: A small colony of martins has driven away three pairs of Sparrows from their box each spring since 1882. The Sparrow has driven off the white-bellied swallow. (August 21, 1886. Present about seven years.)

*Somerset.* Elisha Slade: The chipping sparrow, goldfinch, purple finch, bluebird, white-bellied swallow, and summer yellowbird have retired before the pugnacious, quarrelsome exotic, and in some cases have almost entirely disappeared from around the house, barn, and orchard. (October 19, 1885.)

I do not know of any non-predatory bird which habitually attacks the Sparrow unless itself first attacked, and even when attacked the defense is usually unsuccessful. I know of one successful instance, however. A pair of white-bellied swallows having possession of a box, their nest built and eggs laid, were attacked by a pair of English Sparrows, and the swallows bravely resisted the attack and compelled the Sparrows to retreat. In less than half an hour the Sparrows returned, accompanied with six other Sparrows to aid them, and commenced an assault. The swallows fought hard in defense of their home and won the battle of the brave, though only two to eight. (August 20, 1886. Present about twelve years.)

*Taunton.* H. G. White: It takes possession of all available places in the city, and as it commences to breed as early as March (March 12, 1881), it has full control of the boxes put up for the accommodation of bluebirds and white-bellied swallows before these reach their summer homes. Consequently these birds leave their old haunts to find new breeding places, and few birds except Sparrows are seen in the city. \* \* \* For a number of years it has been my habit to place an elevated platform in the garden, on which the birds might feed when snow covered the ground. Formerly juncos and tree sparrows were there all day in flocks of twenty or twenty-five, but for the last three winters their numbers have grown "beautifully less," and this year they have only been in the garden twice, while Sparrows are as abundant as juncos used to be. (February 25, 1886.)

*Tyngsboro (country).* C. W. Swallow: I found a nest of the English Sparrow in a dead apple-tree limb May 16, 1884. Under the nest was a dead white-bellied swallow, which had evidently been killed by the Sparrow. The Sparrows are quarrelsome, especially with bluebirds and white-bellied swallows. (March 29, 1887.)

**MICHIGAN.**—*Allegan.* Rev. D. D. Chapin: The smaller birds generally, which are wont to nest about houses and yards, are molested or driven away. The goldfinch suffers in particular. (October 30, 1886.)

*Corunna.* Dr. C. T. Armstrong: It drives away or kills all song-birds and other desirable birds—robins, orioles, tanagers, song sparrows, bluebirds, phoebes, and even the pugilistic martins. (November 1, 1886. Present about five years.)

*Elk Rapids.* Jas. E. Rankin: It has frequent battles with the robin and chipping-bird, and the bluebird seems to be driven back, but the house martin retains its own nesting place. (October 18, 1886. Present about six years.)

*Frankfort.* Charles Burneister: It molests and drives away the bluebird, chickadee, and wren. It has been observed that four or five Sparrows would attack one little bluebird, and by force of numbers put the solitary bird to flight. (October 12, 1886. Present about five years.)

*Hillsdale.* Ira B. Card: The martins return in large numbers once or twice a year and try to reclaim former nesting sites, but fail ingloriously in every battle. The Sparrow drives off the robin, bluebird, graybird, blue jay, and all other native birds. There is nothing left but the filthy Sparrow and his dirt. (October 6, 1886. Present twelve years.)

*Hudson.* A. H. Boies: I have observed severe battles between English Sparrows and bluebirds, martins, and some of our smaller birds. (1885.)

*Kalamazoo.* Dr. Morris Gibbs: Many species are bothered by the Sparrow, and all make more or less resistance, but generally with little success. The bluebird, robin, and martin attempt to reclaim former nesting sites; the bluebird gives the best fight, and the robin does fairly well, but the Sparrow drives all out. (November 23, 1886. Present nine or ten years.)

*Mears (country.)* George Wyckoff: It drives off the eave swallow and bluebird. The latter will fight the Sparrow, but as the odds are always against it, sometimes give up, it has to give up. (October 7, 1886. Present about three years.)

*Mount Clemens (country.)* Jno. B. Leonardson: My bird-houses contained about seventy pairs of martins; now all are gone. Bluebirds once lived on my cornice brackets with the phoebe, but they have been driven away, as have also the barn swallow and ground-bird. (August 29, 1886. Present three years.)

*Ocosso.* A. Lee Williams: It is confined to the city, and as yet does not clash much with our native birds, except with swallows and martins, which I think it will in time drive off. (September 2, 1886. Present about ten years.)

*Petersburg (country.)* Jerome Trombley: The house wren attacks the Sparrow and usually comes off victorious. (August 23, 1886. Present about nine years.)

*Saline (country.)* Norman A. Wood: I know several instances in which house wrens and martins have successfully reclaimed their nesting sites. Last spring a Sparrow had a nest commenced in a bird-house occupied the year before by a bluebird. The bluebird pitched the nest out, and finally occupied the box. The Sparrow molests and drives off the Baltimore oriole, robin, chipping sparrow, purple grackle, and yellowbird. (September 6, 1886. Present about six years.)

*Saranac.* M. S. Lord: I have noticed that flycatchers and the tree sparrow are molested and driven away. (October 8, 1886. Present seven years.)

*Sault de Ste. Marie.* William S. Shaw: I have seen swallows fight with them until they fell to the ground. In one case the swallows drove them off their nest. (October 11, 1886. Present three years.)

*Schoolcraft.* P. D. Miller: It drives off the robin, bluebird, swallow, martin, and chippy. I have watched their actions with the robin and chippy in my yards. Three or four years ago I had a good many nests of the chippy in my yard, but this year I do not think they were able to nest there at all. The English Sparrows destroy their eggs. (October 11, 1886. Present about nine years.)

*Tecumseh.* C. A. Wright and C. A. Story: Robins and crow blackbirds seem to be the only ones that can hold their own against the Sparrow. (October 11, 1886. Present seven years.)

*Thornville.* Dr. John S. Caulkins: A pair of Sparrows last summer drove out a pair of barn swallows from their nest (occupied by them for two or three previous seasons) and took it for their own. The swallows attempted to reclaim their nest, but failed. The Sparrows returned to the nest again this summer, and raised their young there. They begin to build and lay sooner than any of our native birds. (August 14, 1886. Present four years.)

MISSISSIPPI.—*Columbus.* D. C. Hodo: The bee martin and house martin resist the encroachments of the Sparrow, and attempt to drive it off, but the Sparrow holds the

field. The house martins attempt to build in their old nests, but are driven off, as are also the mockingbirds and bluebirds. (Carrollton, Ala., September 21, 1886. Present about two years.)

*Corinth.* Dr. Rawlings Young: It is not yet numerous enough to scatter into the suburbs and molest other birds. I have seen blue jays and mockingbirds fighting it. (September 7, 1886. Present about two years.)

**MISSOURI.**—*Cape Girardeau.* Henry A. Astholz: It has driven away the mockingbird, bluebird, and house martin. (September 3, 1886. Present about six years.)

**NEW HAMPSHIRE.**—*Franklin Falls.* George Stolworthy: It occupies nearly all the artificial nesting places formerly used by the white-bellied swallow, martin, and bluebird, and has driven away the robin and Baltimore oriole, which used to build near these places. The only species I have seen nesting near the Sparrow are the cherry bird and the pewee. This spring three pairs of Sparrows occupied nesting places that had been used by bluebirds for three years. The bluebirds tried hard to recover them, but without success. Purple martins and swallows had no better success. (August 24, 1886. Present six or seven years.)

*Lisbon.* Dr. C. H. Boynton: They have not been here long enough, and are too few in number to cause a decrease in the number of native birds. (February 4, 1884. Present about three years.)

*Milford.* Jas. P. Melzer: The purple martin is successful in reclaiming former nesting places; the bluebird and white-bellied swallow attempt to reclaim nesting sites, but are not always successful. I think the bluebird would usually succeed if it were not easier to find another nesting place than to have a long fight. (August 28, 1886. Present about ten years.)

**NEW JERSEY.**—*Bridgeton.* Charles E. Bellows: It molests the chipping sparrow, house wren, and summer yellowbird. The purple martin habitually resists the encroachments of the Sparrow, and will not let one come within a stone's throw of his house. I have seen the martin fight for former nesting sites, and come off best many every time. (August 26, 1886. Present eighteen years.)

*Caldwell.* Marcus S. Crane: It drives away the bluebird, wren, martin, and chipping sparrow. It has battles every year with bluebirds for the possession of bird-houses. Last July it drove some martins from their nests under the eaves of my brother's barn, and two years ago they drove some from the nests under the eaves of a neighbor's house. (February 19, 1884. Present about fourteen years.)

*Hackensack.* Weldon F. Fosdick: I have never noticed any trouble between the Sparrow and other birds. (August 26, 1886. Present fifteen years.)

*Orange.* Lloyd McKim Garrison: City and suburb. It molests and to some extent drives away the wren, bluebird, downy woodpecker, purple martin, cliff swallow, and barn swallow. (February 11, 1884. Present many years.)

*Plainfield.* F. T. Cathbert: It has been observed to drive away from their former nesting places the robin, bluebird, thrushes, song sparrow, and catbird. (February, 1887.)

*Ridgewood (country).* Henry Hales: I have not seen it molest our native birds except in struggles for nests, and by crowding out from near the buildings bluebirds, chippies, and wrens, and in winter our tree and song sparrows. I have a number of nest-boxes up on trees, intended for bluebirds, wrens, and purple martins. If the Sparrow occupies them I find no inclination in wrens or bluebirds to dispossess them; they would rather go off, and so get crowded out. I have no martins now. I have not seen any bird reclaim its nest. (January 18, 1887. Present about fifteen years.)

*Tuckerton.* S. Jillson: It takes possession of all the boxes put up for bluebirds and martins, and will soon occupy all the hollow trees and woodpecker holes. (February 10, 1884: Present about eleven years.)

**NEW YORK.**—*Alfred Centre.* F. S. Place: Last spring I saw the Sparrow and house wrens quarrelling over a hole in the limb of an apple tree. This was kept up for several days until the Sparrow finally succeeded in driving away the wrens, when it nested there. (1885.)



*Bay Ridge.* J. A. Perry: It is supposed by many persons that the English Sparrow is highly destructive to our native songbirds, and the regret has frequently been expressed on that account that they should be suffered to live and accumulate in such vast numbers. But the writer, who has had ample opportunity to observe the habits of these birds, is confident that the opinion entertained of their destructiveness is a popular prejudice, and is not substantiated by facts. Large numbers have made the rural residence of the writer their home for many years, as have also some fifteen or twenty tribes of songsters, and not a single instance has been observed of a conflict between them. The Sparrows quarrel among themselves, but they do not appear to interfere, in a belligerent way, with other tribes of birds. (For the Journal of Commerce. New York City, January 24, 1880.)

*Bay Ridge.* B. C. Townsend: As regards the peaceful relations of the English Sparrow to other birds, my experience confirms the testimony of my neighbor, Mr. J. A. Perry, with the exception of a single case. There were certain swallows building their mud-nests under our front porch, which nests they attacked with great violence and destroyed, driving the birds away. The simple attempt to destroy the nest of wrens upon the rear porch was unsuccessful, as the little wrens fought with great desperation, and finally drove them entirely away, remaining during the season, and rearing two broods of young. (March 27, 1886.)

*Binghamton.* H. J. Gaylord: The bluebird, martin, and wren will resist encroachments if in possession, and sometimes with success. I have on my place ten or twelve bird-houses for bluebirds, wrens, and martins. If the Sparrow is in possession of a box it will invariably hold it, as the other birds will not contest their rights. (October 7, 1886. Present about fifteen years.)

*Brooklyn.* Olive Thorne Miller: I have closely watched the birds around my house in Brooklyn for four years. The first and second years there were at least two pairs of robins and one or two pairs of Baltimore orioles which nested in my neighborhood, and which I saw and heard every day. The third year there was one pair of robins and one pair of orioles, and the fourth there have been neither robins nor orioles, except as rare visitors from some other neighborhood. I have noticed also in Prospect Park [Brooklyn] that as the Sparrows penetrate farther in the native birds' retreat. From my windows I have many times seen Sparrows follow a robin or an oriole from tree to tree, flying closely after him, and alighting when he alighted, not attempting to touch him, but evidently annoying him very much, for he always appeared uneasy, and never staid long. There is near me a bitter-sweet shrub, and every year, in October and November, when it is full of berries there come to it several thrushes, I think the hermit thrush (*T. pallasi*). I have to-day seen Sparrows collecting in the trees near, all violently calling, in their loud, harsh way, as they do when danger approaches. On looking closely I saw two thrushes, which have been about for a week or more, trying to eat the berries. Every time one of them flew a Sparrow would fly after it. The thrush was annoyed and would leave the bush where it was eating, and alight on the fence. The Sparrow would alight too, and be ready for instant flight the moment the thrush started.

I once saw Sparrows in the same way attempt to mob a cat-bird, but a cat-bird is not to be worried, and he easily put to flight the whole party. From what I have seen of them, I think Sparrows keep away other birds partly by annoying them in the way I have mentioned, and partly by filling with their nests and noisy broods every nook and corner in which our own birds could build. I have seen them persistently follow and hustle robins, thrushes, and orioles. Cat-birds are not so easily driven, and will generally stand their ground. Mobbing is the Sparrow's favorite method, and I have seen it employed against a solitary red squirrel that had lived for two or three months in the trees of the neighborhood, and even against a cat which climbed a vine where nests were placed. (1884.)

*Brooklyn.* Hon. Nicolas Pike: Though the Sparrow is a most pugnacious bird, I do not think it drives our birds away, for it is my belief most are a match for him.

It is true they are not plentiful as formerly in Brooklyn, but it is from the increase of population. Whole streets and avenues of houses are now standing where not many years ago were thick woods where I went gunning. Our birds have gradually retired to the country, where they find quiet and congenial food; but the Sparrow has remained, as it rather likes noise and bustle, and can find fitting food, under almost any conditions, anywhere.

Go to Prospect Park, where hundreds of pretty songsters have a secure refuge, and rear their young in peace. Now, I do not know any place where Sparrows most do congregate as they do in this same park. It is a pleasure to me every summer to watch them bathing, forty or fifty at a time, on the margins of the ponds, and I never saw them interfere with our charming chats, yellowbirds, robins, catbirds, etc., that come down and share the bath with their English cousins. (February 8, 1884. Present about thirty-four years.)

*Canaseraga* (country). E. S. Gilbert: It has taken the nests of the mud swallow (*Petrochelidon lunifrons*), driving away the rightful owners. (August 23, 1886. Present one year or less.)

*Constantia*. Wallace D. Rhines: I have a martin-house which is claimed by the martins as soon as they arrive, and is kept. I have never noticed the martins molest a Sparrow except near their house. The martins arrived May 13, 1886, and found their house occupied by Sparrows, and containing young and eggs. I saw the martins drag out the young and kill them, and also carry away the eggs. (August 23, 1886. Present four or five years.)

*Gansevoort*. Joseph W. Shurter: I have observed instances in which the bluebird resisted the Sparrow, but most of our summer birds yield their ground without an effort at defense. In two cases the bluebirds attempted to regain possession of boxes put up for them, but were unsuccessful until aided by a few charges of shot sent where they would do the most good. I have observed numerous contests between Sparrows and various other birds, in which the Sparrows were evidently the aggressors, and this fact, taken in connection with the decrease of other birds, I think justifies the statement that the Sparrow molests and drives away most of our songbirds. (February 4, 1888. Present about eight years.)

*Ithaca*. George Donaldson: I have seen it drive the bluebird from its old home and occupy it; also, downy woodpeckers from their previous abode. (1885.)

*Lockport*. Lewis H. Hill: I have never seen the Sparrow interfere with other birds. This year we have quite a good many Sparrows and robins, and one nest of wrens. Formerly we had some bluebirds and orioles. I do not know whether the Sparrow drove them away or not. (September 3, 1886.)

*Long Island City*. W. F. Hendrickson: A few years ago nests of the robin and oriole were very common along the roads here, and in the gardens were numbers of wood thrushes, catbirds, and other birds; but now there are hardly any nests of the robin or oriole to be found on the trees along the roads, and the birds are gradually becoming scarce in the gardens. The Sparrow now builds in the woods also, and I suppose that in the course of a few years more it will have entirely supplanted the other birds. (October 22, 1885.)

*Lyons*. J. S. Roys: It has been observed to molest and drive off robins and meadow larks, and other song-birds seem to have decreased since the introduction of the Sparrow. (October 26, 1886. Present several years.)

*New York*. A. Church: I have seen them in villages where there was a great variety of other birds, and they did not molest them. I have seen a robin's nest within a few feet of where the Sparrow was nesting, and in one place I saw the bluebird occupying one part of a Sparrow house and the Sparrow the other at the same time, and the entrances to the house within three inches of each other. There was also a nest of the phoebe bird within a few feet of this same house. (March 27, 1884.)

*New York*. W. A. Conklin: It molests and drives away the indigo bird, bluebird, yellowbird, and wren. (July 6, 1884. Present twenty years or more.)

*New York.* Dr. F. Hollick: I have a bird house which has now been occupied for three years in succession by bluebirds, right among a large flock of Sparrows, in my own garden; a robin also builds every year in a tree close by, under which the Sparrows congregate every day. I believe that it is the small boy and the shotgun that drive away our native birds from inhabited places, and when they are gone the Sparrows, who alone can withstand these enemies, are accused of driving them away. (September 2, 1884.)

*Old Westbury.* John D. Hicks: There is no conflict between the Sparrow and the birds in our locality, except with the bluebird and wren, which compete for nesting places. The Sparrow by first occupancy gets possession and holds it; consequently bluebirds are scarce. Wrens only succeed in building in houses with small entrances. (September 6, 1886. Present about twenty years.)

*Painted Post.* A. H. Wood: The common house-wren resists the encroachments of the Sparrow with great success, dumping out the whole business, eggs and all; the purple grackle also does so to a certain extent. Barn and cliff swallows and bluebirds resist with poor success. I have not observed the Sparrow to drive off any of our native birds. The trouble is that it takes possession of desirable nesting places, and when other birds arrive the Sparrows are fully established, and the native birds are compelled to go elsewhere. Formerly bluebirds nested very freely in this village, but since the Sparrows have become numerous they have entirely disappeared from their nesting places. (August 10, 1886. Present about ten years.)

*Plattsburgh.* G. H. Hudson: I have seen six or eight Sparrows follow a robin about, and seize upon and appropriate each earth-worm which he dragged from the ground. (1884.)

*Rochester.* Henry Harrison: I have never seen any of our native birds attempt to drive away the Sparrow, but it takes possession of any nest it wishes. A robin built a nest for three seasons in a tree opposite my window, and the Sparrow drove it away. It also drives away orioles and woodpeckers. (August 23, 1886. Present about fourteen years.)

*Schuyler's Lake (country).* La Grande Southworth: I have seen the downy woodpecker attempt to drive off the Sparrow, but he was always defeated. The Sparrow also attacks bluebirds and robins, and I have seen it occupying a robin's nest, but never saw the robin attempt to reclaim the nest. (December 2, 1886. Present about six years.)

*Sing Sing.* Dr. A. K. Fisher: Before the advent of the House Sparrow, and before he had become fully established, the wood-thrush (*Turdus mustelinus*), robin (*Merula migratoria*), Baltimore oriole (*Icterus galbula*), purple martin (*Progne subis*), house wren (*Troglodytes aëdon*), catbird (*Galeoscoptes carolinensis*), and a number of other species, were common summer residents in the village, building their nests in the large door yards. For years they have been rarely known to breed except in the outskirts of the village. The purple martins have disappeared from the locality, with the exception of one colony, which still occupies a large martin box at the State prison.

Once a pair of kingbirds attempted to build a nest in one of the large sycamores which stood near the old Baptist church in the center of the village. They finally had to abandon this site, for the Sparrows would fly up in the absence of the kingbirds and remove the material as fast as it was deposited.

The habit of the Sparrow in following the robin and snatching particles of food from its bill was noted by the writer in a letter to Dr. Cones, published in the American Naturalist for December, 1882, p. 1009. (1885. Present about nineteen years.)

*Syracuse (city and country).* Edwin M. Hasbrouck: One case has come under my notice where a robin had partly finished a nest in a maple tree when the Sparrow took possession and completed it after his own ideas. This was blown or torn down, and two years after was occupied by the robin, but the Sparrow has possession now. It molests and drives off warblers, thrushes, flycatchers, orioles, and the goldfinch,

wren, bluebird, and purple grackle. (August 20, 1886. Present twenty-two or twenty-three years.)

*Tully* (country). J. A. Dakin: I have seen the butcher-bird and kingbird drive it away without being first attacked. The purple martin is the only bird I have noticed attempting to reclaim former nesting sites. I saw several of these last May fighting for the possession of a former nesting house which the Sparrow was then occupying. The robin and cave swallow (*lunifrons*) have been expelled to a considerable extent. (September 10, 1886. Present about eight years.)

*Watkins*. H. C. Griswold: Last spring, when the straw stacks were torn down, about sixty Sparrows, which were thus deprived of a place to roost, came to the evergreens in the front yard and pitched battle with four or five pairs of purple finches. They drove the finches from the place they had frequented for years, and even whipped or discouraged a hen so as to make her look elsewhere for shelter. At a neighbor's, where seventy or eighty martins build their nests under the eaves, they drove them away after a few days' fight, so that now the Sparrows have sole possession. (September 30, 1885.)

*West Farms, New York City*. Jas. Angus: There is but one serious objection to the Sparrow, and that is that it annoys and keeps away the wrens and bluebirds; but I protect the wrens by contracting the opening to their house; if it is made just large enough for the wren it is too small for the Sparrow, and there will be no trouble. (February 11, 1884. Present fifteen or twenty years.)

*NORTH CAROLINA*.—*Graham*. Robert J. Thompson: A resident of the town of Graham told me that he had seen the Sparrow attack and kill all kinds of other birds and their young; that he had seen as many as a dozen Sparrows attack one bird. The summer sparrow and wren seem to be the birds which suffer most, but robins and bluebirds are also attacked. (Rock Creek, N. C., March 7, 1888.)

*Raleigh*. T. C. Williams: It is driving out our native sparrows, mockingbirds, and other small birds that formerly abounded in and around country villages and towns. (September 2, 1886. Present about five years.)

*OHIO*.—*Aberdeen*. George Sibbald: In 1884, when the oats were ripe, I saw a flock of Sparrows sitting on the fence that inclosed the field—the first I had seen outside the city or village. In 1885 a few built their nests and hatched their young in and about my dwelling-house. In the year 1886 they came in large numbers and drove all the native birds from the trees in the front yard, and built their nests in and about the house as before. In the spring of 1887 I had all the old nests thrown out and every hole and crevice stopped up. They came in great numbers, but only one pair found a place to hatch—the others all left. The native birds returned to the trees and bushes in my yard and reared their young. A visitor at my house, who had been traveling much this season, said I had more birds than any place he had seen, and named four or five different kinds which had nests on the trees. (June 10, 1887.)

*Burton* (country). P. W. Parmelee: The martin and bluebird have held their own with the Sparrow, but the robin, swallow, yellowbird, catbird, and phoebe have no show with it, and have almost entirely left this part of the country. All the above-named birds and the wren have nested on my place, mostly in nests occupied the previous year, until within a year or two. (September 1, 1886. Present about five years.)

*Cincinnati*. William Hubbell Fisher: The only birds to be found in the city now are the Sparrow and the domestic pigeon. (September 9 1884.)

*Cincinnati*. Dr. F. W. Langdon: It has replaced to a very large extent the bluebird, martin, and in some neighborhoods the house and Carolina wrens, that formerly bred in boxes put up for them. A bridge within the city limits, formerly occupied by hundreds of cliff swallows, has for several years past been tenanted almost exclusively by the Sparrows. (November, 1885.)

*Circleville*. Dr. Howard Jones: The wrens are not equal to Sparrows in fighting qualities, so far as I have observed, and the house wren, Bewick's wren, and the

great Carolina wren are molested and driven off. (August 19, 1886. Present about eight years.)

*Cleveland.* Dr. E. Sterling: When few in numbers they did not molest our native birds, but now that they have waxed strong and fat, no native birds are left. Last spring I saw a gang of them kill outright a robin on the public square. Ten years ago I counted 192 nests of native birds on two and one-half miles of Euclid avenue; this last season you could hardly find a dozen, and there is no other cause for their disappearance than these little pests. I have seen them tear up the nests of other birds and break the eggs; have seen them drive an old hen and her brood from their Indian-meal food by force of numbers; and even our tomtcat had to back out when about to try his hand on a fledgeling. The kingbird is the only one that holds his own with them; he breeds here undisturbed. (February 25, 1884. Present about fourteen years.)

*Columbus* (suburb, Ohio State University). William B. Alwood: I have never observed a direct conflict between the Sparrow and other species. His lordship simply appropriates the choice localities, and other species acquiesce in his occupancy. (July 16, 1887.)

*Columbus.* Dr. J. M. Wheaton: It molests and drives away the house wren, bluebird, wood pewee, chipping sparrow, and a few other city birds. I am satisfied that in our city fewer birds make their appearance than before the Sparrow was introduced. (April 18, 1884. Present about twelve years.)

*Garrettsville.* A. J. Smith: I have known the martin to hold possession when attacked by the Sparrow, and the Sparrow to take the lower tier of boxes in the same house with the martin. I have known the Sparrow to take possession of the robin's nest after the robin had raised one brood in it. (October 27, 1886. Present about five years.)

*Laurel.* Daniel Bohl: I have seen this pestiferous little bird destroy the nests of our robins, and this spring I tore its nests out of a martin box which I have set up four different times, yet it persisted in building; but I never ceased until the martins had taken full possession. These troublesome imps drive the martins away, and I have seen them drive out our native barn swallows and take full possession of their nests. (August 6, 1887.)

*Metamora.* H. C. Somes: The English Sparrows are too numerous here. We had no phœbes in their old place last spring except for a few days. My hummingbirds were all gone last year, and there were no yellowbirds or wrens, and but few meadow-larks and robins. (February 13, 1888.)

*New Lisbon.* J. F. Benner: It does not drive off any native birds to my knowledge. In the spring a martin-box on my premises is taken possession of by the Sparrows; the bluebirds will fight them, and sometimes get possession of a part of it until the martin comes, when both have to vacate in a hurry. (August 27, 1886. Present about six years.)

*North Bend* (suburb). R. H. Warder: The house wren and bluebird are driven off by the Sparrow. The great crested flycatcher and bluebird sometimes reclaim former nesting places, but rarely. (November 27, 1886. Present about eleven years.)

*Oxford* (country, 1 mile from village). L. N. Bonham: Jay-birds and robins resist and attempt to drive off the Sparrow, but it never leaves. A few years ago the bluebirds attempted to reclaim their nests, but they have given up the contest, and I never see them now; they have been driven off my farm entirely by the Sparrow. Mr. E. P. Wetmore, of the Oxford Farmers' Club, tells me of a long contest in his doorway between Sparrows and robins. The barn swallows also have all gone since the Sparrow came. (Columbus, Ohio, November 29, 1886.)

*Wakeman* (country). W. B. Hall: It is saucy and aggressive. I have seen it drive the bluebird, wren, barn swallow, and downy woodpecker from their nests. It does not seem to be endowed with individual courage, but moves in flocks and overcomes by force of numbers. (1885. Present about four years.)

*West Berlin* (country). C. H. Shaw and J. P. Roloson: We have seen them fight

bluebirds for weeks at a time, and also fight robins in order to get their nest and build it over for themselves. Martins, too, are molested and driven away. (September 8, 1886. Present about three years.)

PENNSYLVANIA.—*Berwyn*. Frank L. Burns: I have frequently seen the Sparrow fight and conquer native birds, principally the house wren, and take possession of places formerly occupied by them. The most deplorable work of this pest has been to drive from their accustomed haunts the black martin (*Progne subis*). I know of scarcely a place that is now occupied by the martin where five years ago they were numerous. (January, 1886.)

*Bryn Mawr*. A. R. Montgomery; and Radnor. W. W. Montgomery: We have seldom, if ever, seen the Sparrow actually attack other birds, except in a fight for a nesting place, but have often observed their system of mobbing other birds, such as the brown thrush and cat-bird. This system seems to consist in sitting in a crowd, just out of reach of the object of their dislike, and "insulting" him, following him when he moves, and giving him no peace until he leaves the neighborhood. The result of their colonizing the neighborhood of a country house is soon apparent in the gradual disappearance of the native birds. (November 8, 1886.)

*Germanstown* (suburb). Witmer Stone: Goldfinches (*Spinus tristis*), as well as robins, have been frequently driven from the premises by the Sparrows. (November 9, 1886. Present thirteen years or more.)

*Germanstown*. William Rotch Wister: The English Sparrow has not driven away, and can not drive away, our native birds from their former haunts. About Germanstown it abounds in large numbers, but robins, bluebirds, song sparrows, thrushes, and wrens are more numerous than they were twenty years ago, owing chiefly to the greater amount of protection in the way of shrubbery and the legal protection afforded to insectivorous birds. I observed two wrens contest an earthen crock, intended for a nest, with a pair of Sparrows which were already in possession when the wrens arrived. In the struggle the wrens were victorious. (March, 1886.)

Notwithstanding an immense number of Sparrows about Germanstown, where I reside, it can safely be said that robins, chipping sparrows, song sparrows, wood robins [*Turdus mustelinus*?], and small birds generally were never so numerous. Baltimore and orchard orioles are plenty. \* \* \* I frequently hear it said that the Sparrows drive off our native birds, but when cross-questioned no one can give an instance of it. (November 30, 1886. Present many years.)

*Lancaster*. Dr. S. S. Rathvon: I have not seen it in the act of driving off our native birds. Mr. John C. Linville, an intelligent farmer of Gap, in this county, stated to me that the barn swallow (*Helidon erythrogaster*) had entirely disappeared from his premises, and that this was also the case with other birds, but that the English Sparrow is abundant. Mr. Collins, of Colerain, reports the entire absence of swallows and blackbirds. The following species were common in the suburbs of this city twenty years ago, but have now all disappeared: Purple martin (*Progne subis*), catbird (*Galeoscoptes carolinensis*), house wren (*Troglodytes aëdon*), thistle finch (*Spinus tristis*), chipping sparrow (*Spizella socialis*), song sparrow (*Melospiza melodia*), Baltimore oriole (*Icterus galbula*), orchard oriole (*Icterus spurius*), bluebird (*Sialia sialis*), robin (*Merula migratoria*), chimney swift (*Chaturu pelagica*), kingbird (*Tyrannus tyrannus*). About the time of the introduction of the Sparrow in my locality, there was said to be some conflict between the English Sparrows, bluebirds, and chipping sparrows, but none of the latter two have visited me for fifteen years or more, whatever the cause may be.

There are coincidental circumstances which have a tendency to discredit the Sparrow. For instance, fifteen or twenty years ago the swift (*Chaturu pelagica*) was very abundant every summer in my immediate vicinity, but I have not noticed a single individual the present year, and they have been gradually disappearing for the past ten years or more; and yet I can not see how these should ever come in conflict with the English Sparrow. Again, about the same period or later, catbirds were common;

indeed, on one occasion I counted fifteen on a single Clinton grape-vine; but for ten years I have not seen one on the premises. \* \* \* But all this is claimed by the friends of the Sparrow to be the result of the building improvements in the suburbs of the city. Of course this is worthy of consideration, but in the few walks I have taken in the country in the past season I never failed to find Sparrows in flocks of ten, twenty, or fifty, in the fields and among the trees and shrubbery, but not a native bird of any species. (October 5, 1886. Present sixteen years or more.)

*Mansfield* (suburbs of Pittsburgh, two and a half miles from city line). Dr. R. L. Walker: I do not know of a single instance of birds nesting in this place that the Sparrow has not tried to drive away. Alongside my garden a pair of robins built their nest, and only preserved it by dint of hard and constant fighting; and then only succeeded, as far as I can see, in rearing one bird. (July, 1887. Present about five years.)

*New Lexington*. Dr. H. D. Moore: While I have observed no fighting, yet while the song sparrow, chipping sparrow, summer yellowbird (*Dendroica aestiva*), swallows, and other birds formerly nested near buildings, they do not return. (September 13, 1886. Present about eleven years.)

*North East*. Harry E. McNichol: I have observed it engaged in driving off or chasing robins, orioles, wrens, bluebirds, and downy woodpeckers, although usually it seems to be afraid of the wren. (1885. Present six or seven years.)

*Philadelphia*. J. Percy Moore: I can not say from my own experience that this species has actually driven away other species of birds from this neighborhood, but I have often seen it engaged in fights with our native birds, in which it generally had the advantage. On one occasion (May 10, 1885) I observed a pair of Sparrows drive a pair of bluebirds from their nearly finished nest in a deserted flicker's (*Colaptes auratus*) hole. The Sparrow took possession, remodeled the nest, and laid one egg. The nest was robbed, however, and when the Sparrows deserted it the bluebirds returned, built a new nest, and laid five eggs. On April 22, 1885, when the purple martins first arrived in numbers, I witnessed a battle between about twenty of them and a larger number of Sparrows. The latter had built their nests in several large bird-houses, in which the martins had been accustomed to breed year after year. When the martins arrived the Sparrows tried to prevent them from entering the houses, but after a long battle the martins were victorious, and the two species lived together during the whole summer, each raising its young. (September 7, 1886. Present twenty years or more.)



*Philadelphia* (suburb). F. R. Welsh: Wherever the Sparrow has become very numerous, other small birds of all kinds have diminished in numbers or disappeared, often without any apparent cause. On three occasions I have seen from two to four Sparrows defeated by a pair of wrens, and on one occasion a pair was beaten by a pair of bluebirds. The contest on each occasion was concerning a nesting place. I know of no other cases of actual hostilities, but have several times seen a robin fly when a flock of English Sparrows settled near it, though it would not have noticed a flock of crow blackbirds. (October 6, 1885.)

Robins are often molested. I have seen a Sparrow—always the male—hop around after a robin without any apparent reason except to make himself disagreeable. Occasionally the robin would vacate, but more often he would charge the Sparrow, which would fly away, sometimes returning, to be driven off again. (August 24, 1886.)

*RHODE ISLAND*.—*Newport*. John M. Swan, jr.: It drives away the robin and yellow warbler (*Dendroica aestiva*) frequently. In some instances these have been disturbed for the purpose of nesting places for the Sparrow; in others merely for the food in the shape of eggs and young. The blackbird and grackle in every instance successfully resist the advances of the sparrow. (September, 1886. Present five years.)

*SOUTH CAROLINA*.—*Abbeville C. H.* J. F. C. Du Pré: In this section the Sparrow is an unmitigated nuisance. Heretofore the old-field sparrow, bluebird, nuthatch, cat-





# Photographic Sciences Corporation

**23 WEST MAIN STREET  
WEBSTER, N.Y. 14580  
(716) 872-4503**

18  
20  
22  
25  
28  
32  
36  
40  
45

10

bird, mockingbird, tomtit, flycatcher, thrush, bobolink, and wren have kept injurious insects down to the minimum, but now you seldom see one of these birds. Heretofore I have fed my native birds in the winter time on elevated, covered platforms with grass seed, millet, sunflower seed, etc., and have frequently had over two hundred of different kinds, but now a dozen or two are about all I can muster. (August 30, 1887.)

**Charleston.** Theo. D. Jervy: It has driven away from my garden the redbird (*Cardinalis cardinalis*) and the mourning dove (*Zenaidura macroura*). (March 15, 1886.)

**Charleston.** Dr. G. E. Manigault: It molests and drives away the orchard oriole (*Icterus spurius*), painted finch (*Passerina ciris*), and Carolina wren. (August 24, 1884.)

**TENNESSEE.**—**Lawrenceburgh.** W. T. Nixon: It seems to live in harmony with all our native birds except the bluebird, and only a chance rencontre is had with that, and this at nesting time. The bluebird is always victorious, never failing to secure the old nesting place. With this exception I have never seen the English Sparrow in contest with any of our native birds, although they are almost constantly in close proximity. (February 21, 1887. Present about two years.)

**Paris.** Dr. John T. Irion: Birds of value are decreasing as the Sparrow increases. The mockingbird a few years ago was increasing rapidly, but now it is seldom seen. (November 11, 1886. Present three years or more.)

**VERMONT.**—**Burlington.** Charles A. Davis: It drives off the robin. In the Burlington railroad station, where robins used to be plenty, there are now as many as fifty Sparrows' nests, and not one robin to be found. (1885.)

**Hartford** (country). Allen Hazen: I saw it drive away the tree sparrow (*Spizella monticola*) on January 21, 1885, and after that. (August 28, 1886.)

**Saint Johnsbury.** Rev. Henry Fairbanks: The song sparrow and the savanna sparrow, which until five years ago were exceedingly abundant here, have greatly diminished since the English Sparrow came. The latter are not good neighbors to the robins, thrushes, and vireos, and with fewer robins and thrushes the white grub and cutworm increase. (1885.)

**West Pawlet.** Dr. Frank H. Braymer: It molests the chipping sparrow, robin, martin, brown thrush, goldfinch, yellow warbler, etc. (February 15, 1884.)

I have also known it to drive off the bluebird, song sparrow, purple finch (*Carpodacus purpureus*), and greenlets (*Vireo*). \* \* \* It drives away the cedar bird (*Amphispiza cedrorum*), house wren, and catbird. (August 31, 1886. Present eleven or twelve years.)

**VIRGINIA.**—**New Market.** George M. Neese: The Sparrow has a bad name here, worse than it deserves. I do not think it has driven off a single native bird, although it fights the bluebird and the wren, but only for its own home. It is true it generally appropriates all the boxes and nesting places in the spring for its own use before the other birds arrive. Then, when the other birds (the bluebird and the wren) begin to look about for nesting places the fighting commences, and the Sparrow is always the victor. But bluebirds and wrens are quite as plentiful here as they were twenty years ago. The purple martins are not so abundant here as formerly; in fact, I have not seen one this year. Some attribute their disappearance to the Sparrow, but an old farmer told me that the martin was getting more and more scarce every year before the Sparrow came here. (December 30, 1885.)

There have been no purple martins here for the last few years, but I do not know whether or not it is the Sparrow's fault. The Sparrows commence their breeding season before the wren returns from the south, and appropriate every available nesting place. When the wren comes it generally fights a few days for its old home, gets whipped in consequence of numbers, and seeks a place the entrance of which is too small for the Sparrow. Last winter I closed a box in which a pair of wrens had nested last year, and in the spring when the wrens came I opened it. The Sparrow took possession of it immediately. The wrens fought nobly, but the Sparrows were

so plentiful that I thought the wrens had a bad show for success, and I closed the box again, but put a small oyster can, with an opening just large enough to admit the wren, on a tree about six feet from the box of contention. The wren built in the oyster can and the Sparrow built on top of the closed box. They had a few fights during nest-building, but each reared its brood. (August 27, 1886. Present about twelve years.)

WEST VIRGINIA.—*Bethany*. M. E. Brown: It drives other birds away by robbing their nests and fighting them. A whole colony will go to the rescue of one. (November 12, 1886. Present about six years.)

*Buckhannon*. Dr. J. R. Mathers: The martin, bluebird, robin, wren, and catbird are all able to drive the Sparrow, but they sometimes have considerable strife before they succeed. Every spring the martins can be observed driving the Sparrow from the boxes that they occupied the previous year, and the robin and bluebird do the same. (August 19, 1886. Present five years.)

*Elizabeth*. Z. E. Thorn: The wren and bluebird seem to have become overpowered by the numbers of Sparrows, and have nearly all left this section of country. They seemed to be a match for the Sparrows until overcome by numbers. None of our native birds molest the Sparrow unless first attacked. (November 4, 1886. Present about two years.)

*Halltown* (town and country). John H. Strider. The English Sparrow drives off all other sparrows, the wren, martin, and all insect-eating birds; in fact, all our small birds, except the kingbird, and perhaps the catbird, which seems to hold its own against it. (September 6, 1886. Present about seven years.)

*New Martinsville*. Ben. M. Welch: It drives almost all other birds away. Whole flocks will attack one bird, and it is bound to give up. (November 12, 1886. Present five or six years.)

WISCONSIN.—*Clinton*. C. N. Crotsenburg: The yellow-shafted flicker (*Colaptes auratus*) has been repeatedly attacked and is able to withstand them only just so long as he stays in his hole; when outside he is obliged to retreat. (April 23, 1887. Present about eight years.)

*Janesville*. H. L. Skavlem: I do not know that the Sparrows have taken up the nesting places of our native birds. This summer a robin nested in one of my shade trees, and I noticed repeatedly that Sparrows would alight in trees near by, and the robin would drive them off. I do not believe there are any less native birds here now than before the Sparrow came. (August 24, 1886. Present about ten years.)

*Keweenaw* (country). Ransom A. Moore: In several instances the Sparrows have attacked other birds, and at such times keep themselves in a body and help each other. (November 8, 1886. Present about two years.)

*Milwaukee*. Walter B. Hull: In resisting the Sparrow's encroachments the kingbird is the most courageous; a few robins always show fight, but all kinds are outnumbered and almost invariably defeated. (August 23, 1886. Present about six years.)

*Milwaukee*. Charles Keeler: The Sparrow has recently found its way into the country about here, and the American goldfinch (*Spinus tristis*) has become quite scarce in places frequented by it. The food of the two birds is similar, and if one or the other must give way it will be the goldfinch. (August 21, 1886. Present about fifteen years.)

CANADA. ONTARIO.—*Belleville*. Prof. James T. Bell: The robin and grackle are the only birds I have observed which resist or attempt to drive off the Sparrow, and their success is only temporary and partial. A Sparrow will summon his fellows to fight with a robin, but they appear to be afraid of the grackle. Purple martins defend their nests against the incursions of the Sparrows, on Front street, Belleville, but these are the only birds I have seen so engaged. The Sparrow molests and drives off the bluebird, gold-finch (*Spinus tristis*), and small finches and warblers in general. (August 19, 1886.)

Mr. Thomas Walker, of the township of Rawdon, who resides some 26 miles from

this city, a few days ago gave me the following facts in regard to the English Sparrow. It first appeared on his farm in 1885, when two couples came early in the spring and took possession of two swallows' nests under the eaves of his barn. When the swallows returned they set upon the intruders, tore down the nests, and threw the eggs of one couple and the four newly-hatched young ones of the other to the ground, and drove away the parent birds, which appeared no more.

Early in the present year a pair of Sparrows came to the barn, and occupied a nest as before. On the arrival of the swallows, they again attacked the Sparrows with rapid evolutions and shrill twitterings. Next morning Mr. Walker found four partially fledged nestlings and the old cock Sparrow lying dead on the ground. The hen bird took refuge in the porch of the dwelling house, where she was fed by the family for a few days, when she also disappeared. (October 4, 1886.)

*Belleville* (country). William L. Ponton: The number of other birds (except black-birds) has been much diminished of late years here through the ferocity and persecution of these little marauders, whose pluckiness is worthy of a better cause. (September 27, 1884.)

*Cottam*. W. E. Wagstaff: The barn martin alone attempts to reclaim former nesting sites when these are occupied by the Sparrow. I have not observed the Sparrow to molest or drive off native birds. (August 23, 1886. Present about six years.)

*Hamilton*. Thomas McIlwraith: No other bird is tolerated where the Sparrows have settled. I have seen them eject swallows, bluebirds, and house wrens from their nests. The robin holds his own by superior strength, but should a casual visitor of smaller size and timid nature appear, the Sparrows leave their own fight unsettled and unite in driving the stranger off the premises. (March 10, 1884. Present about 10 years.)

*London*. W. E. Saunders: In four years from its introduction it ousted from our house and one house on each side three pairs of robins, two pairs of bluebirds, three pairs of white-bellied swallows, and one pair of wrens. Our city is full of trees, and I have seen orioles, high-holders, jays, redheads, and other similar birds close to the business part of the city before we had this intruder. Now not one is to be seen for every five that were here seven years ago. Then our city was full of barn, cave, and white-bellied swallows, chimney swifts, and martins. They were thick among the stores all day; now only the chimney swifts and martins are left, and they in reduced numbers. The following birds were much more numerous in the city before the advent of the accursed stranger: The chippy, robin, yellow warbler, warbling vireo, wren, bluebird, white-bellied, cave, and barn swallows, and oriole. (December, 1885.)

*Pembroke*. E. Odium: The Sparrows fight fiercely among themselves, but I have not seen them attack other birds, and their nesting does not interfere with them. If there be any interference with any other bird it is with the robin, as it appears to be getting scarcer in Sparrow centers and more general about woods. (August 25, 1886. Present about twelve years.)

*Plover Mills*. R. Elliott: I should say that the Sparrow is invariably the aggressor, and all birds molested simply act on the defensive. I have known the phoebe (*Sayornis fusca*) to fight persistently, in two cases unsuccessfully, in one successfully.

Three years ago (1883) a Sparrow, in the month of March, began to remodel a phoebe's nest; the second week in April the phoebes came, tore some straw out and guarded their home. The fight lasted ten days, when the Sparrows (the first pair at my barn) left. This year, 1886, a pair occupied an old nest of the summer warbler, close to a window. The warblers had been there for four or five years previously, but disappeared this year.

The cave swallow (*lunifrons*) often finds its old nest occupied by *domesticus*, which invariably holds the fort in spite of all the attempts made to dislodge him, but the swallows rebuild, I fancy. The bluebird generally keeps his old quarters. (September 6, 1886. Present about five years.)

*Strathroy.* L. H. Smith: I do not believe he is guilty of driving away our native birds as badly as represented. I have watched him for twelve years, and but one case of fighting with our native birds has come under my notice. On my place of 12 acres I had two or three pairs of cat-birds, one or two pairs of Virginia yellowbirds, one pair of phœbes, several song and chipping sparrows, orioles, house-wrens, etc. Some seasons I would miss a pair, and at another season perhaps one kind would not be represented at all. For instance, after the phœbes' building under my veranda two years and under my cornice one, I missed them. I found how much bird life varied, what a great percentage of nests were destroyed by their natural enemies. As well as I could care for them, and as suitable a place as I had—acres of trees and shrubbery—I don't think on an average more than one pair of birds in five succeeded in raising a brood each season. Birds for some reason move, sometimes temporarily and sometimes permanently, from localities, and it is possible in some places they are fought with and driven away by the English Sparrows, but such an instance never came under my notice. The whippoorwill, the nighthawk, and the passenger pigeon, have almost left this part of the country. Surely the Sparrow did not drive them away. (October 11, 1886. Present about twelve years.)

*Toronto.* Dr. William Brodie: It is generally admitted that it has driven away from cities, towns, and country villages a few native species, such as the chipping sparrow (*Spizella socialis*), bluebird (*Sialia sialis*), house-wren (*Troglodytes ædon*), yellow warbler (*Dendroica æstiva*), cliff-swallow (*Petrochelidon lunifrons*), tree-swallow (*Tachycineta bicolor*), and a few others, species which were taking perhaps rather sparingly to our bustling centers. (January, 1888.)

QUEBEC.—*Montreal.* Ernest D. Wintle: Last spring I observed a pair of summer warblers (*Dendroica æstiva*) build a nest in a tree, when the Sparrows drove them away and built a nest for themselves right on top of the warbler's, so that you could not see any part of the latter's nest. (September 20, 1886. Present sixteen years or more.)

NEW BRUNSWICK.—*Portland* (suburb of St. John). J. W. Banks: A friend of mine showed me a myrtle warbler which he saw killed by the Sparrow. (October 10, 1886. Present two or three years.)

NOVA SCOTIA.—*Two Rivers.* B. B. Barnhill: I have seen it fight with the barn swallow and attack crows. (August 20, 1886.)

ENGLAND.—It always raised my ire as a boy to see them steal the nests of the eave or window martin. I have many times perforated the piping over such nests with shot to kill the rogues. I have but little acquaintance with them in America. (David H. Henman, Willows, Dak., December 12, 1886.)

BERMUDA.—I am informed by a relative who spent last winter in Bermuda that nearly all the beautiful birds of that island have been expelled by Sparrow usurpers, which are innumerable, and devour fruit and grain, and foul porches, walks, roofs, and windows. Negro children are there constantly employed to kill them. My informant is observant and merciful, but says that once naturalized in a foreign country the Sparrow becomes vicious. (W. N. Ponton, M. A., Belleville, Canada, September 27, 1884.)

### RELATION TO INSECTS.

The testimony on this subject came from five hundred and ninety-one observers, of which number one hundred and thirty-six sent replies of such a nature as to allow of complete summarization, and in two hundred and seven other cases a part of each report may be so treated. The following lists show the character of the evidence which can be thus condensed.

Among the replies to the question *Under what circumstances does the Sparrow feed on insects?* the following were received:

	Reports.		Reports.
Under no circumstances whatever....	10	Mostly in spring.....	3
Under no circumstances, so far as observed.....	50	Mostly in fall.....	1
Have never known it to eat insects..	12	In winter and spring.....	2
Think not under any circumstances..	5	In early spring.....	6
Rarely, if ever.....	9	In spring.....	4
Rarely.....	10	At all times.....	6
Never to any extent.....	4	At nearly all times.....	2
Occasionally.....	9	Whenever it can get them.....	5
Only as a last resort.....	2	Under all circumstances.....	5
Only when starved to it.....	7	It carries insects to its young.....	25
In case of extreme necessity.....	4	It feeds its young mainly on insects..	5
When very hungry.....	2	It takes a few insects to its young...	7
When seed is scarce.....	4	It takes a very few insects to its young.	2
When grain is scarce.....	4	It takes insects when feeding its young.....	24
When it can get no grain.....	25	It takes insects only when feeding its young.....	3
When it can get no grain or fruit....	6	It takes insects especially when feeding its young.....	8
When it can get nothing else.....	22	It takes insects mainly for the young.	7
When other food is scarce.....	10	It takes insects during the breeding season.....	13
When insects are abundant.....	3		
Mostly in winter.....	2		
Mostly in summer.....	5		

Among the replies to the question *What kind of insects does it destroy?* were the following:

	Reports.		Reports.
All kinds.....	9	Few of any kind.....	2
Nearly all kinds.....	2	None to any extent.....	9

In response to the question *Has any case in which it has been of marked benefit to the farmer or horticulturist come under your notice?* twenty-seven observers replied in the negative and thirty-nine in the affirmative. The latter in most cases stated the manner in which the benefit was derived, and almost all such reports have been printed in full.

The remainder of the testimony in relation to the Sparrow's insectivorous habits consists of reports from about four hundred and fifty observers, and its character will be fairly shown by an examination of the following examples, in connection with the summaries given on pages 101 and 102 of this Bulletin.

**ALABAMA.**—*Centre.* J. J. B. McElrath: It eats the caterpillar of fruit trees and grape vines. (September 20, 1886. Present two years.)

*Eufaula.* E. L. Brown: My impression, founded on observation only, is that it does not feed upon insects at all. (September 17, 1886. Present four or five years.)

**ARKANSAS.**—*Helena.* J. O. Bagwell: It will not catch a grasshopper or other insect as long as it can get a living in the streets. (September 20, 1886. Present three years.)

*Lonoke.* A. F. Huntsman: It destroys worms, bugs, and insects in the gardens and fields early in the spring, feeding constantly on almost every kind of insect and larva. (September 23, 1886.)

*Osceola.* Dr. D. A. Richardson: Mr. Bacchus, a druggist in town, tells me that during



the summer he noticed the English Sparrows picking what he supposes to have been eggs of insects from the under side of the leaves of some mulberries near the store. (December 27, 1886. Present about six years.)

CALIFORNIA.—*Berkeley* (suburb). Dr. M. C. O'Toole: Spiders and moths are used as food for the young, but the Sparrow will devour that which is near at hand. He may eat insects of any kind if grain can not be had. It will be found that the Sparrow is not of any service to the farmer or any one else. It visits the fields *only* in harvest time, and then in flocks. (February 17, 1887. Present about three years.)

*Eureka* (suburb). Charles Fiebig: It eats insects, mostly caterpillars, when feeding its young. (September 28, 1886. Present fifteen months.)

*Haywards*. Dr. J. G. Cooper: It evidently prefers seeds, but is seen to catch flies, etc., when feeding its young. (February 22, 1884.)

*Oakland and San Francisco*. E. F. Lorquin: I have seen it catching flies, of which it is very fond, but I have never seen it feeding on worms or caterpillars. (August, 1887.)

*San Francisco*. F. Gruber: It eats flies, spiders, moths, butterflies, caterpillars, and the larvae of insects, and feeds its young on the larvae of insects, worms, and soft insects. The bird seems to prefer insects or grubs to seeds or grain in the winter season. \* \* \* During the last four years I find that insects and garden snails have become remarkably scarce here. (March 5, 1884. Present nine years.)

*San Francisco*. William McK. Heath: A very few insects are fed to its young. (May, 1887. Present ten or fifteen years.)

*San José*. A. L. Parkhurst: They feed on various worms, caterpillars, and grasshoppers during the breeding season. (August 27, 1886. Present about five years.)

CONNECTICUT.—*East Hartford*. Willard E. Treat: It devours the canker-worm, goldsmith beetle, and various small moths. It feeds on insects mostly in the spring, during breeding time. (October 23, 1886. Present about eight years.)

*Middletown*. Walter B. Barrows: During May and early June (1886) the canker-worm (*Anisopteryx vernata*) was extremely abundant throughout the town, and nearly all the unprotected apple and elm trees were completely stripped of their foliage. While the worms were very small the Sparrows did not seem to notice them, but when one-third or one-half grown they began to collect and carry them to their young in large numbers. I frequently saw a dozen or more Sparrows on a single large elm close to the house, all busily collecting the worms, and each carrying away a bunch in his bill. The adult birds never seemed to eat any of these worms, but they certainly carried thousands each day to their young in the ivy close by. In spite of this, however, and the additional fact that many other birds were also feeding constantly on the worms, the elms were completely stripped of their leaves before the worms were fully grown, and they were thus compelled to spiu down to the ground and travel off in search of other food. While thus moving off on fences, walks, and the ground I never saw the Sparrows touch them, probably because there were still many trees on which worms were to be found. It should be noticed in this connection that the canker-worm is a smooth-skinned span-worm, and a favorite food with almost all birds which habitually eat insects; while its great abundance so near the nests of the Sparrows will in part account for their feeding their young so largely on it. The moth of this species is most abundant in early spring, when the wingless female issues from the ground late in the afternoon, ascending the trees to deposit her eggs during the night. On favorable evenings in March and April of the season in question, the grass and leaves beneath elm and apple trees were fairly alive with these wingless females distended with eggs. The robins ate them by hundreds, but I never saw an English Sparrow take any notice of them, although it occasionally chased the winged males, which were equally abundant and much more conspicuous. (July, 1886. Present about sixteen years.)

*New Haven*. Louis B. Bishop: It feeds on insects when no other food is plenty. I have seen it kill the cloaca, canker-worm, and cabbage-worm, but very rarely. (August 23, 1886. Present fifteen years or more.)

*New Haven.* Robert D. Camp: I am positive that the Sparrow kills a great number of the canker-worms which infest our elm trees. I have seen the female bird alight on the perch of its house in front of my window with seven worms in its beak at once, and from my observations I should say that it would average three worms in every eight minutes during the day while raising its young. (April, 1887. Present fifteen years or more.)

*New Haven.* A. C. Sheldon: When feeding their young I have seen them resting on our window-shelf with from one to five worms in their mouths at a time. The worms were alive and wriggling, and were about three thirty-seconds of an inch in diameter by seven-eighths of an inch in length, and of a clear green color. The Sparrows, after resting a moment, flew to their nests, where I have seen them feeding these worms to their young. (April, 1887. Present fifteen or sixteen years.)

*South Woodstock.* Mrs. G. S. F. Stoddard: I have never seen them feed on insects, though watching them often in different places. (January 22, 1887.)

DISTRICT OF COLUMBIA.—*Mount Pleasant.* William Holmead: They are of no benefit to the farmer. They will only feed on insects when they can not get grain. Since the introduction of the Sparrow our gardens and fields have been devastated by insects, especially those which attack the cabbage, and only in the country, where the Sparrows are not numerous and our native birds are, can cabbage be raised. (November 8, 1886. Present fifteen years or more.)

*Washington.* S. M. Clark: They do not feed upon larvæ, but supply them to their young; I have watched them closely in this regard. (January 11, 1886.)

*Washington.* James Halley: For several evenings past I have seen the Sparrows catching the white moths of the web-worm, eating some and carrying others to their young. I saw at least twenty carried off by one pair of Sparrows in a short time. The moths only begin to leave their cocoons toward sunset, and do not fly much until it begins to grow dark, so that few birds can get them, and the Sparrows are surely doing some good in destroying them. (May 11, 1887.)

(Specimens of this moth were brought to the Department by Mr. Halley, and proved to be *Hyphantria textor*, the moth of the fall web-worm, one of the species which has been most injurious to the shade trees in Washington. Mr. Alexander McKericher, assistant gardener at the Department of Agriculture, was with Mr. Halley at the time the Sparrows were catching the moths, and testifies that he has seen them doing so at other times, as well as catching seventeen-year locusts and other insects.)

*Washington.* George Henning: I have seen it carry worms, cicadæ, May or shad flies, and other insects to its young. (March 6, 1884. Present fourteen or fifteen years.)

*Washington.* H. W. Henshaw: In 1885, during the prevalence of the seventeen-year locusts in this city and vicinity, the English Sparrow was observed to attack and destroy these insects in very considerable numbers. The same facts were observed by Messrs. R. Ridgway, C. V. Riley, and others.

*Washington.* William Saunders, superintendent of garden and grounds, U. S. Department of Agriculture: Some insects are eaten, mainly by the young in the nests. I have seen the old birds carry caterpillars (not hairy), black beetles, and grasshoppers to their nests. I do not think they will touch hairy caterpillars. (April 13, 1887. Present sixteen or seventeen years.)

*Washington.* Walter B. Barrows: Perhaps twenty times during the present summer I have seen a Sparrow with an insect of some kind in its bill. The insects which could be identified were: Cicadæ, once or twice; cut-worms, several times (two specimens identified by the assistant entomologist as *Nephelodes violinea*), once or twice snatched from robins by the Sparrow; moths of the fall web-worm (*Hyphantria*), two or three times, and larger moths twice; three May flies (*Ephemera*), slugs; one good-sized grasshopper. Sparrows were also seen to chase butterflies of several species and frequently appeared to be catching or chasing insects too small to see. (August, 1887.)

**GEORGIA.**—*Alphareta*. William A. Porter: It has been of marked benefit from its destruction of the cabbage-worm, a soft, green worm resembling the tobacco-worm and very destructive to cabbage. It feeds on this worm under ordinary circumstances, as well as on flies, ants, gnats, and small bugs. (September 8, 1886. Present about two years.)

*Atlanta*. Hon. W. A. Harris: I do not think it feeds on insects. As a destroyer of the caterpillar it is a failure. (November 11, 1886. Present about ten years.)

*Augusta*. Dr. J. P. H. Brown: I know of no marked benefit. It destroys insects and their larvae without stopping to discriminate between the injurious and beneficial. (September 5, 1886. Present about fifteen years.)

*Buena Vista*. Thomas B. Lumpkin: When hungry they go for all kinds of insects, but seem to prefer crickets and grasshoppers. (October 4, 1886. Present about two years.)

*Carrollton*. M. R. Russell: In the brooding season it destroys grasshoppers and cabbage-worms. (September 25, 1886. Present about four years.)

*Griffin*. J. H. Barnes: It is of no benefit to the farmer or horticulturist. It feeds on insects when there is nothing else. It never touches the cabbage-worm or the cotton-worm, the greatest pests of Georgia. (September 17, 1886. Present about six years.)

*Lexington*. John T. M. Hairn: It has been of marked benefit by eating the caterpillars from cabbage and grape-vines. (September 25, 1886. Present four years.)

*Palmetto*. Simeon Zellars: It feeds on insects generally, and especially while feeding young. (October 4, 1886. Present about four years.)

*Savannah*. J. N. Johnson: I have seen it feed upon moths and upon cut-worms on rare occasions. It has been of no marked benefit to farmer or gardener. (October 7, 1886. Present about eight years.)

**ILLINOIS.**—*Albion*. George Ferriman: It does considerable good by devouring small insects, moths, etc. I have seen it catching the moth and worms from all kinds of trees to feed its young. I think at times it destroys all kinds of insects. (September 3, 1886. Present about fifteen years.)

*Alton*. Hon. William McAdams: It destroys caterpillars and other larvae that are found about the elms and other shade trees in spring. (August 23, 1886. Present about fourteen years.)

*Bernadotte*. Dr. W. S. Strode: In twenty dissections I have not found a single insect or worm in the crops. (September 7, 1887. Present two or three years.)

*Carmi*. Dr. Daniel Berry: Many years ago it was a common thing for a horse to die with the botts. This is a rare occurrence now, and I have been led to believe there is some relation between this immunity from fatal botts on the part of the horse population and the advent of the Sparrow. The Sparrow is a model provider for a family; none so busy as he when his young are unfledged. At such times his main source of sustenance is the horse dung of the street, and there, I believe, is where he does his good work in destroying the larvae of that fly. But without any positive knowledge I make the suggestion of this relation between the Sparrow and the botts. (October 6, 1886. Present about ten years.)

*Centralia*. Jabez Webster: It feeds its young upon insects for the first seven or eight days. I have not observed it eating any particular kind except small grasshoppers; it prefers grain or fruit. (December 21, 1886. Present about seven years.)

*Collinsville*. Henry DeWald: In the spring of the year it feeds its young a great deal on caterpillars from trees, not from vegetables. (October 5, 1886. Present about twelve years.)

*Freeburgh*. Charles Becker: I have seen them catch army-worms by the thousand. Two years ago we had a timothy patch near the Catholic church, where Sparrows are abundant, which was attacked by the army-worm, but in a short time the Sparrows destroyed them. It was interesting to see the Sparrows fly into the meadow, catch a worm, and fly back to feed the young ones; and this they did to such an extent that

the dead army-worms could be found around their nesting places, as I found by inspecting the nests with some other persons to whom I communicated my observation. When feeding their broods they also catch caterpillars, locusts, butterflies, etc. (September 30, 1886. Present about nine years.)

*Griggerville.* T. W. Parker: So far as I have noticed it destroys insects only to a very limited extent. I have seen it feed on grasshoppers. (September 22, 1886. Present about four years.)

*Johnsonville (village).* Jas. J. Johnson: In the brooding season it carries to its young a great many insects. The larvæ of the May-beetle seem to be a favorite food, and any other grub-worm or larva is taken. (March, 1887. Present three or four years.)

*New Athens.* August Gierschner: It has been of marked benefit to the farmer. In the spring it eats many of all sorts of caterpillars, and even during winter it picks off many larvæ wherever it finds them. It also destroys larvæ of butterflies, moths, and bugs. \* \* \* I have not noticed that he destroys any of our most hurtful insects, such as the army-worm, chinch-bug, Hessian fly, potato-bug, etc. (October 5, 1886. Present about fourteen years.)

*Quincy.* J. H. Richardson: It destroys very few insects, if any. I can find no one of our farmers who thinks them a benefit; they all tell me they are a great nuisance. (October 4, 1886. Present about sixteen years.)

*Roberts.* E. O. Newman: In rearing its young it feeds them on all kinds of worms and small caterpillars. (September 27, 1886. Present about eight years.)

*Rock Island.* W. H. Hatch: I have never observed it feeding on insects, nor have I been able to find any on dissection. (October 25, 1886.)

*West Belleville.* George C. Bunsen: It will occasionally eat grasshoppers. (Autumn, 1885.)

INDIANA.—*Brazil.* D. W. Brattin: I have observed it closely, but never saw it feed. ing on insects, although the latter were abundant. (September 1, 1886. Present about seven years.)

*Brookville.* Amos W. Butler: The army-worm and seventeen-year cicada are more largely eaten here by the English Sparrow than by any other bird we have. (Autumn, 1885.)

*Edwardsville.* Edwin Yenowine: One case of marked benefit to the farmer has been noticed, viz, their taking cabbage-worms, I think for their young. (September 7, 1886. Present about four years.)

*Evansville.* Dr. William Weber: It has been of marked benefit to the farmer by destroying the white miller moth, cabbage-worm, and numerous other worms and insects when it has young. It does not destroy the common caterpillar so much, but prefers the moth. (October 15, 1886. Present about thirteen years.)

*Greencastle.* W. H. Ragan: It certainly feeds on injurious insects at times. I often observed it feeding on the seventeen-year cicada during their prevalence in 1885, and have also noticed it feeding on the tent-caterpillar, and in one instance on the fall web-worm. From good authority I am persuaded that it also sometimes feeds on the cabbage-worm (*Pieris rapæ*). (September 23, 1886.)

In regard to the fall web-worm, the case referred to occurred in August last. A single bird, industriously engaged in the midst of a web, seemed to be feeding on the larvæ. After observing him for some moments he flew down to the fence near me with a larva in his beak, and there deliberately devoured it. This is the only instance of the kind which I have personally observed, but my esteemed friend, Hon. Sylvester Johnson, of Irvington, this State, president of the Indiana Horticultural Society, has more than once reported having caught them in the act. (July 4, 1887. Present about fifteen years.)

*Irvington.* Hon. Sylvester Johnson: It destroys the cabbage-worm, and the plum-curculio when shaken from the tree. (September 20, 1886. Present about sixteen years.)

found by in-  
y observation.  
ies, etc. (Sep-

ects only to a  
nber 22, 1886.

carries to its  
be a favorite  
esent three or

he farmer. In  
ter it picks off  
ies, moths, and  
urtful insects;  
ctober 5, 1886.

an find no one  
reat nuisance.

kinds of worms  
rs.)

sects, nor have

hoppers. (Au-

ver saw it feed.  
1886. Present

cada are more  
ve. (Autumn,

he farmer has  
(September

he farmer by  
worms and in-  
so much, but

at times. I  
prevalence in  
e instance on  
metimes feeds

gust last. A  
eeding on the  
fence near me  
only instance  
on. Sylvester  
l Society, has  
887. Present

nd the plum-  
bout sixteen

*La Fayette.* J. M. Dresser: It feeds upon insects when it can get nothing else. It has been seen to eat the cabbage-worm, but only when starved to it. I have never seen or heard of a bug or worm being found in the crop of an English Sparrow. (December 11, 1886. Present about twelve years.)

*La Fayette.* F. M. Webster: I have never seen it feed upon insects to any extent, except on the seventeen-year locust (*Cicada septendecem*) and a grasshopper (*Melanopus femur-rubrum*). I think it prefers *Orthoptera* and the larger *Hemiptera*, and possibly *Neuroptera*. It takes insects when it can get nothing else conveniently. I have noticed recently that it catches grasshoppers, but this has only been going on since small fruits and grain have become exhausted. (August 25, 1886. Present about twelve years.)

*Muncie.* Granville Cowing: Its diet seems to be wholly vegetable, and it is regarded here as a great and growing curse to agriculture and horticulture. (November 20, 1886. Present about six years.)

*New Albany.* Jas. N. Payton: In this city and other places in the country, before it came we had a caterpillar plague every three or four years. \* \* \* The caterpillar stripped all our shade trees except the maple and sugar tree of all their leaves. Since the Sparrows have become numerous, we have not had any trouble from caterpillars, and I believe the Sparrows did the work. (September, 1885. Present about twenty years.)

*Richmond* (suburb). Joseph C. Ratliff: It does not take insects unless when feeding its young. (November 5, 1886. Present about seventeen years.)

*Tell City.* John L. Huber: It has been of marked benefit in the destruction of the army-worm. It also eats the cabbage worm, and all other worms infesting vegetation. It feeds its young upon insects. (October 8, 1886. Present about twelve years.)

*Vevay.* William R. Stratford: It destroys the cabbage-worm (a great pest in this locality), but I believe not more effectually than did our other birds before the advent of the Sparrow. (October 7, 1886. Present about ten years.)

*IOWA. Bellevue.* Dr. Lawrence Millar: I have observed it tearing the nests of the leaf-roller, and extracting the larvæ. I often see it carrying off beetles. It feeds upon insects during the brooding season. (October 27, 1886. Present about ten years.)

*Burlington.* Howard Kingsbury: It benefits the farmer by destroying countless numbers of codling-worms, larvæ of *Coleoptera*, and many varieties of *Aphide*. It feeds upon insects whenever it can get them—especially while rearing its young. (December 28, 1886. Present sixteen or seventeen years.)

*Burlington.* D. Y. Overton: It appears to be a scavenger, and lives but little upon insects; I have seen it attack and destroy a wounded grasshopper, but it exerts little effect on the worms or insects which infest trees and vegetables in the city. (March, 1886.)

*Dubuque.* Theo. W. Ruete: It feeds its young almost exclusively upon grubs, larvæ, and small insects. (October 25, 1886. Present eight or ten years.)

*Iowa City.* C. C. Nutting: It uses insects for feeding its nestlings, but not to any noteworthy extent. (October 13, 1886. Present about five years.)

*Lenox.* A. C. Brice: They certainly feed upon insects and their larvæ, especially when they have young. (October 8, 1886. Present less than a year.)

*Newton.* W. E. Dingman: It commonly eats insects in preference to grain. It has been seen to catch and eat the young of the grasshopper or locust, also the common horse-fly. It destroys to a great extent the bot-fly, melon-bugs of all kinds, and sometimes a honey-bee or wasp. (October 15, 1886. Present two or three years.)

*Wapello.* L. M. Jamison: Like other birds it uses insects in feeding its young brood. (October 11, 1886. Present three or four years.)

*KANSAS.—Garnett.* M. A. Page: It has destroyed millions of worms. It is a benefit especially to our apple orchards. I know that it destroys the codling-moth and miller. (September 3, 1886. Present about one year.)

*Larkin.* P. C. Sweeney: It does not destroy insects or their larvæ to any great



extent. Its food is seeds, and not insects, as formerly supposed. It only feeds its brood with insects while very young. (October 7, 1886. Present about three years.)

*Lawrence.* B. F. Smith: I have never observed it feeding upon insects. It was brought here to look after the maple-worm, which frequently destroys the foliage of the maple twice in a season. It does not feed upon that worm nor does any other bird that I have observed. (January 12, 1887. Present about ten years.)

*Manhattan.* Dr. Charles P. Blachly: The maple-moth has been very injurious here, stripping the trees of foliage twice completely and partly a third time, in a season, and making it very offensive by their droppings and by covering sidewalks and fences in countless myriads. The English Sparrow *has not* been observed to molest them, though breeding extensively in buildings overshadowed by the maples which were completely defoliated by the worms. (November, 1886.)

*Manhattan.* Prof. D. E. Lantz: It feeds upon the *Cicada*. (Autumn, 1885.)

It has not been of any marked benefit. It feeds sparingly upon the maple-worm, so destructive to the maple in this locality. During the breeding season it feeds upon insects, and, although I have not investigated, I am satisfied that its food is largely of this kind during the early summer months. (September 2, 1886. Present about six years.)

*Toronto.* J. B. Stockton: I never saw it touch worm or fly. My trees were filled with green worms, eating the foliage; but I never saw a Sparrow interfere with one, while the other birds did. (October 6, 1886. Present about one year.)

KENTUCKY.—*Bloomfield.* John Allen Terrell: It destroys caterpillars, cabbage-worms, grasshoppers, and larvæ of every description, except that of the potato-beetle. It feeds upon insects under all circumstances. (October 5, 1886. Present about seventeen years.)

*Bowling Green.* Postmaster: I have personally examined the crops of twenty-seven English Sparrows this summer and not found a bug or worm. (October 3, 1886. Present about eight years.)

*Columbus.* F. H. Gardener: It does not seem to discriminate, but eats most small insects thrown in its way. (October 9, 1886. Present about three years.)

*Crescent Hill.* Thomas S. Kennedy: I have not seen it interfere with the cabbage-worm or its butterfly, with the codling-moth, or any beetles, cut-worms, or other destructive insects, except the hairy caterpillar. It feeds its young on insects, especially on the moth of the common hairy caterpillar. (October 5, 1886. Present five or six years.)

*Elkton.* E. W. Weathers: It seems to catch the worms from the cabbages especially. It feeds upon insects when rearing its brood, and destroys to a limited extent such as are common to the garden. (October 4, 1886. Present about six years.)

*Greenville.* C. W. Short: The extent to which it feeds upon insects is not worthy of notice. (October 11, 1886. Present about six years.)

*Hartford.* A. B. Baird: It feeds upon insects only from sheer necessity. In a very few instances; it has been observed feeding its young on grasshoppers. (October 5, 1886. Present about six years.)

*Lancaster.* W. H. Wherriitt: I think it feeds upon insects only when hard pressed for food. In a few instances I have known it to destroy the green cabbage-worm. (October 11, 1886. Present eight or nine years.)

*Louisville.* J. B. Nall: It feeds upon insects whenever it can get them. I have seen it eat cut-worms, and moths of various kinds. It has nearly exterminated the white caterpillar that a few years ago threatened to destroy our shade trees. It eats all kinds of insects to some extent. (September 8, 1886. Present about twelve years.)

*Louisville.* A. P. Farnsley, per J. B. Nall: I have seen English Sparrows, blue-birds, tame pigeons, and blackbirds feeding upon the cut-worm and army-worm. I am certain these birds saved me more in two seasons than they could possibly injure me in twenty years. \* \* \* A few years ago I had a barley field infested with

army-worms. After I cut the barley the worms commenced moving into an adjacent corn-field. I thought my corn would be ruined, but to my great delight the English Sparrows, tame pigeons, and blackbirds came to my aid in vast flocks, and picked up and carried off the worms as fast as they emerged from the barley field. (August 8, 1886.)

*Mayeville.* A. C. Respass: It feeds upon ants and other insects in early spring. (October 6, 1886. Present seven or eight years.)

*Shelbyville.* Dr. Ormsby Gray: It has been of marked benefit in some cases. It feeds its young on the millers and butterflies of many destructive caterpillars, thereby destroying many broods. It destroys insects, however, only when rearing its young. (October 12, 1886. Present about eight years.)

*Simpsonville.* R. H. George: It eats some caterpillars and some innocent worms, but has been of no marked benefit. (October 15, 1886. Present about seven years.)

LOUISIANA.—*Harvataria* (country). William B. Berthoud: I have never known it to destroy insects. I have often killed and dissected them for examination, but never found any insects in them. (June 27, 1887. Present about four years.)

*Black Hawk* (country). W. C. Percy, jr.: It feeds upon insects during winter and spring, but I do not know upon what kinds. It does not eat the cotton-worm, and I have seen but few insects in its stomach. (September 15, 1886. Present about two years.)

*Donaldsonville.* L. E. Bentley: I do not know of its destroying any particular insect, injurious or otherwise. Insects remain undisturbed in its very roosting trees. (October 3, 1886. Present five years.)

MAINE.—*Brewer.* Manly Hardy: They are said at times to eat canker-worms, but close watching here has failed to see one take any kind of insect. (August 31, 1885. Present about four years.)

*North Livermore.* George H. Berry: During early spring and summer it eats a few insects, though rarely. It takes the canker-worm, carabid larvæ, *Coccinellidæ* (lady-bugs), and rarely the vaporor moth (*Orygia*). (August 23, 1886.)

June 3, 1885, I found a nest of the English Sparrow with three young about half grown. In the nest were remains of the *luna* and *cecropia* moths, and *turnus* and *antiopa* butterflies; also a single dead larva of the vaporor moth. June 12, 1886, the English Sparrows (in nest just below my window) hatched and the old birds were feeding them with small green worms. June 14, from 2 to 5 p. m., the Sparrows brought some sixty green worms and a couple of caterpillars of *Orygia leucostigma* besides flies, moths, etc. July 10, 1887, there being a nest of Sparrows almost ready to fly, in a box, I secured nearly twenty larvæ of *Orygia* and placed them on a limb just below the nest. For nearly an hour the old birds paid no attention to them, but finally one of them ate one and carried three to the young; the remainder were unmolested. (July 12, 1887. Present about four years.)

*Portland.* Nathan Clifford Brown: Among 15 Sparrows (14 adults and 1 young) dissected during the four months ending July 13, 1884, only two contained any animal food whatever. One of these contained the remains of a small spider, the other a single leg of a small spider, the remainder of the food in both cases consisting of cracked corn and oats. The food of the 13 remaining birds was made up almost entirely of oats gleaned from horse droppings, two of the birds, one young, having eaten in addition a little green vegetable matter, and all containing some gravel, bits of coal, or brick.

*Naccarappa.* Arthur H. Norton: It has been observed to feed on red ants and spiders to a small extent. (October 18, 1886.)

MARYLAND.—*Baltimore.* Otto Luger: Early in the spring when it has young it takes insects. It is very fond of winged *Termites* (have seen them eating them within the past week); it catches flies of the family *Muscidæ*, but takes beneficial species as well as indifferent ones. It destroyed (in 1835) vast numbers of the harmless seventeen-year *Cicada*. (May 10, 1887.)



MASSACHUSETTS.—*Amherst*. Hubert L. Clark: It is worse than useless, taking as it does little or no insect food. (October 2, 1885.)

A few were seen eating canker-worms this year (1886. Present about fourteen years.)

*Cambridge*. William Brewster: They are emphatically seed eaters. I think they eat very few insects. I do not think it possible that they eat the larvæ of the vapor-er moth (*Orgyia*) to any extent, judging by the fact that the Sparrow boxes in Boston are often nearly covered with the cocoons of this insect, and trees crowded with the Sparrows are stripped bare of leaves. \* \* \* I have never made any adequate dissections. Injurious insects, especially the vapor-er moth (only in Boston) and canker-worm, have increased rather than lessened since the introduction of the Sparrow. (January 30, 1884.)

*Cambridge*. Dr. H. A. Hagen: He eats insects in brooding time and before this time; in my yard chiefly canker-worms, but before their appearance, eggs and all small insects on the trees, for which he searches the twigs in the manner of the wood-pecker. Canker-worms are also carried to the young; I have often seen the male come with five of them in his mouth when there were five young to be provided for. The Sparrow never eats the larvæ of *Orgyia leucostigma*. It is a great but common error here to expect him to eat hairy caterpillars; only a few birds (*e. g.* the cuckoo) eat them. In Cambridge the canker-worm has certainly been materially lessened in numbers by the Sparrow. Since this bird became well established here we have never had such numbers as were common seven or eight years before. (April 13, 1884. Present about eleven years.)

*East Templeton*. Charles E. Ingalls: It takes insects but rarely, and then while caring for its young. I have seen it upon only two occasions flying to its young in the nest with a white grub which I am unable to name. (August 23, 1886. Present about six years.)

*Holyoke*. Thomas Chalmers: Sparrows do not take long flights to procure food for their young; if insects are abundant in the neighborhood, insects will be found to form the staple food for the young. When raising their early broods there is no grain or seed to be had, while soft foods, such as insects, larvæ, moths, and grubs are most abundant. (March 6, 1884. Present about fifteen years.)

*Lynn*. John B. Tolman: I think it scarcely troubles insects. They have increased rapidly since the coming of the Sparrow, and my fruit of all kinds is much more infested than it used to be. (February 15, 1884. Present about eleven years.)

MICHIGAN.—*Bad Axe*. Bell Irwin: I have known it to gorge itself with angle-worms, and later on with insects destructive to fruits and vegetables, among them the cabbage-worm. (September 15, 1886. Present about four years.)

*Burlington*. Postmaster: It feeds upon flies and grasshoppers. (October 21, 1886. Present about three years.)

*Grass Lake*. Frank O. Hellier: It has been of marked benefit by eating currant-worms, cabbage-worms, etc. (September 7, 1884.)

*Hastings*. John Bessmer: It has been of marked benefit in the destruction of a great many insects, especially the cabbage-worm and grasshoppers of the smaller kinds. I am satisfied that it feeds its young entirely upon insects. I have watched it day after day and have placed grain food within easy reach, but it would not touch it to feed its young.

In the summer I planted some cauliflowers in my garden and found they were not attacked by the cabbage-worms, and upon investigation I found that the Sparrows were feeding their young upon cabbage-worms picked from the cauliflowers. After the young leave the nest I have seen them feed upon grain and insects together, and when full grown I believe they subsist entirely upon grain. (October 7, 1886. Present about ten years.)

*Hudson*. A. H. Boies: As an insect-destroyer, I consider it a failure. (1885.)

I once saw a Sparrow catch a single grasshopper, but that is the only instance of

its eating insects that I have observed. (August 19, 1886. Present about eleven years.)

*Lansing.* Jason E. Nichols: I have known it to feed on insects only once, and that was on the harmless flies that swarm over the river. [Probably *Ephemera*.] (August 26, 1886. Present several years.)

*North Adams.* O. C. Smith: From what I have seen, I believe it to be of no value as an insect exterminator; I have yet to observe a single instance in which it has been beneficial. (October 8, 1886. Present five years.)

*Saline (country).* Norman A. Wood: It feeds upon insects only in case of starvation. We have no bird that eats so few insects. I have never seen it eat worm or larva. (September 6, 1886. Present about six years.)

*Traverse City.* H. D. Campbell: It feeds upon spiders around dwellings and in other places. (October, 1886. Present about eight years.)

*MISSISSIPPI.—Columbus.* D. C. Hodo: It is the most omnivorous of birds, and when there are no vegetables or grain it eats all kinds of insects and their larvæ. (September 21, 1886. Present about two years.)

*NEW HAMPSHIRE.—Franklin Falls.* George Stolworthy: It is one of our busiest insect-catchers during the breeding season. I have seen it feeding on grasshoppers after the breeding season was over. It destroys potato-bugs, grasshoppers, and many kinds of small beetles and flies. (August 24, 1886. Present six or seven years.)

*NEW JERSEY.—Coldwell.* Marcus S. Crane: I examined the crops of seven Sparrows shot at different times between August 11 and September 12. During this time our grain was stacked, and the elm-leaf beetle was abundant on the elms. In all cases the Sparrows' crops contained grain, and the microscope failed to reveal any remains of insects. (September 20, 1884. Present fourteen years.)

*Chatham.* George M. Swalm: It eats insects only when driven to it by lack of other food. When they first came to this country I saw them eat soft-bodied, winged insects, but have not seen them do so now for a number of years. (August 31, 1886. Present about eighteen years.)

*East Orange.* H. B. Bailey: It is a seed-eater, and never touches insects. I have never seen a Sparrow touch a cocoon or worm of the vapor moth (*Orgyia*), although trees inhabited by Sparrows are often infested by these worms. I dissected sixty adult Sparrows in the height of the insect season, and never found a trace of an insect; nor have I ever seen one touch an insect of any kind. (February 7, 1884. Present ten years or more.)

*Orange.* Lloyd McKim Garrison: It is a seed-eater. I have dissected many Sparrows, and at all seasons of the year, but have never found a trace of an insect in them, although I think the young eat insects, mainly caterpillars. The canker-worm has been unusually prevalent here of late, but I never saw a Sparrow eat one. (February 11, 1884. Present many years.)

*Ridgewood.* Henry Hales: In cities I have seen it catch moths of the measure-worm in spring. I have also seen them, when sitting on a fence, fly off one after another and catch flies on the wing like a true flycatcher. (January 18, 1887. Present about fifteen years.)

*Trenton.* Prof. Austin C. Apgar: It is mainly a seed-eater, but if forced to eat insects will devour any kind. My knowledge is derived from observation only. Injurious insects have apparently neither increased nor decreased since the coming of the Sparrow. (February 25, 1884. Present about fourteen years.)

*NEW YORK.—Baldwinsville.* Rev. W. M. Beauchamp: Twice this year I have seen it catch insects. (October 15, 1885.)

It rarely eats insects. I have occasionally seen it with insects, and have supposed it carried these to its young. (September 13, 1886. Present many years.)

*Boonville.* Edward Snow: It has been of no benefit except occasionally to catch a few grasshoppers. (August 18, 1886. Present ten or twelve years.)

*Brooklyn.* W. J. Kenyon: At times I have seen the Sparrows all collect in one

spot on the grass and go through what appears to be a war dance. A Sparrow will dart up about four feet, remain fluttering there an instant, and settle again so quickly that there are always two or three birds in the air. I found out later that they were catching small insects something like winged ants. (September 4, 1886. Present thirty years or more.)

[The winged insects referred to were doubtless the so called *white ants* or *Termites*].

*Brooklyn.* J. A. Perry: The army-worm, which has proved to be so destructive to the grass and grain crops in various parts of the country, suddenly appeared a few days since near the southern boundary of the Greenwood cemetery, a road called Martense's Lane only intervening.

Dreading the ravages which they would commit if they got into Greenwood, orders were given that, in the event of their attempting to cross the road, the entire laboring force of the cemetery should be called out to resist them. Their movements were closely watched, and the mode of attack devised. Spades and shovels were ordered to be used and the great-steam roller of 12 tons weight was to be held in readiness to crush them.

But an army diminutive in individual power, but mighty in numerical force, soon appeared as volunteers in the field, and rendered all other precautions unnecessary. The English Sparrow, which had been encouraged to make its home in Greenwood some years since, in order to prevent the ravages of the inch-worm, which then infested the cities of New York and Brooklyn and which it was feared might reach Greenwood, soon discovered these army-worms, and collecting in some mysterious way from all parts of the cemetery, in a flock numbering several thousands, sped their way to the field, swept around its outskirts apparently to observe the extent of the work before them, landed in the middle of it, and spreading themselves on the right and on the left, proceeded to devour voraciously all the worms which they met. The field being large, some 8 or 10 acres in extent, the attacking hosts were busily occupied nearly three days, but they did not leave except at night, until their work was ended in the complete extermination of the dreaded foe. \* \* \* It is due to this poor defamed bird, in the opinion of the writer, that these facts should be made known, that the opprobrium which rests upon it should be removed, and at the same time credit should be given to it for preventing, in one instance at least, the ravages of the much-dreaded army-worm. (For the Journal of Commerce.) (January 24, 1880.)

*Brooklyn.* Hon. Nicolas Pike: In a very short time [after their introduction in 1852] these voracious little birds completely eradicated the "hanging-worm" or measuring worm, *Eugonia* *subsignaria*, which was threatening our fairest shade trees, and making the sidewalks almost impassable. Now it is difficult to find one in the city. They have also materially lessened the numbers of one of the clear-winged flies so destructive to the grape-vine.

The adult Sparrow eats all the *arachnoidea*, millers, and other small moths and their larvæ, the soft larvæ of almost all insects, and small worms. I have never seen it take either the moth or larva of *Orgyia*, nor have I ever found it in the stomach. It does eat ichneumon flies. The food depends almost entirely on season and temperature. In winter it is found in street droppings, crumbs, or anything obtainable. In summer it lives mostly on animal food, which I believe it prefers, unless persistently fed with grain, bread, etc. The young are fed mostly on spiders and soft larvæ of insects. In the nest I believe they are entirely animal feeders, but out of it they take vegetable and animal food indiscriminately. (February 8, 1884. Present about thirty-two years.)

*Buffalo.* Prof. Charles Linden: A liveryman tells me that since the advent of the Sparrow he has noticed a gratifying diminution in the number of bot-flies among his horses. The Sparrow loves caterpillars, and insects of all sorts. Our park superintendent, a good, clear-headed observer, testifies in its favor, and ascribes the fine condition of the trees in Buffalo Park largely to this insect-destroying capacity of the Sparrow. I have often seen the Sparrow catching the white cabbage-butterfly,

and while chasing a rare *Cincindela* [tiger-beetle] in one of our streets, found a swifter competitor in a Sparrow, which caught the insect on the wing. (1885.)

**Buffalo.** Dr. W. H. Bergtold: I have repeatedly seen it catch insects in the same way the various flycatchers obtain their food. It also feeds its young almost exclusively on larvæ, at least while they are quite young. (August 21, 1886. Present twelve or fifteen years.)

**Constantia.** Wallace D. Rhines: It feeds on insects when it can not get grain food. I have seen it destroy quite a number of grasshoppers, but no other insects. (August 23, 1886. Present four or five years.)

**Flushing.** D. C. Beard: He refuses to eat the hairy caterpillars. The canker-worm has diminished about here, but its place is more than filled by the hairy larvæ. (Present about ten years.)

**Gansevoort.** Joseph W. Shurter: Possibly when it can get nothing else it may eat insects, but I have examined the crops of perhaps twenty Sparrows at different seasons and invariably found nothing but grain or seeds therein. (February 4, 1883. Present about eight years.)

**Lockport.** Lewis H. Hill: I have watched them this year on the plum tree, and have seen them open the leaf that had been rolled and eat the worm that it contained. (September 3, 1886.)

**New York.** Dr. F. Hollick: The Sparrow's consumption of insect eggs in winter is a service which, I think, is overlooked. (September 2, 1884.)

**New York.** Hon. Robert B. Roosevelt: We must not forget the good the Sparrow has done. When first imported our city trees were annually denuded of every leaf, while the measuring or inch worms hung in festoons in our streets, suspended from the boughs by their webs. They had invaded the smaller parks and threatened soon to destroy all hope of verdure and to kill the struggling trees. \* \* \* Thousands could be counted at one time in Union Square swinging in the breeze and constituting a net-work of repulsiveness. To-day, thanks to the English Sparrow, and to him alone, the measuring-worm hardly exists and never causes perceptible damage. That one good action entitles the author of it to protection. I can not tell you scientifically what insects the Sparrow eats. I can only give you the outcome of my individual experience, and am well aware that most birds destroy the day millers, when it is the night-flyers which are most injurious. But the Sparrow certainly does more good than any other kind—yes, than any dozen kinds we have. (August 8, 1886.)

**New York.** A. Church: Their favorite food, especially that of the young, consists mostly of ants, worms, flies, and millers, altogether soft food, not grain or seeds. I also notice that the currant bushes in one place are in a thriving condition, owing to the Sparrow's eating the worms which had formerly destroyed the leaves and fruit. The Sparrow is very fond of all such worms, but does not like caterpillars which have hair on them, and these no bird that I know of will eat. On the whole I consider the Sparrow a benefit to the country. (March 27, 1884.)

**Old Westbury (country).** John D. Hicks: It feeds upon insects in the summer, particularly when it has young, but neither more nor less than the song sparrow and allied birds. When the army-worm was abundant, the Sparrow was one of its most vigilant and persistent destroyers. (September 6, 1886. Present about twenty years.)

**Phenix.** Benjamin F. Hess: During the hay-making season I have seen the males capture a great many small insects for the young. It most commonly destroys grasshoppers, but only to a small extent. (August 25, 1886. Present about two years.)

**Poughkeepsie.** Dr. Alfred Hasbrouck: Occasionally it catches a spider, fly, or some other insect. The nature of the food has been determined by observation and by dissection. I have examined many, and have never found an insect. I do not think the effect on insect life is appreciable. (September 9, 1884. Present about twenty years.)

**Rochester.** H. M. Jennings: It does not feed upon insects under any circumstances.

I have examined many, and found not the least indication of their having taken insect food. (February 12, 1887. Present ten or eleven years.)

*Utica.* Thomas Birt: It will devour grasshoppers and some kinds of grubs when it can get nothing else. Some three years ago, in the latter part of a summer which had been very hot and dry, I noticed the Sparrows busy in the meadows. Curiosity compelled me to watch them closely, when, to their credit be it said, I saw hundreds of them bringing an equal number of grasshoppers, tearing them to pieces and bolting them down. Hunger must have compelled them to do this, for I am very sure nothing else would. (September 16, 1887.)

*Worcester.* George C. Osborne: When it can not get grain it may eat insects, but I have never found an insect in its crop. (November 5, 1886. Present about ten years.)

*Ohio.—Akron* (suburbs). Prof. E. W. Claypole: In nesting time it feeds its young upon insects; and it picks plant-lice from the trees sometimes. (December 31, 1886. Present about eleven years.)

*Avondale.* Charles Dury: April 28, 1882, I began an investigation of the food and habits of these birds, being desirous of obtaining correct data in regard to them, and particularly to test their desirability in a general way. In this paper I give a brief summary of the food I found in them. Where the contents of the stomach was not recognizable to the unassisted eye, it was examined under a power of about thirty diameters. The birds secured were both adult and young, though all fully fledged birds and able to fly. No nestlings were obtainable as I did not allow them to nest on the place, which consisted of five acres of ground filled with fruit and other trees. By baiting a spot with oats for several days without molesting the birds, I was able to kill many at a discharge of a No. 12 gun loaded with an ounce of No. 10 shot. One day forty-three were killed in several shots, and of these several selected at random (males, females, and young) were taken to be a fair sample of the entire lot. Others were shot singly from fruit and shade trees, and still others were killed while hopping in the grass.

At intervals as time permitted from April 28, 1882, until January, 1888, I examined about one hundred and ten birds and noted the contents of stomachs. Every month in the year was represented. The food of these birds was seeds of various kinds, grain, oats, broken grains of corn, buds of trees, fruit, and bits of bread and table scraps. I enumerate below the instances where insects were found in any stomach, with the dates.

April 28, 1882. Male; contained seeds, whole and broken, with small round sand and part of shell or outer skin of minute hemipterous insect.

March 2, 1883. Two birds had fragments of small beetles, *Aphodius* (one beetle in each case), in addition to the seeds and grain with which their stomachs were filled.

April 20, 1883. Male and female shot from house top. Male contained, in addition to seeds and buds, one head and part of body of small (*Staphylinid*) beetle.

June 2, 1883. One bird had remains of two small beetles with the broken grains of corn and oats that its stomach was filled with.

June 30, 1884. One bird contained the remains of two small beetles (*Chrysomelids*).

July 5, 1886. In addition to the soft pulp of green oats one bird had the fragments of a large black ant in its stomach.

The above were all the insects I was able to find in any of them. I am astonished at my want of success in finding insects in these birds, as several persons have reported to me instances where they had observed Sparrows catching insects. My observation has been mostly confined to the home place, yet it is a very favorable place for larvae and insects of all kinds, and before the Sparrows came our native birds were abundant and found plenty of food and shelter in the trees and bushes with which the place was covered. (February 3, 1888.)

*Cincinnati.* William Hubbell Fisher: He is a seed eater, and I have never seen him take an insect. He will not eat the worms that destroy our trees, though they are most abundant. My data are derived from direct observation. He has had no appreciable effect on insect life here. (September 9, 1884.)

*Cincinnati.* Dr. F. W. Langdon: I have observed it to be quite expert in catching moths (*Noctuidæ*) on the wing, about our parks; and the seventeen-year cicada furnished an abundant repast during the season just gone. (November, 1885.)

*Cleveland.* Dr. E. Sterling: As for insects, I have only seen it take the *Ephemera* [May flies] and other harmless insects. I have seen twenty or more Sparrows on a fence alive with elm-tree worms, and utterly disregarding these pests. (February 25, 1884. Present about fourteen years.)

*Columbus* (suburb, Ohio State University). William B. Alwood: I have not observed closely in regard to its relation to insects; but I have never found an insect or any part of one in the stomachs of Sparrows killed and dissected during the harvest season. I have never known it to attack insect larvæ, though many times very abundant. Larvæ of *Hyphantria cunea* (web-worm) were especially abundant during the month of June, just past, but none were eaten by the Sparrows, so far as we could observe. (July 16, 1887. Present ten years or more.)

*Hamilton.* George Harbron: It feeds upon the measuring worm and cabbage moth to a limited extent. (September 13, 1886. Present about eighteen years.)

*Jefferson.* A. C. White: I have only observed that it follows robins and bluebirds, and takes from them the worms and insects which they find. (September 3, 1886. Present about seven years.)

*Marietta.* Dudley S. Ney: They do not seem to destroy caterpillars, grubs, or insect larvæ. I am informed by those who have dissected them that they find no insects in them. (November 25, 1886. Present about sixteen years.)

*Newton Falls.* E. W. Turner: I have watched them closely, and have never seen one eat an insect yet. (November 16, 1886. Present five years.)

*North Bend* (suburbs). R. H. Warder: In 1885 it ate the seventeen-year cicada, and in July, 1886, I found them eating grasshoppers in meadows. (November 27, 1886. Present about eleven years.)

*Ripley.* M. M. Murphy: I find the Sparrow of great benefit in my garden, eating the worms off the cabbages, and the caterpillars, etc., from my persimmon trees. (November 12, 1886. Present about ten years.)

*Salem.* Mrs. L. S. Solberg: It feeds its young upon insects, and destroys their larvæ. (October 13, 1886. Present seven or eight years.)

*Sharon Centre.* F. G. Cottingham: It will eat worms, bugs, and beetles when it can not get grain. I have seen it eat locusts, cut-worms, and white grubs, but to a very limited extent. The benefit has been very slight. (August 21, 1886. Present about two years.)

*Wadsworth.* Dr. J. F. Detweiler: I once saw a Sparrow catch and eat a grasshopper, but this is the only instance I have noted of their eating insects. During the summer I dissected a great many to see what they had eaten. I found small grain and seeds in all, but in no single case did I find an insect, nor were any signs of any seen with the microscope. (December 10, 1887. Present about thirteen years.)

*Wakeman.* W. B. Hall: Last winter I cut an old apple tree badly infested with the scale insect. In trimming the tree I had the brush piled neatly. I soon found the brush pile a resort for the English Sparrows, and by close observation found them picking the scales off. They completely destroyed the scale insects from the above-mentioned tree so that I could not find a single specimen. I looked thoroughly, as I wanted to obtain some for microscopic investigation. This is the only time I have seen the Sparrow eating insects. (December 24, 1886. Present about five years.)

*Washington C. H.* H. D. Pursell: During the last two years I have been conducting a series of experiments as to the best method of disposing of the English Sparrow, and during that time I have been a close observer of its habits. I am emphatically of opinion that as an insect destroyer he is a failure. (January 23, 1888.)

PENNSYLVANIA.—*Chambersburg* (country). Davison Greenawalt: I never saw it catch anything but a stray grasshopper or two. (September 5, 1886. Present about fourteen years.)



**Lancaster.** Dr. S. S. Rathvon. Its benefit to the farmer and horticulturist has been merely nominal. Two or three Sparrows have been occasionally observed in conflict about the possession of a cicada, a locust, or a large larva. Doubtless it feeds its young on soft insects, but I have not noticed a Sparrow destroying an insect in ten years. I once saw two of them contending about the possession of an earthworm.

Although, living in a crowded city, I may not be able to say much specifically as to what insects the English Sparrow destroys, I can bear unqualified testimony as to what it will not or did not destroy. Three or four years ago all the elm trees in this city were seriously infested by the elm-leaf beetle (*Galeruca xanthomelana*), several large trees being within 100 yards of my business station. There were millions of the insects—larva, pupa, and imago—on the leaves, the branches, the trunks, and on the pavements under the trees, and I visited them often. Midway between my location and these trees was the dead wall of a large three-story house entirely covered by a vigorous "trumpet vine," amid the foliage of which hundreds of Sparrows roosted, nested, and reared their broods, and many of the birds were flying forth and returning, from "early morn to dewy eve," but I never saw one of them visit the infested trees or appropriate a single insect in any of its forms. At the same time I saw scores of them in the streets, picking up whatever they could find, and especially disintegrating and exploring the *feces* of horses, almost immediately after dropping.

Twenty yards from where I am now daily occupied (on another premise) stands a large cherry tree. Early in the season I noticed a small mass of web, about the size of a common tea-cup, upon a single branch, and I admonished the proprietor to remove it, as it was spun by a species of "web-worm." He paid no attention to it, and now fully one-half the tree is covered and the leaves skeletonized; and this too, notwithstanding not 20 yards distant is the gable of a three-story building covered with another trumpet vine, harboring a colony of an hundred Sparrows or more. They fly straight to and from their rookery, but seldom alight or continue long on the cherry tree.

Again, on my premises is growing a wild cucurbitaceous plant, on which I discovered a small colony of "lady-birds" (*Epilachna borealis*), and as the plant is valueless I permitted them to increase merely to ascertain their destructive possibilities. Although the vine (*Echinocystes lobatus*) is a most vigorous grower, the insects have nearly eaten it up. This vine was also infested by thousands of *Lecanium hemisphaericum* (a species of *Coccidæ*), but the Sparrows did not disturb them. About ten feet from the plant is a large *Wistaria chinensis*, harboring from ten to twenty or more English Sparrows, but they never touched one of the insects to my knowledge, although there has been no period since the 15th of July last that abundance of the larvæ, pupæ, and mature insects were not present. Now, all these insects are of such a texture as to be edible to even young birds, but the Sparrows have "severely let them alone."

Allow me, in conclusion, to say that I have not now, nor have I ever had, any faith in the English Sparrow as essentially a destroyer of insects, simply because it is a *finch*. At the same time I would not wantonly traduce the character of the bird. (October 8, 1886. Present sixteen years or more.)

**Mansfield Valley** (suburb of Pittsburgh). Dr. R. L. Walker: I notice the Sparrows every morning picking up the moths and other insects which get their wings singed by the natural-gas torch in my garden. This is the only insect-eating I have ever known them to do. When the currant-worm became such a pest I put up a number of boxes for the Sparrows, thinking they would clean out the worms; but the experiment was a failure, for although the boxes were occupied, I never saw a Sparrow touch even a single worm. I tore down the boxes and dug up the currant bushes, and by that means got rid of the worms. I wish I could get rid of the Sparrows as easily. (July, 1887. Present about five years.)

**New Lexington.** Dr. H. D. Moore: I have examined a great many stomachs, and in only a very few have I found any worms or insects. They eat such of the larvæ of



the common house fly as they find in horse and cow manure. I have never observed them searching for insects. (September 13, 1886. Present about eleven years.)

*Philadelphia.* A. L. Elwyn: Flies, mosquitoes, etc., it eats in great numbers. I have noticed the Sparrows on my pear trees with great care. In the blossoming season they may often be seen plunging their bills deep down into the flowers. I believe they do this to get at some insect or worm, and am satisfied that the trees were preserved and bore largely through these little birds. (October 11, 1885.)

*Pottstown.* John H. Steele: I have very seldom seen it eat insects. In a very few instances I have known it to take grubs of moths and butterflies, when it could find no fruit. (August 19, 1886. Present about sixteen years.)

*South Bethlehem.* Robert W. Barrell: I have seen it destroy the seventeen-year locust to quite a large extent, but never saw it feed on any other insect. (September 16, 1883.)

*West Chester.* Dr. B. H. Warren: He is emphatically a seed-eater. In the case of one hundred dissections, vegetable material was greatly in excess of insects as a matter of diet. Out of fifty dissections made during March, April, May, and June, forty-seven showed cereal and vegetable food, while one stomach contained a single coleopterous insect. (January, 1887.)

*RHODE ISLAND.—Hill's Grove.* Fred T. Jencks: I have seen it feeding upon canker-worms, though very seldom. (November 6, 1886.)

*Newport.* Charles H. Lawton and John J. Peckham: It feeds upon insects, spiders, and tree lice to some extent. (November 4, 1886. Present about eleven years.)

*Peace Dale.* R. G. Hazzard, second: The bird is omnivorous, but feeds its young chiefly on insect larvae. (May 26, 1884. Present about twenty-six years.)

*Westerly* (suburb). B. F. Maxon: After oats are harvested it feeds some on young grasshoppers. (March, 1887. Present about thirteen years.)

*SOUTH CAROLINA.—Charleston.* Dr. G. E. Manigault: It eats both seeds and insects (flies and grasshoppers), but feeds its young chiefly on the grain from horse droppings. (August 24, 1884.)

*James Island.* W. I. Hinson: We expected great benefits from its attacks on the cotton worm, but it does not seem to disturb it. It does not feed upon insects, except on the caterpillars on trees around buildings. (November 2, 1886. Present four years.)

*TENNESSEE.—Lawrenceburgh.* W. T. Nixon: I have observed the old birds feeding their young on white grubs which proved to be maggots from a dead animal. (February 21, 1887. Present about two years.)

*UTAH.—Provo City.* Jas. G. Kenney: It was expected that it would be destructive to the codling moth, but it is not. (November 15, 1886. Present about six years.)

*VERMONT.—Lunenburg.* Dr. Hiram A. Cutting: It feeds upon both seeds and insects, eating the cabbage-worm and the larvae of various flies. It feeds its young on cabbage-worms and other insect larvae, and on seeds. It has taken all the cabbage-worms from my cabbage field. The bots in horses have become almost unknown, and it is the prevailing opinion that the Sparrow eats the larvae as they come from the horses. (August 19, 1884. Present four years.)

*Saint Johnsbury.* Rev. Henry Fairbanks: It is chiefly a seed-eater. I have watched it a great deal without seeing it take insects. (February 5, 1884. Present eight or ten years.)

*West Pawlet.* Dr. Frank H. Braymer: It is a seed-eater, and I think it eats very few insects, worms, etc. It eats a few small green worms and small grasshoppers, and carries them to its young. (February 15, 1884. Present nine or ten years.)

*VIRGINIA.—New Market.* George M. Neese: Last summer the Sparrows went in large flocks to the fields and destroyed a great many of the grasshoppers that were here in millions devastating every green thing that lay in their path. (December 30, 1885. Present about eleven years.)

**Richmond.** Col. Randolph Harrison: My belief is that they do not consume insects to any great extent, though they may destroy larvae. I have seen caterpillars in elm trees in vast numbers, and the Sparrows, as I believe, did not touch them. I saw one with a live butterfly in his mouth—the only instance of its insect-eating I have known. (August 20, 1886.)

**WEST VIRGINIA.**—*Buckhannon.* Dr. J. R. Mathers: It has been of marked benefit in destroying the eggs of the tent caterpillar and eating the green cabbage-worm. (August 19, 1886. Present about five years.)

*Hickory.* J. H. Shank: I have recently learned that they are very destructive to the cabbage-worm, the larva of *Pieris rapae*. (November 22, 1886.)

**Leon.** G. W. Knapp: The Sparrow does not eat caterpillars, for there have been some on my grape-vines and pear trees not 20 yards from Sparrows' nests. (September 21, 1887.)

**WISCONSIN.**—*Milwaukee.* Walter B. Hull: It feeds upon insects when no grain is to be had. I have seen it feed on grasshoppers, but not often, and can not say what insects it eats. It seldom eats animal food. (August 23, 1886. Present about six years.)

*Milwaukee.* Charles Keeler: It generally feeds upon caterpillars when they are plenty. It destroys canker-worms somewhat, but before the Sparrow was introduced no complaints were made about canker-worms. Spiders are also eaten. (August 21, 1886. Present about fifteen years.)

**Stoughton.** Z. L. Welman: It has been of marked benefit in the destruction of grasshoppers and the like, and has been seen feeding upon a species of katydid when this insect was abundant in the shade trees. (December, 1886. Present about ten years.)

**CANADA. ONTARIO.**—*Belleville.* Prof. James T. Bell: It benefits the farmer and horticulturist a little by eating insects. I have noticed it feeding its young with small green caterpillars on the apple trees behind my house. It eats the insects it finds on the streets. I have noticed it feeding on *Harpalus vagans* and other *Curabide*, catching ichneumon flies and lace wings on the wing, and attempting to catch butterflies. (August 17, 1886.)

In justice to the little rascal I must state that Mr. Richard Elvins, a rather extensive market gardener of this city, informs me that some four years ago his cabbages were badly infested with the caterpillars of the white cabbage butterfly, and he was afraid that he should lose the larger part of his crop. One day, however, a company of Sparrows swooped down upon the plants and cleared the insects completely off them, so that he cut a remunerative crop in due season. (September 2, 1886.)

**Belleville.** William N. Ponton: As regards insects, I assert most positively that when the Sparrow can get grain it will not touch anything else. (September 27, 1884.)

**Hamilton.** Thomas McIlwraith: I have seen them take moths, caterpillars, and spiders, and they also feed their young on them. (March 10, 1884. Present about ten years.)

**Listowel.** William L. Kells: We have seen it catching crickets, grasshoppers, and May bugs, and carrying green caterpillars to its young. (June 23, 1884, and August 23, 1886.)

**Ottawa.** H. B. Small: I have seen it carrying the codling moth to its young and it also takes them worms and grubs. (May 5, 1884. Present about fourteen years.)

**Ottawa.** W. L. Scott: I dissected a young Sparrow in August and found him simply gorged with grasshoppers. Large flocks of these birds, principally young ones, leave the town for the country in the early autumn, and I have no doubt they feed largely on grasshoppers. The decrease of this insect, which used to be a terrible pest on the Government Square and other lawns about the city, but which during the last few years has almost entirely disappeared, has been attributed, and probably with some truth, to the increasing abundance of the Sparrows. I have seen the Sparrows chase

the cabbage butterfly in a most determined manner, though I am not sure I have ever seen them catch any of them. (January 26, 1886.)

*Strathroy.* L. H. Smith: I have watched old birds for hours carrying grasshoppers to their young ones. These are the only insects I can name, but I have seen them hunting for insects on my lawn, but do not know what kinds. (October 4, 1886. Present about twelve years.)

*Toronto.* Dr. William Brodie: With us the Sparrows, in the fall season any way, feed largely on grasshoppers. Of forty three specimens, shot outside city limits, between August 20 and September 13, 1886, the gizzards of twenty-seven contained grasshoppers, *Caloptenus femur-rubrum*, and *Edipoda carolina*, which is surely a very good record for the Sparrow. (November 15, 1887.)

[See also Dr. Brodie's reports on the food of the Sparrow, pages 311-314, 327-329, of this Bulletin.]

NOVA SCOTIA.—*Kentville* I was told by Mr. Elibu Woodworth, now of Sackville, New Brunswick, formerly of Kentville, Nova Scotia, that when the Sparrow first appeared in Kentville, in 1881, canker-worms were abundant and everywhere increasing, and the Sparrows never rested until they had utterly exterminated them. (T. A. H. Mason, Sackville, New Brunswick. August 24, 1886.)

*Two Rivers.* B. P. Barnhill: It feeds on insects from the leaves of trees, and destroys the little green worm such as is seen on currant and gooseberry bushes. (August 20, 1886.)

## SECTION SECOND—PUBLISHED TESTIMONY.

### OUTLINE OF THE HISTORY OF THE SPARROW QUESTION.

The preparation of a list of books and lesser publications relating to the Sparrow does not fall within the province of the present Bulletin, but it may be well briefly to outline the history of the "Sparrow question" in other countries as well as in America.

The history of the Sparrow begins with the history of man, and there is every reason to believe that this bird was well known to people of whom we have no written history; certainly frequent mention of it is made in the histories of the earliest civilizations of Europe. The Sparrow is mentioned repeatedly by Aristotle, and by almost every European writer on natural history who succeeded him.

At a meeting of the Boston Society of Natural History, held April 17, 1867, Dr. Charles Pickering called attention to the recent introduction into the United States of the House Sparrow of Europe, stating that as it threatened great evil preventive measures should be speedily adopted. The official report of this meeting contains the following:

Proofs of its destructive habits were cited from standard authors, showing that the bird had been the acknowledged enemy of mankind for more than five thousand years. When writing was invented the Sparrow was selected for the hieroglyphic character signifying enemy.

Sonnini, in the *Dictionnaire d'Histoire Naturelle*, published in 1817, says:

"Sparrows are impudent parasites, living only in society with man, and dividing with him his grain, his fruit, and his home; they attack the first fruit that ripens, the

grain as it approaches maturity, and even that which has been stored in granaries. Some writers have wrongly supposed that the insects destroyed by them compensated for their ravages on grain. Eighty-two grains of wheat were counted in the craw of a Sparrow shot by the writer, and Rongier de la Bergerie, to whom we owe excellent memoirs on rural economy, estimates that the Sparrows of France consume annually 10,000,000 bushels of wheat."

Valmont de Bomare, in his dictionary, published in 1791, says that "in Brandebourg, Prussia, in order to diminish the ravages committed by Sparrows, a price is set on their heads, and the peasants are compelled by law to bring in a certain number yearly. In each village there are Sparrow hunters, who sell the birds to the peasants to enable them to pay their tribute." (Proc. Bost. Soc. Nat. Hist., XI, 1867, pp. 157, 158.)

For more than four centuries the character of the House Sparrow has been discussed in France, Germany, and Great Britain, and from time to time, especially during the last hundred years, official investigations of greater or less magnitude have been undertaken by different states or provinces, in the hope of settling the question. Among such efforts in Europe may be mentioned the commission appointed by the Senate of France, which, under the direction of M. Florent Prévost, finished its work in 1861; the Commission on Wild Birds Protection, appointed by the British Parliament in 1873; more recently (1885), the work of Mr. J. H. Gurney, jr., and Col. Champion Russell, entitled *The House Sparrow*; and the ninth annual report (1885) on Injurious Insects and Common Farm Pests, by Miss Eleanor A. Ormerod, consulting entomologist to the Royal Agricultural Society of England. Extracts from some of these works will be found in the following pages.

The lesser publications on the Sparrow question in Europe are too numerous to mention, but, unfortunately, as Prof. Alfred Newton remarks in the last edition of the *Encyclopedia Britannica* (art. *Sparrow*),

No definite result that a fair judge can accept has yet been reached. \* \* \* Both friends and foes of the Sparrow write as violent partisans, and the truth will not be known until a series of experiments, conducted by scientifically-trained investigators, has been instituted, which, to the shame of numerous agricultural and horticultural societies, has not yet been done.

In other parts of the Old World much damage has been done by sparrows, but frequently other species than the English Sparrow have been concerned. Thus in Algeria immense injury to grain crops has been done by sparrows, but the species doing the most harm, if not all of it, is undoubtedly the Spanish sparrow (*Passer hispaniolensis*), a near relative of the House Sparrow, but a bird which avoids human habitations and nests in large communities in groves, thickets, sedges, and beds of tall reeds and grass. The ravages of this species, a detailed account of which appeared in the French Bulletin de la Société d'Acclimatation (Vol. III, 1876, pp. 460-463, and Vol. IV, 1877, p. 62), have been attributed by American writers to the House Sparrow, but there is no evidence that the latter bird had any part in the mischief, although it is known to exist in some of the cities and towns of Algeria.

In Australia and New Zealand, however, the English Sparrow, orig-

inally introduced from Europe, has been of late a source of constant anxiety and apprehension. For the last decade or more the newspapers have been filled with complaints of injury and petitions for restrictive legislation, but no important works on the subject have been published. One of the latest contributions to the history of the bird in Australia is the Draft Progress Report of the Board of Investigation, appointed by the governor of South Australia in 1881, which has been quoted nearly entire in the following section of this Bulletin. (See page 348.)

In America the condition of affairs has been similar, except that no official commissions have been appointed to investigate the subject, and most of the published material on the Sparrow belongs to what may be called fugitive literature. Only two works devoted entirely to the Sparrow have been published in the United States, one in 1878, by T. G. Gentry, entitled *The House Sparrow at Home and Abroad*; the other in 1879 by Dr. Elliot Coues, entitled *On the Present Status of Passer domesticus in America, with Special Reference to the Western States and Territories*. Both these works contain lists of papers relating to the subject, the bulletin by Dr. Coues consisting almost entirely of such a list, covering the period from 1867 to 1879, and giving the titles of one hundred and ninety papers, mainly from newspapers and other periodicals.

Dr. Pickering's warning against the Sparrow, uttered in 1867, has been alluded to already; but, although the first, this was not the only expression of apprehension. In a paper published in the *American Naturalist* for August, 1872, Mr. H. J. Bruce describes the habits of the Indian House Sparrow (*Passer indicus*), and after stating that Dr. Jerdon pronounces this bird one of the greatest pests of India, alludes to the introduction into the United States of the nearly allied European House Sparrow (*P. domesticus*) in the following words:

I confess that I look with some apprehension upon these efforts, which I believe to be ill-advised and inexpedient. The European House Sparrow does not differ essentially in its habits from its Indian ally, and, so far as I can learn, it is very generally regarded as a nuisance wherever it abounds. In some parts of England a bounty is placed upon its head, and considerable sums of money are paid for its destruction.

If the Sparrow is to be introduced into America to devour the larvae of insects, it should be remembered that it is for the most part a feeder on grain, seeds, and buds, and that it only makes a business of devouring grubs during its breeding season.

I trust that those who have to do in this matter will act advisedly, lest they should introduce that which will eventually become as great a nuisance in its way as the curculio and the canker-worm. (*American Naturalist*, VI, 1872, pp. 468-470.)

In 1874 Dr. T. M. Brewer, of Boston, Mass., took up arms in defense of the Sparrow by replying to an article by Dr. Coues in the *American Naturalist*, reflecting on the bird, and during the four or five years following a lively controversy was carried on in this journal and the newspapers, by these two naturalists, re-enforced from time to time by various others.

In 1878 the Nuttall Ornithological Club, of Cambridge, Mass., de-

voted one of its meetings to the consideration of the Sparrow question, and the conclusions, which were widely published in the newspapers, led to still further discussion.

Meanwhile the farmers of the country were becoming interested in the matter; numerous articles of more or less value appeared in the agricultural press, and occasional essays and installments of evidence of more than usual value were presented before scientific societies and published in their proceedings.

Finally, in September, 1883, a committee was appointed by the American Ornithologists' Union to investigate the charges against the Sparrow. A circular was prepared and distributed, and much valuable information was collected. A report based on this information was submitted to the council of the American Ornithologists' Union at a meeting held in Washington, D. C., April 21, 1885, and was afterward published in *Forest and Stream* (XXV, August 6, 1885, pp. 24, 25), and is now reprinted in this Bulletin (page 315).

Subsequently, all the evidence collected by the committee of the Ornithologists' Union was turned over to the Department of Agriculture, as already stated, and has been used in the preparation of the present Bulletin.

#### TESTIMONY RELATING MAINLY TO THE SPARROW IN AMERICA.

[American Naturalist, Vol. XV, pp. 392, 393.]

#### THE ENGLISH SPARROW IN ILLINOIS.

\* \* \* The thorough examination of the food and food habits of the English Sparrow, which is certain to result from the intense and universal interest the little stranger has awakened, will give us a mass of valuable facts for comparison with those accumulated in Europe, where the debate concerning the good and evil of its life has been vigorous and long-continued. We shall thus be able to trace much more fully and exactly than has ever yet been done the effects of widely changed conditions upon the alimentary regimen of a bird.

Now that the stage of more or less ignorant and passionate discussions and personal vituperation seems nearly to have passed, contributions of fact will probably not be unwelcome. I add a few notes on the food of twenty-five birds shot in and around Aurora, Ill., in September of two successive years, 1879 and 1880.

The elements of the food at this time were quite few and simple, consisting almost wholly of fragments of grain picked up on the streets and of the seeds of a few of the commonest grasses. At a time when 30 per cent. of the food of the robin, 20 per cent. of that of the catbird, and 90 per cent. of that of the bluebird consisted of insects, no insects were found in the stomachs of these birds, except traces of three grasshoppers, making perhaps 6 per cent. of the food. Fragments of corn, wheat, and oats amounted to about 40 per cent., and the seeds of grasses to as much more. The common pigeon grass (*Setaria viridis*) was much the most abundant species; but *S. glauca* and *Panicum sanguineum* occurred quite frequently, and three or four species of *Panicum* and *Eragrostis*, which I did not determine, were also present in small quantity. One bird had eaten many hemp seeds, five had taken a very few seeds of "smartweed" (*Polygonum*), and two had eaten little else than the seeds of the common garden sunflower. (S. A. Forbes, Normal, Ill.)



[American Naturalist, Vol. XVI, p. 1660, December, 1882.]

## HABITS OF THE ENGLISH SPARROW.

The following interesting note has been received from Dr. A. K. Fisher, of Sing Sing, N. Y.:

"Knowing your great fondness for *Passer domesticus*, I send you a brief account of one of the various ways in which he imposes upon his superiors. The following was related to me by a friend, who was an eye-witness:

"You well know that when robins are feeding their young they will often collect a number of worms, forming a large billful, before making a trip to the nest. Well, the Sparrow noticed this, too, and when the robin would alight to pick up something more, he would dash down beside the robin and snatch whatever might be in his mouth, then fly a few feet off. The robin would hop after him, when he would make another short flight until the robin would give up and go and hunt for something more."

"My friend saw the Sparrow do this five or six times one afternoon." (Elliott Cones, Washington, D. C.)

[Science, Vol. VII, p. 80, January 22, 1886.]

## THE ENGLISH SPARROW.

A European ornithological journal recently contained the following testimony in regard to the Sparrow (*Pyrgita domestica*), from the pen of Dr. Schleh, professor of agriculture at the college of agriculture, Herford, Germany. Dr. Schleh has paid a great deal of attention to this matter, and believes the Sparrow a pest on the Continent, voluminous evidence of which he is said to have brought forward in his small treatise entitled "*Der Nutzen und Schaden des Sperlings (P. domesticus) im Haushalte der Natur.*"

By examining the crops of a great number of nestling Sparrows sent to him from different parts of the country, he found that young Sparrows, while in the nest and for a week after having left it, subsist entirely on insects, grubs, etc. Two weeks after leaving the nest their food still consists of 43 per cent. of animal food; a week later of 31 per cent., and after that age of only 19 per cent. of animal ingredients. But as soon as they become independent of their parents they prefer seeds, and subsist almost entirely on grain, fruit, and the buds of trees. Dr. Schleh, however, mentions some interesting instances regarding some specimens which seemed to have a peculiar taste for the seeds of weeds which often become a great plague to the agriculturist. In one crop he found the considerable number of three hundred and twenty-one whole seeds of *Stellaria media* (Vill.), in another forty-three seeds of *Atriplex patulum* (L.), in a third sixty-six seeds of *Setaria verticillata*. Some individuals also have a special liking for certain insects. Thus he found in one crop ninety specimens of *Halicta affinis* (Gyll.), four other Sparrows had eaten almost nothing else but a certain kind of beetle, *Anisoplia fructicola* (F.). (Ernest Ingersoll.)

[Forest and Stream, Vol. VIII, p. 165.]

As an encouragement to importers of birds, I claim to have imported Sparrows into America at Portland, Me., in 1854, and I had to import them three times at Quebec before they took root. The two first importations were secret. To the latter I gave the utmost publicity, and the last course was the successful one. \* \* \* I imagine no live Yankee would wish to be now without the life and animation of the House Sparrow in his great cities. They are like gas in a town—a sign of progress. I admit the bird is a little blackguard—fond of low society and full of fight, stealing, and love-making—but he is death on insects, fond of citizen life, and in every way suitable to be an inhabitant of the New World. \* \* \* (W. Rhodes, Quebec, Canada, April 7, 1877.)



[Forest and Stream, Vol. X, p. 196. April, 1878.]

In regard to the Sparrow's destroying insects and larvæ, I am surprised that any one claiming to be a student of ornithology should deny that the English House Sparrow feeds on insects and caterpillars. Especially in the breeding season insects are its principal food, and when it has young almost any caterpillar is greedily sought after, except those thickly covered with hair. Spiders they are very fond of, and, during the last few warm days, every nook and corner has been explored in search of them around my two-story work shop. In a large *Ailanthus* tree in my yard I have a number of boxes, each having a tenant. I therefore have a large number constantly under my observation. Many species of *Lepidoptera* formerly plentiful in Brooklyn have very nearly disappeared, among these the one which feeds on the *Ailanthus*, and which nearly destroyed the foliage of that fine shade tree, has been nearly exterminated by the Sparrow. I believe the Sparrow to be a very useful little bird, and I should be very sorry to see him destroyed. I am now speaking only of the city. If it should become very abundant in the country it may do some damage to the grain crops, but that is the only harm it will do. In regard to its driving away native birds from the city, we never had any remain in it, excepting a few chipping sparrows, martins, and swallows, and these are all as plentiful now as ever. A chippy built its nest last summer in my tree, within two feet of a Sparrow house. (John Akhurst.)

[Forest and Stream, Vol. XII, page 424.]

\* \* \* I am no friend of the noisy, dirty pests they [the Sparrows] have become in our city, but give my evidence in order to show that, probably from local habit, they do eat insects here. We have a grasshopper, quite common during the summer, frequenting open places in fields, roads, and streets, fully two inches in length, of a dirty brown color, and when at rest unattractive-looking, but having the underwings a rich black, bordered with a wide margin of bright yellow, very conspicuous when flying. \* \* \* This hopper has a habit of every once in awhile rising on wing three or four feet from the ground and then remaining nearly at one place (precisely like a hawk when hovering on the lookout for dinner) for moment or more, making a peculiar cracking noise at the same time, and then alighting again near the place it started from, where generally there is a female to be found, if searched for. They are common in the heart of the city as well as country, and I have time and again, when watching this "hovering," seen a Sparrow dart from a neighboring tree or house, grab the hopper, sometimes missing it at first, but following it in its flight, and finally catching it.

We are very much troubled in our house with the small "croton bug," and also the large black roach. Their increase is enormous in our climate, and it requires constant war to keep them down. My kitchen opens on the back yard, without step. Under my hydrant there is a bucket of water always standing with running water for the dogs. This bucket is the central bathing and watering place for the Sparrows from, judging from their numbers, a very large circle around. Once a month or more I am in the habit of thoroughly blowing a full quantity of the commercial insect powder in all cracks and crevices of kitchen, basement, outhouses, etc., to catch the young brood of roaches and rout out the new settlers. The croton bugs easily give up, but the large black roach, with his heavy mail, dies hard, and, though in the end surely dies, will run for an hour after being well dosed before doing so. A great many of these roaches run out the kitchen door into the yard, and the Sparrows seeing them at once go for them. There is always one or more around the bucket, and the first roach is the signal for them to get together, and they clean out the last one, even going into the kitchen after them. They grab one, fly to a neighboring shed or wall, beat it to death, and either fly off with it or eat it on the spot. This is a regular occurrence whenever I rout out the roaches. \* \* \* (Russell Robinson, Richmond, Va., May 27, 1879.)

[Forest and Stream, Vol. XXVIII, p. 513, July 7, 1887.]

Two instances have lately come to my notice illustrating the vicious character of the imported Sparrow, and, as I think reports of such cases tend to harden the hearts of the people against the bird, I consider it desirable that they should go on the record.

My attention was called one morning to the excited actions and notes of a pair of white-breasted swallows, which were rearing a brood in a box near my door. Looking at the box I saw a male English Sparrow at the entrance alternately thrusting his head inside and facing around to ward off the assaults of the swallows. Suspecting mischief, I shot the Sparrow, and my suspicions were confirmed. His bill, covered with blood and down, proved that he was deliberately murdering the young swallows.

The other case is similar. Dr. Adams, of this place, reports as follows: One morning he observed English Sparrows apparently occupying a box in which he knew swallows were nesting. Investigating, he found in the nest the body of the mother swallow, with the fresh wounds on the head from the Sparrow's bill.

Now, this is simply atrocious. I would like to have some friend of this bird—and I understand there are yet a very few such—set forth a single item in his favor to offset the huge pile of indictments against this filthy, noisy, quarrelsome, and blood-thirsty foreigner. Something must be done. How long are we to stand with our hands behind us, saying, "Too bad! too bad!" Probably until it is too late, if, indeed, it is not so already. It should be "war to the knife!" (F. C. Browne. Framingham, Mass., June 25.)

[Forest and Stream, Vol. XXIX, p. 86.]

In a paper read before the California Academy of Sciences August 1, 1887, Mr. Walter E. Bryant says of the Sparrow:

"Since the introduction of this pest into our cities, many birds, hitherto common, have left for the suburbs, notably the cliff swallows, whose nests were appropriated by the Sparrows. In these cases the limited space compelled the latter to dispense with the usual amount of rubbish and carry in only a lining of feathers."

[Forest and Stream, Vol. XXIX, p. 105.]

Ned W. Goodwin, of Sharpsville, Pa., says:

"I have this season seen, in a fir tree near a residence about two miles out of town, six nests of the English Sparrow. The branches of the tree, radiating from the trunk in series quite closely disposed one above another, droop downward, and, thickly fringed with long sprays of foliage as they are, afford the nests ample shelter from the weather. Each of the nests in question was situated upon the drooping portion of a branch and upon the convex upper surface of the leafage of the branch. The bird had made first a foundation mat of straw, on which it built up a structure nearly spherical in form and about one foot in its greatest diameter, of straws quite neatly woven together. Inside this ball is the nest proper, which is thickly lined with the downy feathers of barn-yard fowls. The entrance to the nest is an ascending cylindrical tunnel, lying along and directly above the supporting branch. One of the nests is on a branch the extremity of which is not more than seven feet above the ground. Drawing this branch downward I closely examined the nest. It contained six eggs. One nest was situated about 25 feet above the ground, the others lower down. The tree affords good shelter at a height considerably greater than 25 feet."

[Forest and Stream, Vol. XXIX, p. 104, September 22, 1887.]

#### SPARROWS DRIVEN OUT BY WORMS.

Until two or three days since a brood of English Sparrows have had their roosting place in a Virginia creeper just outside the window of a room where I am writing.

This year the web caterpillars have been unusually abundant in the neighborhood of Sing Sing. They are found crawling everywhere in the village. After they had stripped a mulberry tree that grows at the end of the piazza, they seized upon this Virginia creeper. A number of them are now denuding it, and at length have disclosed the covered angle of the chimney where the Sparrows had their cosy roosts. Such behavior on the part of the caterpillars has been too much for the Sparrows. They have had to give way and move off. This time the Sparrows have been driven out by the worms.—A. H. G. [Rev. A. H. Gesner], Sing Sing, N. Y.

[Forest and Stream, Vol. XXX, pp. 204-205, April 5, 1883.]

#### NOTES ON THE ENGLISH SPARROW, *PASSER DOMESTICUS*.

By ERNEST E. THOMPSON, of Toronto, Canada.

The marvelous rapidity with which the English Sparrow has multiplied and is multiplying on this continent, its evident capability of spreading still farther, and the probability of its eventually occupying the whole of agricultural America to the exclusion of many beneficial species of native birds, combined with the reiterated and increasing clamor of complaints against the species, have at length induced several of the State Departments of Agriculture in America, first, to accept the fact that this bird is a tremendous power in the agricultural economy of the country; second, to follow with the question, is it a power for good or for evil?

It is worthy of notice that there are still many persons who deny that the Sparrow can ever make its influence felt in this country in any economic direction. For the benefit of these I will briefly refer to the depredations of the species in England, where not only the cities but also the villages and barn-yards are populous with Sparrows; and in the south of England the farmers are compelled to expend considerable sums annually to keep down the hordes of these marauders, for the experience of centuries has taught the farmer that the Sparrow is an unmitigated nuisance. I myself have seen acres and acres of grain fields in southern England that have been so thoroughly devastated by Sparrows that they were not worth the cutting. All investigations that have been conducted in England have, so far as I can learn, resulted in a verdict more unequivocally damnable of the Sparrow; and yet, in the face of this, private persons and corporations, swayed not by facts, but by the same foolish sentiment which prompted the introduction of the Scottish thistle to Van Dieman's Land, have introduced and encouraged this pest in this the greatest of agricultural countries. What wonder that the English farmer stared in blank amazement when first he heard of it, or that he failed to account for the action except on the assumption that America had been visited by a wave of temporary insanity.

It has been often argued that, so far as we Canadians are concerned, the Sparrow can never give us much trouble, as the climatic and other conditions are sufficient to prevent its increasing to the same extent as in England. But unfortunately the facts are sufficient to entirely dispel this illusion. The first time that I saw the Sparrow in Toronto was, I think, in 1874, when a single pair was observed. Since then it has gone on increasing until now the natural sources of maintenance are taxed to the utmost, and each successive brood as it attains maturity is compelled to migrate to some distant locality where the struggle for life is less severe. This process of multiplication and migration has gone on yearly, each of our large cities being centers of supply, until now every town and nearly every village in Ontario is thoroughly stocked with Sparrows, and when this occupation is complete they will unquestionably spread over the intervening farm lands.

The severity of the winter was confidently pointed out as an efficient check, but there is every evidence to prove that the Sparrow can live as far northward as wheat can be grown with success. At Bracebridge and Gravenhurst the species has long been established, and at North Bay, Lake Nipissing, which I visited in January, 1887, I found the English Sparrow in full force and possession.

In response to a request for information Mr. John Bourk sends the following interesting note:

"From all I can learn the English Sparrow came here (North Bay) during the winter of 1885-'86. I think the first of them came in grain cars from the east. The first I noticed were in a car at the station, and only two of them. They must have bred here, as they are increasing or have increased during the past summer. There has been a flock of about one hundred around our yard all winter, and, as you know, it has been extremely cold. I missed them for about two weeks in the latter part of February, but they returned the first part of March. They lived on hay-seeds and pickings from manure piles during the winter. I have not noticed what they live on in the summer, nor where they nest. They are at Mattawa, and very numerous at Pembroke. They have been at the latter place, I think, for five years. I have never known them to die from cold. They seem to be as hardy as the snow-bird."

This, together with the facts that the Sparrow is each year occupying more exclusively the regions between the centers and the advance posts, and that it is displacing our native birds, should leave no doubt in any candid mind that ultimately agricultural Canada will be as completely overrun by the English Sparrow as is agricultural England at the present time; for if the other birds of England, which have been subjected to the same long severe process of specialization are unable to hold their own against the invader, much less can our native species, which have been but recently brought into contact with civilization and its attendant hardships.

Since none but actual personal observations are desired in this connection, I pass over a multitude of hearsay cases, and state what I have seen of the Sparrow's encroachments.

The only native species which I myself have seen dispossessed by the invader are the pewee (*Sayornis phœbe*), chipping sparrow (*Spizella socialis*), white-breasted swallow (*Tachycineta bicolor*), house wren (*Troglodytes ædon*), robin (*Merula migratoria*), and bluebird (*Sialia sialis*). The aggression has never, so far as I have seen, taken the form of actual onslaught, except in the case of a pair of white-breasted swallows, which were forcibly dispossessed of their completed nest in a pole-house. More usually the native bird is merely "crowded out" through its inability to compete with the more highly specialized Sparrow in the struggle for existence. On the other hand, although several native species of predatory birds (as falcons, hawks, shrikes, etc.), are reported as preying on the Sparrow, I have never seen any but the pigeon falcon (*Falco columbarius*) and the sparrow-hawk (*F. sparverius*) actually engaged in the work of destruction, and as these birds seldom enter or live about the large towns, their influence as a check is at present but trifling.

From a fuller working out of the lines of argument sketched, if not from the facts herein stated, I think that it will be admitted that the species under consideration will very soon make itself felt as an economic power in the country if it has not already done so. It then lies with us to decide, Is it a power for good or for ill? Is it boon or bane?

Passing over the unanimous and strongly adverse verdict of the agricultural interest in Britain and in other European countries, and the overwhelming body of condemnatory evidence of our own market gardeners and fruit growers, as well as naturalists, I will add my own observations.

First. We have abundant and conclusive evidence that our own birds, as a whole, are eminently beneficial to agriculture, and we have further proof that these birds are retreating before the Sparrow, which of itself should be sufficient to condemn the invader, unless it can be shown that it is even more beneficial than the native birds.

Second. But on the contrary, as above stated, in England, where the species has already attained the position it is rapidly approaching in Ontario, the havoc it makes in the grain fields is something past belief, and in the aggregate constitutes a heavy tax on the already hard-pressed farmers of that country.

From my own observation the Sparrow is pre-eminently a grain eater, though, as

will be seen from the appended tabular statement, it varies its diet in the spring-time with buds, in the early summer with insects,—some of them noxious—and in the late summer with fruit and grasshoppers. The taste for grasshoppers, however, seems to be almost, if not wholly, confined to the young fledgelings. When in the nest they are fed, I believe, entirely on insect food, so that after having flown they continue to subsist on the same for a time, ultimately becoming as granivorous as their parents.

The following list of gizzard contents is, on the whole, the most favorable to the species of any I have seen; this may be accounted for by the fact that all the birds were shot in the suburbs of Toronto, in localities at considerable distances from any grain fields, so that a miscellaneous and consequently a creditable diet was inevitable. For the identification of the gizzard contents throughout and for other assistance I am indebted to the kindness of Dr. William Brodie, of Toronto.

I affix also an estimate made by the above gentleman of the economic value of the gizzard dissections. It is understood that ten points are allowed for each, and when the dissection presented neither good nor bad features it was entered as five on each side. Whenever the grain found had evidently been taken from manure it was entered as a good feature, for no harm was done, and viewed as a scavenger the bird was beneficial. The fact, however, that the question of appetite alone is on trial may make many, like myself, dissent from such a valuation. In many other particulars my opinions differ from those of my friend, but I make no alterations, as he alone is responsible for the two columns of "points."

the spring-time  
and in the late  
ever, seems to  
e nest they are  
continue to sub-  
parents.

favorable to the  
t all the birds  
nces from any  
as inevitable.  
or assistance I

o value of the  
each, and when  
as five on each  
ure it was en-  
r the bird was  
on trial may  
er particulars  
as he alone is

Date.	Sex.	Contents of gizzard.	Points.		Remarks.
			For.	Against.	
Mar. 24, 1884		Flock of a dozen devouring buds of the soft maple.....	4	6	Not actually dissected, but carefully watched.—W. B.
Mar. 25, 1884		Flock engaged as above.....	4	6	Same remark applies.
Apr. 7, 1884		Flock engaged as above.....	4	6	Same remark applies.
Apr. 8, 1887	♂ ad.	Unrecognizable mass of vegetable matter.....	5	5	Within a week of laying. Throat showed a dusky streak.
Apr. 8, 1887	♂ ad.	Nothing but sand.....	5	5	
Apr. 8, 1887	♂ ad.	Seeds of some boraginaceous plant and the usual mass of vegetable matter.....	10	0	
Apr. 10, 1887	♂ ad.	A mass of broken-down vegetable matter.....	5	5	Sexual organs fully developed.
Apr. 16, 1887	♂ ad.	Nothing but gravel.....	5	5	
Apr. 16, 1887	♂ ad.	A mass of grain, vegetable matter, egg-shells, and road pickings.....	4	6	Sexual organs fully developed.
Apr. 16, 1887	♂ ad.	The same, with particles of wheat.....	4	6	Sexual organs hardly showing any signs o. enarge-
Apr. 16, 1887	♂ ad.	One entire oat, particles of wheat, and some gravel.....	4	6	ment.
Apr. 19, 1887	♂ ad.	One entire oat, a mass of vegetable matter, including wheat and some sharp gravel.....	4	6	
Apr. 19, 1887	♀ ad.	A mass of vegetable matter, including wheat particles and gravel.....	4	6	
Apr. 23, 1880		Broken-down and broken grain, evidently the refuse of horses.....	4	6	
Apr. 23, 1880		Flower buds of soft maple.....	4	6	
Apr. 23, 1884		Seeds of Chenopodium, oats, elderberries, seeds of Amaranthus, larvae (about three-quarters of an inch long) of a geometrid moth and fragments of Coleoptera.....	10	0	
Apr. 24, 1887	♀ ad.	One oat and a large mass of buds, with sharp gravel.....	0	10	This represents the combined contents of twenty gizzards, all from the same flock.—W. B.
Apr. 25, 1887	♂ ad.	One oat and a mass of vegetable matter.....	5	5	
Apr. 25, 1887	♂ ad.	Unrecognizable vegetable mass and sand.....	10	0	
Apr. 25, 1887	♂ ad.	The same.....	10	0	
Apr. 25, 1887	♂ ad.	The same.....	5	5	
Apr. 29, 1887	♂ ad.	Broken grain.....	5	5	One of a large flock similarly feeding.
May 3, 1887	♀ ad.	Broken grain, claw of a large Coleoptera, egg-shells and sand.....	5	5	
May 7, 1881		About ten grains of oats, besides egg-shells and sand.....	0	10	
May 14, 1881		Buds and oats.....	0	10	
May 17, 1880		Broken oats, buds, and tender blades of grass.....	0	10	
May 17, 1880		Broken grain and buds.....	0	10	
May 17, 1880	♀	Four measuring-worms ( <i>ticometridae</i> ).....	10	0	
June 2, 1880		Broken grain, flowering buds, and Coleoptera.....	4	6	
July 12, 1885	♂ yg.	Fragments of oats and clover seeds.....	5	5	
July 24, 1885	♂ yg.	Seeds of timothy and other grasses.....	0	10	
July 29, 1885	♀ yg.	Fragments of Coleoptera and of brick.....	5	5	

Just beginning to show black throat patch.  
This and the preceding, though both evidently birds of this year, show a remarkable development of the sexual organs, suggesting the possibility of their breeding this season.

Date.	Sex.	Contents of gizzard.	Points.		Remarks.
			For.	Against.	
July 30, 1885	♂	Vegetable remains, gravel, and fragments of brick.	5	5	
July 30, 1885	♂	Same as last, plus fruit.	0	10	
July 30, 1885	♂	Oats, unripe grass seeds, and gravel.	0	10	
July 30, 1885	♀	Buds.	0	10	Evidently breeding still.
July 31, 1885	♀	Wheat and other seeds.	0	10	About to lay.
Aug. 1, 1885	♀	Wheat of buds and fragments of grain.	0	10	
Aug. 1, 1885	♀	Young fowl.	10	5	
Aug. 1, 1885	♀	A mass of broken Indian corn.	5	5	
Aug. 1, 1885	♀	Seeds of <i>Carex</i> , <i>Polygonum</i> , <i>Convolvulus</i> , and five young grasshoppers.	6	4	
Aug. 1, 1885	♂	Three grasshoppers.	10	0	
Aug. 4, 1885	♂	One grasshopper and some Indian corn.	10	0	New feather on chin just showing black.
Aug. 4, 1885	♂	Nothing but gravel.	10	0	In first plumage, mortified on rump.
Aug. 5, 1885	♂	Tender grass shoots and grasshoppers.	5	5	Apparently a nestling.
Aug. 6, 1885	♂	The same.	8	2	Corn, probably from manure, on account of season.
Aug. 7, 1885	♂	Three or four grains of wheat and some sand.	0	10	
Aug. 7, 1885	♀	Grass shoots and grasshoppers.	4	6	
Aug. 8, 1885	♀	Grass shoots and broken cereals.	0	10	
Aug. 8, 1885	♀	Broken grain and fragments of egg-shells of barn fowl.	4	6	
Aug. 9, 1885	♀	Wheat, grass blades, buds, and gravel.	0	10	Containing one egg ready to be laid and several less fully developed.
Aug. 11, 1885	♀	Indian corn, wheat, and other seeds.	2	8	Throat with faint dusky patch.
Aug. 13, 1885	♀	Oats, <i>Carex</i> , and other seeds.	2	8	
Aug. 15, 1885	♀	Remains of a grasshopper and some gravel.	10	0	
Aug. 15, 1885	♂	Grass seeds, gravel, and seeds of <i>Carex</i> .	2	8	Just getting the black chin patch; no sign of sexual activity.
Aug. 17, 1885	♂	Currents, buds, grass shoots, and gravel.	0	10	
Aug. 17, 1885	♂	Grass shoots and gravel.	4	6	Adult, yet apparently of a this year's brood.
Aug. 17, 1885	♀	Buds, coal, glass, and egg-shells of barn fowl.	4	6	
Aug. 17, 1885	♀	Broken corn, wheat, and oats (horse refuse).	10	0	
Aug. 17, 1885	♀	The same.	10	0	
Aug. 18, 1885	♂	Grasshoppers and seeds of <i>Carex</i> .	10	0	
Aug. 19, 1885	♂	Seeds of <i>Carex</i> , grass shoots, and broken grain (horse refuse).	9	1	In extreme of molting.
Aug. 19, 1885	♂	Broken grain (horse refuse), corn, grass shoots, and shells of barn-fowl eggs.	8	2	
Aug. 20, 1885	ad.	Broken oats (pickings from horse manure) and fragments of grasshoppers.	10	0	
Aug. 20, 1885	ad.	The same.	10	0	
Aug. 20, 1885	ad.	The same.	10	0	
Aug. 25, 1885	♀	Broken oats (from horse manure), seeds of <i>Verbena hastata</i> , and fragments of grasshoppers.	10	0	
Aug. 25, 1885	♀	The same.	10	0	
Aug. 25, 1885	♀	The same.	10	0	
Aug. 25, 1885	♀	The same.	10	0	

All from one flock that was feeding on the Don Flats, then overgrown with the plant named.—W. B.





Date.	Sex.	Contents of gizzard.	Points.		Remarks.
			For.	Against.	
May 10, 1887	♀ ad.	A mass of broken grain and unrecognizable vegetable matter, and egg-shells.	5	5	Within a few days of laying.
May 10, 1887	♂ ad.	The same.	5	5	
May 10, 1887	♂ ad.	The same.	5	5	Ovaries showing almost no enlargement or signs of activity.
May 10, 1887	♂ ad.	One entire oat and a mass as above.	5	5	
May 10, 1887	♂ ad.	Two entire grains of wheat and a mass as above.	5	5	
May 10, 1887	♂ ad.	One entire oat and a mass as above.	5	5	
May 10, 1887	♂ ad.	A mass of broken Indian corn and egg-shells.	5	5	
May 10, 1887	♂ ad.	A mass of broken grain and vegetable matter, also sand.	5	5	

NOTE.—The last seventeen birds were shot in Toronto Marsh; apparently they gathered the grain found in them from adjacent wharves, cowbyres and distilleries.

This gives a total of one hundred and twenty dissections, in forty-seven of which were found insects, making 39 per cent. of the sparrows insectivorous, and, estimated in points according to Dr. Brodie's valuation, gives seven hundred and ninety-five for and five hundred and thirty-four against; majority in favor of *Passer domesticus*, two hundred and sixty-one.

TORONTO, Ontario.

ERNEST E. THOMPSON.

[Forest and Stream, Vol. XXV, No. 2, pp. 24, 25. August 6, 1885.]

THE ENGLISH SPARROW.—VERDICT OF THE AMERICAN ORNITHOLOGISTS' UNION.

At the meeting of the Council of the American Ornithologists' Union, held in Washington, April 21, 1885, the committee appointed in September, 1883, to inquire into the question of the eligibility or ineligibility of the European House Sparrow in America, rendered its final report, which was accepted and adopted as the sense of the Union on the subject, and the committee was discharged with the unanimous thanks of the Union. The report, which was accompanied by a large quantity of valuable data, is here given :

*Mr. President and members of the Union :*

Your committee, appointed to inquire into the eligibility of the European House Sparrow (*Passer domesticus*) as a naturalized resident in this country, has the honor herewith to submit its report. After due consideration, your committee adopted the following form of circular letter, which was framed to elicit information from all quarters and from all interested persons :

"The American Ornithologists' Union, an organization resembling the British association of similar name, and including in its active membership the most prominent ornithologists of the United States and Canada, purposes, among other objects already engaging its attention, to determine as nearly as possible the true status in America of the European House Sparrow (*Passer domesticus*), commonly known as the English Sparrow, in so far as the relations of this bird to mankind are concerned. The Union hopes to secure, through the solicited testimony of others, as well as the personal observations of its members, the facts necessary to settle the question of the eligibility or ineligibility of this Sparrow as a naturalized resident of this country. The question of the European House Sparrow in America is regarded as one of great economic consequence, to be determined primarily by ascertaining whether this bird be, upon the whole, directly or indirectly injurious or beneficial to agriculture and horticulture. Its economic relations depend directly and mainly upon the nature of its food; indirectly upon the effect, if any, which its presence may have on useful native birds and beneficial insects. The accompanying formula of questions is respectfully submitted to the attention of those who may be able and willing to record statements of positive facts and value derived from their own experience. Concise and unquestionable answers returned to the undersigned on inclosed blank, or otherwise, or communicated to any member of the committee, will be appreciated and prove of high value among the data upon which it is hoped that this vexed question may be set at rest. The evidence thus obtained will be carefully considered by the committee in preparing its report to the Council of the Union, and a digest of the same, with recommendations, if any, will be submitted by the Council to the mature judgment of the Union at its next annual meeting. The following-named active members of the Union were, at the first congress, appointed a committee to investigate and report upon this subject: Dr. J. B. Holder, of New York, chairman; Mr. Eugene P. Bicknell, of New York; Mr. H. A. Purdie, of Boston, Mass.; Mr. Nathan Clifford Brown, of Portland, Me.; Mr. Montague Chamberlain, of St. John, New Brunswick; the committee having the power of increasing its membership at its discretion.

Dr. J. B. HOLDER, *Chairman.*

"AMERICAN MUSEUM OF NATURAL HISTORY,  
Central Park, New York City, February 2, 1884.

"Data concerning the European House Sparrow, from ————.

"1. Is the European House Sparrow (*Passer domesticus*) known in your neighborhood, and, if so, about when did it appear? 2. Is your neighborhood city, suburbs, or country? 3. Is this Sparrow abundant? 4. Is it increasing in numbers? 5. How

many broods and young yearly to a pair? 6. Is this Sparrow protected by law? 7. Is it artificially fed and housed? 8. Does it molest, drive away, or diminish the numbers of native birds? 9. If so, what species? 10. Does this Sparrow injure shade, fruit, or ornamental trees? 11. Does it attack or injure garden fruits and vegetables? 12. Does it injure grain crops? 13. Is it an insect-eater or a seed-eater? 14. What insects, if any, are chiefly eaten by this Sparrow? 15. What is the principal food it carries to its young? 16. What insects, if any, are carried by it to its young? 17. Does the food of the old bird vary with the seasons, and if so, in what way? 18. Does the food of its young vary, and if so, how? 19. If any insects are eaten, are they beneficial or injurious species? 20. Does the Sparrow eat the larvae of the vapor moth (*Orgyia leucostigma*)? 21. Does it eat ichneumon flies? 22. Do you determine the nature of this bird's food and that furnished by it to its young by inference, direct observation, or dissection? 23. Have any injurious insects been exterminated or materially lessened in numbers by this Sparrow? 24. Have any injurious insects increased in numbers, or appeared where unknown before, in consequence of the destruction of other insects by this Sparrow? 25. Have these Sparrows in your neighborhood been destroyed systematically or otherwise, and if so, by what means? 26. What bounty, if any, has been offered for their destruction? 27. What is the general sentiment or balance of public opinion respecting the European House Sparrow in your locality? 28. On the whole, in your judgment, is this Sparrow an eligible or ineligible species in this country?"

In order to secure a thorough presentation of the subject to those most likely to respond satisfactorily, each member of the committee assumed the duties of correspondence in his own section of the country, as well as in certain allotted sections of the entire United States and Canada. Copies of the letter were sent to the agricultural papers, to the various journals having columns devoted to zoological and rural matters, and to the press at large. The greater part, however, was directed to individuals believed to possess facts pertinent to the subject. About one thousand copies were thus sent out.

A large proportion of the answers received are of one import, written by persons having no definite data to communicate, but who, having experienced annoyance from the bird's uncleanness and unmusical notes, desire to see it exterminated. Under this head belong the numerous petitions which have reached us from several quarters, notably from Philadelphia. The subject is regarded sufficiently important by the inhabitants of that city to warrant the issue of printed forms, which, with long lists of subscribers, have been submitted to the consideration of your committee. The paucity of replies to many of our questions renders it impossible to report upon them decisively. Others, however, are fortunately very fully answered.

Returns to the first question give some data of interest in relation to the time of the Sparrow's first introduction into this country. The earliest date of importation known to us is 1858,\* when Mr. Thomas A. Deblois liberated a few individuals at Portland, Me. These disappeared shortly afterward, and were not successfully replaced until 1875. In 1858 Sparrows were liberated at Peacedale, R. I., by Mr. Joseph Peace Hazard. They were first introduced into Central Park, New York City, according to Mr. Conklin, the superintendent of the menagerie, in the year 1864. In 1860 Mr. Eugene Shiefflin turned loose twelve birds in Madison Square, New York City. In 1868 the species was first introduced into Boston Common. In 1869 a number were given the liberty of the parks of Philadelphia. Somewhat later a successful attempt was made to establish a colony near Great Salt Lake, Utah, and about the same time the birds became resident at Indianapolis, Ind.

In a period of about ten years the Sparrows reached nearly all the large towns and cities of New England and the Middle States and many of those of the Western States without artificial assistance. It also made its appearance in suburban towns and

\*[This was an error. Two importations at least were known to have been made at Brooklyn, N. Y., before 1853. See page 17 of this Bulletin.—W. B. B.]

even country villages. From the Southern States and the Western States beyond the Mississippi River we have received but few returns, and most of these state that the Sparrow has not been observed. In Canada it has become generally distributed over the southern sections of Quebec and Ontario (it is abundant in the city of Quebec), and in 1884 several flocks invaded New Brunswick.

Few observers have definitely determined the number of broods hatched yearly by this bird and the number of young to the brood. We have, however, returns from several ornithologists. The maximum given by Mr. H. B. Bailey, of Orange, N. J.—six broods in one season, with from four to five young to a brood—probably indicates the extent of the bird's fertility in this climate. The usual number of broods in the latitude of New York and southward appears to be four. In more northern districts three broods yearly would probably be near the average.

There is an overwhelming mass of testimony to the effect that the Sparrow molests and drives away certain of our most valued species of native birds. Many statements have been received giving accounts of conflicts provoked by the Sparrow in which it was cruelly victorious. It is affirmed that from some localities native species have been completely banished by the attacks or by the mere presence of the foreigner. We have also evidence of an opposite character declaring the Sparrow's peaceable disposition and its association upon amicable terms with other species of birds.

Most of our correspondents state that they have never known the Sparrow to commit depredations upon crops, but well-authenticated instances are furnished showing its ability and disposition to accomplish great destruction to grain. Mr. Stewart, of Hackensack, N. J., relates the destruction of a wide margin of wheat in the field. Hon. G. A. Bicknell, of New Albany, Ind., says: "When the grain ripens, the Sparrows leave the city and attack the wheat fields in the suburbs. I have seen hundreds of them at once in my fields, and they get about half the crop." Mr. T. G. Gentry, in his exhaustive work on the Sparrow, gives similar instances. That the bird feeds upon fruits is amply attested.

Our thirteenth question calls for information as to the Sparrow's preference for food. Is it an insect-eater or a seed-eater? Every reply to this question which is based upon dissection agrees in attributing to the bird a diet almost wholly vegetable. The statement of some observers that it devours canker-worms and a variety of insects is unaccompanied by reports of examinations of the stomach.

The question as to the food of nestling Sparrows elicited pretty uniform testimony, animal matter in some form being said to constitute the bulk. Dissections by a competent person, however, show "barely a trace of insect or animal food, but in lieu fine gravel and vegetable fiber."

Responses to questions seventeen to twenty-one inclusive are too meager to be of value.

It is claimed by several of our correspondents that the measuring-worm, so abundant at the time of the Sparrow's introduction into this country, was well-nigh exterminated by the bird, so that for a considerable period it was unobserved. Since it is a well known fact that the worm occurs in very variable numbers in different seasons, credit for its comparative extermination in this case can hardly be given to the Sparrow upon the doubtful evidence before us.

The experiment has recently been tried in Philadelphia and elsewhere of substituting Sparrows for pigeons in trap-shooting, but, of course, without seriously diminishing their numbers. In other localities the birds have been poisoned or otherwise gotten rid of to some extent by indignant citizens in defiance of laws.

The balance of public opinion is strongly adverse to the Sparrows. Our returns, however, show protective laws (usually the same statute which provides for the security of other small birds) in Maine, New Hampshire, Vermont, Rhode Island, New York, New Jersey, Ohio, Michigan, the District of Columbia, and Canada. The Massachusetts law has lately been repealed, and specially exempts the English Sparrow from protection.

So much for the evidence. We have learned the capacity and disposition of this bird to injure grain and fruits, and that when gathered in large numbers it threatens very seriously the interests of the farmer and horticulturist. Although testimony of a certain kind indicates that its young are fed with insects, actual dissection shows that vegetable substances are mainly employed. The adult birds feed almost exclusively upon seeds and grains. They drive away from their accustomed haunts, either directly or indirectly, many of our native insectivorous species. It may be added that they have proved in recent years so destructive of crops in other countries as to render it necessary to enact laws looking to their extermination. In view of these facts, your committee believes that the European Sparrow (*Passer domesticus*) is an ineligible species in this country, and that it was a mistaken policy to introduce the bird. And we would respectfully recommend:

(1) That sheltering or otherwise fostering the Sparrow by the public be discouraged, and that its introduction artificially into new localities and its sale for such purposes be forbidden by law.

(2) That all existing laws protecting the Sparrow be repealed, and that bounties be offered for its destruction.

Signed,

J. B. HOLDER,  
Chairman.

EUGENE P. BICKNELL.

H. A. PURDIE.

NATHAN CLIFFORD BROWN.

MONTAGUE CHAMBERLAIN.

[The Michigan law protecting these birds has been repealed—Ed. F. & S.]

[New York Tribune, 1885.]

We have here at the New York State Experiment Station [Geneva, N. Y.] many varieties of cereals on different parts of the grounds, planted for study and comparison. In 1884, upon the wheat heads attaining the milk stage, the European Sparrows began feeding on the undeveloped grain. They would alight on the wheat or oat stalks, bend them to the ground, and ruin the heads or panicles. They almost spoiled a choice plat of experimental wheat. This year the same thing has been repeated in a more pronounced manner; we have had to cover some special wheat plants with mosquito netting in order to preserve the seed. Those plants uncovered were in a large degree ruined.

We had twenty-six wheat plants near a wooded ravine. As soon as the heads began to fill, the Sparrows and blackbirds began their pernicious work, eating such quantities of grain that the result of the experiment will be of no value. It was impossible to suppress them, as they worked long ere the sun appeared. Our large wheat field was patronized by liberal flocks of blackbirds and Sparrows. I have been among the wheat fields of this vicinity and seen Sparrows either upon the fence close by or in the wheat. I have conversed with many persons visiting the station, and wherever the Sparrow is well known, and grain fields are common, I am told the Sparrow does eat the grain.

Last year I dissected many Sparrows; found a few insects in some, and those as a rule the remains of ants, but hardly a stomach was there that did not contain wheat or oats. Four days ago I examined nineteen stomachs, and in all but one was found wheat. In two stomachs were apparently chitinous parts of ants. Sparrows also patronize in a liberal manner some kinds of garden seeds, especially lettuce. One large seed-grower pronounces these birds great destroyers of seeds. I have noted also in the agricultural press that Sparrows destroy the tender buds of some ornamental shrubs and trees. At the station we have seen them eating pear buds, or picking them open. (Charles S. Plumb.)

[Cincinnati Daily Commercial Gazette, July 2, 1887.]

\* \* \* We have one bit of damaging evidence against the good character of the Sparrow, which we have not seen mentioned in print anywhere else, in all the array of evidence against him. Last year we cut a small field of heavy wheat in which a few hundred Sparrows had camped. Not only around the border, but all through the middle of the field, where the wheat was heaviest, it was broken down and tangled, so that fully one fourth of the crop was lost. As soon as the wheat kernel had formed the vandalism began.

Here is the damaging point. A close inspection revealed the astounding fact that the ground was literally covered with mashed kernels of wheat to the extent of several bushels to the acre. While the kernel is yet soft they will not swallow it whole. With their short, powerful beaks they easily press out the milky substance, let the rest drop, and go to the next. Let this point be noted for what it is worth. I trust the prosecuting attorney will dwell upon it, and that the judge will mention it in his charge to the jury before they retire to deliberate upon a verdict soon to be rendered for or against the English Sparrow. (A. D. Binkerd, M. D., Cochran, Ind., June 12.)

[Albany (N. Y.) Express, Friday, October 7, 1887.]

\* \* \* Sparrows are also noted once more on the stands of the game dealers, and retail, for chicken pies, at 30 cents per dozen. Joseph Clark, the well-known State-street fruiterer, yesterday took in 3,000 of the little birds, paying \$1 per hundred for them to the youthful hunters, who have once more resumed the slaughter of the innocents on the outskirts of the city, more especially up in the west end.

[New York Times, July 20, 1887.]

Sparrows are being properly appreciated. Hundreds of them are now caught by enterprising people for sale to certain restaurants where reed birds are in demand. A German woman on Third avenue has three traps set every day, and she catches probably seventy-five a week. They are cooked and served to her boarders the same as reed birds and are declared quite as great a delicacy. This German woman bastes them, leaving the little wooden skewer in the bird when served. They are cooked with a bit of bacon. She tempts them with oats, and after the catch they are fed a while with boiled oatmeal. She sprinkles oatmeal in the back yard also, and thereby fattens the free birds. The females are the choice meat. The males can be told by the circle of white feathers at the neck. The females are as plain as Quakeresses. So soon as it becomes known that the Sparrow is a table bird their number will rapidly grow less. People don't like to experiment, but when it is discovered that the Sparrow has been declared good by those upon whom they have been tried, no boarding-house meal will be deemed in good form unless a dish of fat Sparrows adorns it. Sparrow pie is a delicacy fit to set before a king.

[Cincinnati Weekly Commercial, April 19, 1882.]

H. E. B., of Plymouth, Mich., in the *Country Gentleman*, narrates his test of the Sparrow as an insect eater. He was in pursuit of the codling moth, which had been carried into the cellar with the winter supply of apples. He knew the habits of the codling moth and expected them to come out of his apple barrels and seek hiding places. Accordingly he laid two boards together, convenient for the broods to conceal between and spin the cocoons. As expected, the boards were stuck together with the cocoons, and in the spring he carried them out and spread the boards and cocoons in sight of the pestiferous Sparrows and hens, hoping to see the much praised insectivorous bird destroy the cocoons with alacrity. We let him tell his own story:

I was greatly mortified to see the Sparrows run over the cocoons in search of wheat screenings thrown out to call them down.



My sorrow was soon turned to joy to behold a pair of bluebirds come down, as it were out of heaven, and alight on the nearest bird-house, doubtless occupied by them last season, but which had been appropriated by the Sparrows this winter. No sooner had they alighted than their bright eyes discovered the cocoons on the boards and they darted down to secure the prize.

Disgusted with the Sparrows I took a step-ladder and commenced to clean out the Sparrow's nest in the bluebirds' house. I found in the strings that composed their nest two curculios, three snapping-bugs, one bee-miller, one old female codling moth, and two recently hatched moths. Examining the strings, I found webbings of worms and burnt edges of cloth, and ascertained that they had pulled the strings out of an old smudge left near a bee-hive under an apple tree. This led me to examine the boards placed for the bee-stands (the bee-hives had been carried to the cellar in the fall). On the boards exposed to the Sparrows all winter were numerous cocoons.

[Cultivator and Country Gentleman (Albany, N. Y.), July 29, 1886.]

\* \* \* The universal testimony of scientists and others, as against these birds, ought to satisfy the skeptics that this is a bird detrimental to the farmers' interest. For three seasons they have assaulted our experimental plats to their material damage. This year we found it necessary to employ a boy to work from 4 a. m. till nearly dark, keeping the Sparrows at a distance. I have found them to be destroyers of grain, injurious to fruit, and early in spring very damaging to fruit buds. Outside near the window by which I write is a plum tree, where often in the spring, as buds were starting, I saw the Sparrows pick out the entire bud center. But, in addition to my own testimony, comes much damaging evidence from farmers in the vicinity, whose wheat-fields are suffering. Something must be done. Every year the evil becomes worse and worse, and even to-day great damage is done by the English Sparrows. (C. S. Plumb, Geneva, N. Y.)

[Rural World (St. Louis, Mo.), 1886.]

The introduction of the Sparrow into America, says the well-known English naturalist, Rev. J. G. Wood, "has been distinctly disastrous, as I have personally seen, and if the bird were exterminated it would be better for the country. Still more disastrous has been its introduction into Australia and New Zealand, especially in the latter country, where it has abandoned insect-eating altogether, and become a devourer of fruits and grain, eating grapes and figs by the ton." And we are quite satisfied that the sooner a policy of destruction is inaugurated the better for all concerned on this side of the Atlantic.

[Prairie Farmer (Chicago, Ill.), December 25, 1886.]

At the recent annual meeting of the Indiana State Horticultural Society, some one mentioned the English Sparrow, and a discussion was precipitated. Mr. Warder, of North Bend, Ohio, had found them both fruit and grain eaters. They had been very destructive to his grapes. They seldom eat insects, but will feed them to the young birds in the nest. Professor Troop, of Purdue University, said that a member of the senior class of that institution had killed one or more Sparrows daily during a considerable portion of the past summer, and examined the contents of their stomachs. In only one bird had he found the remains of an insect. J. C. Ratliff, of Wayne County, had seen flocks of several hundred alight on his wheat-field, five miles from any town or city, and eat and waste the grain from large areas. They beat the ripened grain from the stalk with their wings. They were still more destructive to grain in shock. Mr. Folger said that they had entirely driven away 200 martins that formerly sheltered in his barn. Mr. Ohmer formerly had plenty of song-birds on his place. Now there was only the Sparrow and robin. The time had come when something must be done. Mr. Webster had recently made an extended visit

through the agricultural sections of Europe, and found that Sparrows were everywhere regarded as a nuisance. In Germany he saw boys carrying hundreds of them, strung on sticks. They were taken to the village authorities, and the boys received a half cent for each one killed. They were paying for their destruction everywhere. They were becoming very destructive in his locality. He had found their ravages on his green peas particularly annoying. After further discussion in similar strain, and some words in their defense by President Johnson and one other member, J. C. Stevens, of Wayne County, introduced a resolution declaring them a nuisance, and urging extermination, which was passed with but one dissenting voice.

[The Scientific Farmer, Vol. IV, pp. 35, 36. 1870.]

In the February number of the *Scientific Farmer* for 1878 I had occasion to speak of the sparrow war which was then raging, and which had then been in progress for some time. At present the controversy still continues, and has continued at intervals ever since. Much has been written upon the subject on both sides by able men; yet the matter appears to stand just about where it was when the first gun was fired, or, in other words, when the first article appeared, denouncing the Sparrows as not only injurious to agricultural interest, but also proclaiming that they were enemies to our native birds. The latter-named accusation has been made oftener than any other, and it has been repeatedly stated that the rightful inhabitants of the trees and shrubbery of our parks are being rapidly driven away by the unprovoked attacks of the pugnacious Sparrows. Although this may be a fact, as accumulated testimony indicates, yet I do not consider this to be the essential point of dispute; for, practically, it can make but little difference if our native birds are driven away, provided the Sparrows take their places and devour an equal quantity of insects. This important matter up to date has, however, been but slightly touched upon, for no one has made an extended examination of the contents of the stomachs of the Sparrows, at least in the vicinity of Boston. As this is *absolutely* the only method by which we can ascertain satisfactorily just what the birds do eat, this investigation must be made before any one can give a decided opinion upon the subject, that will conclusively settle a matter which has been so long agitated.

I do not mean to be understood to say that the ornithologists who have written upon this subject do not consider it necessary to examine the contents of the stomachs of the Sparrows, for they all see that it must be done sooner or later; but hitherto no one has done it to any extent. In my article for February, last year, I ventured to suggest that the legislature of our State appoint proper persons to do this work; but as this has not been done, and as I have heard it intimated that this examination is impracticable, I concluded to try and see how it would work. Assisted by some young friends, I procured a number of English Sparrows each day last autumn, and made a careful examination of their stomachs. These birds were killed along the streets from the Watertown Arsenal to Winter street, Boston, and therefore I judged that they were fair representatives of the typical, and now famous, Sparrows of the "Hub." Through the kindness of my friends, the birds were given to me fresh, and thus I could tell exactly what they had in their crops and stomachs. Let me here state, in order to show that my work has been done accurately, that I have long made a specialty of ascertaining the contents of the stomachs of various birds, having now by me notes of the dissections of over five thousand specimens. It has been stated that it is impossible to detect the presence of any insects, especially of the softer larvae, after they have been swallowed and partly digested; this is not a fact, however, and any one who has examined the interior of even a strictly insectivorous bird, and in summer, will bear me out in this statement.

The wing coverts of beetles, and the harder portions of all other insects, never digest, and thus are always to be seen; while by washing the half-digested mass in water, the skins of the larvae may be found, even after they have been swallowed for some time, and are always plainly perceptible when first eaten. In every case ex-

amined where there was the slightest obscurity as to what had been eaten by the Sparrows, I washed the contents of the stomachs in water, and in all cases used a lens in determining what they were. In fact, I exercised all the care possible, and am perfectly satisfied that nothing of importance, least of all an insect or anything pertaining to an insect, could have escaped my observation.

To show exactly what each bird had eaten, I copy directly from my note-book, giving the dissections as I made them, with the date. I also give the age of the individual, and, as explanatory, will remark that by "young" I mean birds that were hatched that year, and by "nestlings," birds which were not fully grown; adult being, of course, perfectly mature birds. My record commences with September 17 [1878].

No.	Date.	Age.	Contents of stomach.
	1878.		
1	Sept. 17	Young ..	Seeds and small stones.
2	17	do ..	Seeds, woody fibers, and bits of grass.
3	18	do ..	Small, dark-colored seeds.
4	18	do ..	Grass-seeds and large, double, tough-skinned seeds.
5	18	do ..	Remains of dark-colored seeds, woody fibers, and small stones.
6	19	do ..	Small stones predominating, with some dark-colored seeds and a few lighter-colored seeds.
7	19	do ..	Oats, woody fibers, and small stones.
8	20	do ..	Dark-colored seeds, small stones, and woody fibers.
9	20	do ..	Green seeds, dark-colored seeds, and small stones.
10	20	do ..	Seeds, small stones, woody fibers, and the remain of oats.
11	20	do ..	Dark-colored seeds, woody fibers, oats, and small stones.
12	20	do ..	Woody fibers, seeds, and small stones.
13	20	do ..	Do.
14	20	do ..	Seeds, small stones, and oats.
15	20	do ..	Do.
16	20	do ..	Do.
17	20	do ..	Small stones, seeds, and woody fibers.
18	20	do ..	Do.
19	20	do ..	Oats, seeds, and woody fibers.
20	20	do ..	Seeds, stones, woody fibers, and egg shells.
21	20	Nestling.	Stomach very soft; woody fiber, leaves, and small pieces of brick.
22	20	do ..	Seeds, small stones, small pieces of brick, bits of porcelain, and the remains of a kernel of corn.
23	26	do ..	Black seeds in quantities, and small stones.
24	27	Young ..	Seeds, stones, and oats.
25	27	do ..	Remains of corn and small stones.
26	Oct. 1	do ..	Seeds, stones, and woody fibers.
27	1	do ..	Black seeds and small stones, but by far the greater portion of the contents of this stomach consists of woody fibers, which I now ascertain to be macerated bits of hay from horse manure.
28	1	do ..	Black seeds, small stones, but mainly bits of hay from horse manure.
29	2	Adult ..	Black seeds, with a considerable quantity of small stones.
30	2	Young ..	Seeds, small stones, and bits of hay.
31	3	do ..	Woody fibers, small stones, and oats.
32	3	Adult ..	Oats, small stones, and seeds.
33	3	Young ..	Corn, oats, and bits of hay.
34	3	do ..	Oats, seeds, and bits of grass.
35	3	Adult ..	Do.
36	3	Young ..	Bits of green leaves, stones, and seeds.
37	3	do ..	Oats, seeds, and small stones.
38	3	do ..	Seeds and small stones.
39	4	Adult ..	Green seeds, oats, black seeds, and bits of grass.
40	4	do ..	Corn, seeds, and stones.
41	4	do ..	Black seeds and stones.
42	4	do ..	Bits of hay, pieces of crockery, and small stones.
43	4	Young ..	Oats, seeds, and stones.
44	4	Adult ..	Bits of hay, oats, and small stones.
45	4	do ..	Seeds, stones, and corn.
46	4	Young ..	Oats, bits of hay, and small stones.
47	4	Adult ..	Seeds and small stones.
48	4	do ..	Do.
49	4	do ..	Small seeds and small yellow stones.
50	4	do ..	Seeds, bits of hay, and small stones.
51	4	Young ..	Black seeds and small stones.
52	10	do ..	Seeds and small stones.
53	10	do ..	Seeds, small stones, and bits of hay.
54	10	Adult ..	Seeds, small stones, and oats.
55	10	do ..	Do.
56	10	do ..	Seeds, bits of hay, and oats.

As seen, on October 10 I discontinued my observations. The entire absence of insect food is noticeable; yet this did not in the least surprise me, for although I did expect to find a few insects when I first commenced, I ceased to expect them after I saw how thoroughly granivorous these birds were.

I have found that as a rule our sparrows, finches, and grosbeaks (and I now speak of these species as they occur in Massachusetts) eat but few insects. Thus out of two hundred and eighty-four individuals, taken at all seasons, which I have examined, embracing seventeen species, but eighty-one had taken insects; and if we exclude the rose-breasted grosbeak and the savanna sparrow, which are much more insectivorous than any others, I find that only about six per cent. of those examined had eaten insects, and these were taken mainly in spring, summer, and autumn; rarely in winter. Some species never eat insects when they can get seeds, and their anatomical structure is eminently fitted for gathering and digesting these latter-named articles of diet. The structure of the English Sparrow is very similar to that of some of our strictly granivorous birds. Thus the gullet is dilated into a crop, a character seldom seen in insectivorous birds. The proventriculus is small, but the stomach has very thick and muscular walls, and is lined with a strong, somewhat rugose membrane. The duodenum is long and incloses a large pancreas, which secretes a fluid that assists to digest the oily matter from seeds. This kind of food is rudely gathered, and in many instances crushed by the strong bill. The ceca are small. All this shows clearly that we have to deal with a granivorous bird which may possibly at some seasons eat insects, but certainly not in the autumn, as I have endeavored to show.

At first thought it may appear that I have chosen a time which was unfavorable to the English Sparrows, as seeds are very abundant in the autumn; but neither are insects scarce then, and I chose this time as being one in which the birds would exhibit their preference; and they certainly have shown no inclination to take insects. If, however, we turn to some of our native species of sparrows which often take insects (and I will, at the suggestion of my friend, Mr. J. A. Allen, select the song sparrow), we shall find that they eat some insects all through the autumn, although seeds of course form the greater portion of their food. Yet the few insects taken show that they occasionally prefer them.

To my mind it is clear that the English Sparrows are pampered too much. They have access to all the grain that they want, and will then eat nothing else. To make an exceedingly long story shorter, let us have proof that they do or do not eat insects, and then the matter will be decided beyond a doubt; and again I would venture to recommend most urgently that the legislature of Massachusetts authorize some one to make a series of dissections of the English Sparrow throughout the entire year, for in no other way can the matter be decided. I do not consider my proofs as conclusive, but as far as they have gone they are certainly convincing, and I am inclined to look upon the Sparrows as utterly unworthy of protection; yet I am still open to conviction in their favor, and if any one will show me one—I ask not ten nor even three, but only one—English Sparrow from Boston that has voluntarily eaten an insect of any sort or kind I will at once modify my opinion respecting them. (C. J. Maynard.)

[Farmer's Home Journal, Louisville, Ky., October 2, 1886.]

Bowling Green, Ky., September 25, 1886.—The English Sparrow has heretofore been very destructive upon grains and fruits in and near the towns of this part of the State, but seems to have been this season three or four times as bad as ever, because, probably, of increase of number. He is gradually making his way into the country districts. In the city this year all fruits suffered greatly, and with some of us the grapes not protected with bags or otherwise were all taken, and whenever the weather made a hole in the bag covering a variety of grape that, when ripe, was black or red he has torn off the bags. The rascal has strong jaws and great energy, and will work industriously until he has made shreds of a bag that he once attacks. It seems that

the quality of the bags themselves is not as good as formerly, and on all the later colored grapes the long exposure of them made more holes than usual. All unprotected Clintons, Nortons, Herbemonts, Catawbias, indeed all colored grapes, went as soon as they began to color well, and even of those that were bagged more than half were taken, the latter by reason of the opening made by the weather in the bags, and consequent knowledge to the Sparrow of what was inside. My own loss in this way was not less than five hundred bags. Some of our grape-growers affirm that having once found out that the bags had grapes in them the Sparrow did not confine his attacks to the injured ones, but destroyed the perfect bags as well.

Passing on horseback in summer on the outskirts of the city and looking across a vacant square in which oats had been grown and were then in the shock, in the direction of the sun, I noticed a white cloud around the head of the shocks like an aureole. I rode around to the rear of the square and found that it was the reflection on the oat chaff thrown out by innumerable Sparrows perched on the shocks and devouring the grain. It was clear to me then that the farmer would ultimately suffer greatly unless a remedy is found against the increase of the Sparrow. At the meeting of the Warren County Horticultural Society this matter has been discussed much recently, and many schemes have been suggested to accomplish this. Generally such experiments as have been made seem to demonstrate that some form of poison given with food is about the most promising.

Opposite my residence, and across the street, is the rear of a square occupied as a lumber-yard, and next the fence is a shed 100 feet long and 12 feet wide. I thought this offered a good opportunity to try the effect of poison on these pests, as it would be secure from fowls and animals. Accordingly I prepared a mixture of meal and flour, plentifully sprinkled with strychnine, and put it on the roof. I saw no dead birds and no evidence of its effect until citizens a square away began to talk about the fatality among the Sparrows, numbers of them being found dead. Closer observations showed that after taking the food, and when its first twinges were felt, they sprang into the air and went with rapid flight until they fell dead. Very many were killed, as they greedily devoured all the food given. I did not repeat the experiment, as I was away from home much thereafter, but am mad enough now over the losses among my grapes to organize a regular campaign of this sort, and many are like minded with myself. The orioles are very bad, but they are very beautiful, and unlike the poor and the Sparrows, we have them not "always with us." Close observation makes one believe that the robins do comparatively little harm, as they seldom if ever puncture the grapes, as they take and swallow a whole berry at a time, and I think three Concord is the maximum for a meal. ([Judge] W. L. Dulaney.)

[Bulletin No. 10, Division of Entomology, U. S. Department of Agriculture.]

#### OUR SHADE TREES AND THEIR INSECT DEFOLIATORS. C. V. RILEY.

(p. 31.) The fact that the caterpillar [of the white-marked tussock moth] makes no effort to conceal itself shows that it enjoys immunity from enemies, and notably from birds. In fact, the American Yellow-billed Cuckoo, the Baltimore Oriole, and the Robin are the only birds which have been observed to feed upon the larvae.

(p. 62.) All four of these insects [1, elm-leaf beetle, *Galeruca*; 2, bag-worm, *Thyridopteryx*; 3, tussock moth, *Orygia*; 4, web-worm, *Hyphantria*] have a certain immunity from the attacks of birds—No. 1 by virtue of an offensive odor, No. 2 by the protection of its bag, Nos. 3 and 4 by the protection afforded by the hairs of the caterpillars, which are also mixed into their cocoons. A few native birds we have seen occasionally feed upon Nos. 3 and 4; but the English Sparrow, to which, being emphatically a city bird, we should look for help, has never been known to attack any of them. In fact, we noticed and announced many years ago that in some of the northern cities (as Boston and Philadelphia) the increase of the *Orygia* was indirectly a

result of the increase of the English Sparrow, which feeds in the breeding season upon smooth worms, less harmful to our trees, and thus gives better opportunity for the rejected *Orgyia* to increase, a result still further promoted by the habit of driving away the native birds, which the English Sparrow is known to have. The same reasoning will hold true in respect of the Web-worm; and, putting all sentiment aside, we may safely aver that this bird is an impediment rather than an aid in preserving our trees from their worst insect defoliators. There is every reason to believe that the Bag-worm is carried, when young, from tree to tree upon the claws and legs of the bird, and its dissemination is thus aided and its destruction rendered more difficult; while the yellow suspended cocoons of the *Meteorus hyphantriæ* (the most important of the parasites of the Web-worm) are sought by the Sparrow, probably being mistaken for grains of wheat.

While our feathered friends, owing to the Sparrow's pugnacity, are now things of the past, and can only be seen in the spring when they pass through the cities in their migrations to more peaceable nesting places, yet something might be done to encourage their stay. Nesting places might be provided for them not alone by bird boxes, which, good in themselves, are at once occupied by the English Sparrow; they must be afforded safer and natural quarters.

[Essay read September 4, 1879, before the West Chester (Pa.) Microscopical Society, by the secretary, Dr. B. H. Warren.]

These birds since their introduction in our county (Chester) have elicited considerable interest and comment. In answer to the common interrogatory: Are the Sparrows injurious or beneficial to the agriculturist? the following facts are submitted, as observed by the writer since the transition of the little foreigners.

The autopsies of seventy-five Sparrows, made in 1878, revealed in seventy-three grain and vegetable material solely. Each of the other two had in its stomach, which was distended with wheat, a coleopterous insect (beetle). By this series of examinations it will be seen that only two seventy-fifths of the birds dissected had any insect food, and that in a minimum proportion.

The vegetable material referred to was buds and blossoms of the grape-vine, the plum, pear, peach, and haw trees; also some little grass and a few of the earlier annual plants.

For wheat they have a great predilection, as receptacles of sixty odd contained only that cereal. Oats, corn, rye, clover, timothy, and other seeds variously enter into their bill of fare. As some have claimed that said Sparrow is granivorous only in winter, when in order to sustain existence he is obliged to live on a grain diet, I have, during the months of March, April, May, and June of the present year, examined fifty specimens, of which number forty-seven showed cereal and vegetable food, and one contained a single coleopterous insect in conjunction with an abundance of wheat. The food receptacles of the two remaining birds were void of any nutritious matter. . . . In reference to their distribution, I think it can safely be said they are in by far the greater part of the towns and villages of our county. In West Chester, and a radius of five or eight miles, they are found in numbers. Sparrows in the late summer, fall, and winter congregate in large parties.

Prior to the gathering in of the crops, these birds do a vast deal of damage to the grains. The sweet or sugar corn, so valued on account of its esculent properties, likewise satisfies these gormandizing omnivores. They will visit a corn-field, alight on the ears, tear open the top of the husk, and luxuriate on the half-formed milky grain. The remaining portions of the ears are left partially nude and necessarily subject to the ravages of insects and atmospheric changes, which frequently result in their complete destruction.

Although considerable damage is done to corn in the way above described, yet the destruction done wheat crops is far in excess. Of course the quantity of grain eaten by each is very small, still the amount sufficient to supply a flock of 500 or 1,000



birds is not inconsiderable. But, gentlemen, bear in mind, if you please, that the grain devoured is but a tithe of that wasted. For instance, a Sparrow lights on a stalk, or possibly will grasp two or more stalks in its claws; the perch, although quite strong enough to sustain the bird's weight, will oscillate from the weight of the foreign body. Such an unsteady resting place compels the bird, in order to sustain its position, to almost continually flap its wings. This, in connection with the violent mandibular action, occasions many pellets of grain for every one eaten to be showered on the ground.

In closing this article, I would earnestly solicit, for the extermination of these "white elephants," the co-operation of the farmer, because to him it is of great practical utility that they be destroyed. To the practical non-closet naturalist, the potent need for their immediate eradication is positive. We ask all lovers of birds—and who among us do not admire, nay love, the native songsters—to lend their aid, and speedily, too, that some means may be devised for the blotting out of this unlooked-for bane.

[Essay read March 18, 1880, by Dr. B. H. Warren, before the West Chester (Pa.) Microscopical Society.]

This much talked of and written about bird I again call your attention to, even at the risk of tiring the patience of some of my hearers. Among our members there are not a few who consider the Sparrow a curse to the community and a bird which, if it ever did do good, has "long since outlived its usefulness."

Some years ago, by a well-disposed, estimable, and well-known resident of this place, six or seven Sparrows were obtained and conveyed to our borough, which at that time was the abode of many native song and insectivorous birds. Their arrival was heralded with joy by our citizens (except a few knowing ones who shook their heads and observed, "You'll be sorry for this in a few years"), some of whom forthwith erected a commodious box in the court-house yard for their protection against inclement weather, mischievous boys, and prowling cats.

The little "pets" (as they were then called) were confined in this convenience and regularly fed and watered by their doting admirers for about ten days, when they were liberated. At irregular intervals after this, for a period of nearly two months, they returned to the box for food and shelter. Gradually, however, the visitations became fewer and fewer, until finally they ceased. These pioneer Sparrows for several months displayed marked timidity as well as an eagerness to keep secluded. They roosted in the evergreen trees in the court-yard. One or two years rolled on without much authentic information being obtained relative to them. By way of explanation it may be stated that the word "authentic" before information is used, not but that it is true many reports, both newspaper and verbal, were current in regard to the "new birds," but the writer is also aware that our migrants and natives, other than the most common and well-known species, such as the wren, catbird, robin, etc., from the size of a sparrow-hawk (*F. sparverius*) to that of a kinglet (*Regulus satrapa* or *calendula*), were denominated by the uninitiated yet loquacious observer, "English Sparrow." After the lapse of the time above specified they were frequently seen in small parties about the borough. Immediately, to meet the needs of these insectivorous (?) birds, several of our kind-hearted towns-people built boxes for their benefit. They were soon followed by others, until many of the shade and fruit trees of West Chester were ornamented or disfigured by costly bird-box architecture or rusty tin fruit-cans, pans, and stove-pipes.

These efforts of our citizens, whether rich or poor, high or low, were lauded by the press, and so assiduously were the occupants of said domiciles guarded by night as well as by day that the ubiquitous small boy was put to his utmost to secure the coveted and at that time marketable egg.

The prolific Sparrows, as residents for four years, began to show, even to certain of their supporters, that they were not as useful as it was said they would be.



By degrees it became painfully patent to the fruit-grower, the gardener, and the florist, as well as the practical ornithologist, that the much-cared-for and overrated Sparrows were affecting seriously their respective interests.

The pear, plum, and peach trees, and also the grape-vines, were rifled of their buds. The grapes, strawberries, and, I have been told, raspberries and blackberries, were taken. The tender herbs, grasses, and colouses were plucked and devoured; and last, but by no means the least, the close-observing lovers of native birds proper were forced to note a steady diminution, not only yearly but monthly, in the formerly plentiful denizens of our town, such as the wren, blue-bird, vireo, and "chippy" (*S. socialis*); even transitory visitors, as certain of the warblers, etc., seemed to avoid West Chester, and now, at the proper seasons, when the migrants as well as residents enter this place, they are pursued and driven out by the hosts of "usurpers."

Our townsman, John F. Ingram, well and favorably known to all, and a gentleman who, it is universally admitted, "thinks twice before he speaks," was one of the first to call my attention to the destructive propensities, uncleanly habits, and pugnacious disposition of the Sparrow. He also had noticed the material lessening in visitations of the insect-eating birds.

Like observations of other well-known parties, and disparaging newspaper reports, linked with a desire to learn the true state of affairs, led to a series of dissections by the writer. The result of this work, it will be remembered by some, was given in detail by me before this society, hence I deem it not necessary to here dwell upon the minutie of anatomical labors; but will state that in upwards of a hundred stomachs lately examined the show of vegetable materials was very greatly in excess of the insect diet.

It is needless, however, to dwell longer upon the merits or demerits of these birds. Suffice it to say that repeated interviews with many of our leading citizens and residents throughout the country prove conclusively that popular sentiment is against them because of their injurious traits. Now, the one question is, how shall we get rid of them?

[From papers read before the Biological Section of the Canadian Institute by W. Brodie.]

#### THE EUROPEAN SPARROW, *PASSER DOMESTICUS*.

The food of birds has, of late years, become a very important subject of investigation from an economic as well as a scientific stand-point. Many old and tenaciously held opinions have been quite overthrown.

It has been shown that birds of prey are nearly all beneficial, many of them eminently so. It has also been shown that many birds which were formerly considered entirely beneficial are injurious in some particulars.

The rapid increase of the recently introduced European Sparrow, its adaptability to climatic conditions in Ontario, its food, its driving away of native species, and the general disturbance of bird life in consequence, are subjects which have attracted the attention of ornithologists and elicited some discussion without a very definite settlement of the most important points. This bird is now said to extend over the whole of Ontario, even over very sparsely settled sections.

During this last summer it has spread from Nipissing along the line of the C. P. R. to the north of Lake Superior, and we need not be surprised to hear that it has survived the forty degrees below zero of Winnipeg. It is generally admitted that it has driven away a few native species from cities, towns, and country villages—species which were taking perhaps rather sparingly to our bustling centers, such as the chipping Sparrow (*Spizella socialis*), bluebird (*Sialia sialis*), house wren (*Troglodytes aëdon*), yellow warbler (*Dendroica aestiva*), cliff swallow (*Petrochelidon lunifrons*), tree swallow (*Tachycineta bicolor*), and a few others. The following extracts from memoranda covering a period of six years, are submitted with a view of contributing something to what we know of the food habits of this bird.

I fancy the grasshopper-eating habit has been acquired since its advent into Ontario. I am not aware of its ever having been noticed before either in Europe or in the United States.

The first record of this habit was by Mr. Bucke, of Ottawa, in 1881, the next Mrs. Maria Gardner, a lady of this city, in 1884.

The dissections and examinations of stomachs were made with great care, mostly on recently killed birds.

My thanks are due to many who rendered valuable assistance in these researches.

In the spring of 1879, Mr. R. Baigent, artist, of this city, reported Sparrows as eating gooseberry buds in his garden. This, if I mistake not, was published at the time in one of the city dailies.

May 7, 1881.—One specimen collected in city; contents of stomach, broken down vegetable matter, buds of trees.

May 7, 1881.—One specimen collected in York Township; contents of stomach, coleoptera, carabidæ, seeds of red clover.

April 10, 1882.—Five specimens collected in city; contents of stomach, pickings from horse manure, buds of trees.

March 24, 1882.—Sparrows eating maple buds on Berkeley street.

March 25, 1882.—Sparrows eating maple buds all through city.

April 7, 1884.—Sparrows destroying fruiting buds of maple and elm.

April 7, 1884.—One specimen collected in York Township by Mr. Williams; contents of stomach, fruiting buds of trees.

August 20, 1884.—Sparrows pursuing, killing, and eating grasshoppers on Ontario street. By Mrs. Maria Gardner.

September 1, 1884.—For some days a small flock of Sparrows frequented a dense growth of "pig weed" (*Chenopodium album*), growing near to my work-room window. In order to determine what they were doing, I carefully closed the shutters, leaving a small ocular. When the birds came readily within a distance of about a yard, with a glass of about ten diameters I quite clearly saw they were eating *aphides* [plant-lice] with great relish, as though they were treating themselves to a delicious drink. These visits were frequently repeated, affording me many opportunities for observation.

September 20, 1884.—Twenty specimens collected in York Township by Mr. W. Squires; contents of stomachs, very sharp sand, broken grains of oats, in one, six whole; elderberries, seeds of amaranthus, larvæ of geometrid moth three-quarters of an inch long, three larvæ in one crop, coleoptera.

October 31, 1885.—From March 1 to this date two hundred and thirty-seven stomachs have been examined; one hundred and four, or about forty-three per cent., contained insects of several orders.

Of eighty-five stomachs examined from September 1 to September 30, the season of young birds and also the season of migration from the city, sixty-three, or about seventy-four per cent., contained grasshoppers.

March 15, 1886.—Sparrows destroying elm buds on Ontario street. By Mrs. Maria Gardner.

March 20, 1886.—Sparrows destroying fruiting buds of maple and elm trees on Berkeley street.

March 23, 1886.—Sparrows destroying maple buds on Berkeley street.

March 29, 1886.—Sparrows eating maple buds on Ontario street. By Mrs. Maria Gardner.

April 5, 1886.—Sparrows eating elm buds.

April 12, 1886.—Sparrows eating maple buds on Ontario street. By Mrs. Maria Gardner.

April 21.—Sparrows eating maple buds on Elizabeth street and Queen's Park. By Mr. W. Parks.

August 15, 1886.—Sparrows pursuing "flying grasshoppers," *E. carolina*, on Church street. By Mrs. Maria Gardner.

August 20, 1886.—Three specimens collected in York Township by Mr. Jas. Milne; stomachs contained road pickings, broken oats, fragments of grasshoppers.

August 25, 1886.—Seven specimens, young, collected on Don Flats, north of Winchester street bridge; contents of stomachs, road pickings, broken oats, seeds of *Polygonum aviculare*; grasshoppers in all.

August 27, 1886.—Five specimens collected by Mr. W. Squires, east of city; contents of stomachs, very sharp sand; in all broken-down vegetable matter; in one, head and femora of *C. femur-rubrum*.

August 29, 1886.—Four specimens, all young, collected by Mr. C. Armstrong in Rosedale; contents of stomachs in all broken-down vegetable matter and portions of *C. femur-rubrum*.

September 3, 1886.—Nine specimens collected on Don Flats, near paper mill; three stomachs contained fragments of grasshoppers, two contained pupæ of a dipter, one contained three small lepidopterous larvæ.

September 13, 1886.—Fifteen specimens collected in York Township; all contained the usual broken-down vegetable matter, nine contained portions of grasshoppers, one contained portions of femora of *E. carolina*.

Of the forty-three specimens collected from August 20 to September 13, twenty-seven, or nearly sixty-three per cent., had been eating grasshoppers.

May 27, 1887.—A young Sparrow about a week old fell out of nest and was killed; stomach contained fragments of eggshell, two spiders, one small moth denuded of wings; the head and antennæ were fairly well preserved.

July 17.—Saw two Sparrows pursuing *E. carolina* on Berkeley street. When the grasshopper alighted the Sparrows pounced on him, but he eluded them by darting up on wing, the Sparrows sitting still watching his down-coming. Four unsuccessful attacks were made. On the fifth mount he got into some shrubbery and escaped.

July 19.—Mrs. Maria Gardner handed me a mutilated *E. carolina* over which two Sparrows were contending in the normal school grounds; the head, both elytra, one wing, and three legs were gone and the thorax was badly crushed.

July 20, 1887.—About noon saw a Sparrow breaking legs and wings of *C. femur-rubrum* in front of 325 Parliament street.

July 20, 1887.—Saw a Sparrow catch and denude of wings and legs a *C. femur-rubrum* on Berkeley street, and then fly away with it, apparently to nest.

August 5, 1887.—Caught four specimens of *C. bivittatus* on Don Flats, liberated them on a patch of *Polygonum aviculare*, Berkeley street, much frequented by Sparrows. They were immediately attacked by about a dozen Sparrows, and within fifteen minutes three were killed, torn to pieces, and devoured.

August 11, 1887.—Two specimens collected by Mr. W. Squires, in the east of the city; contents of stomachs in both, road pickings and broken oats; in one, three pupæ of a dipter.

August 31.—Five specimens collected by Mr. D. Cox outside city limits; three stomachs contained spiders and fragments of coleoptera; one, head and femora of *C. femur-rubrum*.

September 12, 1887.—Two specimens collected in city; contents of stomach, small pieces of egg-shell, road pickings, broken oats.

September 20, 1887.—Four specimens collected on Don Flats, near paper mill; stomachs all contained small lepidopterous larvæ and fragments of grasshoppers.

Of the three hundred and seven specimens collected from May 7, 1881, to September 20, 1887, the stomachs of one hundred and thirty-two, or nearly forty-three per cent., contained insects of several orders, and eighty-five, or nearly twenty-seven per cent., contained grasshoppers of two species, *C. femur-rubrum* and *E. carolina*. These two, with *C. bivittatus*, on which I fed them on August 5, 1887, make three species on which the Sparrows feed in the neighborhood of Toronto.

## TESTIMONY RELATING MAINLY TO THE SPARROW IN EUROPE.

FROM THE EVIDENCE SUBMITTED TO THE SELECT COMMITTEE ON [BRITISH] WILD BIRDS PROTECTION. 1873.

[Mr. Champion Russell, residence near Romford.]

[Page 12.] I will give you a history of the course of his life the whole of the year round in the country. We will begin on the 1st of January. He lives in the farm-yards, along the roads, yards of any kind near the houses. He gets his food there; when the stacks have been threshed, in he goes. As soon as the barley and oats are sown he leaves the farm-yards and houses, and you see very few there. If you shoot him in the fields you find his crop full of oats and barley, unless he can get wheat; then from that time until after the seed corn has grown, which would be about the end of April (it depends on the season), through May and June, when he can get the least corn,\* then he destroys insects; the old ones eat scarcely any even at this time, but they feed their young more or less with them. Then when the green peas are in pod, that is about the first thing he takes in the fields. At this time of the year you may go miles across the country without seeing a Sparrow in the fields at all, except near houses and roads. I never see a Sparrow elsewhere until the peas are in pod. The next is the oats and barley, when they begin to get milky, and the next thing is the wheat. They get more and more in the fields in flocks, and there they stop, living principally in the fields, and many of them sleeping out in the hedges, until all the waste corn on the ground has grown in October. Then they come in clouds round the stacks, and then they go back to their old occupation, picking up what they can among the fowls and pigs and on the roads. The chief mischief they do is eating the green wheat in the ear when the corn just begins to form and there is very little in it. An intelligent farmer told me lately that he sometimes loses £15 or £20 a year on a field, and that he would give £20 a year to keep them out; he lives near a village.

This is done particularly in the first half of July, when the grain is imperfect; the juice runs out of their mouths when shot; you would think they had been drinking milk. Some farmers in Norfolk sow a little strip of oats between the farm-yard and the wheat-field that they may attack them first. But the great objection which I have to the Sparrows is, that they are by their increasing numbers exterminating the martins. They have a habit of dispossessing the martins of their nests, and in our part of the country the martins have almost disappeared; consequently, we are subject to a plague of flies and insects; the Sparrows are the best allies of flying insects.

I see an attempt to dispossess the martins on an average about twice a week when I am at home; and once or twice I have seen it two or three times in a day. The martins' nests are under the eaves. The cock Sparrow comes first and settles on the eaves, and dodges about; the martins make feeble attempts to drive them away, but they are usually perfectly helpless; the Sparrow dodges backward and forward perhaps for an hour; at last he gets in, and once into the nest the cock stops in and keeps the martins out with his sharp bill, while the hen brings some hay. The Sparrow once in full possession the martins never meddle. They spend the whole of the summer in building fresh nests for the Sparrows.

I never knew that they dispossessed any other bird.

I never knew any other bird dispossess the martins.

The Sparrows come in clouds round the stacks when they can get no more out of the fields, and they then take to the same mode of life that we began with, except that they have a turn at the wheat in the fields when it is sowed about November. The stacks being threshed out in the fields has made a difference to them; they used to thresh them out in the farm-yard, where they had a struggle with the pigs and fowls. Close to my gate at home, though not on my own land, a stack was

\* [It should be remembered that the word corn is used in England to denote small grain of almost any kind; Indian corn is invariably called maize.—W. B. B.]

threshed out in April or March; it has furnished clouds of Sparrows with food ever since; people have been moving the straw occasionally, which gives them fresh ground to feed upon; these things encourage Sparrows; besides which, I believe there are more horses in the country and more oats given them, and that is a never-failing resource; they will never starve, winter or summer, so long as horses have uncrushed oats.

They give their young ones insects. I have saved the food of many hundreds of Sparrows, and got it bottled [producing two bottles], that I may know precisely what kinds of insects they eat. I should also like to know what species the martins eat. I want the assistance of an expert entomologist here, but I can state generally that out of three hundred and eighty-eight young Sparrows examined last year, of all ages, from a great variety of places, chiefly from farms, but also from private houses, wheat and green peas were found in them in considerable quantities; the insects were of two classes—caterpillars and coleopterous insects—but I found very few insects that I knew well; I found one earwig, one grasshopper, a few hard-winged beetles, but mostly soft beetles (I suspect they come out of the manure); and caterpillars in very variable quantities; the very small young ones, up to three or four days old, generally have caterpillars and little else, unless they have green peas. When they get to the size of "large callow," you will often find that they are full of wheat; the gizzard soon becomes hardened, and there is a great quantity of even ripe wheat. Sometimes you find hardly any caterpillars, but a kind of black stuff. There are different-sized insects of the beetle class, but soft. I find a great quantity of coleopterous insects also in the droppings under the martins' nests; not the same species probably, but the same class of insects. One catches them on the wing, whereas the others catch them on the ground. One of these bottles holds the contents of the stomachs of eighty-two young Sparrows taken recently, and this one of fifty-four old Sparrows obtained last April; of more than one hundred examined at different times in that month, only one contained an insect; that one, two or three. I have not yet found an insect in a Sparrow in autumn or winter. They can hardly do much good to the farmer, for they do not frequent the fields to eat the insects unless they are close to a house or road. You can see them destroy an acre of wheat sometimes, but I am not aware of any counterbalancing advantage in the ground close to the roads and the houses over places half a mile from a road or house where you never see a Sparrow except about harvest time.

The food differs very much, according to locality and according to the opportunities. A farmer sent me a lot of young Sparrows, that I might examine the contents of their stomachs; they contained a good deal of wheat, a good deal of green peas, and a fair sprinkling of insects. Only four days later he sent me another lot; there was still wheat, but no peas—insects were substituted; they were caterpillars. I suppose the green peas had been grubbed up, and they had to hunt the caterpillars; but it was not very conclusive, because the man had two farms a mile apart. He told me that he believed they came from both farms; but that made it a little less pointed than it would have been. I could not get at it by inquiry; I did not get to see the boy who took them, but it looked as if they ate peas as long as they could get them, and then they got caterpillars. You will find that there are more caterpillars at the top than at the bottom of this bottle, because the contents of the youngest birds are at the top.

I do not know how many days after hatching the young begin to eat wheat; when I was a boy I might have been able to tell you how many days each size of callow bird represented. What I call a large callow bird generally contains a good deal of wheat. I should say three days old is the date, but it is a mere guess. As their whole growth is completed in a fortnight, it can not take many days. The large callow birds contain more food than the full-feathered ones; the gizzard alters very curiously in shape and size, and as they grow to full size it contracts again. As to breeding, I can not tell exactly, but my recollection of the time when I used to

look after nests is that they seldom lay before about the 23d or 25th of April. They breed all through July and August, but you do not find many then; as they get out onto the wheat fields they seem to leave off the idea of breeding; there are not many nests in August; that is the only chance the martins have, which saves them from utter extermination. Occasionally they raise a late brood in September, when the Sparrows are gone to ravage the wheat fields. The poor birds are reduced to great straits, and they have to wait until the latter part of October, when they are pinched up with the cold, and they go down the chimneys at night for warmth; but when they are protected they get their latest broods clear off before the end of September generally. To the best of my recollection only two nests were reared (on my place) in 1869, one close to a door, and one close to a window, where the Sparrows dared not come; all the rest were taken by the Sparrows. As, to my indignation, they had been diminishing in numbers for many years, I thought to do something to protect the martin. I had been away from home for a month in the year 1870, and I came home towards the end of May. Several martins' nests were built around the pigeon-house, which is a favorite place of theirs; I found that every nest had been taken by the Sparrows. I set to work with a young friend, one or other of us watching the martins nearly all day for a fortnight; we killed about a hundred and fifty Sparrows in the fortnight around the martins' nests, and in spite of a great deal of difficulty, we got seven nests to fly that year. The next year I had twenty nests; last year I had forty-five, and this year I have more than fifty, I should think; I can not tell exactly how many there will be, but I expect there will be sixty, for I believe there are fifty-one now, and they have not all built yet. \* \* \* No bird, in my opinion, does as much mischief as the Sparrow, or requires so much to be kept down, partly from the nature of his food and from the manner of getting it. The Sparrow is not only the greatest corn-eater, on the whole, of any of the small birds, at all events, but he is not kept down by a cold winter so much; he can find his food somehow all the year round. No small bird approaches the Sparrow in destructiveness; I will not be so dogmatic as to say that the Sparrows are of no good at all, but the balance is against them, even taking a comparative estimate of what they eat; and when you are certain that they are destroying one of our most beautiful, useful, and interesting birds, the martin, that condemns them. I like the martin, and his enemies are my enemies. (June 12, 1873.)

[Mr. Champion Russell, in paper handed to the committee.]

[Page 172.] Mr. Hurrell, farmer, Boreham, near Chelmsford, being questioned (July 14, 1873) about birds, says that he once measured an acre of early wheat where Sparrows had eaten it, and another adjoining acre, otherwise of same quality. The wheat was thrashed out separately, and the loss from Sparrows found to be two quarters [16 bushels]; value at the time, £6. Does not find the land less valuable for any crop where Sparrows do not frequent. Says that Sparrows take a few aphides from the peas, as well as the green peas themselves, but not enough to do perceptible good where they frequent.

(I find that they sometimes give a few aphides to their young ones.—C. R.)

#### Martins\* and Sparrows.

The decrease in the number of straw-thatched buildings, most likely, has some effect in making Sparrows more hard on the martins; but many of the former take the nests of the latter in preference to any other accommodation. I have found, for instance, that they will not use the "Sparrow pots" if they can get at martins' nests.

\* [The European martin, *Hirundo urbica*, must not be confounded with the American martin, *Progne subis*. The former is much smaller, in size and nesting habits more nearly resembling the American cliff swallow, *Petrochelidon lunifrons*.—W. B.B.]



The time that Sparrows prefer to take martins' nests is when the shell is not quite finished, as they like a rather large hole to carry in their grass and feathers, of which they use much more than the martins. If not molested, martins use the same nest if they have two or more broods. If the Sparrows do not take a martin's nest before the young ones are large, they do not meddle with it until the first brood has flown. This, then, is another favorite time for taking the nest. The old martins are away attending to their fresh flown young for a few days, and there is no attempt at opposition. I think I could find within a short distance one hundred houses where martins built in numbers forty years ago, but where, owing to the depredations of Sparrows and stupid people, there are none now.

White, of Selbourne, wrote that "there are few towns or large villages but what abound with house martins." This was the case up to some forty years ago. Now, in most towns and villages, where there were hundreds of these birds, there are now none, or only a few pairs. The principal exceptions, in my knowledge, are in moor or down country, where there is little corn, and consequently but few Sparrows. Sometimes, but not often, the martins find a place to build, which, for some reason, the Sparrows do not like.

If people will neither protect the martins from the Sparrows, nor let them build near their doors and windows for protection, we shall lose these beautiful and most useful birds; indeed, we are losing them fast. Unlike most other birds, they will not make their nests far from our dwellings; if not allowed to build there, they disappear.

Any law to protect Sparrows, if at all observed, would have precisely the same effect as offering a reward for the destruction of martins.

As a single instance among many of the banishment of martins by Sparrows, at the place where I was born and brought up, three miles off, there were a great many martin nests when I was a boy. The Sparrows persecuted them badly then, and gradually displaced them, until, for some years past, I do not think that a brood has been raised there. It is a favorite place for martins; some always resort and feed there, though none breed within three-quarters of a mile. They constantly try to re-establish themselves there. This year two nests were begun. Both were taken by Sparrows before they were finished. A starling afterwards turned the Sparrow out of one, and eventually broke the nest down by its weight. A starling's egg was found in the nest after it fell.

To recover from the martins the other nest, which was under the eaves of the house, near a window, I offered a servant half a crown to shoot the Sparrows and pull their nest out. This was done. The martins came back, finished their nest, and kept possession for some time. When the young ones were callow, half of the nest, with its contents, was found one day on the ground. The Sparrows no doubt caused this mischief by trying to force themselves into the very small hole left by the martins as is their custom where liable to the attacks of Sparrows. The nest rested on a bar of iron, and was broken across the middle; a thing I never knew to be done by the martins themselves; no wet could get at the nest. I have before known a nest to be broken by Sparrows squeezing themselves in; in this way they often break down a nest entirely and then go and take another.

Three years ago a blacksmith near here saw two Sparrows pull young martins out of a nest and drop them alive on the ground. He got a ladder and put the birds back in their nest; in ten minutes he found that the Sparrows had come back and thrown down the young martins again.

[Page 174.] I have destroyed Sparrows as closely as possible for the last four years, and can not find the slightest disadvantage from their absence. It may be said that my neighbors supply me with enough for useful purposes. If so, this shows that 99 per cent. of their usual numbers might be destroyed without perceptibly bad effect, so rarely is one to be seen at my place.

April. They  
they get out  
are not many  
them from  
when the  
ed to great  
are pinched  
; but when  
f September  
my place) in  
s dared not  
on, they had  
g to protect  
and I came  
t the pigeon-  
taken by the  
the martins  
rows in the  
ulty, we got  
I had forty-  
exactly how  
are fifty-one  
does as much  
m the nature  
the greatest  
e is not kept  
r round. No  
dogmatic as  
t them, even  
in that they  
the martin.  
(June 12,

questioned  
what where  
quality. The  
d to be two  
less valuable  
take a few  
enough to do

C. R.)

y, has some  
former take  
have found,  
at martins'

the Ameri-  
gating habits  
.—W. B.B.]



[Page 182.] The House Sparrow stands in a class alone; it can hardly be considered a wild bird; it is a parasite, living mainly on our produce. Its mode of life is such, that it requires to be kept down by man far more than any other bird.

Sparrows should have no protection by law; they are bred in great numbers in towns, villages, and about almost every house and cottage. Living along the roads, they soon find their way to and swarm in farm-yards, however closely they may have been killed down there in winter and spring. Farmers, therefore, generally have the nests taken, but many escape in trees. Were this practice prevented, poisoning would be thought necessary.

Much has been written in favor of the "Sparrows and other small birds." One consequence is, that many people encourage Sparrows to an extent detrimental to their neighbors' crops and to the martins; another consequence is, that others, finding the Sparrows destructive, and taking it for granted that all small birds are alike, destroy all they can. Then, Sparrows being far more wary and cunning, before they are thinned to any extent almost all the other birds are destroyed.

Nearly all evidence in favor of Sparrows is founded on partial observation, or is vitiated by the fact that when they are killed down the other birds are exterminated. The destruction of Sparrows by nets, and particularly by shooting, is almost always accompanied by great slaughter of harmless and useful birds. Warblers and other soft-billed birds are much more effective destroyers of caterpillars and other insects than Sparrows.

One great object of protection laws is to educate people to spare harmless birds. One of the first practical steps toward this desirable end is to teach people that, when it is necessary to thin the Sparrows, other birds need not also be destroyed. The indiscriminate zeal which would protect all birds alike, defeats its own object and spoils a good cause by going too far.

The moral effect of any legal protection to Sparrows, even if not applied to occupiers, would be to keep up the delusion that all small birds are alike, and thus to encourage the slaughter of harmless and useful birds with the Sparrows.

Whatever may be thought about the utility of a moderate number of Sparrows, few practical farmers doubt that in great numbers they are very destructive; it seems to me that there is no fear that we shall ever have too few of them; in spite of all efforts to destroy them, they seem almost everywhere to be greatly increasing in numbers.

[Mr. Henry Meyers, market gardener.]

[Page 20.] I had a Sparrow club once; I thought they were very injurious birds; we killed them until scarcely one could be found on the premises. After the Sparrows became almost extinct we found blight of various kinds very much increase upon us, and it has done so ever since. I am glad to say Sparrows are becoming more common with us now; this year our trees are comparatively free from blight. The committee will draw their own inference, but those were the facts. We have also suffered much less from insects, especially this year. To say the Sparrows do no damage would be wrong, but there is no doubt that they do a larger proportion of good than they do harm. I can not say that I have gone into details, and made *post-mortem* examinations of their stomachs, but there is something interesting in one of those bottles I think. (Bottles produced by last witness.) You will find the larva of one of the greatest enemies we have—the little green caterpillar that eats up the gooseberry leaves. We are large growers of gooseberries. The Sparrows will sometimes have their share, and go and pick off the ends of the blossoms, but they do that over a very small extent of our plantation near the buildings and near the hedges. My foreman at Bedford said, "These Sparrows are stuffing at the gooseberries; what shall we do?" I said, "Let them alone; they will go to another place soon." We have now a very good crop of gooseberries. I think the amount of fruit which we lose from the birds is comparatively very small indeed. What I mean to be understood by this is, that for ten months these birds are living very much on what they can get, such as

seeds of weeds, self-set corn, and vermin. I have no doubt (although I can not prove it) that the germs of blight are consumed in winter by small birds, and if they were more common, blight would be less common.

[The following points were brought out by questioning this witness]:

With regard to the blight, it was an increase of blight generally. I can not say as a consequence of the destruction of the Sparrows. I only mentioned that as a coincidence; the green caterpillar in the gooseberries was one, and the common caterpillar in the apple trees. I have had apple trees destroyed by them for two years. I have had the green fly in almost all kinds of plants; the only thing that has not suffered has been the raspberries. \* \* \* I have not seen Sparrows actually eating the green caterpillars off the gooseberry trees. \* \* \* In addition to the Sparrows I destroyed the chaffinch and any kind of seed-eating bird, but not blackbirds and thrushes. (June 12, 1873.)

[Mr. Lewis Fytche, magistrate.]

[Page 25.] I have observed Sparrows all my life and I will at least say this, that if you watch the Sparrow you will see one of the most beautiful sights in creation; that is to say, a cock Sparrow, hawking at the white butterfly in the sun. He goes at it just like a hawk after a heron. He kills tens of thousands of the eggs which produce the cabbage caterpillar; so that instead of taking the caterpillar he takes the evil in the egg. The white butterfly produces the cabbage larva which does so much harm, and I think the Sparrow is most useful in that point of view. (June 12, 1873.)

[Lord Lifford.]

[Page 28.] The Sparrow is mischievous in every way, and is very numerous. Of course he does good by destroying grubs and caterpillars; but I think he does decidedly more harm than good. (June 19, 1873.)

[Prof. Alfred Newton, M. A., F. R. S.]

[Page 34.] The Sparrow has spread throughout the world, accompanying man in his migrations; he has taken him out to the United States, the Cape of Good Hope, the Island of Mauritius, Australia, and almost every part of the world. \* \* \* In a few years I think some of them will find out their mistake. \* \* \* I think certainly the Sparrow will establish himself, and perhaps any bird that establishes himself must do so more or less at the expense of some other bird. (June 19, 1873.)

[Mr. C. G. Groome Napier, ornithologist.]

[Page 47.] I think the Sparrow and wood pigeon are the most objectionable birds we have, on account of their numbers and also because they feed so much, generally on green crops. I think the Sparrow does more harm than good. The balance is decidedly against him; I should condemn him. He does not feed his young entirely on insects even during the first days. Dr. Edward Crisp exhibited before the British Association at Birmingham, in 1865, a hundred stomachs of young Sparrows, and there was not 5 per cent. that contained any insect food; I examined them with a lens myself. They were the stomachs of nestlings. The food is almost always a considerable portion of grain; in the case of young Sparrows it is green corn generally. I know from personal observation that the Sparrow takes the place of other and better birds; I have observed that the warblers and wrens, and those little birds, have been pushed out of their proper position by the Sparrow. They have been driven away from the locality. The Sparrow supplants them in their nesting places. I have seen the Sparrow often supplant both the house martin and the swallow. I once had a swallow's nest which was usurped after there were eggs in it by a Sparrow; the Sparrow put in some hay to make the nest rather softer. I believe the Sparrow ate the eggs; they were found broken, at all events, and covered with hay. (June 19, 1873.)

[Mr. Alfred Ellis (living near Leicester).]

[Page 52.] In my neighborhood the House Sparrow is not injurious to any considerable extent, except just when the corn begins to harden, or gets sufficiently formed to enable him to take it from the chaff, then he is very destructive; during the other part of the year he feeds largely on insects. The Sparrows in our neighborhood remain in the fields late in the autumn, much after the gathering in of the harvest, and a long time after there is an ear of corn in the fields; they feed then in large flocks entirely on seeds, the seeds of weeds. I may state that I have seen the Sparrow in contest with the martin for the martin's nest. He drives the martin from his nest to some extent, particularly toward the latter part of the summer. I do not recollect an instance of where a Sparrow dispossessed a martin during the first brood of the martin, but in a large colony of martins I think I have seen as much as 25 per cent. of the nests occupied by Sparrows in the second brood of the martins, or rather what would have been the second brood. I have not observed that other birds are driven away by the Sparrow.

[Mr. Alfred Ellis.]

[Page 56.] The Sparrow is certainly powerful enough to turn out the martin, and he does it. The martin is one of the most useful birds. The Sparrow is mischievous during the time when the corn is first hardening; on the first ripening of the corn you will find the Sparrows constantly in the field up to the time of the gathering in of the harvest, perhaps in the midland counties from the first week in July to the middle or end of October. \* \* \* I do not think the Sparrow does very much harm in the gardens; I have seen destruction caused by it in radish beds and young lettuce beds. (June 26, 1873.)

[Mr. R. Scot-Skirving, gentleman farmer.]

[Page 63.] I would exempt the House Sparrow (from protection); nine-tenths of the House Sparrow's food is insects, particularly caterpillars. As a farmer, I would not be frightened of the damage they do; the damage they do to farmers is much more apparent than real, because they eat corn as it ripens along the hedge-side, generally near the farmstead; they do not scatter themselves over the fields; they will utterly destroy a quarter of an acre, perhaps, but they will never touch anything else. However, they do terrible damage to gardens; they kill off the very young vegetables when they first come up from the ground; they will eat up a whole crop of peas if they are allowed. I have watched them feeding their young, and I have seen them coming with green caterpillars from the bushes and trees; when they were thought to be doing damage they were killing caterpillars.

[Rev. J. Pemberton Bartlett. Residence at Exbury, in the New Forest.]

[Page 68.] The Sparrow undoubtedly does harm in gardens; he does a certain amount of harm, but if he does harm for three months in the year he does good for the other nine months, which counterbalances it. I have opened the crops of the young and I have watched the old birds carrying green caterpillars up to their nests. I have dissected young birds enough to get a knowledge of what they are fed upon. In the breeding time they are nearly always full of insects, caterpillars, etc. The majority of their food for a certain time is insectivorous. I have sometimes found them without any vegetable food, and at other times there has been a mixture of green food, but the insect food always preponderates decidedly over the vegetable. With regard to the martins, certainly he does drive them away; I had all my martins driven away three years ago by Sparrows. I have known the birds take possession of all their nests, and drive them away. This year the martins have come back again, and the Sparrows have not attacked them yet. (June 26, 1873.)

[Mr. William Johns, book-seller (residence about a mile from Torquay).]

[Page 73.] On June 5 I walked to Babbicombe Hill to wait on a lady; I saw a moth on a flower; I went and took the flower and turned the head down, and the moth flew away. It was not the one I wanted. It flew half across the garden. A bird (Sparrow) came from the hedge, caught it, and took it to its nest. I went to the nest, and there were five of the top wings of the same moth. It was the large brown cabbage moth, one of the greatest enemies of the cabbage plant. (June 26, 1873.)

[Mr. Henry Stevenson, gentleman.]

[Page 89.] I have repeatedly seen the Sparrow taking possession of the martins' nests on the sides of my own house, and I have frequently shot them with a small-bulleted pistol to turn them out. I have never known them to interfere with the swallows' nests, but the Sparrows are in the habit of using old martins' nests in the winter, relining them, and I suppose they think they have a vested right in them the next spring. If the martins build fresh nests they turn them out of those also.

[Page 91.] I suppose I have sometimes seen ten or twelve pairs of Sparrows at a time all collecting insects from the grass and from the borders for their young, which are under the tiles and other parts of the houses; they are doing an immense good at that time, but as soon as those young birds have flown and taken themselves to the fields, then they certainly do a great deal of injury to the farmers. The earlier broods are not fed on grain. Later in the season, when the corn begins to be soft in the ear, I think the probability is that the old ones feed the young on soft, pulpy grain. I have not dissected any Sparrow nestlings.

Speaking only as a gardener, I should not destroy the Sparrow. I think they do me a very great amount of good. (July 3, 1873.)

[Mr. George Swaysland, taxidermist (residence at Brighton).]

[Page 104.] The Sparrow does a great amount of good; he never feeds his young on corn at all; you see him in all the footpaths in the cornfield; he is not in the corn; he feeds his young on insects. I never knew him to feed his later brood on milky grain; I have killed and examined thousands of them—nestling Sparrows; I have generally found grubs in their stomachs, or those little beetles that run across the footpaths. As soon as the old bird leaves the young Sparrow then he goes to the corn; but they bring their young ones up on insects until they are able to fly about and to look out for themselves. Those things have been my study all my life. I know whether birds increase or decrease, and what they feed upon; it has been my hobby; I have been more in the fields, and I can say it without any boasting, I have lost more time, as some people would say, in the fields, than any other man in Great Britain. (July 10, 1873.)

[Mr. John Cordeaux, gentleman farmer (residence in North Lincolnshire).]

[Page 110.] My opinion is that the good the Sparrow does far counterbalances the evil. The time of year when the Sparrow commits the most destruction is when the young milky grain is in the plant. Two or three years ago I opened the crops of thirty-five young Sparrows of various ages, which I took indiscriminately from the nests around my own house, and on an average I found in their crops two parts soft grain and one part insects; so that even at this season they feed partly on insects. Some of them were only a few hours out of the shell, but others were fully fledged; they were every size and age. I never destroy Sparrows except in taking their nests, and I do that because I think the Sparrows increase enormously, and I think they drive out other birds. Sparrows about a garden discourage the warblers and other birds. I find when there are a great number of Sparrows, one species turns the other out. It is by competition for food. \* \* \* I have never seen a case of actual persecution, but being a strong and pushing species the Sparrow would naturally eat the food of weaker and less combative birds. (July 10, 1873.)

[Mr. John Cordeaux in paper handed in to the committee.]

[Page 178.] House Sparrow (*Passer domesticus*).—Sparrows feed their young in April, May, and June almost exclusively on insects; in July, insects and soft grain. "The stomachs of thirty-five young Sparrows, taken to-day from nests about my house, give the following result: One part insects to two parts soft grain. The young were of all sizes, from a day old to others sufficiently fledged to fly short distances; some had the stomach filled almost entirely with insects, and others with grain alone; generally, however, there was an admixture in the above proportions. The grain was not confined to the oldest birds, as the stomachs of two baby Sparrows, from appearances hatched but a few hours, contained nothing but grain. One little bird had its gizzard filled with a large moth, which unfolded was half the size of its body. Where grain was present there was also a proportionate supply of small stones to assist digestion. Those gizzards containing the largest proportion of grain had invariably the most stones. The insect remains were principally those of various coleoptera and many small caterpillars and grubs." (J. Cordeaux, in "Zoologist" for 1870, p. 2267.) The Sparrow also feeds on the aphides and the weevil of the bean plant; in the autumn and winter, on grains of wheat, oats, and barley; also various seeds.

[Mr. William Cratie Angus, picture dealer (residence in Glasgow, but notes relate to Aberdeenshire).]

[Page 117.] Sparrows by the end of June or beginning of July congregate into large flocks, and I have known fields of barley and corn flattened by them, actually broken down by the weight of Sparrows; they are very destructive to newly-sprouted peas; I have known whole rows of peas cropped off by Sparrows. \* \* \* When they have bent down the corn it has been on the edge of the field generally, not always. The earliest part of a field is not necessarily the edge of it. They generally go to the earliest part of it, but, when disturbed, prefer the middle to the edge of it. I have shot (firing both barrels) as many as seventy Sparrows feeding in the middle of a field. Whether they feed in the middle or on the edge of the field depends, I think, on the ripeness of the crop and the amount of annoyance they would be subjected to at the edge. I think that wherever any species becomes very numerous, by force of numbers it dispossesses other species. Where Sparrows are very numerous in gardens you will find that other birds are not so plentiful. (July 10, 1873.)

[Rev. John George Wood, F. L. S.]

[Page 131.] I have not done very much with the Sparrow, but I have seen him in the very early morning doing nothing but eating insects or larvae, picking them out of the grass, the daddy-long-legs especially, which is one of the most dangerous insects we have. It never struck me that the Sparrow displaced other birds. I think there is no competition for food. (July 17, 1873.)

[Mr. James Pertwee, gentleman farmer, residence in Essex.]

[Page 149.] I can hardly describe the harm the Sparrow does me; he does harm in every possible way. He is utterly bad; he is no good either; he is not to be frightened at all. He may do some good for a day or two while the birds are very small, but directly he can get soft corn or seed he will take it to his young. They are troublesome birds in every way; for instance, they destroy the thatch of buildings at an astonishing rate. They make holes in the thatch, and they turn out all the martins. I should not mind giving £5 a year to be protected from them. They turn martins out of their nests; that is a very useful bird; but they have decreased very much through the Sparrows. I do not think I have known the Sparrow to persecute any other bird besides the martin. This year, I am sorry to say, I have no martins' nests, or only one; sometimes I have had a number under my eaves. The Sparrows would take every nest they could get if I had not looked after them and kept them away as well

as I could. They turn them out sometimes when the nest is half formed, like a cup, and sometimes when they have had young ones they have turned them out. I have found the young ones thrown out and lying on the ground.

I may add that some persons have said that the Sparrows do good inasmuch as they eat green caterpillars off gooseberry and currant trees. Now, my children told me yesterday that the caterpillars had eaten up all the currant trees. My garden joins the farm-yard, and there are plenty of Sparrows in the garden, so I do not see that they eat the caterpillars at all. (July 17, 1873.)

[Mr. James Pertwee in paper handed in to the committee.]

[Page 175.] House Sparrows.—It is scarcely possible to say too much against these obnoxious birds; they live almost entirely upon corn, and will not take insects, grub or caterpillar, except when their young are very small; begin to attack the corn before any other bird, and give their young green peas, barley, and wheat as soon as the kernel is formed; do not even eat seeds of weeds or plants, because they are not found in the fields, except when and after there is corn. I would give £5 a year to be protected entirely against them. At this time my gooseberry trees are infested with caterpillars, although the garden is very near to the farm-yard, and a gentleman told me on Tuesday last that his garden joined the stack-yard, yet the green caterpillar was stripping the leaves off his gooseberry trees.

[Mr. James Harrison, gardener and bailiff (residence at Heathlands, Hampstead).]

[Page 152.] The Sparrow is a very good insect-catcher at certain seasons, when he eats caterpillars. The only trouble that gardeners have with him is at the time young peas are in season. Then he is inclined to take too much, and only then. I have never destroyed a bird during the twenty years that I have had charge of gardens; and I would not destroy even the Sparrow. (July 17, 1873.)

[Mr. John Colam, secretary Royal Society for Prevention of Cruelty to Animals.]

[Page 154.] With regard to the Sparrow, I have often seen him devouring large caterpillars, and this very day I have seen a Sparrow attacking spiders in a most voracious manner, and clearing them off the copings of the walls at Wandsworth. (July 17, 1873.)

[Mr. Jesse Willard, gardener to Lady Burdett-Connis.]

[Page 155.] I know for a fact that the common House Sparrow eats caterpillars, for I can give an instance of that. The cottage I live in is covered with ivy, and against the bed-room window is a Sparrow's nest with young ones in it. I have seen the old Sparrows come in the morning from some pear trees opposite, and alight on the window-sill with caterpillars in their mouths. You could see them quite plainly. I should say in passing, that instances have come under my notice in which, where the caterpillars have been rather numerous, they have been passed almost unnoticed by other birds, and all at once the Sparrow has made a sudden set at them and cleared them off. I recently had a brother of mine come up from the country; he lives in the Weald of Kent, where they grow a great many filberts; he was not favorable to birds, on the whole, but he said this fact had come under his notice: They had some filberts on which there was a large amount of caterpillars; all at once the Sparrows set at them and cleared them off; at the same time, for some reason or other, they seemed to pass them by for a time quite regardless, but all at once they set at them. I have seen that apparent caprice myself. (July 17, 1873.)

[Mr. James Bell, gardener to the Duke of Wellington, Strathfieldsaye, Hampshire.]

[Page 156.] I have seen a wren carrying green caterpillars off the fruit trees all day long to her young ones. I have seen a Sparrow going on just in the same way as the wren, only the Sparrow's family is not so numerous as the wren's. The only thing



which I know against the Sparrow is that after the peas come in just about this season, they are very destructive to the green peas; they peck the pods, and destroy the peas. \* \* \* But notwithstanding the destruction of a few peas, I think the Sparrows are of very great advantage to gardeners. (July 17, 1873.)

[Rev. Francis O. Morris.]

[Page 164.] This is the twentieth year I have been rector of Nunburnholme, and in the whole of that time I have never but twice, at intervals, known the Sparrows do me any harm that I should not feel ashamed to complain of. They used to breed in great numbers in our dilapidated old church; and those two years did certainly take the peas in my top garden in a way I did not approve of. But they never did so before or since to any extent worth speaking of, and I always say, "Live, and let live." They do sometimes pick up garden seeds, when sown close to the surface, but I believe are much oftener blamed than they deserve, for what the mice have done. The rows of peas in the garden \* \* \* are this year almost as perfect and full as it is possible to be, though it is on that side that the church tower still affords a home to some of those birds, as do also some large ivy-covered birch trees, while in the other garden, out of their way, there are some gaps, but not much to speak of even there, from whatever cause.

It is really the fact that I very seldom see the Sparrows eating anything, and I often have wondered what they get to keep themselves in such good condition. I hardly ever go on the road, all the year round, but I see many in the middle of it, here or there; and when they are down in the garden, they are generally on beds where there is nothing but grains of earth or sand to pick up. This year they have picked off the young leaves of the beet-root in one of our gardens, but I hope the plants will be none the worse for it in the end. In the other gardens they have not touched them at all.

With regard to the Sparrow being the cause of the diminution in the numbers of martins, I have to remark that the two species have gone on together, *pari passu*, in all time past. If, then, the latter have been, within the last few years, as is suggested, expelled by the former, how is it that the like was not done before? How came the martins to hold their own in such numbers till then?

This house and the old church near it used to be lined with martins' nests years ago. Since then, we have had none till this year, when first one pair built, another began, but left off; yet some half-dozen pairs are careering morning after morning in front of my study-window, but nothing has come of it so far. (Since I wrote this several other nests have been built, and one begun.)

We used to have, too, contemporaneously with them, a cloud of Sparrows in the old church roof and tower; and no doubt they sometimes expelled the martins from their nests. But these were only the exceptions, and the main body held their own against all comers. Even those which are now and then dislodged, build over and over again; the cause, in such cases, of their being late, or over late at the time of migration.

This year, as I said, three or four pair only are building here, while of some which are building again in the village, most, or nearly all, are domiciling without molestation under the eaves of a farm-house adjoining a fold-yard, the very home of the Sparrows, and at some cottages immediately opposite to the adjoining stack-yard.

[Mr. Robert Gray, ornithologist, and late secretary Natural History Society of Glasgow.]

[Page 176.] The Sparrow is very destructive to grain and is able to protect itself. It may, therefore, with advantage, be excluded from protection.

[Mr. J. E. Harting.]

[Page 186.] The Sparrow, although a consumer of grain, feeds itself and young on insects for many weeks at a time when insects are most injurious.

It therefore deserves protection during the nesting season, or from April 1 to August 1.



[FROM "THE HOUSE SPARROW" (PART 1), BY J. H. GURNEY, JR., 1885.]

The various ways in which Sparrows do harm to crops are well known to agriculturists; but perhaps by no one has the sequence of their proceedings in the field been better put than by the Rev. C. A. Johns (Brit. Birds, p. 202). Sometimes they make descents on the standing corn before the grain has attained full size, and near the hedges the busy pilferers are at work, and fly up in a swarm as you approach them, but when it is quite ripe they do the greatest harm. It is not only what they eat, but what they knock out.

A gentleman who is a practical farmer in North Lincolnshire—Mr. J. Cordeaux—tells me he has seen acres which had the appearance of being thrashed with a flail. Taking this into consideration, the opinion of the Melbourne (Derbyshire) Sparrow Club—that Sparrows destroy a quart of corn apiece during the summer (*vide Zoologist*, p. 2299)—is probably true. If thirty grains a day is a Sparrow's ordinary meal during June, July, and August (and I do not think this is far from the mark, having repeatedly found twenty and twenty-five whole grains, and once, in November, forty, in a Sparrow's crop), it would have eaten, during those three months, two thousand seven hundred and sixty grains, which is nearly a third of a pint; or if, take the whole year round, each Sparrow eats, on an average, fifteen grains a day, then each Sparrow eats in a year five thousand four hundred and seventy-five grains. This is none too high an estimate, for the quantity which Sparrows eat at stacks in winter-time equals what they take from the fields in the summer. During the operations of harvest, I understand they may often be seen sticking to the gradually lessening square of corn until all the field is cut. They then transfer their attention to the sheaves, and also divide with the gleaners what is left on the stubble. Finally, when the farmer has sold his produce, Sparrows take a very large toll out of any portion of it which a purchaser may give to his poultry, as every breeder of chickens and turkeys knows very well. At the end of September a marked decrease is to be seen in their numbers, but whether this is caused by real emigration or by local movements is not clear. It has often been said that Sparrows come to us over the North Sea in the autumn; but among the numerous "wings" I have had from light-houses and light-vessels I have never received this species.\*

In October Sparrows pack into flocks of from two hundred to three hundred and leave the homesteads. That month is mostly spent in the fields, and so is November; and here they find plenty of occupation, sometimes hunting on their own account, sometimes with other small birds. With the first fall of snow away they go to the stacks, on the sides of which they may be seen clustering; or, if it is not too deep, searching on the ground for grain which has been shaken out, with chaffinches and yellowhammers. At all times stacks are a great attraction. It is said that preference is given to a wheat stack; but Sparrows are not particular so long as they can get grain. Needless to say, that threshing is a matter of the highest interest to Sparrows.†

February and March are spent almost entirely in the vicinity of houses and farm-yards, or any place where corn is to be found, unless, as previously mentioned, they are attracted to a distance by the operation of threshing. I agree in thinking that at this period the opinion of Colonel Russell, who continues the discussion after me, that corn forms 90 per cent. of their food is true. At the end of March fields are sown, and Sparrows show not infrequently, by their presence, that they wish to levy the usual tribute; but it is certain that where a drill is used the grain is deposited too deeply in the soil for any small birds to reach it, except skylarks, which are said to dig it up sometimes; but Sparrows get the drilled barley and oats when they begin to sprout.

\* But the nearly allied tree-sparrow (*Passer montanus*) is a well-known migrant.

† Mr. B. B. Sapwell remarks that when a stack has been threshed ever so far away from the yard, the Sparrows in the yard have always had their crops full of the grain (*in litt.*).

In addition to the remarks already made on this point—the damage done to corn by Sparrows—it would be easy to cite many instances of great and unusual harm caused to tenant farmers by Sparrows, but they are too vague for the purpose; indeed, in such a matter it is exceedingly difficult to be precise. In some instances, and especially near towns, extraordinary estimates have been formed of the damage by the most competent valuers, but as these valuers were not ornithologists, it is not clear that some of the damage was not done by greenfinches and chaffinches. I have seen large flocks in the fields in November, which I at first thought were Sparrows, but which proved on closer inspection to be entirely composed of the species just named.

The following true story was related to me by Colonel Russell: A farmer at Boreham, near Chelmsford, named Hurrell, had an early field of wheat not far from the village. The Sparrows attacked it in the corner nearest the village and devoured a great deal there. The crop was uniform, except from what the Sparrows did. Hurrell measured an acre where the Sparrows had been at work, and an adjoining acre which they had not meddled with, and thrashed the corn on each of the acres separately, looking after the thrashing himself. He found the deficiency to be two quarters (16 bushels); value at the time, £6.

#### *The Food of young Sparrows.*

The Sparrow lays five or six grayish-white eggs, spotted with brown and ash color, and has frequently three broods in the year, the first being hatched towards the end of May. Young Sparrows in the nest are generally fed on caterpillars and other insects,\* particularly in August, yet a good many may be opened in June and July without finding any in them. The parent Sparrows will begin to feed them on caterpillars when but a day old, but they seem to discontinue the diet a little time before they leave the nest, though, on the other hand, some young Sparrows which were quite ready to leave the nest, examined in Norfolk, did contain a few small caterpillars. But of this I am sure that while very young their diet is quite as much unripe corn and vegetable matter as caterpillars.† Even at the age of one day a Sparrow will feed its young one on a grain of ripe corn. Say that a young Sparrow eats fourteen or fifteen young caterpillars a day, that is probably as good a guess as we can make. If this only went on for ten days the sum total destroyed would be very vast, and some of the caterpillars of very injurious kinds, such as *Caradrina cubicularis*, the pale mottled willow moth of Curtis (*Farm Insects*, p. 308), identified for me by Mr. C. G. Barrett and the Rev. J. Hellins.‡

\* An instance of young Sparrows being fed on water-beetles occurred at the beginning of August, 1884. My father ordered a pond to be cleaned out, at the bottom of which were a great many small water-beetles; these, the gardener tells me, were eagerly collected by Sparrows, ten or twelve at a time, carrying mouthsful of them, away to feed their young with in the adjoining nests.

† Colonel Russell says he has known young Sparrows to be fed with ripe wheat, which he was able to prove the old birds had to go half a mile for.—Field, June 22, 1878.

‡ Several continental naturalists include the cockchafer in the Sparrow's food; but I think that most likely the chovy (*Phyllopertha*) is intended as well. Professor Newton (*Yarrell, British Birds*, Part X, p. 92) and Mr. H. Stevenson (*Birds of Norfolk*, I, p. 211) tell us that the Sparrow eats "chovics," *P. horticola*, and the former says he has seen their mouths literally crammed with them; and Mr. John Curtis says that he has known of Sparrows gorging themselves to such an extent with, "chovies" as to be unable to fly (*Farm Insects*, pp. 220, 510). Professor Newton says it begins to come out of the ground towards the end of May, and the perfect insect carries on its ravages until July (Professor Newton, *in litt.*).

If one-fourth of the young Sparrows hatched in England are fed for ten days on fourteen caterpillars apiece, it is easy to make a calculation of how many they would eat in a large agricultural county like Norfolk. Norfolk contains eight hundred parishes; say that eight hundred young Sparrows are annually hatched in each parish, that gives us a total of six hundred and forty thousand Sparrows. If one-fourth of them are fed on caterpillars, we should have twenty-two million four hundred thousand of these destructive creatures eaten in this one county alone, every year, by Sparrows. So that there is a very nice balance to adjust in a matter which the most expert observer might find difficult. On the one hand the young Sparrows are fed on a great many caterpillars; on the other hand they are fed with grain, but this is mixed with weeds and other vegetable matter. Again, there is a side light in which to look at the question. If the Sparrows were dead, how many of these caterpillars would be eaten by other small birds? We may be quite sure that a considerable portion of them would *not* be eaten, unless chaffinches and greenfinches become more numerous than they are now; and if this was so, would not they speedily become much more addicted to corn? I think there is not a doubt about it.

*Sparrows keep down Weeds.*

Sparrows do much good to the farmer, in conjunction with many other little birds, by consuming vast numbers of the seeds of weeds. I think not nearly enough has been made of this by their friends and supporters. The following is a list of those which have been actually identified, with my authority for each:

- Wild spinach (*Chenopodium bonus-henricus*), Mr. A. Willis.\*
- Knot grass (*Polygonum aviculare*), Mr. F. A. Lees.\*
- Black or corn bindweed (*P. convolvulus*), Mr. F. A. Lees.
- Dandelion (*Taraxacum officinale*).
- Goosefoot (*Chenopodium album*), Mr. F. A. Lees.
- Field mustard (*Sinapis arvensis*), Professor Macgillivray.†
- Chickweed (*Stellaria media*), Colonel Russell.\*
- Mouse ear (*Cerastium triviale*), Professor Macgillivray.
- Wild radish (*Raphanus raphanistrum*), Professor Macgillivray.
- Dock (*Rumex crispus*), Mr. F. A. Lees.
- Pale-flowered persicaria (*Polygonum lapathifolium*), Mr. F. A. Lees.
- Battercup, Mr. H. N. Slater.

These seeds will spread from a hedge, the sides of which are not brushed with a reaping-hook in the summer, and make a field very foul; so that every one must admit that Sparrows and small birds generally do some amount of good by keeping them down. A remarkable instance was mentioned some years ago in the *Times*, of a field sown with grass and clover seeds, over which a luxuriant growth of knot grass (*P. aviculare*) spread. The farmer thought that his crop was ruined, but in September such swarms of Sparrows as he had never seen before visited the field and fed on the small shining seeds of the knot grass. I regret that I have neither got the date of the letter, nor the name of the writer, the communication, according to a bad practice prevalent among observers, being anonymous.

A Sparrow's crop will contain a great many small seeds. Dr. Schleh found three hundred and twenty-one whole seeds of chickweed in the crop of one Sparrow in Germany! In one shot at Northrepps, in Norfolk, one hundred and forty-seven were actually counted, and many more were ground up into pulp in the gizzard. Digestion is rapid, and at this rate a vast number would be consumed in a very short time.

It need hardly be said that the present contribution, including the table which follows, does not exhaust the Sparrow controversy. It leaves many interesting points almost untouched.

\* *In litt.*

† "British Birds," 1, p. 344.

*The Food of Sparrows during each Month of the Year.*

Six hundred and ninety-four dissections have been made in the preparation of the following table, by various hands, in various places. They have been made at nearly regular intervals—certainly during every month of the year, and I may almost say during every week. It is therefore hoped they will give a reliable idea of what the customary food of Sparrows is and what their occasional food. I confess this latter phrase is somewhat vague, but have felt the necessity of employing it in default of a better. The column under this heading might no doubt be further extended.

Maize has only been entered under two months; but where Sparrows have an opportunity of obtaining it, maize would be found in their crops at any time of the year. They will also eat bread, potatoes, rice, pastry, raisins, currants, etc., but as these things have no bearing on the amount of harm which Sparrows do to agriculture,\* they are not included in the table. Credit must be given to them as scavengers in a small way in our crowded cities, where they consume matter such as I have named, which if left would decay and be injurious to health.

Among those who have assisted in the inquiry my thanks are especially due to my father, Mr. A. Willis, Mr. B. B. Sapwell, Mr. G. Roberts, Mr. F. Norgate, Mr. C. L. Buxton, Mr. T. Southwell, Mr. T. E. Gunn, Mr. F. A. Lees, Mr. C. G. Barrett, Mr. H. H. Slater, and Colonel Russell. I have further availed myself of sundry notes published in the *Zoologist*, by Messrs. Hepburn, Hawley, and Wilson; and some material has been gathered from other scattered sources, which I have particularized in the table.

*Food of adult Sparrows.*

*January.*—Customary food: Corn from stacks and from poultry yards; seeds of all kinds. Occasional food: Refuse corn, such as is scattered in roads and would never be of use; maize. Capsules of moss (H. H. Slater).

*February.*—Customary food: Corn from stacks and poultry yards. Occasional food: Seeds; buds of gooseberries (G. Roberts).

*March.*—Customary food: Corn wherever they can get it. Occasional food: Young tops of peas, radish, cabbage, and cauliflower; seeds (Wilson); freshly-sown barley and oats.

*April.*—Customary food: Corn; vegetable matter. Occasional food: Freshly-sown barley and oats; oblong green seeds, not identified; caterpillars.

*May.*—Customary food: Corn; vegetable matter; seeds. Occasional food: Young pea-pods and leaves of peas; gooseberry blossoms and young gooseberries; small beetles; caterpillars of the brimstone moth, and white-cabbage butterflies (J. Hawley); turnip seed (A. Hepburn and R. Lowe); hay seed (C. L. Buxton); sprouts of young barley, half an inch long; pollen of the sycamore tree and apple; mangel-wurzel leaves (B. B. Sapwell).

*June.*—Customary food: Corn; vegetable matter; peas; seeds of various sorts. Occasional food: Gooseberries and other fruits; lettuce (A. Willis); small beetles; mangel-wurzel leaves† (B. B. Sapwell).

*July.*—Customary food: Young wheat, barley, and oats; vegetable matter; seeds of various weeds. Occasional food: Peas; small beetles; beans (A. Willis); seeds of wild spinach (A. Willis).

\* If the pigs have barley meal they rob them of some of it, as well as any other food which is given to them.

† It seems that the actual blossom is not eaten, but rather that a portion of it is masticated for the drop of nectar at the base of the petals. For the same reason the crocus and other garden flowers are destroyed. The blossoms of fruit trees seem to be attacked for the pollen.

‡ Mr. R. Lowe has observed them feeding on the young unopened buds of Swede turnips just bursting into flower for seed.—(Report on Observations on Injurious Insects, 1883.)

*August.*—Customary food: Wheat, barley, oats. Occasional food: Seeds of corn, bind-weed, knot-grass, etc. (see list, page 343); aphides, small beetles, daddy-long-legs (Tipula), caterpillars of *Teras contaminana*, moth of *Crambus culmellus*\* (E. F. Becher and F. Norgate).

*September.*—Customary food: Corn; seeds of many kinds, especially the knot-grass and corn bind-weed. Occasional food: Caterpillars; berries; seeds of plantain (T. Southwell).

*October.*—Customary food: Grain, some of it refuse grain; seeds of many kinds, including knot-grass.

*November.*—Customary food: Grain; seeds of plants. Occasional food: Newly-sown seeds of wheat; small caterpillars.

*December.*—Customary food: Grain, principally obtained from stacks. Occasional food: Seeds; maize; sprouting bean (H. H. Slater).

*Food of young Sparrows to the Time of leaving the Nest.*

*May.*—Customary food: Grains of last year's corn; small beetles; caterpillars. Occasional food: Buds (F. Norgate); red spider (J. H. G.); hair-worms (J. H. G.); small flies (J. H. G.).

*June.*—Customary food: Caterpillars of various kinds up to three-quarters of an inch in length; young wheat. Occasional food: Beetles; large, brown cabbage-moth (W. Johns); wire worms.

*July.*—Customary food: Caterpillars; beetles; soft, milky grains of wheat and barley. Occasional food: Blue-bottle flies (J. Duff).

*August.*—Customary food: Caterpillars; beetles; young corn. Occasional food: Small chrysalides.

*Summary.*

To give a summary of this table in a few words, it may be said that about seventy-five per cent. of an adult Sparrow's food during its life is corn of some kind. The remaining twenty-five per cent. may be roughly divided as follows:

	Per cent.
Seeds of weeds.....	10
Green peas.....	4
Beetles.....	3
Caterpillars.....	2
Insects which fly.....	1
Other things.....	5

In young Sparrows not more than forty per cent. is corn, while about forty per cent. consists of caterpillars, and ten per cent. of small beetles. This is up to the age of sixteen days. Where green peas abound, as in market gardens, they form a much larger proportion of the Sparrow's food than the four per cent. here stated.

Sparrows generally contain in their gizzards a considerable quantity of small stones, gravel, sand, brick, coal, etc., but these are only intended to grind the real food. In default of these substances they will swallow small mollusks, fragments of egg-shell, fragments of snail shells, etc.

Sparrows should be killed for dissection in the afternoon. In adult Sparrows the crop will generally give a far better idea of their day's meal than the gizzard, in which the food is so comminuted as to be with difficulty identified. If the Sparrows are caught at night they have digested their food in a great measure, and yield much less satisfactory results; the crops at that time are always empty.

\* I have notes of Sparrows occasionally feeding on the yellow underwing, ermine moth, and a few other insects in the perfect state, but the date at which the observation was made not having been taken down, it can only be approximately guessed at from the time at which they usually appear. Everybody must at some time or another have observed their clumsy efforts to catch some common butterfly.

[FROM "THE HOUSE SPARROW" (PART 2), BY COL. C. RUSSELL.]

To give one instance, a few years ago, seeing Sparrows about a few martins' nests on a new small house near my own, I asked the man who lived there whether he liked the Sparrows. He said, "I hate them, and am throwing stones at them all day, but can not keep them from the martins' nests." I lent him a gun. His son, a boy about twelve years old, took kindly to shooting the Sparrows, killed, I think, nearly two hundred in less than a month, and always kept the place free from them. In two years there were twenty-four martins' nests on the house. The man then died, and the next tenant, having no son to shoot the Sparrows, did not trouble himself about the martins, and the Sparrows cleared them all out in one season. The martins have often built a few nests, but I do not think that any young ones have flown there since.

The martins, which feed exclusively on insects, if left in possession of their nests, would, unlike many other birds, increase with the population of the country and number of houses. Besides the persecution by Sparrows, there is no condition unfavorable to the martins except that when, with their natural confidence in man—too often misplaced—they make their nests close to windows or doors for protection people commonly destroy them, thus completing the exterminating work of the Sparrows. I have heard it said "they come there for mischief; they might build anywhere else." Few seem to notice that, unless where Sparrows dare not come, the martins can not keep a nest. The only thing which saves these birds from total extermination in this country seems to be this: they sometimes manage to rear a late brood after the "fell adversary to house martins" (as White, of Selborne, rightly called the Sparrow) has left off nesting and betaken himself to the wheat-fields. But in this way the martins are kept here too long, and sometimes, before their young can fly, are caught by sharp frost in October and die. The last numerous colony that I knew of, within a few miles of my house, was thus cleared out a few years ago, while my martins, protected from Sparrows, and always getting their young off in good time, took no harm.

About my premises the martins, formerly numerous, as elsewhere, became fewer and fewer, until in 1869 they had nearly disappeared, young ones flying, I think, from only two nests—one close to a window, the other to a door. Towards the end of May, 1870, several nests, freshly built under the eaves of the pigeon-house, their favorite place, were all found to be in the possession of Sparrows. The indignation with which I had seen this persecution all my life at last boiled over, and, resolving that the martins should have one safe place, I began to protect them by killing down the Sparrows. It was a hard fight at first; the martins' nests had to be watched almost constantly, and, if I remember rightly, one hundred and fifty Sparrows were shot—mostly about these nests—in about a fortnight. War has been waged against them ever since. The first year or two we did not take the trouble to kill them in winter, but this did not answer; a great number lived about the place, many roosting in the martins' nests. When we began shooting the Sparrows in spring they would all go away for a day or two, but kept coming back again, so that constant watchfulness for weeks was required to kill them down. The plan was therefore adopted of paying a penny for shooting each Sparrow as soon as it shows itself all the year round. They are shot with very small charges of dust shot, mostly from inside doors and windows, or from loop-holes, made to command the places they generally come to. They dislike this practice, and do not come much—less and less every year. The plan has been most successful. The place is wonderfully free from Sparrows—sometimes we do not see one for weeks together—and the martins have increased in numbers, till last year they had one hundred and seventy nests about my house and buildings, and this year there are two hundred and thirty-seven, and more will be built yet.



In gardens Sparrows do much mischief, as by feeding off young peas, eating green peas from the pods, stripping gooseberry bushes of their fruit-buds, destroying flowers, etc. The question remains whether they do good enough in gardens to make up for such misdeeds. Now, to prove that Sparrows are really useful, it is not enough to show that they destroy some injurious insects, it must also be proved that, in their absence, other birds would not destroy them, at least as effectually. This can be found out only in one way—by banishing the Sparrows from a place for some years. My object in letting no Sparrows live about my house, buildings, and gardens, has been not only to protect the martins (perhaps it would be enough for this to kill those Sparrows only which go near their nests), but also to get a better test of the utility of Sparrows than could otherwise be got by any amount of examination of the food in them. My place is a fair specimen of the country, having flower and kitchen gardens, shrubberies, and small orchard, surrounded by meadows, with corn fields within easy reach all round. All birds except Sparrows have been let alone there.

Sparrows having been almost entirely absent for many years, if they took insects which other birds do not, such insects would have become very numerous, and the food in Sparrows killed there would show this. Now, it has been quite as unusual to find an insect in an old Sparrow there as elsewhere. Fifty old Sparrows and young ones which could feed themselves were killed one summer about my buildings and garden, with food in their crops. This food, carefully examined (as in all cases with a lens), was found to be corn, milky, green, and ripe, and sometimes green peas from my garden; only two small insects were found in the whole number. The food in them has been much the same every year. Examining the old birds, however, is not test enough, as they eat very few insects anywhere; but if any were the peculiar prey of Sparrows, they would be found in quantity in any young ones bred about my place. To test this, when a pair or two of Sparrows, as happens most years, contrive, by keeping clear of the buildings, to escape being shot long enough to build a nest and hatch young one, these have been taken (by choice when about half grown), and the food in them carefully examined. It has varied greatly, but certainly there were not more insects among it, I think less than there usually are where Sparrows abound. In the only nest known of one year the food in the four young ones was chiefly green peas, with some grains of green wheat, one small beetle, and some half dozen small insects of species unknown to me. In the only nest the following year the young ones had little in them except corn—old wheat, if I remember rightly. Some broods have contained small beetles (which, mostly soft ones, I have found in Sparrows old and young, from all sorts of places, oftener than caterpillars) and a few wild seeds. One brood had a mixture of beetles and ripe wheat. One grasshopper's leg and a very few pieces of earwigs have also been found. Of caterpillars, said to be kept down by Sparrows, only two small ones in eight callow birds, from two nests taken at the same time, have been found in all the years that these nestlings have been examined, and no trace of an aphid. The absence of caterpillars is the only difference that I have noticed in the character of the insect-food in the young Sparrows at my place and elsewhere. On the whole, the deduction from the food-test during fifteen years seems to be that the Sparrows are useless, and that the insects which would be given to their young by them if they were allowed to live in numbers about my premises would be so much food taken, when they most want it, from better birds which live entirely, or nearly so, on insects, and thus keep them, especially caterpillars, down so effectively in the absence of Sparrows that, when a chance pair of these come and build, there are few of their favorite sorts for them.

[The Guardian, Manchester, England, January 30, 1888.]

#### ENORMOUS DESTRUCTION OF SPARROWS IN CHESHIRE.

At the annual meeting of the Cheshire Farmers' Club on Saturday evening, the chairman, Mr. John Roberts, the largest tenant-farmer on the Hawarden estate, referred to the havoc wrought by the common House Sparrow among grain crops, and



said that the Wirral farmers of Cheshire were paying 6d. per dozen for all Sparrows killed, and some idea of the fecundity of the pest might be formed from the fact that without appreciably affecting their numbers in that district, no less a sum than £14 15s. 6d. had been recently spent in that way, representing the destruction of seven thousand one hundred and ninety-two Sparrows.

[New England Farmer (Boston, Mass.), 1886.]

In a report to the Royal Agricultural Society of England, by its consulting entomologist, Miss Eleanor A. Ormerod, the following conclusions are drawn regarding the habits of this much-discussed little foreigner:

"With regard to the special item of Sparrows, I feel no doubt that measures should be taken to check their enormous increase, and where communication has been sent me from districts in which these birds were known to do serious damage to the crops in autumn, I have strongly advised that their number should be lessened. We do not find from examination of their contents that they feed on corn red-maggot, corn thrips, corn aphids, or any other corn insect, nor have we any observations of fields infested by these huge flocks being freer than other places from insect attack. From careful observations in different places, extending over a period of from one to fifteen years, we do not find any diminution of insects round the farm buildings where the Sparrows greatly resort, but find that they have been observed in many cases to drive away true insect-feeding birds."

It should be remembered that the term "corn" is applied in England to the small grains, wheat, oats, barley, etc., and not to our American maize.

#### TESTIMONY RELATING MAINLY TO THE SPARROW IN AUSTRALIA.

FROM THE DRAFT PROGRESS REPORT OF THE BOARD OF INVESTIGATION APPOINTED BY THE GOVERNOR OF SOUTH AUSTRALIA IN 1881.

[On August 4, 1881, a board of investigation consisting of eight members was appointed by the governor of the Province of South Australia with "full power and authority diligently to inquire into and report upon the alleged injuries caused to fruit-growers, gardeners, farmers, and others by Sparrows, and to consider the desirability of taking steps for their destruction, and to report upon the best means to be employed therefor."

On August 31, this board submitted the following progress report:]

##### DRAFT PROGRESS REPORT.

To His Excellency, Sir William Francis Drummond Jervois, major-general in Her Majesty's army, \* \* \* governor and commander-in-chief in and over the Province of South Australia and the dependencies thereof, etc.:

May it please your Excellency: We, the Commissioners appointed to inquire into the alleged damages caused by Sparrows to horticulture and agriculture in South Australia and into remedial measures and to report thereon, having proof of the evil existing in great force and over large districts of country, and being convinced that their destruction is urgent before another fruit season sets in, and before another nesting season (now beginning) shall swell their numbers, beg to present a Progress Report:

I. We append an analysis of correspondence on the questions of inquiry. This shows—

(1) That the Sparrow is established over an area of the colony comprising Adelaide and its suburbs from the sea-coast eastward well up to the hills; southwards to Happy Valley, Coromandel Valley, and Willunga; northwards to Allendale, and far on—though we hope as yet detached—at Beetaloo. In the southeast, Mount Gambier possesses a center of its own.

(2) That the responses of sufferers within the foregoing area cry for relief from Sparrow depredations as if from a pest, and with what reason, the following statements, as examples, may show: From Mr. John Chambers, of South Richmond: "In the short space of ten days the Sparrows took a ton and a half of grapes. They stripped all the figs of five trees. They kept low 15 acres of lucerne during the summer." From Mr. Finden, of Salisbury: "This season they (the Sparrows) took £30 worth of fruit." Mr. Wilcox, of Lower Mitcham: "Has three times this season sown peas, and they have each time been destroyed by Sparrows."

(3) That the species of Sparrow domiciling in South Australia damages or consumes fruits, cereals, and vegetables. Its fecundity is astonishing. A few to-day are thousands next season. Its work is done on a magnitude despairing to the cultivator, and under conditions he can not control; for the seed is taken out of the ground, the fruit-bud off the tree, the sprouting vegetable as fast as it grows, and the fruit ere it is ripe, and therefore before it can be housed and saved.

(4) That the cultivations attacked by Sparrows are as follows: Of fruits: Apricots, cherries, figs, apples, grapes, peaches, plums, pears, nectarines, loquats, and olives. Of cereals: Wheat and barley. Of Vegetables: Peas, cabbages, cauliflowers, and garden seeds generally.

(5) That the means of defense tried against the Sparrow depredations have been scare-crows, traps, netting, shooting, poison of phosphorous, arsenic, and strychnine, applied through grain, bread, bran, and sugar. The results are generally stated as having been insufficient, which may be due to the modes of administration rather than to defects in the materials employed.

(6) To the above expedients the following are suggested by our correspondents, namely: The tender of rewards for Sparrows' eggs and heads, the removal of gun licenses for the season, poisoned water in summer, sulphur fumes under roosts at night, and plaster of Paris mixed with oatmeal and flour. It is further declared that the united action of all property holders, including the government, in infested districts is essential to effective results.

II. Without reference to ulterior measures, which may be influenced by inquiries the commission have on foot, their object in tendering this progress report is to submit for the approval of your excellency the propriety of at once setting to work one useful means applicable to the breeding season now commencing, namely: A system of rewards for Sparrows' eggs and heads, through responsible agents readily accessible in the various Sparrow districts; and we suggest, as a trial, that the rate of payment should be 6d. per dozen for Sparrows' heads delivered, and 2s. 6d. per one hundred for Sparrows' eggs delivered; each class to be supplemented by a bonus of to any one who delivered in one season eggs or Sparrows.

III. Your committee have not received any evidence in defence of the Sparrow counterbalancing the damage he does. They have sought proof of his insectivorous habits, but with little result.

[The following are fair samples of the evidence collected and published by the commission. These reports all come from points within a hundred miles of the city of Adelaide, South Australia.]

[Joseph Barnes, Richmond.]

Sparrows very numerous; great damage done to fruits—apricots, grapes, figs, and plums. Has heard that wheat steeped in turpentine will kill them, and intends to try it.

[John James Beverly, Chairman Woodville District Council.]

Sparrows are in his neighborhood to the number of tens of thousands, and they destroy buds of fruit trees to an enormous extent. Has used Pitt's wheat, but it is not successful after the first day or two. Thinks every householder should be compelled to adopt the means recommended by the commission to destroy them.

[Henry Broad, Marden.]

Sparrows are plentiful in his neighborhood, and very destructive to fruit, and has shot some occasionally. Shooting would help to keep them down, but it is a slow process. Poisoned grain and poisoned water would also be very destructive to them. Thinks netting them at night-time when roosting in orange and olive and other trees would be effective in thinning their numbers.

[Beaumont Cole, Adelaide.]

When a boy he used to destroy Sparrows and small birds by spreading wheat steeped in a solution of nux vomica. The nux vomica figs were cut into small pieces and stewed all day, when the hot liquor was poured on as much wheat as it would cover, and allowed to stand, till mornirg. The wheat was then dried and spread out, and he used to find many dead birds about, which he buried. Found it necessary, however, to tempt the birds first of all by feeding them with clean grain.

[Rev. Dr. Craig, Mount Gambler.]

Sparrows are there in great numbers, and they eat most of the soft fruits and cherries long before they are ripe. Farmers also report that they eat corn both when sown and when ripe. The Agricultural and Horticultural Society have offered six-pence per dozen for Sparrow heads and four pence per dozen for Sparrow eggs. Has tried Faulding's phosphoric wheat, which killed a few, but thinks phosphorized clover seed or seed smaller than wheat would be better.

[Hon. John Crozier, Oaklands.]

There is no doubt that if allowed to go unchecked they will not only destroy the vineyards and orchards, but also destroy most of the grain in the fields. Suggests that poisoned water should be placed in the neighborhood of their haunts, out of the reach of domestic animals, and also that diligent search should be made in the breeding season for nests and eggs. States that two boys in one day obtained one thousand nine hundred eggs on his property. Hay-stacks and hedges are their favorite haunts. Is afraid if the gun license is removed that the indiscriminate use of fire-arms will be a more dangerous nuisance than the Sparrows.

[Henry Douglas, Happy Valley.]

Sparrows have established themselves very firmly in his neighborhood, and the damage caused by them during last fruit season was very great. In the worst parts of their haunts the grapes were literally cleared from the vines. Few efforts have been made to destroy them, as desultory action has been considered to be useless. Can not suggest a remedy, but is convinced the question of their destruction is of vital importance, and hopes the united action contemplated by the commission will be attended with success.

[Anthony Etheridge, Elizabeth street, Norwood.]

Sparrows have established themselves by thousands in Kent Town, Kensington, and Norwood. Had had his apricot trees stripped by Sparrows, who also destroyed plums, grapes, and figs.

[Thomas Fairbrother, Fullarton.]

Sparrows are in his neighborhood by thousands and destroy tons of fruit. Shooting is the only means which has been taken to destroy them. Thinks a reward of, say, 4d. per dozen for old or young Sparrows would encourage boys to capture them, and so thin their numbers.

[Thomas Filmer, Glenelg.]

Sparrows have fully established themselves at the Sturt and Brighton, and unless something is done is sure the loss to fruit-growers and corn-growers will be very great. Is not aware of anything having been done to destroy them. Incloses the following recipe from the Melbourne Leader for destroying Sparrows and other birds: "Take 5s. worth of strychnine, dissolve in half a tencupful of warm vinegar or acetic acid, add that to four or five quarts of water, and put into that as much wheat as will soak up the liquid. The wheat to be distributed where the birds will pick it up."

[W. H. Harrold, Mount Gambier.]

Sparrows have thoroughly established themselves all round Mount Gambier. Last season they destroyed in turn fully one-half of his cherries, plums, apricots, pears, and apples, and what was saved had to be gathered unripe. Had a nice patch of wheat completely destroyed by them as it was ripening. Had tried grain poisoned with arsenic and strychnin, but it has not proved effective; the Sparrows eye out the poisoned grain and avoid it. Thinks large numbers of them might be shot, and their nests should also be hunted for and destroyed.

[J. Hobbs, East Marden.]

Sparrows are established in great numbers in this locality, and they are most injurious to figs, loquats, apricots, plums, peaches, cherries, nectarines, and grapes. The latter suffer most.

[S. R. James, Marden.]

Sparrows have thoroughly established themselves in this neighborhood, and oranges are literally whitened with their droppings. Loquats, cherries, American plums, and apricots will in turn be attacked by them as they ripen. Last year from a crop from two hundred trees he dare not let any of the fruit ripen for fear of it being pecked and destroyed by these birds. Although he had a large crop of figs, it was with difficulty that he saved a few for market.

[M. McShone, Campbelltown.]

His neighborhood is very much troubled with Sparrows; they breed in the banks of the river and swarm over the gardens. They destroyed nearly all the buds on the apricot trees last year and spoiled the fruit which matured. Does not know what to do to get rid of them; only wishes he did.

[M. A. Price, Gilberton.]

Is much troubled with Sparrows, which come in flocks of hundreds and destroy the fruit. Last season did not have one bunch of ripe grapes, except those she covered with strong bags. Tried several devices, as scarecrows, but they were ineffective. They seem to eat nothing but fruit and tender vegetables, and hopes something will be done to destroy them before another fruit season comes on.

[H. C. Quick, Shiraz Vineyard, Marden.]

Sparrows are established in his neighborhood in immense numbers, and are very destructive to fruits, especially grapes of the finest kinds. His loss by them is incalculable. Numbers are destroyed by poison and nets, but they are vastly on the increase, and the prospects of fruit-growing are most alarming. Suggests that the commission should arrange for selling as cheaply as possible "ground-nets" and "bat-nets" for catching Sparrows.

[John Rudall, town clerk, Gawler.]

Sparrows are becoming numerous in Gawler, but is not aware of the extent of the mischief caused by them, and has no suggestion to make for their destruction, although it is thought that steps should be taken to prevent their increase. No systematic means has been used in that neighborhood to destroy Sparrows beyond a persistent search by boys for their nests.

[C. Reeves, Gilbert street, Norwood.]

Sparrows destroyed all his figs, apricots, and grapes last season. Intends to try plaster of Paris mixed with oatmeal and flour, but also thinks wheat poisoned with arsenic will be effective.

[J. B. Scarce, Gilberton.]

Sparrows have destroyed bushels of pears, apricots, plums, and grapes in his garden. Has a trellis of vines 80 feet in length, besides other vines, and was not able to cut a bunch of grapes. Thinks poisoned wheat the only effective means of destroying them.

[C. A. Stark, Belaloo, Wirrabara.]

During the last twelve months Sparrows have made their appearance in his garden, and he has killed sixty-four this year with bran poisoned with strychnia and placed in a saucer. Has also discovered four nests in his garden, which he purposes to destroy when the young ones have been hatched. Is afraid if they get established in the neighboring hills they will eat him out of his house and home. Sparrows, he says, breed twice in the season, and generally lay from four to six eggs each hatching. Thinks poisoning, netting, and destroying the nests are the best remedies.

[M. Salom, North Adelaide.]

Sparrows are constantly building in the gutters and down-pipes of the roof of his house, although he has had their nests frequently removed. The damage done to him personally, by causing overflow into walls and ceiling, he estimates at forty pounds during the past twelve months.

[W. F. Thompson, Happy Valley.]

His district is infested with Sparrows. Has 40 or 50 acres of vineyard, and the Sparrows play destruction with his grapes, and also with his neighbors' gardens and vineyards. Believes that if not got rid of they will destroy all the fruit and grain in the colony in a few years. Suggests, as means of destroying them, poisoning, netting, and shooting them, and pulling down their nests. Thinks a tax of one farthing per acre on all lands under crop south of Blinman should be levied to secure their destruction, or else let Sparrow districts be formed, the rates collected in which for their destruction should be subsidized by Government at the rate of £2 for £1. Is willing to co-operate with the commission by forming a local committee, if thought advisable.

[William Urtwin, Salisbury.]

Sparrows have established themselves in his district, and are very destructive to fruit, especially to grapes. Has no doubt, also, that they do great mischief to crops of wheat. Has tried poisoned wheat, but the great difficulty is to get them to take it, even when mixed with good wheat. Has found fowls dead which have eaten the poisoned wheat, and also cats, which he presumes had eaten the poisoned birds. Thinks the offer of head-money for Sparrows would decrease their number, and this could be paid through district councils and corporations.

[George Wilcox, Lower Mitcham.]

Suffered very considerably last fruit season from the Sparrows. They first attacked loquats, then apricots and peaches, amongst which they made sad havoc; then they stripped every cherry, and the grapes were fairly demolished. On a trellis, measuring three hundred feet long by ten feet high and ten feet wide, he had a splendid crop of grapes, but had not one presentable bunch. Tried Pitt's wheat, obtained from Faulding & Co., but only killed a few; they soon became too knowing to take the wheat. Believes poisoned water will be the most effective in summer. Has three times sown peas this season, but they have each time been destroyed by Sparrows.

[The Adelaide (Australia) Observer, Saturday, July 9, 1887.]

## THE SPARROW NUISANCE.

Under the auspices of the Royal Agricultural and Horticultural Society, a meeting of persons interested in the destruction of Sparrows was called on Monday afternoon, July 4, in Register Chambers. There was a representative gathering of about twenty of the principal fruit-growers and others affected by the depredations of the ubiquitous bird, and the feeling in favor of devising some means for reducing the evil was unanimous.

Mr. Henry Kelly occupied the chair, and said he thought much could be done to lessen the evil complained of, although he feared that it would be impossible to eradicate the nuisance altogether, as the Sparrows had increased so much that they had got a complete hold of the country, where they most congregated. He remembered that before the rabbits became so alarmingly numerous there were some at Anlaby, near Kapunda, and were regarded as interesting. They began to increase, and became a nuisance, but could then have been destroyed with comparatively little expense. The question of the Sparrows had now become as important and costly to meet. These birds were extending up North, and he had seen thousands at Angaston and other places. They were not confined to the districts in the immediate neighborhood of Adelaide. They were increasing at a most alarming rate, and it was practically impossible to grow fruit now without netting over the trees.

Mr. Thomas Hardy said he initiated this present movement, and had prepared resolutions to deal with the question. This was a most important matter, and really affected the whole community. Unless the evil were dealt with energetically and systematically, the wine and fruit growers might as well stop altogether, for it would not pay to go on in a few years' time. At the time when the rabbit question was affecting the country the evil had grown to considerable proportions, but if systematic steps to eradicate the rabbits had been taken earlier the trouble would have been stopped. Few people knew the enormous cost of putting down the rabbits. He was told that in one station in New South Wales £20,000 a year had been paid for the destruction of rabbits, £15,000 by the Government and £5,000 by the owners. The Sparrow nuisance would be as great as the rabbit trouble. The great obstacle to anything practical being done lay in the fact that the deputations did not propose any definite scheme as a recommendation to the Government. The members of the Government were not expected to know so much of the means to be adopted as the men whose business the Sparrows most injured. But this was not a matter merely affecting a certain class, but the welfare of the country. He moved therefore that the Government be requested to bring in a bill for the destruction of Sparrows, to embody the following provisions [see page 355 of this Bulletin].

Isolated efforts went for nothing. A man might be surrounded by neighbors who were not injured by the Sparrows, but who had plantations and outhouses in which they bred in myriads, and therefore it was absolutely necessary that people should be authorized to go upon private property, under due restrictions, and seek for Sparrows. He knew from his traveling experience in the colonies that people who under-

took rabbiting as an occupation got very expert at it, and it would be so in the case of Sparrow-catchers. As to the rating, it would touch people in their pockets, and make them take more interest in the matter. Three parts of the Sparrows were bred in the eaves and under the roofs of houses, chapels, public buildings, etc. Some houses had very small space between the ceiling and the roof, and Sparrows could breed there unmolested; but in premises with a greater space between roof and ceiling men could go and capture the young birds. He had known his boys bring down seventy young Sparrows from under his roof in that way. Netting was an excellent means. He had known one person at night catch one hundred and fifty Sparrows with a net. They could be caught easily on orange and other low trees with a net. Men should not be permitted to go upon private premises without due notice either day or night. Poisoned grain when good was effective, and here much might be done, due care of course being taken to prevent injury to people's fowls. Some of the poisoned grain was not good enough, but good grain should be procured by the district councils. This Sparrow question was of the utmost importance to fruit-growers and wine-makers, and the Sparrows did a deal of mischief, especially in the class of grapes grown for wine and raisins.

Mr. G. F. Ind said there was no doubt that the action taken against the Sparrows two years ago did a great deal towards abating the nuisance, but the discontinuance had allowed them to breed as fast as ever. While the Government was paying for the heads and eggs the destruction was considerable, but there was no inducement now to interfere with the birds except on the part of fruit-growers and farmers. It would be little use a man tilling the soil if the Sparrows were allowed to increase at the rate they did. At the Sparrow club to which he belonged the members put their money down and distributed poisoned wheat amongst those who would use it, but it was found to be of no use when the Sparrows were allowed to breed unmolested upon private and public property in the neighborhood. All must have an interest in the matter, and that could only be secured by a rate on the land-taxation system. That would raise enough to pay the expenses of exterminating the Sparrows; but until something uniform was done it would be no use individuals spending money. The people who were moving in this matter could not be accused of selfishness, for there was not one who would not put his hand into his pocket and pay his portion towards it. The citizens themselves would find that they were interested more than they perhaps imagined, because eventually they would have to pay dearer for their fruit, as the growers could not afford to carry on their business at the loss occasioned by the depredations of the Sparrows. He, as an exporter, had to pay pretty heavily, because he had to pay three people for the work that two could do but for the Sparrows. In the end the colony would be the loser, because vigneron and fruit-growers would get disheartened and find it impossible to carry on business.

Mr. S. Braund said in the case of one of his farmer tenants in the country the Sparrows had been so troublesome that he (the speaker) gave him permission to destroy a vineyard. He quite favored the idea of district councils taking the matter up, as it must be a general scheme of destruction, and it should be compulsory. No grain or fruit could be grown in the country to pay until the Sparrows were driven out. In one case 1,100 Sparrows had been taken from one place, and in another, down Brighton way, 1,300 were taken from a chapel. He believed that with the compulsory system and combined action the nuisance would be reduced to a minimum. He thought the district council should pay for the eggs.

Mr. C. Pitt added his testimony to the accumulation of Sparrows in the roofs of houses, and said it would be of no use attempting to do anything to reduce the nuisance effectually without legislation and united action.

Mr. Holmes, of Magill, said he had destroyed all the hedges around his premises, and some of his neighbors had forest land where the Sparrows bred. They were driven onto his place and he felt that he could not grow grapes with any success while the Sparrows were allowed to breed in the plantations. Any man acting by himself



would be powerless. He was willing to be rated for the destruction of the Sparrows if the work was done systematically.

Mr. John Pitt testified to the havoc committed by the birds upon hard grapes as well as soft. He had often to destroy a hogshead of damaged bunches out of 200 or 300 cases when picking his grapes for shipment. The birds bred in the trees, and solitary efforts to destroy them were useless. He had sent boys over his vineyard with a kerosene-tin and a stick, and the Sparrows would pass over the lads' heads from one end of the vineyard and settle in the other.

Another speaker suggested that other birds destructive to fruit should be included in the provisions.

Mr. A. Molineux said he thoroughly sympathized with the meeting in their desire to organize some definite movements for the destruction of Sparrows. The farmer and agriculturist, as well as the horticulturist, suffered from the depredations of those birds, and the damage done by the Sparrow was now admitted by every one.

Mr. Hardy said the reason he proposed the rate to be uniform was that unless it were so, some districts might impose so light a rate that the Sparrows would be allowed to increase to the detriment of another.

A proposal that licensed catchers be allowed to use poisoned wheat under certain restrictions was objected to.

Mr. Braund and Mr. Ind thought poisoned grain would not be used because the birds might fly away and be lost to the trappers, who would therefore not care to use it.

Mr. Molineux suggested that district councils might issue a proclamation, appointing a certain day for laying down good grain to attract the Sparrows and another period for the free distribution of poisoned grain.

Mr. Hardy did not press the clause, and it was withdrawn.

With reference to a rate proposed to be fixed by the Government, Mr. Hardy said the object in allowing the Government to fix the rate was that it should be uniform.

After some discussion, this part of the proposition was struck out on the vote of 11 against 10, the opinion being that the district councils should fix the rate. The motion was agreed to. It was decided that a deputation of all interested wait upon the Government on a day to be fixed.

In accordance with this decision, about thirty or forty gardeners, fruit-growers, and vignerons, including members of the Royal Agricultural and Horticultural Society, waited on the treasurer (the Hon. T. Playford) on Friday afternoon to present the resolutions passed at the meeting held on Monday, July 4. Mr. H. Kelly, who was chairman at the meeting, presented the resolutions, which were as follows: "(1) That the Government be requested to bring in a bill for the destruction of Sparrows, to embody the following provisions; (2) that in all districts where Sparrows are known to exist the district councils or corporations shall make a special rate for the purpose of paying for the heads and eggs of Sparrows and other expenses incurred in their destruction; (3) that a certain number of men in each district be licensed by the councils or corporations to carry on the occupation of Sparrow-catchers, and that they be empowered to go upon private property upon giving such notice as may be considered necessary during the day time and pursue their calling, and that they be paid at a fixed rate for all heads and eggs that they may obtain; (4) that owners of property should allow licensed Sparrow-catchers and a sufficient number of assistants to go on their property at night up to 10 o'clock p. m., for the purpose of catching Sparrows with nets; (5) that each district council or corporation shall appoint some one to receive and pay for all Sparrows' heads and eggs both from licensed and unlicensed persons at a uniform fixed rate in all districts; (6) that all houses and buildings be examined by a person to be appointed for the purpose in each district to see that all inaccessible places where Sparrows can breed be effectually closed by wire netting or otherwise." He said that they did not desire the Government to assist them—all they wished was for the Government to bring in a bill to enable

them not only to destroy Sparrows themselves, but to enforce it upon others. Something would have to be done with the Sparrow nuisance, which was as bad as the rabbits had been at Kapunda some years ago. If the Sparrows increased they would not be able to produce fruit of such fine quality as to enable them to dispose of it in the English market as well as in the other colonies.

Mr. T. Hardy, J. P., who initiated the resolutions, had taken a great interest in the matter. He had been a member of the royal commission some time ago which recommended the Bray Government to bring in a bill ordering the destruction of Sparrows, and in the mean time to continue the payment for heads and eggs. The Colton Government put a stop to the payment, and since that the nuisance had increased tenfold. If they continued to increase at the present rate the growth of soft fruits would not be particularly profitable. He had advocated fruit-growing to many people, but he was beginning to think he had made a mistake. They must have prompt, vigorous, and decisive action. He hoped in the mean time payment for heads and eggs would be resumed.

Mr. G. F. Ind said there could be no two opinions as to the necessity of checking the further increase of Sparrows. Individuals had tried various modes in all parts, but what was the use? If, for instance, he destroyed them on his own property, his neighbor took no trouble and allowed the birds to breed on his property as fast as they were killed anywhere else. Personally he had done his best to cope with the pest, and had paid a man half wages, found him in powder and shot, and, in addition, paid for the heads he produced, but even that was useless while the birds bred on the adjoining land. While payment was awarded for the heads and eggs by the Government not only in the city but also in the suburbs, there was a perceptible decrease in the number of birds; but as soon as payment was stopped and the Sparrows were not interfered with they multiplied quite ten times, and so great was the pest becoming that it was a question now with fruit-growers whether it was advisable to continue planting or not. Unless something was done it was of no earthly use increasing the vineyards or fruit gardens.

Mr. J. Curnow also reminded the treasurer that the deputation did not ask for a penny towards the work of destruction. The Sparrows were attacking his pears, about one-tenth of which he had found picked by the birds.

Mr. A. Molineux explained the habits of the birds, which were of the graminivorous class. They bred six months in the year, and each time had eight, so that the increase was enormous. If a man had a scabby sheep the whole country was alive to the fact and the animal was ordered to be destroyed, or perhaps the whole flock; but the Sparrows were allowed to multiply and do immense injury without anything being done.

Mr. S. Braund strongly supported the motion. The farmers, too, suffered immensely by the Sparrows, and something needed to be done to check the increase or the results would be ruinous to them.

Mr. H. Laffer said the birds were getting thoroughly established in the hills also. Whatever was done must be of a compulsory nature. He knew that large sums would have been laid out in planting but for the Sparrows.

Mr. J. Pitt said he had noticed that day that the Sparrows were now beginning with the olives. Messrs. Dwyer and J. T. Holmes supported the request.

The treasurer, in reply, said he was exceedingly pleased with the manner in which the deputation had brought the matter before him, because they did not, as was the case with most deputations, ask the Government for assistance with money. All they desired, he understood, was that power should be given to district councils and corporations to levy a small rate for the purpose of covering the expense of destroying the birds. He was not going into the modes suggested by the deputation, because he had to attend a meeting of cabinet and wished to get away. Although at one time he thought for a considerable period that the fruit-growers would be able to fairly cope with the trouble themselves, he was perfectly satisfied now of the difficulty of

doing so, because he knew they were completely at the mercy of their neighbors, no matter what they did and how much money they spent. This year he had noticed the Sparrows in larger swarms than before. That very morning when coming to town he had seen some hundreds of thousands of them in a paddock, and was simply astonished at the multitude. In his own garden the birds this year had congregated in many thousands and he had shot them, but those which escaped went to other people's property where they were undisturbed. He was quite satisfied that not only the fruit industry but also that of the farmers would suffer unless some steps were taken in the matter. Along the Magill road last year there was a slip of wheat which had been left in a paddock by one of the farmers who wished to save some seed, but before the wheat was fairly ripe or fit for the Ridley reaper or common reaper the Sparrows attacked it, and more than half of the crop was eaten by them. Besides that he also observed that the birds quickly lodged on the ears, which consequently bent down and broke the straws, so that of course it could not be reaped. He would be able to favorably recommend the proposal of the deputation to his colleagues, but whether it would be dealt with in the district councils bill or put into a small separate bill which could be easily amended he could not then say. For his own part he was convinced the Government would have to do something. There was one method for the destruction of the birds which could be effectively adopted if done properly. At a certain time of the year, when there was no fruit and the birds had to live upon seed, a little judicious management of poisonous grain would destroy large numbers. But the Sparrow was cunning and people must be equally cunning in dealing with him. The way in which the work was accomplished at a place near Melbourne was as follows: A piece of ground was fixed upon where Sparrows were numerous, and they were fed regularly for, say a month, so that they looked for their meals like fowls in a yard. On a certain day poisoned grain was slipped in, and the result was a wholesale destruction.

He would not detain the deputation, and might say he hoped to be able to persuade his colleagues that some action required to be taken. The best course in his opinion was to allow a small rate to be levied as suggested.

The deputation then withdrew.

[From the Taranaki (New Zealand) Herald, 1886.]

Farmers who are putting in crops are experiencing much difficulty in protecting their seed from the Sparrows, which begin their ravages at daybreak, and need watching until dark. A member of the land board informs us that as he was driving into town to attend the special meeting of the board, on Monday, his curiosity was aroused by hearing the continual cracking of a whip in a field close to the road. On making inquiries he ascertained that it was a farmer with a stock whip, and he was adopting this method of frightening the birds. He said he had been at this work about a week, and had to be on the field from early morning until night, or the Sparrows would be down in thousands. The field was about 7 acres in extent, and as his full time was required in watching it, the crop, it would be thought, would not be very profitable. However, people who follow dairy farming have to get straw for winter use, and can not abandon cropping altogether simply because the Sparrows make it expensive.

## SECTION THIRD.—LIST OF ALL PERSONS WHOSE TESTIMONY APPEARS IN THE BULLETIN.

[NOTE.—This list contains the names of all persons whose testimony has been utilized in the preparation of the Bulletin, whether such testimony was contributed directly to the Department, or had been published already elsewhere. Many persons sent reports, properly signed, but without any indication of their own residence or of the localities to which their testimony related. Such reports could not be used, and the names of the senders do not appear in the list. Of course, no anonymous contributions were used.]

The \* before the name of a contributor indicates that his testimony was used only, or mainly, in mapping the distribution of the Sparrow; such reports usually came from places which the Sparrow had not then reached.]

- Abbot, William Hillsborough, Ill.  
 Abbott, Albert S., Bellaire, Mich.  
 Abbott, Dr. J. De Benneville, Bristol, Pa.  
 \*Abbott, R. B., Albert Lea, Minn.  
 \*Abernathy, Jule A., Burnsville, N. C.  
 Abernathy, J. A., Rhea Springs, Tenn.  
 Achert, Edward E., Denver, Colo.  
 Acheson, M. S., Swanwick, Ill.  
 Ackison, Emma, L., Wellsburgh, W. Va.  
 Adair, D. L., Hawesville, Ky.  
 Adair, Jos., Terra Alta, W. Va.  
 \*Adam, Wirt, Jackson, Miss.  
 Adams, Dr. —, Framingham, Mass.  
 Adams, Emma C., East Bethlehem, Pa.  
 Adams, George H., Beatty, Pa.  
 Adams, J. W., Springfield, Mass.  
 Adams, Sarah A., Beatty, Pa.  
 Adkins, Corwin, Manistique, Mich.  
 Adney, E. T., Pittsborough, N. C.  
 \*Agersborg, Dr. G. S., Vermillion, Dak.  
 Aiken, Charles E., Colorado Springs, Colo.  
 Ailly, Richard d', Malvern, Ark.  
 Akers, C. B., Emory, Va.  
 Akhurst, John, Brooklyn, N. Y.  
 \*Albertson, M., Braganza, Ga.  
 \*Alcorn, James P., Kinsley, Kans.  
 Alderson, J. N., Alderson, W. Va.  
 Aldrich, A. C., Clare, Mich.  
 \*Aldrich, Charles, Webster City, Iowa.  
 \*Alexander, George D., Shreveport, La.  
 \*Alexander, John P., Plano, Tex.  
 Alexander, Dr. J. B., Lexington, Mo.  
 Alexander, J. C., Oak Hill, Ohio.  
 Alexander, J. D., Thomaston, Ga.  
 \*Alexander, J. E., Enterprise, Fla.  
 Alexander, J. T., Breckenridge, Mo.  
 Alexander, W. F., Burkesville, Ky.  
 Allen, A. T., Denver, Colo.  
 Allen, C. K., South Windham, Me.  
 Allen, Dr. C. P., Leech Lake, Minn.  
 Allen, J. A., Cambridge, Mass.  
 \*Allen, James W., Sheldon, Dak.  
 Allen, J. C., Olney, Ill.  
 Allen, J. H., Durham, N. C.  
 \*Allen, L. M., Daingerfield, Tex.  
 Allen, M. N., Titusville, Pa.  
 \*Allen, Samuel J., Cub Hill, Utah.  
 Almy, P. M., Siasconset, Mass.  
 \*Alward, J. B., Camden, Mich.  
 Alwood, William B., Columbus, Ohio.  
 Ambrose, J. D., Lebo, Kans.  
 Amburgey, J. F., Lebanon, Va.  
 Ames, D. D., Avoca, Ark.  
 Amis, Thos. H., Barboursville, Ky.  
 \*Anderson, C. B., Zumbrota, Minn.  
 Anderson, G. W., Paxton, Ill.  
 Anderson, H. W., Laurens C. H., S. C.  
 \*Anderson, John, Tower, Minn.  
 Anderson, P. D., Kearney, Mo.  
 Anderson, Thos. F., Dennis Mills, La.  
 \*Anderson, W. B., Millbrooke, Kans.  
 Andrew, Dr. Geo. L., La Porte, Ind.  
 \*Andrews, J. W., Harrison, Ark.  
 \*Andrews, L. E., Louisville, Colo.  
 Andrews, W. R., Union City, Tenn.  
 Andros, Chas. H., Taunton, Mass.  
 Andrus, F. C., Almont, Mich.  
 \*Angell, F. A., Hawthorne, Nev.  
 Angus, James, West Farns, N. Y.  
 Angus, Wm. Cratie, Glasgow, Scotland.  
 Annis, F. W., Osage, Iowa.  
 \*Anthony, A. W., Denver, Colo.  
 Apgar, Prof. Austin C., Trenton, N. J.  
 Apperson, Dr. Jno. S., Town House, Va.  
 \*Applegate, Carrie, Blainstown, Iowa.  
 Appleton, Geo. Lyman, Ways Station, Ga.  
 Archer, Charles, Chester Hill, Ohio.  
 Armstrong, Dr. C. T., Corunna, Mich.  
 Arnett, John D., Tiptonville, Tenn.

Y APPEARS

has been until  
contributed di-  
Many persons  
residence or of  
be used, and  
ymous contri-  
as used only,  
usually came

, Minn.  
ss.  
Dak.

Tex.

Utah.  
s. .  
ch.  
ous, Ohio.

a.

e, Ky.  
Minn.

H., S. C.  
n.

ills, La.  
e, Kans.

e, Ind.  
rk.

olo.  
Tenn.  
ass.

ev.  
Y.  
Scotland.

lo.  
on, N. J.  
House, Va.  
n, Iowa.  
Station, Ga.  
Ohio.  
e, Mich.  
Tenn.

\*Arnold, Geo. B., Kasson, Minn.  
Arnold, I. N., Richmond, Iowa.  
Arnold, L. H., Trenton, Ky.  
Arrault, I. C., Decatur, Tenn.  
Arundell, C. A., Farmwell, Va.  
Asbury, Benj. P., Kingston, Ohio.  
Ashby, C. M., Spottsylvania C. H., Va.  
Ashby, R. J., Charleston, W. Va.  
Ashe, S. A., Raleigh, N. C.  
\*Ashmead, Wm. H., Jacksonville, Fla.  
Ashton, H. C., Flemingsburgh, Ky.  
\*Askew, T. W. L., Austin, Miss.  
Aspinall, W. H., Weston, W. Va.  
Astholz, Henry A., Cape Girardeau, Mo.  
Atkins, Dr. H. A., Locke, Mich.  
Auld, D. J., Sumter C. H., S. C.  
Austin, A. C., Oshkosh, Wis.  
Austin, E. H., Gaylordsville, Conn.  
\*Austin, F. C., Orange City, Fla.  
Austin, Jane E., Mocksville, N. C.  
\*Avera, W. F., Camden, Ark.  
Avery, J. O., Weston, Ohio.  
Avery, Dr. W. C., Greensborough, Ala.  
Ayres, John, Medford, Mass.  
\*Baasen, Francis, New Ulm, Minn.  
Babbitt, Clinton, Beloit, Wis.  
Babcock, P. O., Monticello, Iowa.  
Bacon, I. C., Chase City, Va.  
\*Bacon, J. M., Oregon City, Oregon.  
Bagby, John S., Rushville, Ill.  
Bagby, R. A., La Belle, Mo.  
Bagg, J. N., West Springfield, Mass.  
Bagwell, J. O., Helena, Ark.  
Bailey, Alanza A., Evanston, Wyo.  
\*Bailey, A. B., Malta Bend, Mo.  
Bailey, H. B., East Orange, N. J.  
\*Bailey, J. W., Mulberry, Ark.  
\*Bailey, M. Milton, Ashland, Kans.  
Bailey, Vernon, Elk River, Minn.  
Baily, William L., Philadelphia, Pa.  
\*Baillio, O. P., Liberty, Tex.  
Bain, Francis, North River, P. E. I., Can-  
ada.  
\*Bain, H. P., Great Bend, Kans.  
Baine, Tom, Hayneville, Ala.  
Baines, M. W., Stafford C. H., Va.  
Bair, H. C., Punxsutawney, Pa.  
Baird, A. B., Hartford, Ky.  
\*Baird, John R., Johnsonville, Miss.  
Bake, Jacob L., Red Oak, Iowa.  
Baker, Amos C., jr., New Bedford, Mass.  
\*Baker, G. W., Olivet, Dak.  
Baker, H. C., Hiawatha, Kans.  
Baker, H. T., Berlin, Wis.  
Baker, James S., Sayville, N. Y.

Baker, L. J., Bowling Green, Va.  
Baker, M. D., Uniontown, Pa.  
Baker, N. G., Parkersburgh, Iowa.  
Baker, W. R., Boonville, Mo.  
Balch, W. E., Lunenburg, Vt.  
\*Ball, J. A., Belmont, Nev.  
Ball, Theo. G., New Worcester, Mass.  
\*Ballou, E. L., Igo, Cal.  
Ballou, W. H., Chicago, Ill.  
\*Bancroft, E. P., Mankato, Kans.  
Banks, J. W., Portland, St. John, New  
Brunswick, Canada.  
\*Banner, C. C., Aaron, N. C.  
Barber, I. G., Middleburgh, Pa.  
\*Barber, N. R., Corvallis, Oreg.  
\*Bardon, John A., Superior, Wis.  
Barker, J. M., Fayette City, Pa.  
Barkman, Chas. W., Carmichael's, Pa.  
Barnard, John, Delhi, Ind.  
Barnard & Plank, Deer Creek, Ind.  
\*Barnes, C., Jonestown, Miss.  
Barnes, Joseph, Richmond, South Aus-  
tralia.  
Barnes, J. H., Griffin, Ga.  
\*Barnett, C. G., Henderson, Tex.  
Barnhill, B. B., Two Rivers, N. S., Can.  
Barns, N. S., Fairmount, W. Va.  
Barnum, E. D., Angelica, N. Y.  
Barrell, H. F., New Providence, N. J.  
Barrell, Robert W., South Bethlehem, Pa.  
Barrett, C. S., Charlotte, Mich.  
\*Barrett, E. F., Aitkin, Minn.  
Barrett, W. J., Kinston, N. C.  
Barron, T. D., Saint Clair, Mich.  
Barrows, Morton, Saint Paul, Minn.  
Barrows, Walter B., Washington, D. C.  
Barthel, Ang., Belleville, Ill.  
Bartlet, Rev. J. Pemberton, Exbury,  
Hants, Eng.  
\*Barton, J. M., Cameron, Tex.  
Bartram, C. E., Fredonia, N. Y.  
\*Bassett, S. F., Richmond, Mo.  
Bast, Jos., Sheboygan, Wis.  
\*Batchelder, E. M., Radersburgh, Mont.  
\*Bateman, R. P., Sheridan, Mont.  
\*Bates, J. A. T., Oakland, Iowa.  
\*Bates, J. D., Denton, Tex.  
\*Baugh, J. J., Des Arc, Ark.  
Baum, A. W., Icwinton, Ga.  
Baumed, Herman, Johnstown, Pa.  
Baxter, Dr. Jas., Chatham, N. B., Can.  
Bayard, H. O., Austin, Minn.  
\*Bayless, T. H., Hope, Ark.  
Beach, E. S., Valparaiso, Ind.  
Beach, H. D., Coshocton, Ohio.

- Beach, L. H., Albion, N. Y.  
 \*Beach, S. J., Farragut, Iowa.  
 Beal, Prof. F. E. L., Fitchburg, Mass.  
 Beall, Lee, Rich Hill, Mo.  
 Beaman, D. C., Ottumwa, Iowa  
 Beard, D. C., Flushing, N. Y.  
 \*Beard, T. A. C., Crete, Nebr.  
 Beattie, James, Hillsdale, Mich.  
 Beatty, Miller, Clarion, Pa.  
 Beauchamp, Rev. W. M., Baldwinsville, N. Y.  
 \*Beavers, M. M., Waldron, Ark.  
 \*Beavers, R. C., Grundy, Va.  
 Bebout, A. J., Smithland, Ky.  
 Becher, E. F., England.  
 \*Beck, Michael, Jordan, Minn.  
 Becker, Charles, Freeburgh, Ill.  
 \*Becker, Christian, Mount Vernon, Ala.  
 Beckham, Charles W., Nelson County, Ky.  
 Beckwith, Charles W., Fredericton, N. B., Can.  
 \*Beckwith, Irenus, Alexandria, Tenn.  
 \*Beedy, N. J., Postville, Iowa.  
 \*Beekman, George, Helena, Minn.  
 \*Beeman, Howard P., Pass Christian, Miss.  
 \*Beers, F. E., Gilmore City, Iowa.  
 Beeson, H. H., New Market, N. C.  
 \*Beeson, O., Caldwell, Kans.  
 Beirne, A., Lewisburgh, W. Va.  
 \*Belcher, C. C., Okmulgee, Ind. T.  
 Belding, L., Stockton, Cal.  
 Bell, Everett, Trenton, Tenn.  
 Bell, James, Strathfieldsaye, Hampshire, Eng.  
 Bell, Prof. James T., Belleville, Ont., Can.  
 \*Bell, John C., Astoria, Oregon.  
 Bell, J. G., Sparkhill, N. Y.  
 \*Bell, Lucy M., Willis, Tex.  
 Bell, William P., Accomack C. H., Va.  
 \*Bellamy, Lucas W., Belle Plain, Tex.  
 Bellows, Charles E., Bridgeton, N. J.  
 \*Beloate, C. R., Corning, Ark.  
 \*Bench, J. M., Coal Hill, Ark.  
 \*Bender, C., jr., Spring, Tex.  
 Bendire, Capt. Chas. E., Washington, D. C.  
 Benford, L. J., Ursina, Pa.  
 Benham, Sidney L., Crescent City, Fla.  
 \*Benjamin, H. R., Tampa, Fla.  
 \*Bennel, B. F., Windsor, Cal.  
 Benner, H. L., Gettysburgh, Pa.  
 Benner, J. F., New Lisbon, Ohio.  
 \*Bennett, C. A., Granite Falls, Minn.  
 Bennett, E. J., Cashiers, N. C.  
 \*Bennett, F. R., Odebolt, Iowa.  
 \*Bennett, L. B., Worthington, Minn.  
 \*Bennett, S. C., Georgetown, Colo.  
 Bennett, William T., Waterford, Va.  
 Benson, George W., Atlanta, Ga.  
 Benson, Lieut. Harry C., Camp Huachuca, Ariz.  
 Benson, Mary, Hooker, Ind.  
 Bentley, L. E., Donaldsonville, La.  
 \*Bentou, A. H., Madella, Minn.  
 \*Berger, Charles A., Blunt, Dak.  
 Bergtold, Dr. W. H., Buffalo, N. Y.  
 Berkey, E. G., Harristown, Ind.  
 Berry, Dr. Daniel, Carmi, Ill.  
 Berry, George H., North Livermore, Me.  
 \*Berry, Henry N., Iowa City, Iowa.  
 \*Berry, Jno., Ozark, Ark.  
 Berthoud, William B., Barataria, La.  
 Bessey, Prof. Charles E., Lincoln, Nebr.  
 Bessmer, John, Hastings, Mich.  
 Beverly, John James, Woodville, South Australia.  
 Bibb, J. W., Elsberry, Mo.  
 \*Bibbins, Charles A., Baldwin, La.  
 Bicknell, Eugene P., Riverdale, N. Y.  
 Bicknell, Hon. G. A., New Albany, Ind.  
 \*Bielby, C. F. A., De Land, Fla.  
 \*Bienvenn, Albert, Saint Martinville, La.  
 Bigelow, J. Allen, Pontiac, Mich.  
 \*Bigham, J. A., Tyler, Minn.  
 Binkerd, Dr. A. D., Cochran, Ind.  
 \*Binnicker, Jno. B., Hampton, S. C.  
 Binns, Samuel, Fayette, Ohio.  
 Bird, J. W., Menominee, Mich.  
 Bird, W. B., King and Queen C. H., Va.  
 Birt, Thomas, Utica, N. Y.  
 Bishop, Louis B., New Haven, Conn.  
 Bivins, J. M., Albemarle, N. C.  
 \*Bjorge, C., Lake Park, Minn.  
 Blachly, Dr. Charles P., Manhattan, Kans.  
 \*Blain, E. F., Tomichi, Colo.  
 \*Blair, W. H., Montesano, Wash.  
 Blake, Eli Whitney, 3d, Providence, R. I.  
 Blakemore, Eugene, Shelbyville, Tenn.  
 Blakeslee, G. A., Galien, Mich.  
 Blakiston, T. W., Loudon, Ohio.  
 \*Blakney, G., Carthage, Mo.  
 \*Blandig, Joseph, Convent, La.  
 Blase, Joseph L., Cynthiana, Ind.  
 \*Blatchford, G. E., Maysville, Colo.  
 \*Bligh, D. C., Minburn, Iowa.  
 \*Blumer, A., Moss Point, Miss.  
 Boardman, George A., Calais, Me.  
 Bobbitt, Jno. S., Sussex C. H., Va.

- Boblitz, E. L., Mechanicstown, Md.  
 \*Bodet, George, San Diego, Tex.  
 Bodine, A. L., Plainville, Ohio.  
 Bodkin, J. T., Patriot, Ind.  
 Bodley, Dr. A. R., Quenemo, Kans.  
 \*Boemer, Thaddues, Columbia, Miss.  
 Bogan, John S., Mount Vernon, Ill.  
 Bogert, R. V., Beaver Dam, Wis.  
 \*Boggs, Theodore, McPherson, Kans.  
 Bohl, Daniel, Laurel, Ohio.  
 Boies, A. H., Hudson, Mich.  
 Bollman, C. H., Bloomington, Ind.  
 Bolton, Frank D., New Harmony, Ind.  
 Bolton, Dr. Tom, San Francisco, Cal.  
 Bolton, W. P., Liberty Square, Pa.  
 Bond, Frank, Cheyenne, Wyo.  
 Bond, Fred T., Vallejo, Cal.  
 Bond, H. L., Iowa City, Iowa.  
 Bondman, Jno. F., Brierfield, Ala.  
 Bondusant, A., Saint Joseph, La.  
 Bonham, L. N., Oxford, Ohio.  
 Bonner, Macon, Washington, N. C.  
 \*Bonney, B. S., McPherson, Kans.  
 \*Bonney, James H., Princess Anne C. H., Va.  
 \*Bonney, Miles, Waterproof, La.  
 \*Booth, Henry, Larned, Kans.  
 \*Booth, Joseph S., Missoula, Mont.  
 Bord, H., Talmage, Nebr.  
 \*Bornarth, Charles, Shakopee, Minn.  
 Borum, M. V., Dyersburgh, Tenn.  
 \*Borup, Theodor, Fort Custer, Mont.  
 \*Bostwick, Kate, Wesson, Miss.  
 Bosworth, S. N., Beverly, W. Va.  
 Boude, J. H., Augusta, Ky.  
 Boughner, A. V., Greensborough, Pa.  
 Boulton, William, Alpena, Mich.  
 Bourk, John, North Bay, Lake Nipissing, Canada.  
 Bourne, J. D., De Witt, Iowa.  
 Bowden, S. V., Jamestown, Tenn.  
 Bowen, C. R., Hinsdale, N. Y.  
 Bowen, E. A., Middleborough, Mass.  
 \*Bowen, W. S., Sheffield, Iowa.  
 \*Bowers, C. E., Pena Station, Tex.  
 \*Bowers, Dr. Stephen, San Buenaventura, Cal.  
 Bowle, George R., Ghent, Ky.  
 Bowles, George John, Montreal, Quebec, Canada.  
 Bowles, E. M., Middletown, Md.  
 Bowman, C. L., Frankfort, Ky.  
 \*Bowman, S. J., Manning, S. C.  
 Boyce, K., Augusta, Ga.  
 \*Boyd, Dr. Andy, Larkinsville, Ala.  
 \*Boyd, J. N., Cooper, Tex.  
 \*Boyd, R., Kosciusko, Miss.  
 Boyer, J. W., Independence, Va.  
 \*Boylan, G. W., Hamilton, Dak.  
 Boyle, Joseph B., Westminster, Md.  
 Boynton, Dr. C. H., Lisbon, N. H.  
 Brace, Hiram L., Newaygo, Mich.  
 \*Bracey, W. M., Terry, Miss.  
 Bracken, P., Parker's Landing, Pa.  
 Brackett, George E., Belfast, Me.  
 Brackett, G. B., Denmark, Iowa.  
 Braden, W. G., New Brighton, Pa.  
 Braden, W. H., Purdy, Tenn.  
 Bradford, E., Sparta, Mich.  
 Brady, Jas, Washington, Pa.  
 Brady, John, Batavia, Ill.  
 Brady, Jno., Coalton, Ohio.  
 \*Brady, Thomas T., Beresford, Dak.  
 Brady, Tom G., Buckhaannon, W. Va.  
 Bragaw, Jno. T., Jersey City, N. J.  
 \*Brambleet, George D., Winchester, Tenn.  
 \*Brandon, T. J., Centreville, Utah.  
 Brattin, D. W., Brazil, Ind.  
 Braund, S., Adelaide, South Australia.  
 Braymer, Dr. Frank H., West Pawlet, Vt.  
 Breaden, J. C., Butler, Pa.  
 Breeding, Hon. Green, Booneville, Ky.  
 \*Breedman, William J., Sidney, Nebr.  
 Breen, Edw. J., Weston, Mo.  
 Brewer, H. C., Huntingdon, Tenn.  
 Brewer, Dr. T. M., Boston, Mass.  
 Brewerton, Thomas W., Willard, Utah.  
 \*Brewster, J. O., Hunnewell, Kans.  
 Brewster, William, Cambridge, Mass.  
 Brice, A. C., Lenox, Iowa.  
 \*Brice, J. C., Arcadia, La.  
 Brice, William, Ithaca, Mich.  
 \*Bridgewater, W. L., Bandana, Ky.  
 Briechnor, J. A., Taneytown, Md.  
 Briggs, F. P., Hudson, Me.  
 \*Brill, Fred., Lincoln, Mo.  
 Brimley, Clement S., Raleigh, N. C.  
 Briner, J. H., Hazelton, Ind.  
 Brinker, J. H., West Point, Miss.  
 Brinkley, L. L., Edenton, N. C.  
 Brittain, John, Petitecodane, New Brunswick, Canada.  
 \*Brittain, J. B., Jacksonville, Tex.  
 Broad, Henry, Marden, South Australia.  
 Brodhead, E. A., Kittanning, Pa.  
 Brodie, John N., Bear Lake, Mich.  
 Brodie, Dr. William, Toronto, Canada.  
 Bronson, Graham, Vernon Centre, N. Y.  
 Brooks, Edward, Boston, Mass.  
 Brow, S. A., Lancaster, Wis.



- Browe, W. C., Salt Lake City, Utah.  
 \*Brown, D. B., Goodwater, Ala.  
 Brown, E. L., Durand, Wis.  
 Brown, E. L., Eufaula, Ala.  
 Brown, F. H., Renfrew, Pa.  
 \*Brown, George B., Fredonia, Kans.  
 \*Brown, Herbert, Tucson, Ariz.  
 Brown, H. E., Dublin, Tex.  
 Brown, Julia B., Markland, Ind.  
 Brown, J. M., Galveston, Tex.  
 Brown, Dr. J. P. H., Augusta, Ga.  
 Brown, J. R., Queen City, Mo.  
 \*Brown, J. William, Bastrop, La.  
 \*Brown, Mary A., Hillsborough, Oregon.  
 Brown, M. E., Bethany, W. Va.  
 Brown, Nathan Clifford, Portland, Me.  
 \*Brown, Robert L., Austin, Ark.  
 Brown, Will A., Pikeville, Tenn.  
 Browne, F. C., Framingham, Mass.  
 Brownley, A. M., Franklin, Va.  
 Broyles, W. T., Dayton, Tenn.  
 \*Brugh, M. P., Entwaw, Ala.  
 Brunson, W. H., Edgefield C. H., S. C.  
 Brunt, John R., Osage Mission, Kans.  
 Bruton, W. P., Dover, Tenn.  
 \*Bryan, I. W., Dillon, Ga.  
 Bryant, Walter E., Oakland, Cal.  
 Brydia, C. S., Sannemin, Ill.  
 \*Buck, Adam, Henderson, Minn.  
 Buck, A. J., Oskaloosa, Kans.  
 \*Buckner, Louis, Newellton, La.  
 Budd, Henry I., Mount Holly, N. J.  
 \*Buddecke, A. E., Montrose, Colo.  
 \*Budge, Annie, Paris, Idaho.  
 Buffington, J. F., New Windsor, Md.  
 Bunnewitz, L., Wolcott, Iowa.  
 Bunsen, George C., West Belleville, Ill.  
 \*Burbank, H. A., Laredo, Tex.  
 Burbank, J. A., Welcome, La.  
 Burger, S. N., Manchester, Tenn.  
 Burhans, Howard, Heath, N. Y.  
 Burke, W. A., Staunton, Va.  
 Burleigh, County Commissioner, New Haven, Conn.  
 \*Burley, T. S., Walhalla, Dak.  
 Burmeister, Charles, Frankfort, Mich.  
 Burns, Frank L., Berwyn, Pa.  
 \*Burns, John J., Sprague, Wash.  
 \*Burns, J. T., Dayton, Wash.  
 Burns, Robert, Houston, Tex.  
 Burns, William, Port Huron, Mich.  
 \*Burr, R. H., Bartow, Fla.  
 \*Burrell, H. P., Elk River, Minn.  
 Burrough, Edward, Merchantville, N. J.  
 \*Burroughs, C. H., La Crosse, Wis.  
 Burrow, W. J., Plymouth, Mich.  
 Burt, Sam. W., Salem, Ala.  
 Burtis, Henry M., Port Washington, N. Y.  
 Burton, Ruth C., Taylorsville, Ky.  
 \*Burwell, D. M., Minnetonka, Minn.  
 Baskirk, J. B., Logan C. H., W. Va.  
 Butcher, S. J., Burlington Junction, Mo.  
 Butler, Amos W., Brookville, Ind.  
 Butler, Charles H., Paw Paw, Mich.  
 \*Butler, F. G., Schaller, Iowa.  
 Butler, S. M., Clifton Forge, Va.  
 Butterworth, T., Quincy, Ill.  
 Button, Charles W., Lynchburgh, Va.  
 \*Butts, E. G., Stillwater, Minn.  
 Butz, William T., New Castle, Pa.  
 Buxton, C. L., England.  
 Byars, Jas., Covington, Tenn.  
 Byram, R. R., Lena, Wis.  
 \*Byrne, M. E., Enterprise, Miss.  
 \*Byrnes, J. M., Brenham, Tex.  
 Byrum, George P., Laconia, Ind.  
 \*Cabeen, J. H., Belleview, La.  
 \*Cage, John W., Mineola, Tex.  
 Cahoon, John C., Taunton, Mass.  
 \*Cain, M. G., Seymour, Iowa.  
 Calderwood, M. H., Eldridge, Iowa.  
 Caldwell, L. W., Warrenton, Va.  
 Calohan, Mary M., Edinburgh, Va.  
 Calvin, John H., Rosewood, Ind.  
 \*Calvin, T. W., Lake View, Oregon.  
 Cameron, J. D., Asheville, N. C.  
 Camp, Robert D., New Haven, Conn.  
 Campbell, Altes H., Iola, Kans.  
 Campbell, George W., Delaware, Ohio.  
 Campbell, H. D., Traverse City, Mich.  
 Campbell, Isabella, Blairsville, Pa.  
 Campbell, James L., Boyne City, Mich.  
 Campbell, John, Flint, Mich.  
 Campbell, M. J., Fontana, Kans.  
 Campbell, O. L., Knoxville, Ill.  
 \*Campbell, Thomas, Medical Lake, Wash.  
 Camper, C. B., Fincastle, Va.  
 Candland, A. W., Chester, Utah.  
 \*Cannon, James, Mankato, Minn.  
 \*Cannon, Walter R., Norton, Kans.  
 \*Cannon, William, Fort Abraham Lincoln, Dak.  
 \*Cannon, W. H., Merrill, Wis.  
 Cantwell, James S., Smithfield, Utah.  
 \*Caragan, William H., Young's Spring, Ky.  
 \*Caraway, J. H., Ronceverte, W. Va.  
 Card, Ira B., Hillsdale, Mich.  
 \*Card, L. A., Big Stone City, Dak.  
 Carder, T. M., Dallas, Ark.  
 \*Cardwell, W. D., Jackson, Ky.

- Mich.  
 shington, N. Y.  
 lle, Ky.  
 ka, Minn.  
 L, W. Va.  
 Junction, Mo.  
 le, Ind.  
 w, Mich.  
 wa.  
 , Va.  
 ll.  
 burgh, Va.  
 inn.  
 le, Pa.  
 nn.  
 Miss.  
 ex.  
 Ind.  
 La.  
 ex.  
 Mass.  
 e, Iowa.  
 , Va.  
 gh, Va.  
 Ind.  
 Oregon.  
 C.  
 n, Conn.  
 ns.  
 are, Ohio.  
 ty, Mich.  
 le, Pa.  
 ity, Mich.  
 ns.  
 l.  
 Lake, Wash.  
 h.  
 nn.  
 Kans.  
 n Lincoln,  
 Utah.  
 Spring, Ky.  
 W. Va.  
 ak.
- Carew, Joseph W., Hahnville, La.  
 \*Carey, G. W., North Yakima, Wash.  
 Carey, John H., Morristown, Ohio.  
 Carlin, James, Cleves, Ohio.  
 Carmine, J. W., Boston, Ga.  
 Carpenter, Charles M., Providence, R. I.  
 Carpenter, F. H., Rehoboth, Mass.  
 Carpenter, H. O., Coe Ridge, Ohio.  
 Carper, John C., New Castle, Va.  
 \*Carr, Isaac T., Neillsville, Wis.  
 Carr, R. F., Tazewell, Tenn.  
 \*Carr, S. A., Galena, Mo.  
 \*Carrington, J. F., Elizabethtown, N. Mex.  
 Carrithers, C. F. H., Fairbury, Ill.  
 Carroll, John, West St. Louis, Mo.  
 Carroll, Patrick, Lonaconing, Md.  
 Carryl, F. M., Passaic Bridge, N. J.  
 Carter, Alonzo H., Hardin, Ill.  
 Carter, Charles W., Aledo, Ill.  
 \*Carter, D. M., Hattiesburgh, Miss.  
 \*Carter, John H., Harrisonburgh, La.  
 \*Carter, M. A., Pine Apple, Ala.  
 \*Carter, M. E., Fort Bridger, Wyo.  
 Cartwright, E. G., La Fayette, Tenn.  
 Carver, A. H., Lickley Corners, Mich.  
 Case, G. L., Austin, Minn.  
 \*Case, Jennie L., Asotin, Wash.  
 Case, Jesse G., Peconic, N. Y.  
 \*Case, J. B., Paradise Valley, Nev.  
 Casey, M. J., Vail, Iowa.  
 Caskey, John O., Enon Valley, Pa.  
 Cate, Clarence L., Spencer, Mass.  
 Cate, G. W., Stevens' Point, Wis.  
 Caulkins, Dr. John S., Thornville, Mich.  
 \*Cave, S. H., Terrance, Utah.  
 Cayton, William M., Saint George, W. Va.  
 \*Chaffe, J. C. T., Minden, La.  
 Chalfant, Thomas, Danville, Pa.  
 Chalmers, Thomas, Holyoke, Mass.  
 Chamberlain, Montague, St. John, N. B., Canada.  
 Chamberlain, M. A., Winthrop, Iowa.  
 Chambers, John, South Richmond, South Australia.  
 \*Champion, H., Breckenridge, Minn.  
 \*Chandler, R. P., Riverside, Cal.  
 Chapin, B. T., Brockwayville, Pa.  
 Chapin, Rev. D. D., Allegan, Mich.  
 \*Chapman, Adkins, Wayne C. H., W. Va.  
 \*Chapman, Frank M., Gainesville, Fla.  
 \*Chappellear, R. H., Boggy, Ga.  
 Charles, Alex., Cedar Rapids, Iowa.  
 Chase, Edward R., Corinne, Utah.  
 Chase, S. B., Osage, Iowa.
- \*Chatfield, E. E., Belle Plaine, Minn.  
 Cheatham, Mrs. Anna B., Nashville, Tenn.  
 \*Cheney, S. F., Woodward's Cove, Grand Manan, N. B., Canada.  
 Cherrie, George K., Knoxville, Iowa.  
 Chesney, Isom, Percy, Ill.  
 \*Chessher, D. T., Georgetown, Tex.  
 Chichester, Andrew, Amityville, N. Y.  
 \*Childs, F. C., Leesburg, Fla.  
 Chisman, Mattie K., Hampton, Va.  
 Christian, L. A., Mount Gilead, N. C.  
 \*Christlieb, B. F., Long Lake, Minn.  
 \*Christy, J. C., Silver City, Iowa.  
 Church, A., New York, N. Y.  
 Church, A. M., Boonville, N. Y.  
 \*Churchill, Arthur, Rugby, Tenn.  
 \*Churchill, C. P., Linn Creek, Mo.  
 Clapp, Charles M., Albion, Ind.  
 Clapp, W. C., Dorchester, Mass.  
 \*Clark, A. K., jr., Hugo, Colo.  
 \*Clark, A. M., Spencer, Tenn.  
 \*Clark, Edwin B., Waxabachie, Tex.  
 Clark, Frank D., Farmington, Mich.  
 Clark, George A., Bloomsburgh, Pa.  
 \*Clark, George W., Lyons, Kans.  
 Clark, Harvey, Butler, Mo.  
 Clark, Hubert L., Amherst, Mass.  
 Clark, J. D., Brookfield, Ohio.  
 Clark, J. R., La Grange, Ky.  
 \*Clark, L. B., Newton, Tex.  
 Clark, Mrs. M. A., Falmouth, Ky.  
 \*Clark, M. A., Giddings, Tex.  
 Clark, N., Baltimore, Md.  
 Clark, W. C., Paducah, Ky.  
 \*Clark, W. H., jr., Florence, Wis.  
 \*Clark, S. H., Elwood, Iowa.  
 Clark, S. M., Washington, D. C.  
 \*Clark, S. N., Cleburne, Tex.  
 Clarke, James W., De Soto, Mo.  
 Clarke, John G., West Kingston, R. I.  
 \*Clay, C. M., Blue, Utah.  
 Claypole, Prof. E. W., Akron, Ohio.  
 Claywell, J. A., Morganton, N. C.  
 Clement, Asa, Dracut, Mass.  
 Clement, Paul A., Cumming, Ga.  
 Clements, Shannon, Bucyrus, Ohio.  
 \*Cleveland, C. B., Linden, Ala.  
 Clevenger, William, Wilmington, Ohio.  
 Clifford, J. Philip, Clarksburgh, W. Va.  
 Clinton, John, Brownsville, Tenn.  
 \*Clopton, Frank B., Pendleton, Oregon.  
 Coale, H. K., Chicago, Ill.  
 Coatz, Thomas C., North Royalton, Ohio.  
 Cobleigh, W. S., Peoria, Ill.  
 \*Cochran, John H., Dallas, Tex.

- Cochran, J. L., Strong, Kans.  
 \*Cochran, Mrs. Maria S., Brazoria, Tex.  
 Cochrane, J. D., Dexter, Me.  
 Cocks, Peyton A., Surry Court-House, Va.  
 \*Cocks, Thomas R., Victoria, Tex.  
 \*Coffee, M. E., Burnet, Tex.  
 Coffin, A. V., Le Roy, Kans.  
 Coffroth, J. K., Somerset, Pa.  
 Cogan, Ella J., Montello, Wis.  
 Cohoon, J. A., Effingham, Kans.  
 Colam, John, England.  
 Cole, Beaumont, Adelaide, South Australia.  
 Cole, H. D., Williamsburgh, Va.  
 Coleman, W. E., Jefferson City, Mo.  
 \*Colin, Lehman, Lee, Miss.  
 Collins, C. F., Homer, Mich.  
 \*Collins, Daniel R., Cherry Creek, Nev.  
 Collins, D. K., Charleston, N. C.  
 \*Collins, W. V., Gonzales, Tex.  
 \*Colson, Herman, Ionia, Kans.  
 Colston, Wm. B., Martinsburgh, W. Va.  
 Comean, Napoleon A., Godbout, Québec, Canada.  
 Comstock, Prof. F. M., Le Roy, N. Y.  
 \*Conatser, W. S., Palo Pinto, Tex.  
 Conklin, J. B., Springport, Mich.  
 Conklin, W. A., New York, N. Y.  
 Conn, James H., Saint John's, Mich.  
 \*Conner, I., Ponca, Nebr.  
 \*Connor, James C., Aspen, Colo.  
 Connor, J. T., Rome, Ind.  
 Connst, J. L., Flemington, N. J.  
 \*Conrad, V. M., Lewis, Iowa.  
 Cook, A. J., Agricultural College, Mich.  
 \*Cook, Barbara E., Bowie, Tex.  
 \*Cook, B., Arkadelphia, Ark.  
 \*Cook, E. G., Fullerton, Nebr.  
 \*Cook, Geo. F., Breckenridge, Minn.  
 Cook, John, Bridgeport, Ohio.  
 Cook, P. J., Cullom, Ill.  
 \*Cook, Thos. F., Monrovia, Kans.  
 Cook, W., Bowling Green, Ky.  
 Cooke, Michael, Derby, Kans.  
 \*Cooke, T., Clear Creek, Tex.  
 \*Cooksey, W. H., Geneva, Nebr.  
 Cooper, D. W., Bellaire, Ohio.  
 Cooper, Joseph, Greenville County, S. C.  
 Cooper, Dr. J. G., Haywards, Cal.  
 \*Cooper, Martin, Forest City, Iowa.  
 Coram, J. H., Morgan, Ga.  
 Cordeaux, John, Ulceby, North Lincolnshire, England.  
 Corning, Erastus, jr., Albany, N. Y.  
 Coryell, R. J., Jonesville, Mich.  
 Costellow, C. W., Waterborough, Me.  
 Cottingham, F. G., Sharon Centre, Ohio.  
 Cottrell, A., Morrill, Kans.  
 Cottrell, J. F., Fort Scott, Kans.  
 Couch, Edward J., Ridgefield, Conn.  
 Coues, Dr. Elliott, Washington, D. C.  
 Couk, John M., Jonesville, Va.  
 Council, M. B., Americus, Ga.  
 Coutant, Chas. K., Omaha, Nebr.  
 Covell, J. D., Forreston, Ill.  
 Cowing, Granville, Muncie, Ind.  
 \*Cox, A., Blossburgh, N. Mex.  
 Cox, Chas. C., Wampum, Pa.  
 Cox, Jas., Grand Rapids, Mich.  
 \*Cox, W. A., Ellijay, Ga.  
 Cox, W. A., Munising, Mich.  
 \*Cox, W. L., Genoa, Nev.  
 Cozatt, E. W., Madisonville, Tenn.  
 \*Crabtree, S. H., Rohruerville, Cal.  
 Craig, J. P., Memphis, Mo.  
 \*Craig, M. A., El Dorado, Ark.  
 Craig, W. T., San Francisco, Cal.  
 Craig, Rev. Dr., Mt. Gambier, S. Australia.  
 \*Craiyo, James T., Paris, Tex.  
 \*Cramer, A. P., Avoca, Iowa.  
 Cramer, Stephen, Batavia, Ohio.  
 Crandall, W. W., Chippewa Falls, Wis.  
 Crane, F. W., Maquoketa, Iowa.  
 Crane, L. E., Millet, Mich.  
 Crane, Marcus S., Caldwell, N. J.  
 Crawford, Chas. B., Mifflintown, Pa.  
 Crawford, Jas. C., Cameron, W. Va.  
 \*Crawford, J. J., Nevinville, Iowa.  
 \*Crawford, T. B., Grand Junction, Colo.  
 \*Crawford, Thos. W., Gainesville, Ark.  
 Crisp, John D., Holden, Mo.  
 Criss, R. D., Melvern, Kans.  
 Critchett, Jas. C., Monroe, Mich.  
 Critchfield, M. L., Oskaloosa, Kans.  
 Crites, S. D., Elida, Ohio.  
 Crittenden, H. H. W., Burkeville, Va.  
 Crittenden, S. S., Greenville, S. C.  
 \*Crocket, B. D., San Augustine, Tex.  
 \*Cromastic, A. K., Clarkton, N. C.  
 \*Crook, W. R., Falls City, Nebr.  
 Crosland, Jas. E., Aiken, S. C.  
 Crosland, T. L., Bennettsville, S. C.  
 Cross, William T., Gatesville, N. C.  
 Crottsenburg, C. N., Clinton, Wis.  
 Crowell, W. D., Newport News, Va.  
 Crowl, H. R., Winton Place, Ohio.  
 Crown, S. C., Hancock, Md.  
 Crozier, Hon. John, Oaklands, South Australia.  
 Crozier, William, Northport, N. Y.

- ngh, Me.  
 ntre, Ohio.  
 ns.  
 d, Conn.  
 on, D. C.  
 Va.  
 .  
 Nebr.  
 Ind.  
 K.  
 ch.  
 Tenn.  
 , Cal.  
 .  
 Cal.  
 S. Australia.  
 .  
 io.  
 falls, Wis.  
 va.  
 J.  
 n, Pa.  
 V. Va.  
 owa.  
 tion, Colo.  
 lle, Ark.  
 n.  
 Kans.  
 le, Va.  
 C.  
 Tex.  
 C.  
 C.  
 C.  
 s.  
 Va.  
 o.  
 South
- \*Cruikshank, Mrs. S., Clay Center, Nebr.  
 Crum, N. W., Inez, Ky.  
 Cruzen, G. R., Stafford, Kans.  
 Cueny, J. E., Cheboygan, Mich.  
 Cullingworth, William H., Richmond, Va.  
 Cullom, D. W., Celina, Tenn.  
 Culp, J. F., Athens, Mich.  
 Culpepper, Miss Etta, Camilla, Ga.  
 Cunningham, Hon. John D., Atlanta, Ga.  
 \*Cunningham, J. C., Maldon, Miss.  
 \*Cunningham, J. M., Henderson, Tenn.  
 \*Cunningham, J. R., Coffeysburgh, Mo.  
 Cunningham, W. T., Danville, Ill.  
 Curnow, J., Adelaide, South Australia.  
 \*Currie, George W., Raleigh, Miss.  
 \*Curry, Hamilton, Cloquet, Minn.  
 \*Curtis, Charles D., Helena, Mont.  
 Curtis, F. D., Charlton, N. Y.  
 \*Curtis, George W., College Station, Tex.  
 Curtis, John, New Liberty, Ky.  
 Curtiss, Robert W., Stratford, Conn.  
 \*Cusaday, W. H., Orange City, Iowa.  
 Cutcheon, F. M., Portland, Mich.  
 Cuthbert, F. T., Minneapolis, Minn.  
 Cutler, B. L., West Jordan, Utah.  
 \*Cutler, H. D. B., Glenwood, Mo.  
 \*Cutter, John J., Parker, Dak.  
 Cutting, Dr. Hiram A., Lunenburg, Vt.  
 Daggett, Alonzo, Cattyhunk, Mass.  
 Daine, E. A., Hyde Park, Utah.  
 Dakin, J. A., Tully, N. Y.  
 \*Dale, W. T., Mellette, Dak.  
 Dall, W. H., Tampa, Fla.  
 \*Daniel, Moses, Brunswick, Ga.  
 Daniels, Jas. S., Jerseyville, Ill.  
 Danley, W. H., Antigo, Wis.  
 \*Darling, A. L., Brownsville, Minn.  
 \*Darling, T. C., Eudora, Kans.  
 Dashiell, R. R., Jackson, Tenn.  
 \*Daugherty, D. B., Boone, N. C.  
 Daugherty, G. W., Carmichael, Pa.  
 \*Daus, L. L., Rock Springs, Wyo.  
 Davenport Academy of Natural Sciences,  
 Davenport, Iowa.  
 Davies, A. P., Gloucester C. H., Va.  
 Davies, L. M., Cleveland, Ohio.  
 \*Davis, A. B., Winnebago, Minn.  
 Davis, Charles A., Burlington, Vt.  
 Davis, D. J., Wapakoneta, Ohio.  
 Davis, E. H., Keyser, W. Va.  
 Davis, George A., Mexico, N. Y.  
 Davis, Hugh L., Richmond, Va.  
 \*Davis, H. T., Orange, Tex.  
 Davis, John, Ridgeway, Ohio.  
 Davis, John M., Rochester, Ind.  
 Davis, Jno. M., Waynesville, N. C.  
 Davis, J. H., Tallapoosa, Ga.  
 \*Davis, J. J., Salem, Utah.  
 \*Davis, J. M., Ranger, Tex.  
 \*Davis, Luciana G., Rio Grande City, Tex.  
 \*Davis, M. Allie, Bolton's Depot, Miss.  
 Davis, S. R., Creston, Iowa.  
 \*Davis, W. T., Erwin, Tenn.  
 Davison, J. L., Lockport, N. Y.  
 \*Dawson, John W., Phillipsburgh, Mont.  
 Dawson, William R., Tidioute, Pa.  
 Day, H. S., Parkersville, Kans.  
 \*Dearborn, M., Wayne, Nebr.  
 Deaton, J. L., Pocahontas, Va.  
 \*Decker, A. F., Sweet Water, Tex.  
 Deemer, H. E., Red Oak, Iowa.  
 \*Deguire, A. A., Fredericktown, Mo.  
 Deighan, F. A., Castalia, Ohio.  
 \*Deimling, Mary, Virginia, Mont.  
 De Lassus, Joe R., Perryville, Mo.  
 Delknap, J. H., Omer, Mich.  
 Dempsey, J. F., Madisonville, Ky.  
 Denty, Charles L., Hamilton, Ga.  
 Denise, D. D., Freehold, N. J.  
 Dennen, L. W., Havensville, Kans.  
 Dennis, David B., Coldwater, Mich.  
 \*Dennison, Hattie, Vancouver, Wash.  
 \*Dennison, W. B., Litchfield, Kans.  
 Dent, F. Mortimer, Newburgh, W. Va.  
 Dent, W. W., Marquette, Mich.  
 Denton, E. P., Bagdad, Ky.  
 \*Denton, F. D., Batesville, Ark.  
 \*Derrick, J. A., Pittsburgh, Tex.  
 Dessert, F. A., Macon City, Mo.  
 Detweiler, Dr. J. F., Wadsworth, Ohio.  
 Deutsch, Peter J., Magnolia, Ind.  
 Davanney, Mrs. Maria, Glendale, Ohio.  
 Devier, H. K., Dayton, Va.  
 De Wald, Henry, Collinsville, Ill.  
 De Wolf, Samuel, Rochester, Minn.  
 Dibrell, W. L., Sparta, Tenn.  
 Dick, A. M., West Newton, Pa.  
 Dickinson, C. L., Somerville, Tenn.  
 Dickinson, Monroe, Boyne Falls, Mich.  
 \*Dickinson, S. S., Larned, Kans.  
 Dickson, H. D., Neosho Falls, Kans.  
 \*Didlaka, J. T., Hepler, Kans.  
 Diehl, E. P., Olathe, Kans.  
 Dimmick, C. W., Milford, Pa.  
 Dingman, W. E., Newton, Iowa.  
 Dixwell, Dr. John, Boston, Mass.  
 Doan, A. J., Jersey City, N. J.  
 Doan, W. D., Atglen, Pa.  
 \*Dobie, Malcom, Hayward, Wis.  
 Doertenbach, William F., Cleveland, Ohio.

- \*Dollerhide, R. H., Delhi, La.  
 \*Dols, Henry, Merriam Junction, Minn.  
 Donaldson, George, Ithaca, N. Y.  
 \*Donaldson, J. C., Gilbertsville, N. Y.  
 \*Donkersley, J. H., Laramie City, Wyo.  
 \*Donnell, J. K., Greenbrier, Ark.  
 \*Donnell, Martin W., Iona, Minn.  
 \*Dorier, L., Ocala, Fla.  
 Dorman, David, Independence, Iowa.  
 Dorr, George P., Woodfield Ohio.  
 Doty, H. F., Reading, Mich.  
 \*Douden, B., Roseburgh, Oregon.  
 Dougall, H. M., Springville, Utah.  
 \*Dougherty, John, Sebastopol, Cal.  
 Doughty, William M., Cedar Point, Kans.  
 Douglas, Henry, Happy Valley, South Australia.  
 \*Douglas, John H., Lamar, Mo.  
 Douthat, William B., Fayetteville, Tenn.  
 Douthit, G. B., Jacksonville, Ala.  
 \*Dowlin, Paul, Greenfield, Iowa.  
 \*Doyal, M. C., Harwood, Tex.  
 Doyle, D., Oswego, Kans.  
 Doyle, Thomas, Sandusky, Mich.  
 Dreker, Darius, Stroudsburg, Pa.  
 Dresser, J. M., La Fayette, Ind.  
 Drew, Stod E., Midland, Mich.  
 \*Dubberly, J. A., Tallassee, Ala.  
 \*Dubois, M. Gue, Marion C. H., S. C.  
 \*Duclos, Alphonse, Rayne, La.  
 Dudenbostel, Aug. Campbell Hill, Ill.  
 Dudley, R. S., Pulaski Station, Va.  
 Duff, J., England.  
 \*Duffy, A. A., Matagorda, Tex.  
 Duffy, J., Lancaster, Pa.  
 \*Duggan, James, Melrose, Iowa.  
 Duke, Samuel, Notasulga, Ala.  
 Dulauey, Hon. W. L., Louisville, Ky.  
 Dunbar, E. W., Damariscotta, Me.  
 \*Duncan, John W., Bonham, Tex.  
 Duplanty, Frank, Whittemore, Mich.  
 Du Prè, J. F. C., Abbeville C. H. S. C.  
 Dupuy, Charles E., Plaquemine, La.  
 \*Dupuy, H., Marksville, La.  
 Dupuy, Nelson, North Adams, Mass.  
 \*Duran, Dana, Huron, Dak.  
 \*Durbin, J., Lisbon, Dak.  
 Durfee, Owen, Brooklyn, N. Y.  
 Durham, Dr. G. W., Thomson, Ga.  
 Durkin Michael, Washington, D. C.  
 Dury, Charles, Avondale, Ohio.  
 Dusenberg, Mary R., Concord, N. C.  
 Duvall, M. W., Cheraw, S. C.  
 \*Duvar, J. Hunter, Alberton, Prince Edward's Island, Canada.  
 \*Dwellely, J. F., La Conner, Wash.  
 Dwinelle, C. H., Berkeley, Cal.  
 Eames, Frank M., Bay Ridge, N. Y.  
 Earnest, F. W., Jonesborough, Tenn.  
 \*Eastgate, T. F., Larimore, Dak.  
 \*Eastland, Hi, Forest, Miss.  
 Eaton, Caleb C., Montpelier, Vt.  
 \*Ebbs, F. C., Marshall, N. C.  
 \*Echols, W. T., Cotton Plant, Ark.  
 \*Eckhard, W. L., Victor, Iowa.  
 \*Eddy, Henry, Henrietta, Tex.  
 Edmonds, W. F., Estillville, Va.  
 \*Edmondson, C. M., Williamsburgh, Miss.  
 Edmondson, R. H., Halifax C. H., Va.  
 Edwards, A. G., Kingsley, Mich.  
 Edwards, A. J., Hillsborough, Ill.  
 Edwards, John F. T., Ironton, Mo.  
 Edwards, P. J., Hillsborough, Ill.  
 \*Edwards, S. M., Argusville, Dak.  
 \*Edwards, Thomas, Bath, Dak.  
 Edwards, W. W., New Orleans, La.  
 Egerton, J. L., Hendersonville, N. C.  
 Eggleston, B. P., Smithville, Va.  
 Egleston, D., Wimsborough, S. C.  
 \*Elder, M. W., Garfield, Kans.  
 \*Elder, W. A., Woodville, Miss.  
 \*Eley, Charles N., Smith's Point, Tex.  
 Elgar, William H., Platteville, Wis.  
 Eller, W. H., Blair, Nebr.  
 Elliot, N. A., Mansfield, Pa.  
 Elliott, Henry W., East Rockport, Ohio.  
 Elliott, R., Plover Mills, Ontario, Canada.  
 Ellis, Alfred, Leicester, England.  
 \*Ellis, M. J., Encinal, Tex.  
 Ellison, T. W., West Union, Ohio.  
 Ellsberry, B. F., Ironton, Ohio.  
 \*Elson, Alex., Unionville, Mo.  
 Elvins, Richard, Belleville, Ontario, Canada.  
 Elwyn, A. L., Philadelphia, Pa.  
 Ely, T. D., Lima, Mich.  
 \*Embree, David B., Barclay, Kans.  
 Emerson, Levi H., Vassar, Mich.  
 Emerson, Oliver, Parma, Ohio.  
 Emerson, T. W., Saint Clairsville, Ohio.  
 Emerson, W. Otto, Haywards, Cal.  
 Emery, Henry D., Chicago, Ill.  
 Engle, E. B., Waynesborough, Pa.  
 Engman, E. J., Concession, La.  
 \*Ennis, John B., Monument, Kans.  
 \*Eno, I. L., Indianola, Iowa.  
 Enos, E., Waukesha, Wis.  
 Erdice, Laselle R., Brookville, Pa.  
 \*Ernsperger, F. B., Cambria, Wis.  
 Ernst, J. L., Petersburg, Ohio.

- Wash.  
al.  
N. Y.  
a, Tenn.  
ak.
- Vt.
- , Ark.  
va.  
k.  
Va.  
burgh, Miss.  
J. H., Va.  
ch.  
Ill.  
, Mo.  
Ill.  
Dak.  
k.  
s, La.  
e, N. C.  
Va.  
S. C.  
s.  
nt, Tex.  
s, Wis.
- ort, Ohio.  
io, Canada.  
nd.  
io.  
p.  
tario, Can-  
a.  
ans.  
le, Ohio.  
Cal.  
Pa.  
aus.  
Pa.  
is.
- Escott, J. T., Big Rapids, Mich.  
\*Espey, S. M., Windom, Minn.  
\*Estes, W. C., Neligh, Nebr.  
Etheridge, Anthony, Norwood, South  
Australia.  
\*Etienne, A. B., Centreville, La.  
Ettmueller, Gustav, Hermann, Mo.  
\*Eubank, C., Poncho Springs, Colo.  
Evans, G. J., Hastings, Nebr.  
Evans, H. C., Bloomfield, Iowa.  
Evans, John C., Saint Joseph, Mo.  
Evans, J. H., Wabasha, Minn.  
Eveland, F., Ferry, Iowa.  
\*Everett, H. C., Forsyth, Mo.  
Everhard, A., Ripon, Wis.  
Everly, J. O., South Carrollton, Ky.  
Evermann, Prof. B. W., Terre Haute, Ind.  
\*Everts, E. L., Menomonie, Wis.  
Ewart, John, Yarker, Ontario, Canada.  
\*Fain, George, Elk Falls, Kans.  
Fairbanks, Arthur, Hanover, N. H.  
Fairbanks, Rev. Henry, Saint Johnsbury,  
Vt.  
Fairbrother, Thomas, Fullarton, South  
Australia.  
Fairchild, H. L., Midland, Mich.  
\*Fallas, William E., Reinbeck, Iowa.  
Farley, P. R., Hicksford, Va.  
Farmer, Andrew J., Hartville, Mo.  
Farmer, H. H., Hillsville, Va.  
\*Farmer, I. M., Le Sueur, Minn.  
Farnsley, A. P., Louisville, Ky.  
\*Farrar, John H., Evans, Colo.  
Farrell, F. M., Barboursville, W. Va.  
\*Farrow, A. U., Cuba, Mo.  
Faucette, E. W., Milton, N. C.  
\*Fay, E., Moorhead, Minn.  
\*Feamside, M. B., Tillamook, Oregon.  
\*Fee, T., Mendota, Minn.  
\*Feild, Julian, Fort Worth, Tex.  
\*Feildes, John, Jackson, Minn.  
Fellers, Z., Princeton, W. Va.  
Fenn., E. D., Nevada, Iowa.  
Fenton, W. A., Morristown, Ohio.  
\*Ferguson, W. R., Smithville, N. C.  
Fergus, R. A., Lewisburgh, Tenn.  
\*Ferguson, D. A., Richmond, Va.  
\*Ferguson, J. A., Doniphan, Mo.  
\*Ferguson, J. P., Augusta, Ark.  
Fernald, Prof. C. H., Orono, Me.  
Ferreira, Alexander, Fort Schuyler, New  
York Harbor.  
Ferriman, George, Albion, Ill.  
Ferriss, Hon. John C., Nashville, Tenn.  
Ferry, L. C., Northampton, Mass.
- Fiebig, Charles, Eureka, Cal.  
\*Field, C. C., Puyallup, Wash.  
Field, John, Cloverdale, Cal.  
Filmer, Thomas, Glenelg, South Australia.  
Fincher, W. J., Carnesville, Ga.  
Finden, Mr., Salisbury, South Australia.  
Finlay, John S., Holly Springs, Miss.  
Finley, Edward, Hartford, Mich.  
\*Finn, John, Decorah, Iowa.  
Fisher, A. J., Ferdinand, Ind.  
Fisher, Dr. A. K., Washington, D. C.  
\*Fisher, Charles A., Aberdeen, Dak.  
\*Fisher, F. P., Onawa, Iowa.  
Fisher, Dr. George J., Sing Sing, N. Y.  
Fisher, Henry, Lee, Ohio.  
Fisher, H. L., York, Pa.  
Fisher, Mormon, Huntingburgh, Ind.  
Fisher, T. Scott, East Brook, Pa.  
Fisher, William C., Patoka, Ind.  
Fisher, William Hubbell, Cincinnati, Ohio.  
\*Fitzpatrick, C. J., Aplington, Iowa.  
Flagg, George H., Charlestown, W. Va.  
\*Flamin, Henry, Rexburg, Idaho.  
\*Fleming, W. J., Fort Smith, Ark.  
\*Flinn, Samuel, White Cloud, Kans.  
\*Florer, Dr. Thomas W., Waxahachie,  
Tex.  
\*Flournoy, B. W., Bennington, Kans.  
\*Floyd, F. C., Locksburgh, Ark.  
Floyd, H. H., Abilene, Kans.  
Floyd, Patrick W., Burlington, Kans.  
\*Flynn, David C., Advance, Mo.  
\*Flynn, John, Duluth, Minn.  
\*Foote, J. A., Anoka, Minn.  
\*Forbes, C. E., Saint Paul, Nebr.  
Forbes, Frank T., Fredericksburgh, Va.  
Forbes, Prof. S. A., Normal, Ill.  
Ford, A., Bronson, Kans.  
\*Ford, F. P., West Union, W. Va.  
\*Ford, G. W., Baldwin, Fla.  
Forsyth, J. C., Northumberland, Pa.  
Fosdick, Weldon F., Hackensack, N. J.  
\*Fosket, Mark, Howard, Minn.  
Foster, E. H., Traverse City, Mich.  
\*Foster, J. A., Marquette, Kans.  
Foster, L. S., New York, N. Y.  
Foster, Sarah H., Portsmouth, N. H.  
Foster, T. W., Palmyra, Nebr.  
\*Foster, William, South Lake Weir, Fla.  
Fowlkes, J. M., Memphis, Tenn.  
\*Frakes, David, Ouray, Colo.  
Francis, F. M., Davisborough, Ga.  
Francis, Nathaniel A., Brookline, Mass.  
Francis, W., Ackley, Iowa.

- Frank, Jno. L. H., Dayton, Ohio.  
 \*Fraser, Alex., Irwin, Colo.  
 Frazar, M. Abbott, Mount Auburn, Mass.  
 Frazier, F. M., Lost Nation, Iowa.  
 Freeman, C. W., Brookfield, Mo.  
 Freeman, J. D. B., New London, Mo.  
 Freet, Jacob H., Wrightsville, Pa.  
 Freke, Percy Evans, Dublin, Ireland.  
 \*French, C. H., Lakeville, Minn.  
 French, George H., Davenport, Iowa.  
 French, Prof. G. H., Carbondale, Ill.  
 \*French, Mary F., Shawano, Wis.  
 Fribble, E., New Philadelphia, Ohio.  
 Friedman, J. F., Jasper, Ind.  
 \*Friend, Jno. C., Rawlins, Wyo.  
 \*Frierson, C. J., Frierson's Mill, La.  
 Frink, Harry A., Bucksport, Me.  
 \*Frink, J. O., Taylor, Tex.  
 Fritz, A. S., Burdickville, Mich.  
 Fritz, J. H., Somerset, Pa.  
 Frye, F. W., Parsons, Kans.  
 \*Fryer, H. C., Blakely, Ga.  
 Fuller, Charles B., Portland, Me.  
 Fuller, S. R., Eaton Rapids, Mich.  
 Fulmer, J. H., Muncy, Pa.  
 \*Fulton, L. J., Casselton, Dak.  
 \*Ferguson, Adam, North Platte, Nebr.  
 Furlow, W. C., Americus, Ga.  
 \*Furman, C. W., Bolivar, Mo.  
 Furman, H. S., Franklinton, N. C.  
 Fyche, Lewis, Lincolnshire, England.  
 Gaddis, Thomas B., Martinsville, Ohio.  
 Gaddy, R. B., Polkton, N. C.  
 Gadsden, R. W., Dyersville, Iowa.  
 \*Gaffney, F. O., Lake City, Mich.  
 \*Gage, W. D., Gurdon, Ark.  
 Galbraith, A. T., Flora, Ill.  
 Gall, D. W., Philippi, W. Va.  
 Gall, John, Wright's Grove, Ill.  
 Gallagher, C. A., Cheboygan, Mich.  
 \*Gallagher, John, Minto, Dak.  
 \*Galloway, C. C., Kildare, Tex.  
 Gallup, J., Strongsville, Ohio.  
 Gamble, Levi, Warsaw, Ohio.  
 Gans, M. L., Moundsville, W. Va.  
 \*Gardner, D. S., Downs, Kans.  
 Gardner, F. H., Columbus, Ky.  
 Gardner, J. C., Big Rapids, Mich.  
 Gardner, M. E., Jamestown, Pa.  
 Gardner, R. M., Christiansburgh, Va.  
 Garfield, Charles W., Grand Rapids, Mich.  
 Garing, John F., White Sulphur Springs, W. Va.  
 \*Garlick, David, Independence, Wis.  
 \*Garner, R. M., Comanche, Tex.  
 \*Garner, W. M., Quitman, Ark.  
 \*Garnett, L. M., Mathews, Va.  
 \*Garrett, L., Monroe, La.  
 Garrett, L. S., West Point, Va.  
 Garrison, C. F., Fort Branch, Ind.  
 \*Garrison, J. W., Sac City, Iowa.  
 Garrison, Lloyd McKim, Orange, N. J.  
 Garth, S. D., Clinton, Mo.  
 Gartside, D. D., O'Fallon Depot, Ill.  
 Garvin, W. O., Trenton, Mo.  
 \*Garwood, John W., Monticello, Fla.  
 Gary, T. A., Galveston, Tex.  
 Gault, B. T., Chicago, Ill.  
 Gault, W. S., Marysville, Pa.  
 Gay, William M., Wilson, N. C.  
 \*Gaylord, George A., Tail Point Light Station, Wisconsin.  
 Gaylord, H. J., Binghamton, N. Y.  
 Geduldig, G., Norwich, Conn.  
 \*Gee, E., Urbanna, Iowa.  
 Gennung, A. G., Ithaca, N. Y.  
 \*George, John, Buffalo, Mo.  
 George, R. H., Simpsonville, Ky.  
 \*Gerald, G. B., Waco, Tex.  
 Gesner, Rev. A. H., Scarborough, N. Y.  
 \*Getty, Daniel, White Bear Lake, Minn.  
 Ghare, A. B., Frankfort, Ind.  
 Gibbes, W. H., Columbia, S. C.  
 \*Gibbons, Dr. C. H., Arbuckle, Cal.  
 Gibbs, E. P., Grand Haven, Mich.  
 Gibbs, Dr. Morris, Kalamazoo, Mich.  
 \*Gibbs, William, Helena, Mont.  
 \*Gibson, I. C., Bolinas, Cal.  
 \*Gibson, James R., Saint James, Mich.  
 Gibson, William K., Jackson, Mich.  
 Giddens, M. C., Trenton, N. C.  
 \*Giddings, George A., Wichita Falls, Tex.  
 \*Gidley, R. L., Malvern, Iowa.  
 Gierschner, August, New Athens, Ill.  
 Gies, John J., Reese, Mich.  
 Gilbert, E. S., Canaseraga, N. Y.  
 Gilbert, H. Roy, Rochester, N. Y.  
 \*Gilbert, J. B., Empire City, Oregon.  
 \*Gilbert, T. J., Lenora, Kans.  
 Gilbreath, Charles L., Collinwood, Ohio.  
 Gilchrist, O. S., Macksburgh, Ohio.  
 \*Gilechrist, L. W., Wahoo, Nebr.  
 \*Gilelea, C. A., Brackettville, Tex.  
 Giles, F. W., Topeka, Kans.  
 Giles, Norwood, Wilmington, N. C.  
 \*Gilleest, J. S., Garden Plain, Kans.  
 Gillespie, M. H., Aberdeen, Miss.  
 \*Gillespie, W. A., jr., White Sulphur Springs, Ga.  
 \*Gillette, R. B., Marionville, Mo.



- rk.  
a.  
a.  
Ind.  
wa.  
nge, N. J.  
pot, Ill.  
llo, Fla.  
C.  
Point Light  
N. Y.  
Ky.  
gh, N. Y.  
ake, Minn.  
Cal.  
ieb.  
Mich.  
nt.  
es, Mich.  
Mich.  
Falls, Tex.  
ns, Ill.  
Y.  
regon.  
od, Ohio.  
Ohio.  
ex.  
C.  
ans.  
Sulphur  
o.
- \*Gilliland, J. M., Nashua, Iowa.  
\*Gilman, William, Chamberlain, Dak.  
Gilman, W. W., Stoughton, Wis.  
Gilmore, D. S., Wilson's Mills, Ohio.  
\*Gilmore, Will A., Shosbone, Idaho.  
Gilmore, William E., Chillicothe, Ohio.  
\*Gist, L. B., Beebe, Ark.  
Gittings, M. R., Carrollton, Mo.  
Gladwin, Francis, Akron, Ohio.  
\*Glazier, Henry E., Maysville, Mo.  
\*Gleason, C. R., Eau Claire, Wis.  
Glennan, M., Norfolk, Va.  
Glick, U. F., Newbern, Ind.  
\*Glover, A. D., Olympia, Wash.  
\*Glover, C. R., Long Pine, Nebr.  
Glover, L. H., Cassopolis, Mich.  
Goar, F. M., Tupelo, Miss.  
Gochling, M. D., Shell Lake, Wis.  
\*Godbold, C. R., Summit, Miss.  
\*Godes, N., Preston, Iowa.  
\*Goff, J. B., Lincoln, Kans.  
\*Gooch, J. F., Moline, Kans.  
Goodknight, T. M., Franklin, Ky.  
Goodman, L. A., Westport, Mo.  
\*Goodner, G. D., Mount Ida, Ark.  
Goodrich, H. O., Jerseyville, Ill.  
Goodridge, John, Montrose, Va.  
Goodwin, Ned W., Sharpsville, Pa.  
\*Googe, W. R., Douglas, Ga.  
\*Gordon, H. T., Morrilltown, Ark.  
Gordon, Stephen P., Keeler's Bay, Vt.  
Gordon, U. G., Barry, Ohio.  
Gordon, William, New Castle, Pa.  
Gorman, O. D., Talbotton, Ga.  
\*Goss, C. S., Palmer, Fla.  
Goss, Col. N. S., Topeka, Kans.  
\*Gould, C. P., Estelline, Dak.  
Gould, Daniel W., Moline, Ill.  
Gowland, John, Philipsburgh, Pa.  
Graham, Thomas P., Tazewell, Tenn.  
Grant, D. D., Franklin, Pa.  
\*Grant, Jos. H., Bollinger's Mills, Miss.  
\*Graves, B. D., Bon Homme, Dak.  
Graves, B. Y., Mount Airy, N. C.  
Graves, Daniel, Provo City, Utah.  
Graves, G. C., Carthage, N. C.  
Graves, John, Wayland, Mich.  
Graves, M., Lenawee Junction, Mich.  
Gray, Andrew, Willoughby, Ohio.  
Gray, Dr. Ormsby, Shelbyville, Ky.  
Gray, Robert, Glasgow, Scotland.  
Gray, S., Norwalk, Ohio.  
Grayson, Albert L., Rutherfordton, N. C.  
Green, Dr. C. A., Harrisburg, Pa.  
\*Green, D. L., English Lookout, La.  
Green, Jas. B., Des Moines, Iowa.  
\*Green, J. B., Cambridge, Iowa.  
Green, Morris M., Syracuse, N. Y.  
Green, R. C., Bland C. H., Va.  
Green, William W., Harrison, Mich.  
Greenawalt, Davison, Chambersburgh, Pa.  
\*Greene, C. P., Northborough, Iowa.  
Greene, Samuel B., Hare's Valley, Pa.  
\*Greeson, W. R., Clinton, Ark.  
Gregory, Howell J., Lancaster Court House, S. C.  
\*Griffin, M., Springfield, Dak.  
\*Griffin, William T., Nashville, N. C.  
\*Griffith, D. G., Elkader, Iowa.  
\*Grinder, Nancy, Newburgh, Tenn.  
Grinnell, F. W., Bay City, Mich.  
\*Grisell, A. H., Menlo, Iowa.  
Grist, J. S., Tonganoxie, Kans.  
Griswold, Dean F., Northville, Mich.  
Griswold, H. C., Watkins, N. Y.  
Groesbeak, William, Independence, Mo.  
Groff, Dr. George G., Lewisburg, Pa.  
Groninger, F. C., Camden, Ind.  
\*Groome, William, Vicksburg, Miss.  
\*Grow, A. L., Colfax, La.  
Gruber, F., San Francisco, Cal.  
\*Guernsey, George F., Qu'Appelle, N. W. T., Canada.  
\*Guidry, P. L., Church Point, La.  
\*Guthrie, T. A., Strawn, Tex.  
\*Guthrie, W. L., Hamilton, Ill.  
Gurney, J. H., jr., Northrepps, Norwich, England.  
Gustin, Bert H., Bay City, Mich.  
\*Gwynn, D. W., Tallahassee, Fla.  
Hadley, J. O., Grayling, Mich.  
Hagen, Fannie, Cheviot, Ohio.  
Hagen, Dr. H. A., Cambridge, Mass.  
Hager, John G., Foxburg, Pa.  
\*Hager, S. E., Salyersville, Ky.  
Hagerty, Jas., Belle Vernon, Pa.  
Hagerty, J. H., Ridgway, Pa.  
\*Haines, M. S., Erie, Colo.  
Haines, S. R., Tamaroa, Ill.  
\*Haire, Daniel, Olivia, Minn.  
Hain, John T. M., Lexington, Ga.  
Hale, Dayton, Columbus, Miss.  
Hale, Samuel Q., Tuskegee, Ala.  
Hale, W. P., Lufra, Ark.  
\*Haleman, George H., Farnsworth, Kans.  
Hales, Henry, Ridgewood, N. J.  
Haley, J. F., Jasper, Ala.  
Hall, A., East Rockport, Ohio.  
\*Hall, E., Canyon City, Oregon.



- \*Hall, Henry R., Ash Grove, Mo.  
 Hall, Israel, Ann Arbor, Mich.  
 Hall, John A., Boone, Iowa.  
 Hall, R. N., Grenada, Miss.  
 Hall, S., Mount Carroll, Ill.  
 \*Hall, Thomas, Preston, Minn.  
 Hall, W. B., Wakeman, Ohio.  
 Hall, W. M., Covington, Tenn.  
 Haller, Alex. S., Wytheville, Va.  
 Haller, R. J., Marion, Va.  
 Halley, James, Washington, D. C.  
 Halloman, W. D., Dawson, Ky.  
 Hallowell, Henry C., Sandy Spring, Md.  
 Halt, J. H., Knoxville, Ga.  
 Haltes, J. L., Napoleon, Ohio.  
 \*Hamdlet, F. M., Belen, Miss.  
 Hamill, P., Oakland, Md.  
 Hamilton, H. A., Emlenton, Pa.  
 \*Hamilton, John H., Eureka Springs, Ark.  
 Hamilton, Dr. S. M., Mounmouth, Ill.  
 Hammon, William A., Conneautville, Pa.  
 \*Hammond, A. W., Durand, Wis.  
 Hampton, Will E., Harbor Springs, Mich.  
 Hancock, E. M., Waukon, Iowa.  
 Hancock, Frank B., Casky, Ky.  
 Hancock, Numa F., Wentworth, N. C.  
 \*Hand, T. A., Charles City, Iowa.  
 \*Hanes, J. B., Canton, Tex.  
 Haney, L., Sandy Hook, Ky.  
 Hanks, H. T., Ripley, Tenn.  
 Hannon, F. A., Clanton, Ala.  
 Hapgood, William, Warren, Ohio.  
 Harbron, George, Hamilton, Ohio.  
 Harcastle, Charles, Marion, Kans.  
 Hardeman, Thomas, Macon, Ga.  
 \*Harden, H. H., Abilene, Tex.  
 Hardy, Manly, Brewer, Me.  
 Hardy, Thomas, Adelaide, South Australia.  
 Hardy, W. V., Holman Station, Ind.  
 Harger, Ezra, Cadillac, Mich.  
 \*Hargrave, Jesse, Laurel Hill, N. C.  
 Hargrue, C. S., Crawford, Ga.  
 Harkins, J. M., Calhoun, Ga.  
 Harkness, D. L., Berlin, Wis.  
 \*Harlan, J. F., Pocahontas, Iowa.  
 \*Harper, G. W., Bazile Mills, Nebr.  
 \*Harris, D. W., Homer, La.  
 Harris, Henry, Union Springs, Ala.  
 Harris, H. G., Scottsville, Va.  
 \*Harris, John S., La Crescent, Minn.  
 Harris, R. G., Alamo, Tenn.  
 Harris, S. S., Cape Girardeau, Mo.  
 Harris, Hon. W. A., Atlanta, Ga.  
 Harrison, Henry, Rochester, N. Y.  
 Harrison, James, Heathlands, Hampstead, England.  
 Harrison, John O., Franklin, N. C.  
 \*Harrison, J. M., Friendship, Wis.  
 Harrison, Col. Randolph, Richmond, Va.  
 Harrold, W. H., Mount Gambier, South Australia.  
 Hart, A. W., Eureka, Kans.  
 Hart, John, Jr., Livingston, Tenn.  
 Hart, S. L., Rocky Mount, N. C.  
 Harting, James Edmund, London, England.  
 \*Harvard, Quinn L., Cochran, Ga.  
 \*Harvey, Prof. F. L., Fayetteville, Ark.  
 Hasbrouck, Dr. Alfred, Poughkeepsie, N. Y.  
 Hasbrouck, Edwin M., Syracuse, N. Y.  
 Haskins, David E., Concord, Mich.  
 Haslet, Samuel H., Tionesta, Pa.  
 Hasson, James G., Ebensburg, Pa.  
 \*Hastings, Fred H., Roma, Tex.  
 \*Hastings, Mrs. O. A., Port Gibson, Miss.  
 \*Hatch, H. P., Whittemore, Iowa.  
 Hatch, Dr. P. L., Minneapolis, Minn.  
 \*Hatch, S. W., Conejos, Colo.  
 Hatch, W. H., Rock Island, Ill.  
 Hatcher, F. C., Pikeville, Ky.  
 \*Hatcher, R., Trader's Hill, Ga.  
 Hatcher, Thomas B., Grenola, Kans.  
 \*Hatfield, D. D., Monarch, Colo.  
 \*Hatfield, William H., Hollywood, Ga.  
 Hauly, Jas. H., Winfield, W. Va.  
 Haven, Martin, Albion, Mich.  
 \*Haviland, Jas. S., Prescott, Wash.  
 Hawes, C. O., Luverne, Minn.  
 Hawley, A. H., Flushing, N. Y.  
 Hawley, J., England.  
 Haworth, George L., Pleasantville, Pa.  
 Haws, J. C., Jonesborough, Ga.  
 \*Hayes, A. L., Canon City, Colo.  
 Hayes, E. B., Watrous, Mich.  
 \*Haynes, H. C., Centerville, Iowa.  
 Haynes, J. M., Wilmington, Ohio.  
 Haynes, Thomas E., Franklin, Tenn.  
 \*Haynie, C. R., Bastrop, Tex.  
 Hayworth, A. B., San Saba, Tex.  
 Hazard, R. G., 2d, Peace Dale, R. I.  
 Hazen, Allen, Hartford, Vt.  
 \*Hazzard, P. A., Colorado, Tex.  
 \*Heard, George, Rocky Ford, Ga.  
 \*Hearn, Q. E., Marianna, Fla.  
 Heath, William McK., San Francisco, Cal.  
 \*Hebert, O. P., Tallulah, La.  
 Heemey, E., Severance, Kans.  
 \*Heffeman, John, Rives Junction, Mich.

- Hampstead,  
 C.  
 Vis.  
 mond, Va.  
 er, South  
 nn.  
 lon, Eng-  
 Ga.  
 ille, Ark.  
 ghkeepsie,  
 e, N. Y.  
 ich.  
 a.  
 , Pa.  
 k.  
 son, Miss.  
 wa.  
 Minn.  
 .  
 Kans.  
 .  
 od, Ga.  
 a.  
 ash.  
 ille, Pa.  
 o.  
 h.  
 ra.  
 io.  
 Penn.  
 k.  
 R. I.  
 .  
 .  
 isco, Cal.  
 , Mich.
- Hefley, Charles W., Bennet, Nebr.  
 Hellier, Frank O., Grass Lake, Mich.  
 Helm, William, Madison, Wis.  
 Heitzel, William, Hanover, Pa.  
 Henderson, J. F., Aledo, Ill.  
 Henderson, Mary W., Oxford, Ga.  
 \*Henderson, W. M., Cameron, Ga.  
 Hendricks, George R., Selin's Grove, Pa.  
 Hendrickson, W. F., Long Island City,  
 N. Y.  
 \*Hendryx, Charles F., Sauk Centre, Minn.  
 Henley, J. L., Tappahannock, Va.  
 Henman, David H., Willows, Dak.  
 \*Hennessey, James, Carlisle, Ark.  
 \*Hennessey, J. J., White Sulphur Springs,  
 Mont.  
 Henning, George, Washington, D. C.  
 Hennig, G. C., Louisville, Ky.  
 \*Henry, Ira B., Mason, Tex.  
 Henry, J. K., Chester, S. C.  
 \*Henry, S. P., Cameron, La.  
 Henry, T. J., East Genoa, N. Y.  
 Henshaw, H. W., Washington, D. C.  
 \*Hensley, W. N., Columbus, Nebr.  
 Hepburn, A., England.  
 Herbert, D. O., Newberry C. H., S. C.  
 Herbert, H. S., Rolla, Mo.  
 Herrin, S. H., Cullman, Ala.  
 Hervey, William S., Carlyle, Ill.  
 \*Herweg, Henry, Dakota, Nebr.  
 Hess, Benjamin F., Phoenix, N. Y.  
 Hewins, C. A., West Roxbury, Mass.  
 Hewitt, Henry J., Fairmont, Mo.  
 \*Hewson, Stephen, Oxford, Minn.  
 \*Hicks, A., Unionville, Iowa.  
 \*Hicks, Jas. H., Wrightsville, Ga.  
 Hicks, John D., Old Westbury, N. Y.  
 Hicks, Percy, Port Washington, N. Y.  
 \*Higby, E. P., Mapleton, Kans.  
 \*Higgins, E. B., Hamline, Minn.  
 \*Highsmith, J. N., Waynesville, Ga.  
 \*Hightower, R. B., York Station, Ala.  
 Hill, A. F., Grayson, Ky.  
 \*Hill, F. A., Weimar, Tex.  
 Hill, Herbert M., Watertown, N. Y.  
 Hill, Ivy, Pittsborough, N. C.  
 \*Hill, John E., Manor, Tex.  
 Hill, John G., Hillsboro, Kans.  
 Hill, John H., Goldsborough, N. C.  
 Hill, Lewis H., Lockport, N. Y.  
 \*Hill, R. W., Jewell, Kans.  
 Hill, Will. T., Indianapolis, Ind.  
 Hill, W. H., Manistique, Mich.  
 Hillman, Charles L., Chester County, Pa.  
 \*Hills, J. M., Arcola, La.  
 Hills, Stephen, Windsor, Conn.  
 Hilton, Edgar, Blue Hill, Nebr.  
 Hilton, J. B., Plymouth, N. C.  
 \*Himrod, G. S., Boise City, Idaho.  
 Hinchman, Dalton, Vernon, Ind.  
 Hinds, Jas. M., Cookville, Tenn.  
 Hines, Florine A., Suffolk, Va.  
 \*Hines, P. J., Green River City, Wyo.  
 Hinson, W. I., James Island, S. C.  
 Hirst, F., Echo City, Utah.  
 \*Hitchcock, R. P., Tomah, Wis.  
 Hitchings, O. P., Winfield, N. Y.  
 \*Hixson, Joseph, Mountain View, Ark.  
 Hoadley, Dr. F. H., New York, N. Y.  
 \*Hobbs, George, Collins, Tex.  
 Hobbs, J., East Marden, South Australia.  
 Hodge, Eli, Columbia, Mo.  
 \*Hodges, R. B., Manifest, La.  
 Hodgson, T. H., Berkeley Springs, W. Va.  
 \*Hodkins, James, Appleton City, Mo.  
 Hodo, D. C., Carrollton, Ala.  
 Hoeft, Hermann, Rogers City, Mich.  
 Hoey, P., McDonald, Pa.  
 Hofer, A. F., McGregor, Iowa.  
 \*Hoff, T. L., Gloster, Miss.  
 Holbrook, S. T., Norwich, Conn.  
 \*Holecomb, Benton, West Granby, Conn.  
 Holder, F. T., Yonkers, N. Y.  
 Holder, Dr. J. B., New York, N. Y.  
 Holladay, Prof. A. Q., Lake City, Fla.  
 \*Holland, R. A., Conwa, Iowa.  
 Hollick, Dr. F., New York, N. Y.  
 Hollis, George W., Brecksville, Ohio.  
 Hollis, George D., Summerville, Ga.  
 \*Holman, D. S., Springfield, Mo.  
 Holman, J. H., Sciotoville, Ohio.  
 Holmead, William, Mount Pleasant., D. C.  
 Holmes, Dwyer, Adelaide, South Aus-  
 tralia.  
 Holmes, F. H., San José, Cal.  
 \*Holmes, F. H., Wallisville, Tex.  
 Holmes, George B., Fernwood, Ill.  
 Holmes, J. T., Adelaide, South Australia.  
 Holmes R., Natchez, Miss.  
 Holmes, Mr., Magill, South Australia.  
 Holsinger, Prof. J. M., Winona, Minn.  
 Holt, John, South Jordan, Utah.  
 \*Holterhoff, G., jr., San Diego, Cal.  
 Hooton, D. F., Bamberg, S. C.  
 Hopkins, C. L., Washington, D. C.  
 Hopkins, J., Glen Allen, Va.  
 \*Hopkins, K. E., Livingston, Ala.  
 Hopkins, Stephen, Onancock, Va.  
 Hopkins, William C., Madison, W. Va.  
 \*Hopper, W., Walnut, Iowa.




- \*Horan, T. B., Addison, W. Va.  
 Hornaday, Wm. T., Washington, D. C.  
 \*Hornbach, R. W., Saint Ignace, Mich.  
 Horne, Laura E., Pittsborough, N. C.  
 \*Horneck, S. N., Detroit City, Minn.  
 Horsford, F. H., Charlotte, Vt.  
 Hортan, Isaac, North East, Pa.  
 Hough, C. A., Hastings, Mich.  
 Houghton, John, Grinnell, Iowa.  
 Houssels, J. H., Linden, Tenn.  
 \*How, Squire D., Marshall, Minn.  
 Howard, A. M., Powhatan C. H., Va.  
 \*Howard, H. P., San Antonio, Tex.  
 \*Howard, Mrs. Lella, Dunlap, Tenn.  
 Howard, L. O., Washington, D. C.  
 \*Howard, O., Greeley, Colo.  
 Howard, W. W., Dixon, Mo.  
 \*Howe, C. E., Greenleaf, Kans.  
 \*Howell, A. J., Springier, N. Mex.  
 Howell, C. L., Grand Island, Nebr.  
 Howle, W. H., Edwardsville, Ala.  
 \*Hoxie, Walter, Frogmore, S. C.  
 Hoy, F. D., Point Pleasant, W. Va.  
 Hoy, Dr. P. R., Racine, Wis.  
 \*Hubbard, L. W., Monmouth, Iowa.  
 Hubbard, Melvin, Scottsburgh, Ind.  
 Hubbard, Seth R., Bay Shore, N. Y.  
 \*Hubbard, W. H., Fairview, Dak.  
 Huber, John L., Tell City, Ind.  
 \*Hubert, Hiram, Quitman, Ga.  
 Hudson, G. H., Plattsburgh, N. Y.  
 Hudson, Judge Wm. I., Hamilton, Ga.  
 \*Hudspeth, B. F., Newton, Ga.  
 Hughes, B. B., Morganfield, Ky.  
 Hull, B. L., Chamois, Mo.  
 Hull, H. C., Meriden, Conn.  
 Hull, J. S., Raleigh C. H., W. Va.  
 Hull, Walter B., Milwaukee, Wis.  
 \*Hulszir, E. O., Glendale, Mont.  
 \*Humphrey, N. W., Taylor's Falls, Minn.  
 \*Humphreys, Charles J., Argenta, Ark.  
 Humphreys, Jas. W., Braxton C. H., W. Va.  
 Hunley, R. R., Talladega, Ala.  
 \*Hunt, A. M., Phillips, Wis.  
 Hunt, E. F., Richmond, Mich.  
 Hunt, John C., Lexington, N. C.  
 Hunter, C. E., Saegerstown, Pa.  
 Hunter, H. H., King George C. H., Va.  
 \*Hunter, James, Alberton, P. E. I., Canada.  
 Hunter, Dr. M. A., Greenville County, S. C.  
 Huntley, H. S., Little Valley, N. Y.  
 Huntsman, A. F., Lonoke, Ark.  
 \*Hurlburt, F. T., Arlington, Oregon.  
 Hurlbut, W. D., Rochester, Minn.  
 Hurst, N. B., Dover, Ohio.  
 Hurt, William B., Chatham, Va.  
 Huston, Thaddeus, Salem, Ind.  
 Hutcheson, Jas. M., Young Hickory, Ohio.  
 Hvosllef, Dr. J. C., Lanesboro, Minn.  
 Hyde, Jas. F. C., Newton Highlands, Mass.  
 Ihle, C., Pomeroy, Ohio.  
 Hiff, Joseph, Vinland, Kans.  
 Ind, G. F., Adelaide, South Australia.  
 Ingalls, Charles E., East Templeton, Mass.  
 Ingersoll, Ernest, New Haven, Conn.  
 Ingersoll, Seymour R., Cleveland, Ohio.  
 Ingersoll, T. Dwight, Erie, Pa.  
 Ingram, W., Odin, Ill.  
 Inman, John, Somerset, Ky.  
 \*Ioor, Ella E., Bay Saint Louis, Miss.  
 Irion, Dr. John T., Paris, Tenn.  
 Irwin, Bell, Bad Axe, Mich.  
 \*Irwin, David O., Lake City, Minn.  
 Irwin, John W., Goshen, Ind.  
 \*Irwin, W. D., Palouse, Wash.  
 Irwin, W. N., South Salem, Ohio.  
 \*Isensee, P. M., Whatcom, Wash.  
 \*Ivey, William T., Pomeroy, Iowa.  
 Ivory, Theo. W., Glenwood, Iowa.  
 Jackson, Eugene A., Atlanticville, N. Y.  
 Jackson, Martin, New Bedford, Pa.  
 Jackson, O. F., Ithaca, Mich.  
 Jackson, R. M., London, Ky.  
 Jackson, S. D., Mountain City, Tenn.  
 \*Jacobs, C. M., Rosewood, Fla.  
 Jacobs, Francis, West Chester, Pa.  
 Jacobson, H., Redwood City, Cal.  
 Jagersfeld, Carl von, Washington, Ark.  
 \*James, J. R., Columbia, Dak.  
 James, S. R., Marden, South Australia.  
 Jameson, Martin A., Lebanon, Ohio.  
 Jamison, L. M., Wapello, Iowa.  
 Jaques, J. H., Allerton, Iowa.  
 Jeffrey, Jas. R., Elmdale, Kans.  
 \*Jeffries, S. D., Clark, Dak.  
 \*Jellison, Thos. J., Amity, Oregon.  
 \*Jenal, J. P., Hartington, Nebr.  
 Jencks, Fred. T., Hills Grove, R. I.  
 Jenkins, G. W., Crandall, Ind.  
 \*Jenkins, R. E., Port Royal, S. C.  
 Jenner, A. E., Belvidere, Ill.  
 Jennings, Dr. Geo. H., Jewett City, Conn.  
 Jennings, H. M., Rochester, N. Y.  
 Jennings, Jas. S., Waynesburgh, Pa.  
 Jensen, Jas., Draper, Utah.  
 \*Jerny, Gustav, San Antonio, Tex.

Jerome, F. E., Russell, Kans.  
 Jervois, Sir William Francis Drummond,  
 South Australia.  
 Jerry, Theo. D., Charleston, S. C.  
 \*Jessup, T. H., Waitsburgh, Wash.  
 Jillson, S., Tuckerton, N. J.  
 Johns, William, St. Mary Church, Devon-  
 shire, England.  
 \*Johnson, A. F., Liberty, Kans.  
 Johnson, A. I., Hydeville, Vt.  
 \*Johnson, A. J., Farrisville, Tex.  
 \*Johnson, B. F., Mount Pleasant, Tex.  
 \*Johnson, Charles, Carver, Minn.  
 \*Johnson, Charles A., Saint Peter, Minn.  
 Johnson, C. P., Clinton, N. C.  
 Johnson, C. S., Carthage, Ohio.  
 \*Johnson, Dr. F. W., Fort Smith, Ark.  
 \*Johnson, George, H. F., Kelso, Dak.  
 Johnson, Henry M., Sharpsburgh, Md.  
 \*Johnson, H. A. Dalhousie, N. B., Canada.  
 Johnson, Jas., Springfield, Ohio.  
 Johnson, James I., Marissa, Ill.  
 Johnson, Jas. J., Johnsonville, Ill.  
 Johnson, James L., Hartwell, Ga.  
 Johnson, John H., Netawaka, Kans.  
 \*Johnson, J. Frank, Peeryville, W. Va.  
 \*Johnson, J. H. Meridian, Tex.  
 Johnson, J. N., Savannah, Ga.  
 Johnson, J. R., Hardinsburgh, Ky.  
 Johnson, J. T., Milnersville, Ohio.  
 Johnson, J. W., Merivether, S. C.  
 \*Johnson, Marcus, Atwater, Minn.  
 Johnson, M. B., Clarksville, Tenn.  
 \*Johnson, Prof. O. B., Seattle, Wash.  
 Johnson, Robert, Manistee, Mich.  
 Johnson, Hon. Sylvester, Irvington, Ind.  
 Johnson, William W., Glenville, W. Va.  
 Johnson, W. B. K., Allentown, Pa.  
 Johnson, W. D. H., Pope's Ferry, Ga.  
 Johnston, D. C., Fulton, Kans.  
 Jones, A. S., Bainbridge, Ohio.  
 Jones, D. C., Harrison, Ohio.  
 \*Jones, Edward M., Walterborough, S. C.  
 \*Jones, Evan G., Cherry Creek, Idaho.  
 \*Jones, E. B., Stephenville, Tex.  
 Jones, George C., Brookfield Centre,  
 Conn.  
 Jones, Dr. Howard, Circleville, Ohio.  
 \*Jones, H. T., Green Castle, Mo.  
 Jones, John R., Chatfield, Minn.  
 \*Jones, Jos. B., Herndon, Ga.  
 \*Jones, J. J., Le Beau, Dak.  
 Jones, J. Matthew, Halifax, N. S., Canada.  
 Jones, Lynds, Grinnell, Iowa.  
 \*Jones, R. G., Dawson, Ga.

\*Jones, R. H., Saguache, Colo.  
 \*Jones, William J., Brandon, Dak.  
 Jones, W. F., Lexington, Tenn.  
 Jordan, D. A., Jackson, N. C.  
 Jordan, H. A., Manchester, Va.  
 Jordan, W. W., Harmony Grove, Ga.  
 Judd, J. M., Emporium, Pa.  
 \*Judson, Hamilton H., Farmington, Minn.  
 Kaehler, Conrad E., Louisville, Ill.  
 Kalk, C. F., Cumberland, Wis.  
 Karn, William C., Burkittsville, Md.  
 \*Karr, John, Little Rock, Ark.  
 Kaucher, William, Oregon, Mo.  
 Kear, R. W., Pottsville, Pa.  
 Keays, H., Hyde Park, London, Ontario,  
 Canada.  
 \*Keck, H. A., Cotulla, Tex.  
 Keck, J. M., Mentor, Ohio.  
 Keeler, Charles, Milwaukee, Wis.  
 Keeney, W. H., Fox Lake, Wis.  
 \*Keerl, H., Mason City, Iowa.  
 Keim, Edward T., Dubuque, Iowa.  
 Keister, A. T., Blacksburgh, Va.  
 Keiter, Josiah, New Winchester, Ohio.  
 Keith, L. C., Norfolk, Mass.  
 \*Keith, P. W., Strawberry Point, Iowa.  
 Kell, James, York, Pa.  
 \*Kellogg, C. S., McComb, Miss.  
 Kellogg, H. C., Canton, Ga.  
 Kells, Wm. L., Listowel, Ontario, Canada.  
 Kelly, Henry, Adelaide, South Australia.  
 Kelly, J. F., Coffeetown, Miss.  
 \*Kelly, M. W., Lake Crystal, Minn.  
 Kelsall, George, Saint Mary's, W. Va.  
 Kelsey, Carl, Grinnell, Iowa.  
 Kelsey, Eugene, Dickson, Tenn.  
 Kemp, S. W., Kempton, Ohio.  
 \*Kempe, E. L., Montevideo, Minn.  
 \*Kemper, Henry, Perham, Minn.  
 \*Kempker, John, jr., West Point, Iowa.  
 Kendall, William M., West Liberty, Ky.  
 \*Kennard, Samuel J., Waldo, Fla.  
 Kennedy, R., McMinnville, Tenn.  
 Kennedy, Thomas S., Crescent Hill, Ky.  
 Kenrey, Jas. G., Provo City, Utah.  
 \*Kenyon, O. A., McGregor, Iowa.  
 Kenyon, W. J., Brooklyn, N. Y.  
 \*Keoke, R. F., West Point, Nebr.  
 \*Kephart, W. H., Miller, Dak.  
 \*Kerwin, Jas. H., Glenwood Springs, Colo.  
 \*Kessler, Charles A., Schenburgh, Tex.  
 \*Ketch, M. S., Alamota, Kans.  
 Keyes, C. R., Des Moines, Iowa.  
 \*Keyes, John B., Friendship, Wis.  
 Keys, J. M., Richland Centre, Wis.



# IMAGE EVALUATION TEST TARGET (MT-3)



Photographic  
Sciences  
Corporation

23 WEST MAIN STREET  
WEBSTER, N.Y. 14580  
(716) 872-4503

28  
25  
22  
20

10



- \*Kiblinger, Lee, Jackson, La.  
 Kidder, Dr. J. H., Wood's Holl, Mass.  
 \*Kiehle, D. L., Saint Paul, Minn.  
 Kightly, Charles, Poseyville, Ind.  
 \*Kilgore, Fidella, Longview, Tex.  
 Killen, T. M., Perry, Ga.  
 Killian, T., Escanaba, Mich.  
 \*Kilpatrick, J. R., Flagstaff, Ariz.  
 Kimball, Dr. F. H., Rockford, Ill.  
 Kimball, S. T., Ellington, Conn.  
 \*Kinalski, Benjamin, Brownsville, Tex.  
 Kincaid, R. S., Clinton, Tenn.  
 Kinchelo, Jas. M., Upperville, Va.  
 \*King, Charles L., Millbank, Dak.  
 King, Dr. E. H., West Liberty, Iowa.  
 \*King, E. P., Hawkinsville, Ga.  
 King, Prof. F. H., River Falls, Wis.  
 King, H. C., Oscoda, Mich.  
 King, J. M., Knoxville, Tenn.  
 \*King, J. W., Murphy, N. C.  
 King, Otis G., Kenosha, Wis.  
 King, Richard, Brooklyn, Conn.  
 King, S. L., Bristol, Tenn.  
 Kingsbury, Ethie Coe, Willow, Ohio.  
 Kingsbury, Howard, Burlington, Iowa.  
 \*Kingsbury, H. H., Spencer, Mass.  
 Kingsbury, J. G., Indianapolis, Ind.  
 \*Kingsbury, W. J., Linwood, Nebr.  
 \*Kingston, W. P., Warner, Dak.  
 \*Kinkler, August, Cat Spring, Tex.  
 \*Kinsey, B. L., Harlan, Iowa.  
 \*Kinthof, H., Dover, Ark.  
 \*Kirby, James H., Allapaha, Ga.  
 Kirkley, D. C., Camden, S. C.  
 Kirkman, T. J., Santaquin, Utah.  
 \*Kitch, J. S., Lynnville, Iowa.  
 \*Kittle, John S., Seward, Nebr.  
 \*Kleven, B., Culbertson, Nebr.  
 Knapp, G. W., Leon, W. Va.  
 Knaus, Warren, McPherson, Kans.  
 Knight, E. L., Newport, Pa.  
 \*Knight, H. M., Carthage, Tex.  
 \*Knight, J. L. H., Lee Park, Nebr.  
 \*Knight, Miletus, Durand, Wis.  
 Knox, John, Taylorstown, Pa.  
 Koch, H. A., College Hill, Ohio.  
 Koch, John, Altou Junction, Ill.  
 Koerner, Herman, Birdseye, Ind.  
 Koffman, J. H., Humboldt, Tenn.  
 Konkle, Kate, Caledonia Station, Mich.  
 \*Konz, John A., Marienfeld, Tex.  
 Koons, Prof. B. F., Mansfield, Conn.  
 \*Korncce, W. C., Columbia, Ala.  
 \*Krasinsky, Theo. J., Garnaville, Iowa.  
 Krider, Brittell, Madison C. H., Va.  
 Krom, S. A., Plainfield, N. J.  
 \*Krueger, William, Oasco, Minn.  
 Kruskopf, Max, Marshalltown, Iowa.  
 \*Kuhl, J. H., Earling, Iowa.  
 Kuoni, C., Sauk City, Wis.  
 Knapp, John, Bangor, Wis.  
 Kuster, J. D., Nebraska, Ind.  
 \*Kyle, Jas., Hyde Park, Dak.  
 \*Labodie, T., Las Vegas, N. Mex.  
 Lacey, Samuel S., Marshall, Mich.  
 Laffer, H. Adelaide, South Australia.  
 \*Laing, James, Persia, Iowa.  
 Laird, Francis, Saltzburg, Pa.  
 Laird, Mrs. Mary G., Scranton, Miss.  
 \*Lakes, Arthur, Golden, Colo.  
 Lamar, Robert, Boonsborough, Md.  
 Lamb, J. C., Williams, Ind.  
 Lamb, William F., Holyoke, Mass.  
 Lambie, William, Ypsilanti, Mich.  
 Lambright, Lewis, Middletown, Ohio.  
 Lamkin, George, Norwalk, Ohio.  
 \*Lankin, J. S., Booneville, Ark.  
 Landers, E. J., Inlay City, Mich.  
 Landis, H. K., Landis Valley, Pa.  
 Landolt, Ulrich, Port Washington, Wis.  
 \*Lane, A. V., Austin, Tex.  
 Lane, T. J., Greeneville, Tenn.  
 Langdon, Dr. F. W., Cincinnati, Ohio.  
 \*Langford, S. W., Rolling Fork, Miss.  
 \*Langlie, H. A., Portland, Dak.  
 Lanier, John R., Williamston, N. C.  
 Lankford, B. C., Brevard, N. C.  
 Lankheet, Hoin, Allegan, Mich.  
 Lanning, W. J., Corunna, Ind.  
 Lantz, Prof. D. E., Manhattan, Kans.  
 Lantz, George, McArthur, Ohio.  
 Larkin, J. B., Pittsburgh, Pa.  
 \*Larsen, Charles O., Sturgeon Bay, Wis.  
 Larsen, Fred., Mendon, Utah.  
 \*Larsen, James, Nephi, Utah.  
 Latham, George, Fairburn, Ga.  
 Latimer, A. W., Lumpkin, Ga.  
 Latimer, J. B., Lumpkin, Ga.  
 \*Laubersheimer, A., Wilmington, Cal.  
 Lauffer, S. D., Irwin, Pa.  
 \*Laury, C. S. M., Sheldon, Iowa.  
 Lausen, Jas. D., Woodstown, N. J.  
 Lavies, William, Santa Barbara, Cal.  
 Law, B. C., Darlington C. H., S. C.  
 \*Lawless, A. W., New Berlin, Fla.  
 Lawrence, G. W., Fayetteville, N. C.  
 Lawton, Charles H., Newport, R. I.  
 \*Lay, H. C., Telluride, Colo.  
 Lear, I. D., Salem, Ill.  
 \*Lee, Alfred C., Oriska, Dak.

- Lee, C. C., Shepherdsville, Ky.  
 \*Lee, Reuben B. Carl, Devall's Bluff, Ark.  
 Lee, W. J., Nashville, Ark.  
 Leeds, Edward W., Union Bridge, Md.  
 Lees, F. A., England.  
 \*Leftwich, D. C., Port Vincent, La.  
 Leinart, A. L., Maynardville, Tenn.  
 \*Leonard, I. E., Socorro, N. Mex.  
 Leonardson, John, New Haven, Mich.  
 Leonardson, John B., Mount Clemens, Mich.  
 Leue, Adolph, Cincinnati, Ohio.  
 Levy, James M., Covington, Ga.  
 \*Levy, M. C., Lake Butler, Fla.  
 \*Lewellyn, Rees R., Fountain Green, Utah.  
 Lewis, A. A., Gallatin, Tenn.  
 Lewis, John B., Enbank, Ky.  
 Lewis, M. D. L., Jackson C. H., W. Va.  
 \*Lewis, S. E., Fort Gaines, Ga.  
 \*Lewis, S. G., Grass Valley, Cal.  
 Lewis, William H., Pawtucket, R. I.  
 Lewis, W. S., Statesville, N. C.  
 \*Lieb, H. A., Alton, Iowa.  
 Lightner, John S., Randolph, Wis.  
 Lilford, Lord, London, Eng.  
 Lincoln, L. A., Mazo Manie, Wis.  
 Lind, William, Hillsborough, Wis.  
 Linden, Prof. Charles, Buffalo, N. Y.  
 Linderman, A. K., Troy, Pa.  
 Lindly, B. F., Oskaloosa, Iowa.  
 Lindsay, A. H., Portsmouth, Va.  
 Lindsay, J. H., Kernersville, N. C.  
 \*Lindsey, W. M., Elmo, Tex.  
 Lingafelt, James M., Hollidaysburgh, Pa.  
 Linn, Robert, North Linn, Ohio.  
 Lintner, Prof. J. A., Albany, N. Y.  
 Linton, Nathan M., Wilmington, Ohio.  
 Linville, John C., Gap, Pa.  
 \*Litson, W. H., jr., Benton, Kans.  
 Little, Frank, Kalamazoo, Mich.  
 Livingston, Clara K., Seneca, S. C.  
 Livingston, Jennie R., South Pittsburgh, Tenn.  
 \*Lloyd, William, Paint Rock, Tex.  
 Lock, Thomas W., Louisiana, Mo.  
 Lockhart, W. W., Lake George, N. Y.  
 \*Loforge, Charles A., New Madrid County, Mo.  
 Logan, W. F., Williamsport, Pa.  
 Logue, John C., Central City, Nebr.  
 Lomax, W. P., San Francisco, Cal.  
 \*Long, C. W., Andrew, Iowa.  
 \*Long, Dr. F. A., Madison, Nebr.  
 \*Long, J. M., Pringhar, Iowa.  
 Long, M. H. L., Charlottesville, Va.  
 \*Long, R. B., Tyler, Tex.  
 Longyear, William D., Mason, Mich.  
 Loomis, P. B., Jackson, Mich.  
 \*Looney, James B., Hancock, Mich.  
 Loor, W. C., Greensburgh, Pa.  
 Lord, M. S., Saranac, Mich.  
 Lorquin, E. F., San Francisco, Cal.  
 \*Lothrop, John, Dayton, Nev.  
 \*Love, George T., Huron, Dak.  
 \*Love, John D., Macksburgh, Iowa.  
 \*Love, M. E., Carrollton, Miss.  
 Loveland, Elmer, Call's Fort, Utah.  
 Lovett, J. W., Brandon, Vt.  
 Lowden, A. D., Noble, Ohio.  
 Lowe, R., England.  
 Lowell, George P., San Francisco, Cal.  
 Lowry, J. N., Greenville, Ohio.  
 \*Lucas, C. H., Mound, La.  
 Lucas, Frederic A., Washington, D. C.  
 Lugg, Otto, Baltimore, Md.  
 Luikart, J. J., Nottingham, Ohio.  
 Lumpkin, Thomas B., Buena Vista, Ga.  
 Lyford, George A., Rouseville, Pa.  
 Lyon, W. D., Elkhorn, Wis.  
 \*Lyons, John D., Benson, Minn.  
 \*Lytle, Samuel, Castroville, Tex.  
 McAdams, Hon. Wm., Alton, Ill.  
 McAdoo, R. J., Waverly, Tenn.  
 McArthur, A., Winnipeg, Manitoba, Canada.  
 McArthur, E. W., Meadville, Pa.  
 \*McAuley, Robt., Atlantic City, Wyo.  
 \*McAusland, John, Miles City, Mont.  
 \*McBride, A., Winoosburg, Tex.  
 \*McBride, W. D., Boonsborough, Ark.  
 McBrown, Wm., Fall River, Kans.  
 \*McCabe, C. A., Pomeroy, Wash.  
 McCabe, Jas. W., Chilton, Wis.  
 McCaleb, John D., Mount Pleasant, Pa.  
 \*McCall, H. J., Madison, Fla.  
 McCallum, Dr. G. A., Dunnville, Ontario, Canada.  
 McCampbell, W. C., Union City, Tenn.  
 McCartney, J. S., Garnett, Kans.  
 McCarty, Wm. G., Jefferson City, Mo.  
 \*McCauley, James, White Lake, Dak.  
 \*McCauley, John C., Searey, Ark.  
 \*McClain, J. M., Catlin, Colo.  
 McClellan, J. H., Oakland City, Ind.  
 McClure, James O., Warsaw, N. Y.  
 McCollough, T. J., Alpine City, Utah.  
 \*McCook, Jas. M. H., Rebeline, La.  
 McCormick, W. A., Morning Sun, Iowa.  
 McCoy, Frank D., Sistersville, W. Va.  
 McCrassen, W. M., West Branch, Mich.

- McCrea, Dr. A. B., Berwick, Penn.  
 \*McClellan, Wm. A., Albertville, Ala.  
 \*McCulloch, R. L., Fort Assinaboine, Mont.  
 McCune, J. A. C., Shippensburg, Pa.  
 \*McDaniel, Jerry, Centerville, Tex.  
 \*McDaniel, W. B., Faceville, Ga.  
 McDannold, John J., Mount Sterling, Ill.  
 McDearman, T. R., Danville, Va.  
 \*McDonald, A., Glenmary, Tenn.  
 \*McDonnell, M. W., Alma, Wis.  
 McDougall, R. A., North Branch, Mich.  
 McElrath, J. J. B., Centro, Ala.  
 McFall, Gid. B., Oakaloosa, Iowa.  
 McFall, S., Fredonia, Ind.  
 McFerran, S. S., Beaver Falls, Pa.  
 McGee, Jas. S., Paris, Mo.  
 \*McGehee, I. M., Milton, Fla.  
 \*McGinnis, W. T., Minden, Nebr.  
 McGlashan, P. J., Morantown, Kans.  
 \*McGoldrick, J. R., Coughatta, La.  
 McGraw, H. H., Whitewater, Wis.  
 \*McGregor, R., River Falls, Wis.  
 \*McGuin, T. R., Rosedale, Miss.  
 McHenry, Estill, Saint Louis, Mo.  
 McHugh, T. J., Calvert, Tex.  
 McIlwraith, Thomas, Hamilton, Ontario, Canada.  
 McIllyas, W. H. H., Cambridge, Ohio.  
 \*McInness, W. F., Monticello, Miss.  
 \*McIntire, A. P., Warren, Minn.  
 \*McIntire, S. B., Houston, Minn.  
 \*McKe., R. J., Jasper, Fla.  
 \*McKeon, P., Rush City, Minn.  
 \*McKernan, John Q., L'Anse, Mich.  
 McKinney, J. B., Newburgh, Ind.  
 \*McKnight, J. H., Fort Shaw, Mont.  
 McLachlan, Wm. M., Clyde, N. Y.  
 McLaughlin, D., Waseca, Minn.  
 McLaurine, H. Clay, Pulaski, Tenn.  
 McLean, A., Augusta, Ohio.  
 McLean, S. M., Canal Dover, Ohio.  
 McLellan, Charles, Trenton, Ontario, Canada.  
 \*McLeod, Daniel, Leaksville, Miss.  
 McLeod, E. A., Palmyra, Mo.  
 \*McMannen, Dr. C. T., Houston, Fla.  
 \*McMillan, James J., Caldwell, Tex.  
 McNair, S. N., Emmitsburgh, Md.  
 McNally, S. J., Harrisville, Mich.  
 \*McNamara, Geo. G., Port Townsend, Wash.  
 McNichol, Harry E., North East, Pa.  
 McNutt, W. H., Kingston, Tenn.  
 \*McPheely, J. L., Minden, Nebr.  
 \*McPherson, C. L., Holly, Colo.  
 McPherson, John W., Hopkinville, Ky.  
 \*McPherson, L. S., Sherman, Tex.  
 \*McPherson, Thos. B., Arapahoe, Nebr.  
 McQuesten, Dr. C. B., Dobbs Ferry, N. Y.  
 \*McReynolds, G. W., Nepesta, Colo.  
 McShene, M., Campbelltown, S. Australia.  
 \*McSparran, J. S., Sloan, Iowa.  
 McWhirter, A. J., Nashville, Tenn.  
 \*Mabbett, Gideon, Rodney, Miss.  
 Macbeth, Alex., Georgetown, S. C.  
 Mack, John T., Sandusky, Ohio.  
 \*Mac Kay, Prof. A. L., Pictou, N. S., Canada.  
 Mackay, Rev. Henry, Emporia, Kans.  
 Macon, R. C., Orange C. H., Va.  
 Madison, Wm. H., East Enterprise, Ind.  
 Magill, C. M., Volcano, W. Va.  
 Magruder, H. E., Keswick Depot, Va.  
 \*Maguire, John, Republic, Mich.  
 Mahou, Charles, Dunkirk, Ohio.  
 \*Malleis, Wm. B., Cedar Mill, Oregon.  
 \*Mallett, W. R., Chapel Hill, N. C.  
 Mallory, B. H., Clarington, Ohio.  
 Maloney, T. S., Quinimont, W. Va.  
 Mangum, Dr. W. L., Cullman, Ala.  
 Manigault, Dr. G. E., Charleston, S. C.  
 \*Mauix, P. A., Augusta, Mont.  
 Manly, M., New Berne, N. C.  
 \*Mann, Julia A., Mann's Harbor, N. C.  
 Manning, Thomas, New York, N. Y.  
 Marckes, George M., Sharon, Conn.  
 Margraves, G. W., Sneedville, Tenn.  
 Marker, C. F., Ligonier, Pa.  
 Markham, W. G., Rochester, N. Y.  
 Marriott, George, Sandy, Utah.  
 Marrs, Jas. R., Danville, Ky.  
 Mars, Willis, Denver, Mo.  
 \*Marsh, A. S., Red Cloud, Nebr.  
 \*Marshall, Carl C., Arcata, Cal.  
 \*Marshall, J. A., Kaufman, Tex.  
 Marshall, R. E., Booneville, Miss.  
 \*Marshall, William, Castlewood, Dak.  
 Martin, C. R., Stuart, Va.  
 \*Martin, B. S., Terrell, Tex.  
 Martin, E. S., Mechanicstown, Ohio.  
 Martin, George W., Chattanooga, Tenn.  
 Martin, Dr. G. A., China, Me.  
 Martin, G. W., Charleston, Mo.  
 Martin, N. A., Danbury, N. C.  
 Martin, T. J., Waynesborough, Va.  
 Martin, W. P., Cottonwood Falls, Kans.  
 Mason, E. E., Accotink, Va.  
 Mason, G. D., Corunna, Mich.  
 Mason, Henry H., Farmington, Conn.  
 Mason, H. H., Niles, Ohio.

- ile, Ky.  
 t.  
 Nebr.  
 ry, N.Y.  
 olo.  
 ustralia.  
 n.  
 .  
 S., Can-  
 Kans.  
 ise, Ind.  
 Va.  
 gon.  
 .  
 Va.  
 S. C.  
 N. C.  
 Y.  
 n.  
 n.  
 ak.  
 o.  
 Tenn.  
 Kans:  
 n.
- Mason, Orville F., Stanton, Mich.  
 Mason, Prof. Otis T., Washington, D. C.  
 Mason, T. A. H., Sackville, N. B., Canada.  
 Mason, W. T., Pungoteague, Va.  
 Mathers, Dr. J. R., Buckhannon, W. Va.  
 \*Mathys, George, Arcadia, Wis.  
 Matson, Jas. B., North Bend, Ohio.  
 \*Matteson, F. S., Aumaville, Oregon.  
 Matthews, Robert J., Baldwin, Mich.  
 \*Matthews, Thomas M., Athens, Tex.  
 Mattoch, C. P., Portland, Me.  
 \*Maughs, L. L., Denison, Tex.  
 Mauney, W. A., King's Mountain, N. C.  
 \*Maurer, William, Maiden, Mont.  
 \*Mawherter, D., Tin Cup, Colo.  
 Maxson, B. F., Westerly, R. I.  
 Mayberry, J. I., Burlingame, Kans.  
 Mayer, Dr. I. H., Willow Street, Pa.  
 Maynard, C. J., Boston, Mass.  
 Mayo, A. C., Ashland, Va.  
 \*Mayo, H. M., Morgan City, La.  
 \*Mazyck, W. St. I., Waverley Mills, S. C.  
 Mead, E. C., Keawick Depot, Va.  
 \*Meadows, F. C., Caddo, C. N., Ind. T.  
 Mearns, Dr. Edg. A., Highland Falls, N. Y.  
 Meehan, Thos., Germantown, Pa.  
 Meigs, General, M. C., Washington, D. C.  
 Melly, R. W., Lima, Ohio.  
 \*Meirscheldt, Arthur, La Grange, Tex.  
 Melzer, Jas. P., Milford, N. H.  
 Menard, Augustine, Ste. Genevieve, Mo.  
 \*Menefee, C. A., Los Gatos, Cal.  
 \*Menefee, R. P., Bozeman, Mont.  
 Menville, Dr. Charles, Napoleonville, La.  
 \*Merchant, I. T., Broken Bow, Nebr.  
 Merony, Callie, Carthage, Tenn.  
 Merrell, E. A., Carrollton, Ga.  
 Merriam, Dr. C. Hart, Washington, D. C.  
 \*Merrick, P. D., Villisca, Iowa.  
 Merritt, W. H., Des Moines, Iowa.  
 \*Merry, W. Y., Mandarin, Fla.  
 Metcalf, F. H., Holyoke, Mass.  
 Metsker, Chas., Yeoman, Ind.  
 Metz, Manoah, Smithsburg, Md.  
 Micklem, H. Martyn, Variety Mills, Va.  
 \*Midgley, Jonathan, Wales, Utah.  
 Mikesell, Thos., Wauseon, Ohio.  
 Miles, M. W., Glenville, Ohio.  
 Millar, Dr. Lawrence, Bellevue, Iowa.  
 \*Miller, Ada L., Mulberry Grove, Kans.  
 \*Miller, Frederick, Washburn, Minn.  
 Miller, H. H., Sandy Spring, Md.  
 \*Miller, James, O'Neill City, Nebr.  
 \*Miller, John, Florence, Ariz.  
 Miller, John J., Leland, Mich.  
 \*Miller, J. C., Hawarden, Iowa.  
 \*Miller, J. P., Crocus, Ky.  
 Miller, Mrs. Olive Thorne, Brooklyn, N. Y.  
 \*Miller, O. E., New Providence, Iowa.  
 Miller, P. D., Schoolcraft, Mich.  
 \*Miller, Samuel, Pontotoc, Miss.  
 Miller, S. T., Constableville, N. Y.  
 \*Millham, T. W., Hudson, Dak.  
 Milligan, E. A., Moultrie, Ga.  
 Milliken, F. M., Indianola, Iowa.  
 Milner, Wm., Cartersville, Ga.  
 Mines, Geo. P., Newport, Tenn.  
 \*Minshall, Thos., La Crescent, Minn.  
 Mitchell, D. A., Wichita, Kans.  
 Mitchell, John B., New Albany, Ind.  
 \*Mitchell, Susan, Visalia, Cal.  
 \*Moershel, Wm., Homestead, Iowa.  
 \*Moir, M. W., Eldora, Iowa.  
 \*Moles, A. M., Clarksburgh, Mo.  
 Molineaux, A., Adelaide, S. Australia.  
 \*Monell, C. E., Kirwin, Kans.  
 \*Mong, W. H., Fletcher, Iowa.  
 \*Monroe, Wm. A., Jacksonport, Ark.  
 Montague, W. Y., Clifton, Tenn.  
 Montgomery, A. R., Bryn Mawr, Pa.  
 Montgomery, J. W., Coal Valley, W. Va.  
 Montgomery, W. W., Radnor, Pa.  
 Mooman, Caddie, Franklin, W. Va.  
 Moor, Sidney, Hamburg, Iowa.  
 \*Moore, C. R., Birdanest, Va.  
 \*Moore, D. J., Sedan, Kans.  
 \*Moore, E. H., Silver City, Idaho.  
 \*Moore, F. A., Saint Helen, Oregon.  
 Moore, George, Steubenville, Ohio.  
 Moore, Dr. H. D., New Lexington, Pa.  
 \*Moore, Jas. F., Prineville, Oregon.  
 Moore, James H., Monongahela, Pa.  
 Moore, J. Percy, Philadelphia, Pa.  
 \*Moore, J. U., Uniontown, Kans.  
 \*Moore, L. R., Morton, Miss.  
 \*Moore, M., Altoona, Kans.  
 Moore, Ransom A., Kewaunee, Wis.  
 Moore, Mrs. S. A., Dallas, N. C.  
 \*Moorhead, A. D., Sedgwick, Colo.  
 Moran, George H., Morganton, N. C.  
 Moran, James, jr., Waukegan, Ill.  
 Moran, Wm. C., Adrian, Mich.  
 \*Morgan, A. H., Way Cross, Ga.  
 \*Morgan, D. L., Norwalk, Fla.  
 Morgan, John, Mill Creek, Utah.  
 \*Morgan, J., jr., Weir, Kans.  
 Morris, C. H., McConnelville, Ohio.  
 Morris, Rev. Francis O., Nunburnholme,  
 Yorkshire, Eng.  
 Morris, Jas. R., Woodsfield, Ohio.

Morris, R. G., Georgetown, Ga.  
 Morrison, A. J., Marengo, Iowa.  
 Morrison, E. A., Smithfield, Va.  
 Morrison, Dr. E. M., Des Moines, Iowa.  
 Morrison, H., Ithaca, Mich.  
 Morrison, W. K., Bellaire, Ohio.  
 Morse, Dr. S. P., Onio, Kans.  
 Morse, Martha V., Karns City, Pa.  
 Morton, Thomas, Nebraska City, Nebr.  
 Moseley, Alex. T., Buckingham C. H., Va.  
 Moseley, A. M., Adairville, Ky.  
 \*Mosher, H. G., Iliff, Colo.  
 \*Mosher, John, Spirit Lake, Iowa.  
 \*Moss, Mrs. M. J., Sand Run, W. Va.  
 Mottweiler, L. M., Georgetown, Ind.  
 Mould, Matthew H., Saraboo, Wis.  
 Muchmore, Jos. A., Madeira, Ohio.  
 \*Mueller, Jacob J., Ellensburg, Wash.  
 Mugford, E. T., Hart, Mich.  
 Muldragh, William J., Sand Hill, Mich.  
 \*Mullay, E. F., Rush Centre, Kans.  
 \*Müller, Max, Jacksonville, Oregon.  
 \*Mumford, F. M., Bayou Sara, La.  
 Mundt, A. H., Fairbury, Ill.  
 \*Munnerlyn, I. K., Clear Water Harbor, Fla.  
 \*Muuroe, A. T., Industry, Kans.  
 Munroe, Thomas, Staten Island, N. Y.  
 \*Munson, J. E., Foster, La.  
 Murdock, Jas. E., Kingwood, W. Va.  
 Murphy, Chris., Sandusky, Mich.  
 Murphy, C. T., New Haven, Mo.  
 \*Murphy, D. F., Rushford, Minn.  
 Murphy, J. F., Nantucket, Mass.  
 Murphy, M. M., Ripley, Ohio.  
 \*Muscgrove, M., South Haven, Kans.  
 Musick, Mrs. M., Mount Carmel, Mo.  
 Musser, J. W., Mission San José, Cal.  
 \*Myers, C. F., Rockford, Iowa.  
 Myers, O. A., May, Mich.  
 Myrick, B. H., Meriweather, Ga.  
 Nail, J. B., Louisville, Ky.  
 Napier, C. O. Groome, London, Eng.  
 \*Nash, H. W., Pueblo, Colo.  
 Natural History Society of Toronto, Ontario, Canada.  
 \*Nayer, Frederick B., Collins, Tex.  
 Neal, A. D., Milton, W. Va.  
 Neal, Charles, Plain City, Utah.  
 Neal, J. T., Thomson, Ga.  
 Neal, S. F., Gallipolis, Ohio.  
 Neese, George M., New Market, Va.  
 \*Nelnes, W. G., Vinita, Cherokee Nation, Ind. T.  
 \*Nelson, G. F., Goodwin, Dak.

Nelson, Joel, Davenport, Nebr.  
 Nesmith, Charles E., Donaldsonville, La.  
 \*Neu, Peter, Templeton, Iowa.  
 Newell, Mrs. Eva E., Plantsville, Conn.  
 Newell, E. R., Plantsville, Conn.  
 Newlon, Dr. W. S., Oswego, Kans.  
 Newman, E. O., Roberts, Ill.  
 Newman, George E., Bath, Me.  
 Newton, Prof. Alfred, Magdalen College, Cambridge, Eng.  
 Newton, R. H., Rochdale, Mass.  
 Newton, W. A., Mona, Utah.  
 \*Nicholas, W. T., Lyons, Kans.  
 Nichols, D. A. A., Dunkirk, N. Y.  
 Nichols, Fremont D., Berrien Springs, Mich.  
 Nichols, George H., Des Moines, Iowa.  
 Nichols, Jason E., Lausung, Mich.  
 \*Nickerson, C. W., West Tisbury, Mass.  
 Nickerson, H. O., Readfield, Me.  
 Niesz, J. F., Canton, Ohio.  
 \*Nimon, James, Denison, Tex.  
 Nixon, W. T., Lawrenceburgh, Tenn.  
 \*Noll, J. N., Sheridan, Ark.  
 Norgate, F., England.  
 \*Norman, James, Hockley, Tex.  
 Norris, Dr. George D., Newmarket, Ala.  
 \*Norris, S. R., Dwight, Dak.  
 North, F. A., Montevallo, Ala.  
 Norton, Arthur H., Sacanappa, Me.  
 Nottingham, Leonard J., Eastville, Va.  
 \*Nowers, Willson G., Beaver, Utah.  
 \*Nowlin, S. H., Little Rock, Ark.  
 \*Nugent, J. C., Buffalo, Minn.  
 Nunez, J. M., Swainsborough, Ga.  
 Nutting, C. C., Iowa City, Iowa.  
 Nye, A. L., Morgantown, W. Va.  
 Nye, Dudley S., Marietta, Ohio.  
 Oakey, W. S., Saleni, Va.  
 \*Oathout, John M., Booneville, Ark.  
 \*Odell, W. H., Salem, Oregon.  
 Odle, Fred. S., Lapeer, Mich.  
 Odium, E., Pembroke, Ontario, Canada.  
 O'Donoho, N. B., Cerro Gordo, Fla.  
 \*Oenning, John B., Fountain City, Wis.  
 Oettinger, William, Dent, Ohio.  
 \*O'Grady, Daniel, Walkerville, Mont.  
 \*Olas, E. H., Albany, Ill.  
 Olcott, Jas. B., Manchester, Conn.  
 \*Oldfield, J. G., Lake Providence, La.  
 Oldridge, W. V., Farley, Iowa.  
 O'Leary, Jas. J., Peshtigo, Wis.  
 Oliverson, James, Franklin, Idaho.  
 \*Oltorf, T. C., Marlin, Tex.  
 Ong, P. L., Hennepin, Ill.

- \*O'Neill, John A., Franklin, La.  
 \*Orcutt, C. E., Jamesport, Mo.  
 \*Orcutt, J. H., San Diego, Cal.  
 Ormerod, Miss Eleanor A., Isleworth, Middlesex, England.  
 \*Orndorff, L. H., Moundville, Mo.  
 Orr, George H., Manistique, Mich.  
 Osborn, A., Olmsted, Ohio.  
 \*Osborn, Prof. Herbert, Ames, Iowa.  
 Osborne, George C., Westport, N. Y.  
 \*Osburn, F. W., Eugene City, Oregon.  
 Osburn, J., Winchester, Ohio.  
 Osterhaut, W. J. N., Providence, R. I.  
 Osterhout, W. V., Providence, R. I.  
 O'Toole, Dr. M. C., Berkeley, Cal.  
 Ott, Joseph, West Bend, Wis.  
 Overman, H. W., Waverly, Ohio.  
 Overton, D. Y., Burlington, Iowa.  
 Owen, C. P., Glover, Vt.  
 Owen, J. R., Cuthbert, Ga.  
 \*Owens, John W., Jonesborough, Ark.  
 Owens, J. P., Scottsdale, Pa.  
 \*Ozmun, Andrew, Baldwin, Mich.  
 Packard, Edson, Benzonla, Mich.  
 \*Paddison, A. H., Burgaw, N. C.  
 Page, M. A., Garnett, Kans.  
 Paily, J. D., Delmont, Pa.  
 Paine, C. S., East Bethel, Vt.  
 \*Paine, Miss M. E., Royalston, Mass.  
 Paintin, John Thomas, Coralville, Iowa.  
 \*Palla, Joseph, Marshall, Cal.  
 \*Palmer, A. H., Montague, Tex.  
 \*Palmer, C. L., Baker City, Oregon.  
 \*Palmer, L. D., Yankton, Dak.  
 \*Palmer, Marcus N., Clearwater, Nebr.  
 Palmer, T. S., Berkeley, Cal.  
 Palton, R. W., Lewiston, Pa.  
 \*Pardee, J. E., Quincy, Cal.  
 Parish, John H., Allen, Mich.  
 Park, June B., Irvine, Ky.  
 \*Parker, Asa A., Ontonagon, Mich.  
 Parker, A. K., Hillsdale, W. Va.  
 \*Parker, C. G., Mount Vernon, Tex.  
 \*Parker, E. E., Verndale, Minn.  
 \*Parker, G. A., Halifax, Mass.  
 Parker, G. S., Barboursville, Va.  
 Parker, John D., Fort Riley, Kans.  
 Parker, T. W., Griggsville, Ill.  
 Parkhurst, A. L., San José, Cal.  
 Parmelee, P. W., Burton, Ohio.  
 Parriah, Stephen D., Richmond, Ky.  
 \*Parriah, T. J., Gainesville, Tex.  
 \*Parrott, J. M., Orchard, Colo.  
 Parsons, E. A., Towanda, Pa.  
 Parsons, Newell A., Enfield, Conn.  
 Paschall, S. Edward, Doylestown, Pa.  
 Patchin, M. B., New London, Wis.  
 \*Patterson, C. H., Oak Lodge, Choctaw Nation, Ind. T.  
 Patterson, I. R., Petersburg, Va.  
 Patterson, Jas. Y., Martin's Ferry, Ohio.  
 Patterson, T. H., Pine River, Wis.  
 Patterson, Wm. D., East Wheatland, Ill.  
 \*Pattison, R., Wall Lake, Iowa.  
 Patton, Jas. A., Juda, Wis.  
 Patton, J. Holmes, Brownsville, Pa.  
 Patton, T. B., Altoona, Pa.  
 Paul, Geo. H., Milwaukee, Wis.  
 Paul, Norman, Woodstock, Vt.  
 Paxton, J. T., Lick Run, Va.  
 \*Payne, E. C., De Soto, Iowa.  
 Payne, Robt. T., Warm Springs, Va.  
 Payton, James N., New Albany, Ill.  
 \*Peabody, Mrs. A. L., Denver, Colo.  
 Peak, Leonard G., Bedford, Ky.  
 Peake, J. Warren, Ionia, Mich.  
 Pearce, H. C., Trenton, Tenn.  
 Pearson, J. G., Gordon, Ga.  
 Pearson, J. W., Newton, Mass.  
 Pease, Henry A., Edgartown, Mass.  
 Peck, J. B., Hampton, Iowa.  
 Peckham, Byron J., Westerly, R. I.  
 Peckham, John J., Newport, R. I.  
 Peebler, Wm. M., Hardy, Nebr.  
 \*Peebles, Josephine, Harvel, Ill.  
 \*Peck, William L., Conyers, Ga.  
 Pelton, Edward D., Euclid, Ohio.  
 \*Pembrough, Geo. C., Winfield, Kans.  
 \*Penbentry, E. R., Houghton, Mich.  
 \*Pender, Drew D., Groesbeck, Tex.  
 Pendleton, Wm., Floyd C. H., Va.  
 Pepper, John, Boscobel, Wis.  
 Percy, W. C., Jr., Black Hawk, La.  
 Perkins, C. G., Onawa, Iowa.  
 Perkins, Daniel W., Ogunquit, Me.  
 Perkins, Geo. H., Burlington, Vt.  
 Perkins, I. O., Auburn, Ky.  
 Perry, Geo. B., Brooklyn, Pa.  
 Perry, J. A., Bay Ridge, N. Y.  
 Pertwee, James, Chelmsford, England.  
 Peter, Robert, Lexington, Ky.  
 Peterman, L., Clear Spring, Md.  
 Peters, Edw. T., Washington, D. C.  
 \*Peters, Thos., Mokelumne Hill, Cal.  
 Peters, W. F., Dublin, Va.  
 \*Pettigrew, Geo. F., Cabool, Mo.  
 Pettitt, W. J., Benzonla, Mich.  
 Peury, Thomas, Glenwood, Mo.  
 Phelps, Albert H., West Pawlet, Vt.  
 \*Phelps, C., Mississippi City, Miss.



- \*Phelps, D. R., Sanborn, Iowa.  
 Phelps, Ralph, jr., Detroit, Mich.  
 \*Phillips, G. L., Bethany, Mo.  
 \*Phlegan, A. M., Bodie, Cal.  
 Pickering, Dr. Charles, Boston, Mass.  
 \*Pickert, John, Saint Charles, Minn.  
 Piening, A., Manitowoc, Wis.  
 \*Pierce, David, Beaufort, N. C.  
 \*Pierce, Jennie R., Elizabeth, Colo.  
 Pierce, J. B., Westmoreland, Kans.  
 \*Pierce & Co., Messrs., Rock Rapids, Iowa.  
 \*Pierason, M. S., Emory, Tex.  
 Pike, Hon. Nicolas, Brooklyn, N. Y.  
 Pilbeam, James M., Nashville, Mich.  
 Pilkington, D. W., Wickham, New Brunswick, Canada.  
 Pindar, L. O., Hickman, Ky.  
 Piper, N. R., Kenton, Ohio.  
 \*Pipkin, W. H., Springfield, Mo.  
 Pitkin, Mrs. William, Rochester, N. Y.  
 Pitt, C., Adelaide, South Australia.  
 Pitt, John, Adelaide, South Australia.  
 Pitzer, John B., Covington, Va.  
 Place, F. S., Alfred Centre, N. Y.  
 Platt, Frank S., New Haven, Conn.  
 Playford, Hon. T., Adelaide, South Australia.  
 Plumb, C. S., Geneva, N. Y.  
 Plumb, George, Fairport, N. Y.  
 \*Plumbe, Edward O., Hull, Iowa.  
 \*Plummer, E. J., Hanford, Cal.  
 Plummer, Gordon, Brookline, Mass.  
 \*Poindexter, P. E., Dillon, Mont.  
 \*Polleys, J. W., Wells, Minn.  
 Pomeroy, Jas. T., Robinson, Kans.  
 \*Ponder, W. F., Smelley, Ala.  
 Ponton, William H., Belleville, Ontario, Canada.  
 \*Poore, J., Golden City, Mo.  
 Porter, E. W., Marysville, Ohio.  
 \*Porter, James H., Conway, S. C.  
 Porter, William A., Alpharetta, Ga.  
 Porter, W. C., Clinton, Ky.  
 Post, William P., Middletown, Conn.  
 Postmasters at 278 localities (see Distribution by States).  
 \*Potter, Guy R., Granada, Colo.  
 Potter, Minor R., Wellston, Ohio.  
 Powell, Samuel P., Rogersville, Tenn.  
 Powell, C. H., Goochland C. H., Va.  
 Powell, George T., Ghent, N. Y.  
 Powell, Irvin P., Montgomery City, Mo.  
 \*Powell, R. H., Trump, Tex.  
 Powers, Frank M., Angola, Ind.  
 \*Powers, S., Lawtey, Fla.  
 Prather, H. P., Greencastle, Pa.  
 Pratt, Rev. George B., Oak Park, Ill.  
 Pratt, W. H., Davenport, Iowa.  
 \*Prendergast, J. B., Webster, Dak.  
 Prescott, George R., Galt, Ontario, Canada.  
 \*Preston, J. M., Madison, Dak.  
 Preston, R. H., Woodbury, Tenn.  
 \*Price, I. G., Fort Lewis, Colo.  
 Price, M. A., Gilberton, South Australia.  
 Pringle, H. N., Thetford, Vt.  
 Professor of Botany and Forestry, Agricultural College, Michigan.  
 Prout, S. C., Prout, Ohio.  
 \*Prouty, R. D., Shelby, Iowa.  
 Prudden, S. C., Eatonton, Ga.  
 Pruett, M. E., Midway, Ala.  
 \*Pryor, Bennett A., Colusa, Cal.  
 \*Puffer, F. L., Bird Island, Minn.  
 Pugh, Mary E., Broadway, Va.  
 \*Pugmire, V. M., Saint Charles, Idaho.  
 Purdie, H. A., Boston, Mass.  
 \*Purinton, Prof. G. D., Fayetteville, Ark.  
 Pursell, H. D., Washington C. H., Ohio.  
 Putzell, C. L., Martinsville, Va.  
 Quellan, E. R., Clayton, Ala.  
 Quick, H. C., Shiraz Vineyard, Marden, South Australia.  
 Quimby, I. W., Lancaster, N. H.  
 \*Quinn, Bernard, Bingham Canyon, Utah.  
 \*Raber, A. S., Wiota, Iowa.  
 Radcliffe, J. F., Hersey, Mich.  
 \*Radford, J. W., Ponce, Nebr.  
 Ragan, W. H., Greencastle, Ind.  
 Ragland, N. H., Appomattox C. H., Va.  
 \*Ragsdale, George H., Gainesville, Tex.  
 \*Rain, Mr., Fort Dodge, Iowa.  
 \*Rainey, R. T., Brownville, Nebr.  
 Randle, Prof. E. H., Jackson, Tenn.  
 \*Rankin, B. J., Dorrance, Kans.  
 Rankin, James E., Elk Rapids, Mich.  
 Raukin, William W., Lock Haven, Pa.  
 Rardin, J. C., Catlettsburgh, Ky.  
 Ratekin, J. R., Shenandoah, Iowa.  
 Rathvon, Dr. S. S., Lancaster, Pa.  
 Ratliff, Joseph C., Richmond, Ind.  
 \*Ratliff, R. L., Poplarville, Miss.  
 Rattigan, P. A., Barnhart's Mills, Pa.  
 Ray, C. W., Sharon, Pa.  
 Raymond, C. M., West Brighton, N. Y.  
 \*Rea, T. W., Cedarville, Kans.  
 \*Ream, James S., Greenridge, Mo.  
 Rearden, Geo., Shawneetown, Ill.  
 Redding, R. J., Atlanta, Ga.  
 Redfield, S. D., Vinton, Iowa.



- \*Redmon, N., Le Mars, Iowa.  
 Redpath, Geo., Martin, Mich.  
 Reed, A. L., Centre Lisle, N. Y.  
 Reed, Curtis, Menasha, Wis.  
 Reed, D. W., Waukon, Iowa.  
 Reed, Lloyd, Clarksburgh, W. Va.  
 Reed, P. A., Tyrone, Pa.  
 \*Reemer, F. M., Dodge City, Kans.  
 \*Reese, L. E., Smith Centre, Kans.  
 Reeves, C., Gilbert-street, Norwood, South Australia.  
 Reeves, Empson, Mount Healthy, Ohio.  
 Reid, J. Henderson, Jacksborough, Tenn.  
 \*Reid, Marshall, Eel River, N. B., Canada.  
 \*Reimen, Olof, Marne, Iowa.  
 Renshaw, Dr. S., Sugar Grove, Ohio.  
 Rentch, D. S., Shepherdstown, W. Va.  
 Respass, A. C., Mayaville, Ky.  
 \*Rettig, J. F., Baird, Tex.  
 \*Reverchon, Julien, Dallas, Tex.  
 \*Revill, A. J., Litchfield, Minn.  
 \*Reynolds, E., Franklin, Tex.  
 Reynolds, E. L., Westville, Ind.  
 Reynolds, Jesse, Poplar Bluff, Mo.  
 \*Reynolds, M. C., Ava, Mo.  
 Reynolds, P. C., Rochester, N. Y.  
 \*Reynolds, W. T., Russellville, Ark.  
 Rhines, Wallace D., Constantia, N. Y.  
 Rhoades, Mary E., Coalville, Utah.  
 Rhoads, Sam'l N., Haddonfield, N. J.  
 Rhodes, Col. William, Quebec, Canada.  
 \*Rice, H., Albion, Nebr.  
 \*Rice, T. G., Clinton, Miss.  
 Rich, F. B., South Richland, N. Y.  
 Richards, E. E., Farmington, Me.  
 Richards, E. H., Woburn, Mass.  
 Richards, J. L., Buchanan, Mich.  
 Richards, Thos., Stanford, Ky.  
 Richards, W. W., Solon, Ohio.  
 \*Richardson, A. P., Charleston, Ark.  
 Richardson, Dr. D. A., Osceola, Ark.  
 Richardson, Geo., Fort Howard, Wis.  
 Richardson, H., Janesville, Wis.  
 Richardson, Jenness, Rutland, Vt.  
 Richardson, J. H., Quincy, Ill.  
 \*Richardson, J. N., Richfield, Minn.  
 Richmond, E. D., Hart, Mich.  
 \*Richmond, Joseph, Elliott, Ill.  
 \*Riddell, Sam'l T., Fernandina, Fla.  
 Ridgway, Robert, Washington, D. C.  
 Riedy, M., Kewaunee, Wis.  
 Rigg, Samuel E., Beatrice, Nebr.  
 \*Riggs, J. H., Marshall, Tex.  
 \*Rigney, L. R., Stellacoom, Wash.  
 • Riley, Prof. C. V., Washington, D. C.  
 Ringle, V., Wausau, Wis.  
 \*Ripply, O. B., Alinsworth, Nebr.  
 \*Risedorph, D. E., Snyder, Colo.  
 Rising, D. C., Wetmore, Kans.  
 \*Risley, Samuel, West Plains, Mo.  
 Rittenour, Wm. H., Harrisonburgh, Va.  
 Rittenhouse, C. Augustus, Collegeville, Pa.  
 Ritzman, Jacob, Osceola Mills, Pa.  
 Roach, F. P., Oceana, W. Va.  
 \*Roach, J. J., Camden, Ala.  
 Robbins, Mont., Statesville, N. C.  
 \*Roberson, Victor, Fort Snelling, Minn.  
 Roberts, A. C., Plainwell, Mich.  
 \*Roberts, A. P., Sioux Rapids, Iowa.  
 Roberts, Geo. A., Shelbyville, Ill.  
 Roberts, Prof. I. P., Ithaca, N. Y.  
 Roberts, S., England.  
 \*Roberts, Thos., Green Cove Springs, Fla.  
 Roberts, Dr. Thos. S., Minneapolis, Minn.  
 \*Robertson, Douglas, Blanchard, Dak.  
 Robertson, G. Douglas, Chloride, N. Mex.  
 Robertson, Jas. T., Culpeper, Va.  
 \*Robie, H. P., Rush City, Minn.  
 Robie, Reuben E., Bath, N. Y.  
 Robinson, F. D., Friar's Point, Miss.  
 Robinson, John F., Vineyard Haven, Mass.  
 \*Robinson, Rix M., Millview, Fla.  
 Robinson, Russell, Richmond, Va.  
 Robison, J. A., Albion, Pa.  
 Robson, Prof. John W., Abilene, Kans.  
 \*Roby, C. W., Portland, Oregon.  
 Rochester, J. G., Marion, Ky.  
 Rockwell, C. B., Hamilton, Ill.  
 \*Roddenberg, S. A., Cairo, Ga.  
 Rodeback, L. B., Cedar Valley, Utah.  
 Rodgers, James, Mt. Vernon, Ohio.  
 \*Rodgers, J. W., Glyndon, Minn.  
 Rodgers, R. S., Trenton, Ga.  
 Rodman, Dr. Hugh D., New Haven, Ky.  
 Roessing, W. P., Butler, Pa.  
 \*Rogers, L. M., Refugio, Tex.  
 Rogers, P. J., Piedmont, W. Va.  
 Rogers, Thomas, Dodgeville, Wis.  
 Roller, M. H., Circleville, Kans.  
 Roloson, J. P., West Berlin, Ohio.  
 Roosevelt, Hon. Robt. B., New York, N. Y.  
 Rorick, J. T., Ead Axe, Mich.  
 Roriden, Willard, Farmington, Mo.  
 Rose, J. M., Abingdon, Va.  
 Ross, F. A., Tusculum, Ala.  
 \*Ross, Newell A., Princeton, Minn.  
 Ross, S. R., Portsmouth, Ohio.  
 Ross, Thomas C., Fairfield, Iowa.  
 Roth, Elizabeth, Georgetown, Ohio.  
 Roush, Jacob, Mason, W. Va.

- Rousseau, A., Wilkesborough, N. C.  
 \*Rousseau, M. C., Rousseau, Dak.  
 Routh, H. C., Dandridge, Tenn.  
 Roys, J. S., Lyons, N. Y.  
 Rucker, P. H., Jacksonville, Ill.  
 Rudall, John, Gawler, South Australia.  
 \*Rudolph, O. A., Canton, Dak.  
 Rudy, J. A., Providence, Ky.  
 Ruete, Theo. W., Dubuque, Iowa.  
 \*Runyon, Alex., Shellsburgh, Iowa.  
 Russell, Col. Champion, Romford, Essex, England.  
 Russell, Edward, Sidney, Ohio.  
 Russell, Jas. J., Muscatine, Iowa.  
 Russell, J. A., Centreville, Mich.  
 Russell, J. H., Centreville, Tenn.  
 \*Russell, J. S., Mountain Home, Ark.  
 Russell, M. R., Carrollton, Ga.  
 Russell, M. T., Billings, Mo.  
 \*Russell, Z. T., Carthage, Mo.  
 \*Ruth, J., Lansing, Iowa.  
 \*Rutherford, E. P., Clarksville, Tex.  
 Rutter, M. A., Moyersdale, Pa.  
 \*Ryan, John, Marion, Dak.  
 \*Ryan, M. W., Medford, Wis.  
 \*Safford, E., Magnolia, Miss.  
 Sage, E. T., Agency, Iowa.  
 Sage, John H., Portland, Conn.  
 \*St. John, Alice A., Park City, Mont.  
 St. John, Samuel P., Utica, Mich.  
 \*Sale, R. R., Colona Station, Ill.  
 \*Salisbury, Mary, Beacon, Iowa.  
 Salom, M., North Adelaide, S. Australia.  
 Sampson, F. A., Sedalia, Mo.  
 \*Sampson, L. E., Tacoma, Wash.  
 Sanborn, I. W., Lyndonville, Vt.  
 Sanders, W. W., Ashland City, Tenn.  
 \*Sandiford, L. G., Fairfield, Tex.  
 Sandlin, J. M., Moulton, Ala.  
 Sapwell, B. B., England.  
 \*Sarrett, H. J., Utica, Miss.  
 \*Sater, George R., Oak Valley, Kans.  
 \*Satterthwait, S. C., Aiken, S. C.  
 Saunders, John, Mexico, Mo.  
 Saunders, William, Washington, D. C.  
 Saunders, W. E., London, Ont., Canada.  
 \*Sawyer, W. H., Bayborough, N. C.  
 Sayre, S. B., Elizabeth, W. Va.  
 Scarce, J. B., Gilberton, South Australia.  
 \*Scheen, H. F., Sparta, La.  
 Schermerhorn, O. T., Cairo, N. Y.  
 Schindler, Oswald, Galveston, Tex.  
 \*Schlichter, J. B., Sterling, Kans.  
 Schmick, C. N., Leetonia, Ohio.  
 Schoenau, W. A., Mildmay, Ont., Canada.  
 \*Schooley, Samuel W., Cozad, Nebr.  
 \*Schringer, A., Fair Play, Colo.  
 Schroeder, James, Guttenberg, Iowa.  
 \*Schrooten, John, North Star, Minn.  
 Schultze, W. C., Reynoldsville, Pa.  
 Schumacher, Ferdinand, Akron, Ohio.  
 \*Schweiger, Thomas, Glenwood, Minn.  
 \*Seefield, L., Westside, Iowa.  
 Scot-Skirving, R., Edinburgh, Scotland.  
 Scott, Jas. N., Malden, W. Va.  
 Scott, J. G., Westfield, Mass.  
 \*Scott, Kennedy, Rio, Wis.  
 \*Scott, O. L., Silver City, N. Mex.  
 Scott, S. H., Chanute, Kans.  
 Scott, Dr. S. M., Terra Alta, W. Va.  
 \*Scott, W. F., Mapleton, Iowa.  
 Scott, W. L., Ottawa, Ontario, Canada.  
 Scott, W. T., Murray, Ky.  
 Scruggs, A. T., Iuka, Miss.  
 \*Seages, J. H., Gilman, Iowa.  
 \*Seaman, J. W., Loveland, Colo.  
 Seaver, F. W., Aaron, Ind.  
 \*Seavey, Stanton D., Mora, Minn.  
 Seeland, N. P., Gaines Station, Mich.  
 \*Selby, John W., El Dorado Springs, Mo.  
 Seliger, Mrs. W., Hartford, Conn.  
 \*Seligman, A., Santa Fé, N. Mex.  
 \*Selover, George H., Lake City, Minn.  
 \*Selvig, O., Willmar, Minn.  
 Setzer, F. M., Albany, Mo.  
 \*Sewall, J. A., Boulder, Colo.  
 Sewell, T. M., New Athens, Ohio.  
 \*Seymour, F. A., Monroeville, Ala.  
 \*Shackleford, F. A., Warsaw, Va.  
 Shade, J. S., McConnellsburch, Pa.  
 Shafer, L. W., Glen Rock, Pa.  
 Shale, J. B., McKeesport, Pa.  
 \*Shallenberger, A. C., Osceola, Nebr.  
 \*Shallenberger, Eugene, Bradshaw, Nebr.  
 \*Shambaugh, J. H., La Grande, Oregon.  
 Shank, J. H., Hickory, W. Va.  
 \*Shannon, Elmer S., Bayard, Iowa.  
 \*Shannon, F. P., Carbon, Wyo.  
 Shannon, H. C., Erie, Pa.  
 Sharp, A. H., Nashville, Tenn.  
 Sharp, Dr. A. P., Baltimore, Md.  
 Sharp, F. C., Oconto, Wis.  
 Sharp, Kate Dooris, London, Ohio.  
 \*Sharp, W. T., Brooklyn, Iowa.  
 Sharpless, Philip, West Chester, Pa.  
 Shatto, Jos. M., Duncannon, Pa.  
 \*Shaver, R. B., Menlo, Iowa.  
 Shaw, Andrew, Huron, Mich.  
 Shaw, Charles H., West Berlin, Ohio.  
 \*Shaw, C. G., Vermillion, Dak.

- Nebr.  
 Iowa.  
 Minn.  
 Pa.  
 Ohio.  
 Minn.  
 Scotland.  
 Mich.  
 Va.  
 Canada.  
 Mich.  
 Mo.  
 Minn.  
 Mich.  
 Pa.  
 Nebr.  
 w, Nebr.  
 Oregon.  
 Va.  
 Pa.  
 Ohio.
- \*Shaw, I. Wilson, Milledgeville, Pa.  
 Shaw, Wm. S., Sault de Ste. Marie, Mich.  
 \*Shawhan, W. T., Carleton, Nebr.  
 \*Shayer, G. G., Cañon City, Colo.  
 Sheild, F. M., Yorktown, Va.  
 Sheldon, A. C., New Haven, Conn.  
 Shell, W. M., Jr., Elizabethtown, Tenn.  
 Shelley, George M., Kansas City, Mo.  
 \*Shelsten, I., Farmersville, La.  
 \*Shelton, W. H., Malden, Mo.  
 Shely, De Witt C., Nicholasville, Ky.  
 Shepherd, J. N., Berryville, Va.  
 Shepley, Henry, Nevada, Mo.  
 \*Sherman, Dan. J., Ashtabula, Ohio.  
 \*Sherwood, Andrew T., Bismarck, Dak.  
 \*Shiekley, V. C., Geneva, Nebr.  
 Shields, S. W., Morristown, Tenn.  
 \*Shields, William, Austin, Mo.  
 \*Shier, John, Pioche, Nev.  
 Shimer, Dr. Henry, Mount Carroll, Ill.  
 Shireliff, C. H., Solon, Iowa.  
 Shirley, M. A., Logan, Utah.  
 \*Shoemaker, A. H., Decatur, Tex.  
 Shoemaker, Thomas H., Philadelphia, Pa.  
 Shoffner, M. M., Company's Shops, N. C.  
 Short, C. W., Greenville, Ky.  
 \*Short, W. G., Pottersville, Kans.  
 Showalter, John A., Latrobe, Pa.  
 \*Showell, M. F., Kimberly, Minn.  
 Shower, Adam, Manchester, Md.  
 Shroyer, Thomas, Preston, Ohio.  
 \*Shrum, W. F., Gilmer, Tex.  
 Shryock, Thomas W., Louisville, Nebr.  
 \*Shufeldt, Dr. R. W., Cheyenne, Wyo.  
 Shuford, Fannie, Oxford, Ala.  
 Shurter, Jos. W., Gansevoort, N. Y.  
 Shutz, Jas., Romney, W. Va.  
 Sibbald, George, Aberdeen, Ohio.  
 Sieg, W. H. H., Steelton, Pa.  
 \*Sigler, John A., Harold, Dak.  
 Silcott, U. A., Youngsville, Ohio.  
 \*Stuams, Rufus B., Blountsville, Ala.  
 Simmons, C. C., Chariton, Iowa.  
 \*Simmons, M. D., Harrisburgh, Ark.  
 Simon, J. H., Hartford, Wis.  
 \*Simonds, S. C., Hudson, Wis.  
 Simpson, E. W., Ripley, Miss.  
 Simpson, J. T., Loudon, Tenn.  
 Simpson, Robert, Wheeling, W. Va.  
 \*Singleton, B. D., College Mound, Mo.  
 \*Sisson, Nathaniel, Wray, Colo.  
 Skavlens, H. L., Jaunesville, Wis.  
 \*Skeen, R. J., Nemaha City, Nebr.  
 Skinner, F. G., Hamilton County, Ohio.  
 Slade, Elisha, Somerset, Mass.  
 Slater, H. H., England.  
 Slater, H. N., England.  
 Sledge, W. T., Lawrenceville, Va.  
 \*Sloan, C. G., Heppner, Oregon.  
 Slocumb, D. M., Hernando, Miss.  
 Slyer, J. P., Moorefield, W. Va.  
 Small, H. B., Ottawa, Ontario, Canada.  
 Smead, S. M., Fond du Lac, Wis.  
 \*Smethers, W. R., Starkville, Colo.  
 Smeych, Daniel, Lancaster, Pa.  
 \*Smiley, A. R., Skowhegan, Me.  
 Smith, A. E., Guyandotte, W. Va.  
 Smith, A. J., Amherst, Wis.  
 Smith, A. J., Garrettsville, Ohio.  
 Smith, B. B., Chillicothe, Mo.  
 Smith, B. F., Lawrence, Kans.  
 Smith, Everett, Portland, Me.  
 Smith, E. C., Ravenswood, W. Va.  
 \*Smith, E. R., Le Sueur, Minn.  
 Smith, Dr. F. S., West Hartford, Conn.  
 \*Smith, F. C., Kellerton, Iowa.  
 Smith, F. S., Saginaw, Mich.  
 Smith, G., Cadiz, Ky.  
 Smith, G. A. B., Wetumpka, Ala.  
 Smith, Henry A., Spencer, W. Va.  
 Smith, Henry E., Brownsville, Ky.  
 Smith, Herbert C., West Union, Ohio.  
 \*Smith, H. G., jr., Denver, Colo.  
 \*Smith, James D., Dallas, Oregon.  
 Smith, Jesse F., Suffield, Conn.  
 \*Smith, Dr. Joel W., Charles City, Iowa.  
 \*Smith, John J., Oroville, Cal.  
 Smith, J. B., Fayetteville, N. C.  
 Smith, L. E., Middlebourne, W. Va.  
 Smith, L. H., Strathroy, Ontario, Canada.  
 Smith, L. R., New Cumberland, W. Va.  
 \*Smith, N. A., Neilly, Ga.  
 Smith, O. C., North Adams, Mich.  
 \*Smith, P. A., Navasota, Tex.  
 \*Smith, Dr. Q. C., Austin, Tex.  
 \*Smith, R. H., Edwards, Miss.  
 \*Smith, Sherod, Homerville, Ga.  
 \*Smith, S. E., Witcherville, Ark.  
 \*Smith, Tenny, Grand Junction, Iowa.  
 \*Smith, Wash. E., Purdy, Mo.  
 \*Smith, William J., Eureka, Nev.  
 Smith, William R., Washington, D. C.  
 \*Smith, W. Egbert, Butte City, Mont.  
 Smither, Herbert L., Saluda, Va.  
 Snead, N. C., Gaffney, S. C.  
 \*Snell, C. W., Oconee, Ga.  
 \*Snoddy, John, Big Spring, Tex.  
 Snodgrass, A., Scottsborough, Ala.  
 Snow, B., Kalamazoo, Mich.  
 Snow, Edward, Boonville, N. Y.

- Snow, G. C., Penn Yan, N. Y.  
 Snow, H. M., Central, Mo.  
 \*Snyder, A. C., Cheyenne City, Wyo.  
 Snyder, Charles W., Hudson, N. Y.  
 Snyder, Clarence, Racine, Wis.  
 Snyder, Harrison, Rockwood, Pa.  
 Snyder, H., Fairfield, Utah.  
 \*Snyder, John J., Murphy's, Cal.  
 Solberg, Mrs. L. S., Salem, Ohio.  
 Solly, George A., Springfield, Mass.  
 \*Solomon, M. E., Jeffersonville, Ga.  
 Sommer, Frank, Dorr, Mich.  
 Southall, G. H., Amelia C. H., Va.  
 Southgate, W. T., College Hill, Ohio.  
 Southwell, T., England.  
 Southworth, La G., Schnyler's Lake, N. Y.  
 Sowers, A. J., Bedford, Iowa.  
 Sparks, A. A., Mount Vernon, Ind.  
 Sparks, J., Vanceburgh, Ky.  
 Spearman, J. P., Papillion, Nebr.  
 Speer, Henry, Butler, Mo.  
 \*Speir, E. W., Orlando, Fla.  
 Spence, P. B., Newport, Ky.  
 Spencer, George T., Kirksville, Mo.  
 Spencer, Miss Letta, Hudson, Mich.  
 Spencer, Thomas, Chariton, Iowa.  
 Spencer, T. P., Cleveland, Ohio.  
 Spencer, Walter, La Porte, Pa.  
 Spencer, W. B., Murfreesborough, N. C.  
 \*Spilker, William G., Keatchie, La.  
 Spindler, V., South Saint Louis, Mo.  
 Spotts, Jas. C., Tazewell C. H., Pa.  
 Sprague, M. A., Smethport, Pa.  
 Spriggs, D. S., Caldwell, Ohio.  
 \*Sproule, C. H., Elko, Nev.  
 \*Sprout, J. H., Blue Earth City, Minn.  
 \*Spurlock, James B., Versailles, Mo.  
 Stacy, J. B., Pulaski, Tenn.  
 Stafford, Pleasant, Sevierville, Tenn.  
 Stalker, John D., Hartsville, Tenn.  
 Stamper, I. J., Ducktown, Tenn.  
 \*Stanley, S. K., Northville, Dak.  
 Stark, C. A., Belaloo, Wirrabara, South Australia.  
 \*Stark, H., Trinidad, Colo.  
 Stark, W. B., Agricultural College, Miss.  
 Starnes, Hugh N., Marietta, Ga.  
 State Agricultural Dept., Auburn, Ala.  
 Stausill, P. W., Rockingham, N. C.  
 Stearns, Dan C., Berea, Ohio.  
 \*Stearns, H. K., Maple, Dak.  
 Stebbins, Charles D., Grand Rapids, Mich.  
 \*Steel, A. E., Hamilton, Tex.  
 Steele, F. K., Annapolis, Md.  
 Steele, John H., Pottstown, Pa.  
 Steele, L. A., Collamer, Ohio.  
 \*Steele, T. D., Cassville, Mo.  
 Steele, W. A., Jr., Camden, Tenn.  
 Steere, J. B., Ann Arbor, Mich.  
 Steinbeck, Will, Hollister, Cal.  
 Stephens, J. E., Homer, Ga.  
 Stephens, J. G., Stannardsville, Va.  
 Stephenson, C. V., Wyoming, Ohio.  
 Stephenson, William, Lovington, Va.  
 Sterling, Dr. E., Cleveland, Ohio.  
 Stern, E., Jefferson, Tex.  
 \*Stern, J. T., Logan, Iowa.  
 Sterrett, Mrs. P., Pleasant Grove, Utah.  
 \*Stetson, Ben, Plainview, Nebr.  
 Stevens, Sidney, North Ogden, Utah.  
 \*Stevenson, E., Bristol, Dak.  
 Stevenson, Henry, Norwich, England.  
 \*Stevenson, W. B., Marvel, Dak.  
 Stevenson, W. J., Oshawa, Ont., Canada.  
 Stewart, Alonzo H., Washington, D. C.  
 \*Stewart, C. W., Alma, Nebr.  
 Stewart, Henry, Hackensack, N. J.  
 Stewart, Henry L., Middle Haddam, Conn.  
 Stewart, John, Woodstock, N. B., Canada.  
 \*Stewart, T. J., Newberry, Mich.  
 Stewart, W. A., Lawrenceburgh, Tenn.  
 \*Stewart, W. H., Woodville, Tex.  
 Stickney, Dr. P. L. B., Springfield, Mass.  
 \*Stiles, Dr. E. P., Austin, Tex.  
 \*Stinson, J. M., Bobbin, Tex.  
 Stiver, Peter, Lapeer, Mich.  
 \*Stock, John, Fish Haven, Idaho.  
 Stockton, J. B., Toronto, Kans.  
 Stoddard, Mrs. G. S. F., South Woodstock, Conn.  
 Stoddard, W. L., Evart, Mich.  
 \*Stokes, T. J., Macon, Miss.  
 Stolworthy, George, Franklin Falls, N. H.  
 Stone, D. D., Oswego, N. Y.  
 Stone, S. L. P., Urbana, Ohio.  
 Stone, Witmer, Germantown, Pa.  
 Storms, Edm. B., Berrien Springs, Mich.  
 Story, C. A., Tecumseh, Mich.  
 Stouf, W. L., Albany, Ky.  
 Stont, J. H., Decaturville, Tenn.  
 Stranahan, J. J., Chagrin Falls, Ohio.  
 Strange, John Q., Athens, Tenn.  
 Stratford, William R., Vevay, Ind.  
 \*Stratton, N. L., Uvalde, Tex.  
 Stratton, W. W., Ashley, Ohio.  
 Street, D. T., Savannah, Tenn.  
 Street, George H., Malta, Ohio.  
 \*Streeter, A. T., Calumet, Mich.  
 \*Streiff, Joseph, Oakdale, Minn.  
 Strickland, H. L., Owensville, Ind.

- Strickler, M., Bridgewater, Va.  
 Strider, J. H., Halltown, W. Va.  
 Strode, Dr. W. S., Bernadotte, Ill.  
 \*Strong, E. A., Dushore, Pa.  
 \*Strong, Harry B., Clay Center, Nebr.  
 Strout, Noyes E., Bedford, Ind.  
 \*Stubbs, T. B., Baldwin, Miss.  
 \*Stutman, S. B., Windom, Minn.  
 \*Suddath, E., Natchitoches, La.  
 Sugg, Jas. T., Snow Hill, N. C.  
 Suila, Harry H., East Liverpool, Ohio.  
 Sullot, Jas. W., Salem, Ohio.  
 Sullivan, Mrs. C., Louisa, Ky.  
 \*Sullivan, C. M., Athol, Dak.  
 \*Sullivan, J., Ashland, Wis.  
 Swain, George M., Chatham, N. J.  
 Swallow, C. W., Tyngsborough, Mass.  
 Swan, John, Allegheny, Pa.  
 Swan, John M., jr., Newport, R. I.  
 Swaney, Rev. F. I., Wintersville, Ohio.  
 Swartz, W. T., Hagerstown, Md.  
 Swaysland, George, Brighton, England.  
 Sweaney, P. C., Larkin, Kans.  
 Swearingen, G. V., Sidney, Iowa.  
 \*Sweet, D. E., Pipestone, Minn.  
 \*Sweet, Eli, Millersburgh, Iowa.  
 \*Sweet, George A., Granby, Mo.  
 Sweetland, L. R., Hamlin, W. Va.  
 \*Sweetser, Andrew J., Cavour, Dak.  
 Swetland, B. L., Mount Vernon, Ohio.  
 Swetland, J. C., Sparta, Ohio.  
 Swift, F. J. C., Falmouth, Mass.  
 \*Swiggett, A., Towanda, Kans.  
 Swint, William, Booneville, Ind.  
 \*Taber, George F., Chaaska, Minn.  
 \*Tabor, John Q., Bryan, Tex.  
 \*Taggart, J. H., Yuma, Ariz.  
 Talmadge, W. G., Hartford, Conn.  
 Tatem, C. E., Columbia, N. C.  
 \*Taylor, C. E., Bronson, Fla.  
 \*Taylor, C. N., Meckling, Dak.  
 \*Taylor, E. A., Beloit, Kans.  
 \*Taylor, F. H. G., Lake Providence, La.  
 Taylor, Hawkins, Washington, D. C.  
 Taylor, H. F., Fulton, Ky.  
 Taylor, I. A., Oxford, N. C.  
 Taylor, John S., Cumberland C. H., Va.  
 Taylor, J. E., Greenville, Mich.  
 Taylor, J. N., Lynchburgh, Tenn.  
 Taylor, J. P., Du Bois, Pa.  
 Taylor, J. R., New Kent C. H., Va.  
 \*Taylor, S. W., Iuka, Kans.  
 Taylor, W. J., Greensburg, Ky.  
 Teasdale, John, Potosi, Mo.  
 Telgheder, Henry, Mount Airy, Ohio.  
 \*Tenny, J. F., Federal Point, Fla.  
 Terens, N. H., Mishicot, Wis.  
 Terrell, John Allen, Bloomfield, Ky.  
 Tenion, Jas. A., Bradford, Pa.  
 Tevis, A. B., Home, Ind.  
 Thalaker, H., Petersburg, W. Va.  
 \*Thigpen, C. D., Sun Hill, Ga.  
 \*Thigpen, James A., Wadley, Ga.  
 Thistle, George P., Grantville, Md.  
 \*Thomarron, M. E., Yackinville, N. C.  
 \*Thomas, G. W., Canton, Miss.  
 Thomas, John J., Grantville, W. Va.  
 Thomas, J. D., Jefferson, N. C.  
 Thomas, N. O., Erin, Tenn.  
 Thomlinson, J. R., Mount Pleasant, S. C.  
 Thompson, Ernest E., Toronto, Canada.  
 \*Thompson, Jay, Gold Hill, Colo.  
 Thompson, J. J., Lake City, Fla.  
 Thompson, J. L., Redwood Falls, Minn.  
 \*Thompson, J. M., Thatcher, Colo.  
 Thompson, M. S., Coudersport, Pa.  
 Thompson, Robt. J., Holman's Mills, N. C.  
 Thompson, S. T., Pocahontas, Ark.  
 Thompson, Waldo, Lynn, Mass.  
 \*Thompson, William, Hallock, Minn.  
 Thompson, W. F., Happy Valley, S. Aus.  
 \*Thomson, Matt, Alma, Kans.  
 Thomson, Wm., jr., Granite City, Utah.  
 Thorn, Z. E., Elizabeth, W. Va.  
 Thornton, W. P., Cuckoo, Va.  
 Thurston, W. J. Y., Clayton, N. C.  
 Tibbitts, F. L., Grand Rapids, Wis.  
 Tillman, Walter, La Crosse, Wis.  
 \*Tinsley, A. D., Sibley, Iowa.  
 Tisdall, C. J., Charlton, Ont., Canada.  
 \*Titecomb, George H., Waterville, Kans.  
 Toadvin, E. Stanley, Salisbury, Md.  
 Todd, Sereno Edwards, Orange, N. J.  
 \*Tohim, Joseph W., Dadeville, Mo.  
 Tolliver, J. B., Lebanon, Tenn.  
 Tolman, John B., Lynn, Mass.  
 Tomlinson, H. E., Clarinda, Iowa.  
 Tomlinson, J., Shelton, Conn.  
 \*Tomlinson, L. G., Hampton, Ark.  
 Tomlinson, Thomas, Tate Springs, Tenn.  
 Tompkins, W. H., Altoona, Iowa.  
 \*Topleff, Joseph J., Longmont, Colo.  
 Townsen, Lebanon, Apollo, Pa.  
 Townsend, B. C., Bay Ridge, N. Y.  
 Tracy, C. O., Taftsville, Vt.  
 Trappmann, C. M., San Francisco, Cal.  
 Trask, R. S., White Cloud, Mich.  
 Traveller, Cornelius, Richmond, Utah.  
 \*Traynor, L. J., Scotia, Nebr.  
 Treat, Willard E., East Hartford, Conn.

- Trevett, Wesley, Highland, Kans.  
 \*Trimble, N. C., Rusk, Tex.  
 \*Trippe, T. M., Howardsville, Colo.  
 Tristram, Rev. Canon Henry Baker, Hartlepool, Durham, England.  
 Trombley, Jerome, Petersburg, Mich.  
 Troop, Prof. James, La Fayette, Ind.  
 Trotter, Charles P., Milltown, Ind.  
 \*Trovia, T. D., Holdrege, Nebr.  
 Tubbs, William, Monticello, Minn.  
 Tucker, C. D., Rockville, Conn.  
 Tucker, R. C., Burning Springs, W. Va.  
 Turner, E. W., Newton Falls, Ohio.  
 \*Turner, B. E., Statesborough, Ga.  
 Turner, Prof. J. B., Jacksonville, Ill.  
 Turner, Jas. R., Poplar Grove, Ark.  
 Tusk, John W., Bardwell, Ky.  
 Tuttle, Mary E., West Windsor, Mich.  
 \*Twamley, Fred, Minto, Dak.  
 \*Tweedy, John, Aurora, Nebr.  
 Tyhurst, Margaret A., Huntingdon, Pa.  
 Tyler, A. L., Anniston, Ala.  
 \*Tyler, V. L., Brookhaven, Miss.  
 \*Tyner, E. S., Plant City, Fla.  
 \*Ufford, George M., Wa Keeney, Kans.  
 \*Ulmer, P., Houma, La.  
 \*Underhill, Dr. C. B., Salida, Colo.  
 Urlwin, William, Salisbury, South Australia.  
 Vail, David A., Atlanticville, N. Y.  
 Van De Castele, Edw., De Pere, Wis.  
 \*Vandegaer, J. B., Maun, La.  
 \*Vanderhoop, Wm. A., Gay Head, Mass.  
 \*Vandiver, R. K., Eaton, N. Mex.  
 Van Wye, G. P., Warren, Ohio.  
 \*Van Zant, J. P., Edmonton, Ky.  
 Varjohar, H. H., Reading, Ohio.  
 Varner, C. P., Senatobia, Miss.  
 Varner, John A. R., Lexington, Va.  
 \*Venable, McD. R., San Luis Obispo, Cal.  
 Verbeek, William, Holland, Mich.  
 Viallon, P. L., Bayou Goula, La.  
 Vincent, F. P., Cottage City, Mass.  
 Vogdes, Lieut. A. W., Fortress Monroe, Va.  
 \*Vogt, J. E., Le Mars, Iowa.  
 Vogt, Louis O., Salem, Ill.  
 Voigt, Herman, San Francisco, Cal.  
 Volkening, H., Lenzburgh, Ill.  
 \*Voorhees, A. W., Eckley, Colo.  
 Voorhees, David C., Blawenburgh, N. J.  
 Voorheis, Wm. G., South Frankfort, Mich.  
 \*Voss, John E., Cottondale, Fla.  
 Waalkes, Martin, Muskegon, Mich.  
 \*Wade, Henry C., Backusburgh, Ky.  
 Wade, Joseph M., Boston, Mass.  
 Wadsworth, Daniel S., Hartford, Conn.  
 \*Wagner, Flora Z., Crandon, Dak.  
 Wagner, P. T., Calera, Ala.  
 Wagner, Silas A., Elk Lick, Pa.  
 Wagstaff, W. E., Cottam, Ont., Canada.  
 \*Waite, D. B., Springwater, N. Y.  
 \*Wakefield, John W., Apalachicola, Fla.  
 Walden, C. J., Fayette, Mo.  
 Walden, W. E., Watervliet, Mich.  
 \*Waldron, E. H., Henry, Dak.  
 Walker, Arthur, Hitchcock, Tex.  
 \*Walker, B. F., Dutch Flat, Cal.  
 Walker, C. H., Frostburgh, Md.  
 \*Walker, H. N., Butler Centre, Iowa.  
 \*Walker, Dr. James R., Excelsior, Minn.  
 Walker, Dr. R. L., Mansfield, Pa.  
 \*Walker, R. T., Jr., Trinity, Tex.  
 Walker, Thomas, Rawdon, Ont., Canada.  
 \*Walker, Thomas W., Croydon, Utah.  
 \*Walker, William, Scandia, Kans.  
 Wall, A. A., Vernon, Ala.  
 \*Wallace, Henry C., Alta, Utah.  
 Wallace, J. K. P., Andersonville, Tenn.  
 Wallace, J. S., Brunswick, Mo.  
 \*Wallace, R. B., Thomson, Minn.  
 Walsh, J. F., Humboldt, Nebr.  
 Walters, Samuel, Rocky Comfort, Ark.  
 Walton, J. A., Germantown, Ky.  
 Walton, V. E., Byron, Ga.  
 \*Walworth, Cyrus M., Loup City, Nebr.  
 \*Ward, A. J., Beaumont, Tex.  
 \*Ward, A. L., Fairmont, Minn.  
 \*Ward, George W., Prattville, Ala.  
 Ward, Horace, Clarendon, Ark.  
 \*Ward, S. M., Georgetown, S. C.  
 Ward, Thomas, Montrose, Iowa.  
 Warder, R. H., North Bend, Ohio.  
 Ware, Walter, Boyne City, Mich.  
 \*Warner, A. B., White Rock, Kans.  
 \*Warner, G. S., Coal Creek, Colo.  
 Warren, Dr. B. H., West Chester, Pa.  
 \*Warren, J. L., Clear Lake, Wis.  
 Warren, Col., San Francisco, Cal.  
 Warson, Ed. L., Hillsborough, Ohio.  
 \*Warson, Samuel, East Surry, Me.  
 Warwick, G. W., Smithville, Ga.  
 \*Wasser, E. A., Girard, Kans.  
 Watkins, Albert, Lincoln, Nebr.  
 Watkins, Z. S., Ooletawah, Tenn.  
 Watlington, Thomas H., Stony Point, Ind.  
 \*Watson, E. R., Kearney, Nebr.  
 \*Watson, Harrie A., Wolsey, Dak.  
 Watson, J. E., Fulton, Mo.  
 Watson, L. F., Watseka, Ill.  
 Watson, Mary A., Kenansville, N. C.



- \*Watson, Will W., Fairbury, Nebr.  
 \*Watson, W. I., Blandville, Ky.  
 Watts, George, Perry, Ohio.  
 Watts, S. R., Union, W. Va.  
 Weathers, E. W., Elkton, Ky.  
 Weaver, A. B., Clearfield, Pa.  
 Weaver, W. C., Front Royal, Va.  
 \*Weaver, W. F., Will's Point, Tex.  
 Webb, A. H., San Francisco, Cal.  
 Webb, Charles W., Anderson C. H., S. C.  
 Weber, Dr. William, Evansville, Ind.  
 Webster, F. M., La Fayette, Ind.  
 Webster, Fred. S., Washington, D. C.  
 Webster, Jabez, Centralia, Ill.  
 Webster, W. F., Oshkosh, Wis.  
 Weeks, Rev. Leroy T., Osborne, Kans.  
 \*Weems, John A., Flora, Ala.  
 \*Wegener, H. F., Denver, Colo.  
 Weir, Robert C., Manassas, Va.  
 Weisbrod, A. W., Oshkosh, Wis.  
 Welch, Ben M., New Martinsville, W. Va.  
 \*Welch, Noah, Glasco, Kans.  
 \*Welch, T. J., Welch, N. C.  
 Wells, Oliver, Marshfield, Mo.  
 Welman, Z. L., Stoughton, Wis.  
 Welsh, F. R., Philadelphia, Pa.  
 \*Wendel, George, Audubon, Minn.  
 Wentzell, C. B., Harper's Ferry, W. Va.  
 \*Westcott, W. F., Dunsmuir, Miss.  
 \*West, D. C., Perry, Iowa.  
 West, D. L., McMillan, Mich.  
 \*West, E. E., Quitman, Miss.  
 \*West, William, Chehalis, Wash.  
 Westbrook, M. H., Lyons, Iowa.  
 \*Westbrook, W. H., Pine Bluff, Ark.  
 \*Westergren, Charles, Marine Mills, Minn.  
 Westwood, Herbert W., Pennington, N. J.  
 Wetmore, E. P., Oxford, Ohio.  
 Whaling, O. M., Milltown, Dak.  
 \*Wheat, B. P., Lewisville, Ark.  
 Wheaton, Dr. J. M., Columbus, Ohio.  
 \*Whedon, F. L., York, Nebr.  
 Wheeler, Leonard W., Westford, Mass.  
 \*Wheeler, Willard A., Atkinson, Nebr.  
 \*Wheelock, L. L., Owatonna, Minn.  
 Wherritt, W. H., Lancaster, Ky.  
 Whitaker, Thomas H., La Grange, Ga.  
 Whitaker, T. L., Enfield, N. C.  
 White, A. C., Jefferson, Ohio.  
 \*White, C. W., Greeley, Colo.  
 White, Frank, Murfreesborough, Tenn.  
 \*White, G. C., Carson City, Nev.  
 White, G. H., Southampton, N. Y.  
 White, H. G., Taunton, Mass.  
 \*White, J. H. C., Corpus Christi, Tex.  
 \*White, L. W., Woodbine, Iowa.  
 White, Wm. S., Winchester, Va.  
 Whitehead, C. B., Bradford, Pa.  
 Whitehead, C. C., Tobinsport, Ind.  
 Whitehead, Jos. W., Fairfax C. H., Va.  
 Whitehead, Hon. Thomas, Richmond, Va.  
 Whitford, John D., New Bern, N. C.  
 Whitlock, R. A., Jonesville, S. C.  
 \*Whitney, T., Billings, Mont.  
 \*Whitney, Wm., Cawker City, Kans.  
 Whittaker, J. S., Corydon, Iowa.  
 Whittemore, James O., Fairfield, Me.  
 \*Whittemore, Jno. A., Kingstree, S. C.  
 \*Whittlesey, L. C., Hemphill, Tex.  
 \*Wickersham, R. J., Lebanon, Mo.  
 Wickson, E. J., San Francisco, Cal.  
 Widby, J. R., Lenoir, N. C.  
 Widmann, Otto, Saint Louis, Mo.  
 Widmyer, J. R., Glendive, Mont.  
 Widoe, John F., Hart, Mich.  
 \*Wieland, J. Leon, Beaver Falls, Minn.  
 Wiestling, Eva Ross, Middletown, Pa.  
 \*Wilbur, D. B., Cummings, Dak.  
 Wilcox, Geo., Lower Mitebam, S. Aus.  
 \*Wilder, George, Huron, Dak.  
 \*Wilds, W. H., Tuscaloosa, Ala.  
 \*Wilkinson, N. E., La Moure, Dak.  
 Willard, Jesse, England.  
 Willet, Prof. J. E., Macon, Ga.  
 Willett, J. M., Moulton, Iowa.  
 Willey, Dennis F., Charlestown, Ind.  
 Williams, A. Lee, Owosso, Mich.  
 Williams, A. N., Parkersburg, W. Va.  
 \*Williams, Charles B., Marvin, Dak.  
 \*Williams, Edwin, Peterson, Utah.  
 Williams, Jas. B., New York, N. Y.  
 Williams, James E., New Bethlehem, Pa.  
 Williams, J., Morgan, Utah.  
 Williams, J. B., Toronto, Ont., Canada.  
 Williams, J. H., Craig, Mo.  
 Williams, Orra, J., Utah.  
 \*Williams, O. K., Waynesboro, Miss.  
 \*Williams, R. W., Indian Springs, Mo.  
 Williams, St. E., Ireland, Ind.  
 Williams, T. C., Raleigh, N. C.  
 Williams, T. S., Dupont, Ind.  
 \*Williams, Wallace, J., Nevada City, Cal.  
 \*Williams, W. M., Fresno City, Cal.  
 \*Williamson, Gibson, Oak Point, N. B., Canada.  
 Williamson, Robt., Troy, Ill.  
 Willingham, Jno. A., Sobree, Ky.  
 Willis, A., England.  
 \*Willis, Walter D., Livingston, Tex.  
 Willison, A., Cumberland, Md.



- \*Wills, O. B., Ansted, W. Va.
- Wills, W. H., Amherst C. H., Va.
- Wilson, A. H., Logan, Ohio.
- \*Wilson, B. C., Wahpeton, Dak.
- Wilson, Chas. C., Sterling, Nebr.
- \*Wilson, C. B., Buena Vista, Colo.
- Wilson, C. M., Tecumseh, Nebr.
- \*Wilson, D. W., Solomon City, Kans.
- \*Wilson, E. A., Gablon, Tex.
- \*Wilson, E. C., Clay Centre, Kans.
- \*Wilson, F. E., David City, Nebr.
- Wilson, Hugh, New Wilmington, Pa.
- \*Wilson, John, Daphne, Ala.
- \*Wilson, Joseph E., Hays City, Kans.
- Wilson, J. Harner, Cape May, N. J.
- \*Wilson, S. Otho, Vineyard, N. C.
- \*Wilson, S. V., Colfax, Iowa.
- Wilson, W. A., Cross Plains, Ala.
- Wine, E. T., Free Hill, Tenn.
- \*Winfree, J. O., Leesville, La.
- Wing, Minerva E., Charlotte, Vt.
- \*Winn, J. W., Jetmore, Kans.
- Wintle, Ernest D., Montreal, Q., Canada.
- Wirts, Stiles H., Coultersville, Ill.
- Wise, J. N., Plattsmouth, Nebr.
- \*Wisecarver, J. F., McMinnville, Oregon.
- Wiseman, J. J., Nunica, Mich.
- \*Wiser, S. L., Central City, Nebr.
- Wister, William Rotch, Germantown, Pa.
- \*Witt, A. R., Conway, Ark.
- \*Witters, George S., Ida Grove, Iowa.
- Wolcott, Grove H., Jackson, Mich.
- Wolf, S. R., Williamsport, Md.
- Wood, A. H., Painted Post, N. Y.
- Wood, Buena V., Rock Hill, S. C.
- Wood, Chas. W., Burlington, Wis.
- \*Wood, C. E., Marble Rock, Iowa.
- \*Wood, C. H., Moss Point, Miss.
- \*Wood, Frank E., Ripley, Mich.
- Wood, Ira B., Huntington, W. Va.
- Wood, Rev. John George, Belvedere, London, England.
- \*Wood, Julia A. A., Sauk Rapids, Minn.
- Wood, J. W., Marshall, Mich.
- Wood, M. L., Garden City, N. Y.
- Wood, Norman A., Saline, Mich.
- \*Wood, William, Townsend, Mont.
- \*Woodall, W. H., Huntsville, Tex.
- Woodburn, John M., Newville, Pa.
- \*Woodbury, Ed. D., Fort Union, N. Mex.
- \*Woods, J. F., Schuyler, Nebr.
- Woodward, George W., Shelby, Mich.
- Woodworth, Elihu, Kentville, Nova Scotia, Canada.
- Work, H. F., New Washington, Ind.
- Worthen, Charles K., Warsaw, Ill.
- Worthington, W. W., Shelter Island, N. Y.
- Wright, B. W., Marquette, Mich.
- Wright, Abel A., Griffin, Ga.
- Wright, A. S., Woodstock, Ill.
- Wright, C. A., Tecumseh, Mich.
- Wright, Prof. Elizur, Medford, Mass.
- \*Wright, F. W., Livingston, Mont.
- Wright, M. D., Aurora Springs, Mo.
- Wright, N. W., Farmland, Ind.
- Wright, R. A., Louisburgh, Kans.
- Wright, R. G., Waynesborough, Va.
- \*Wright, William A., Linkville, Oregon.
- Wright, W. A., Burlington, Ind.
- \*Wright, W. L., Port Eads, La.
- Wright, W. R., Lewiston, Me.
- Wyckoff, George, Mears, Mich.
- Wyckoff, George A., Bevis, Ohio.
- Wylie, Henry H., Kent City, Mich.
- \*Wylie, S., Winnsborough, La.
- Wyman, Henry S., Morenci, Mich.
- Wyman, L. E., Sycamore, Ill.
- \*Wyman, O. B., Viroqua, Wis.
- Wynkoop, W. C., Denver, Colo.
- \*Yaunly, Alma N., Stockton, Utah.
- Yenowine, Edwin, Edwardsville, Ind.
- \*Yoakum, F. L., Tyler, Tex.
- \*Yoden, E. M., Hutchinson, Kans.
- \*York, J. E., Caddoa, Colo.
- Young, C. F., Columbia, Pa.
- Young, D. S., Winona, Miss.
- Young, Dr. Frank, Weymouth, Ohio.
- \*Young, F. W., Fort Stockton, Tex.
- \*Young, John R., Hempstead, Tex.
- Young, M. A., Hollidaysburgh, Pa.
- Young, Dr. Rawlings, Corinth, Miss.
- \*Young, R. L., Fairfield, N. C.
- Young, S. W., Spring Hill, Kans.
- Youngblood, J. N., Chester C. H., S. C.
- Zellars, Simeon, Palmetto, Ga.
- Zevely, Van A., Cairo, W. Va.
- Zillier, Carl, Sheboygan, Wis.
- \*Zorn, J., jr., Seguin, Tex.

# INDEX.

Abundance of birds during migration, 97.

*Acanthis linaria*, 80, 263.

Accidental transportation, 23, 309.

*Accipiter cooperi*, 32.  
    *velox*, 32.

*Acer*, 146.

Acknowledgments, 9, 10.

*Acrididae*, 131.

Acts relating to sparrows in the United States,  
    161-173.

Actual increase, 29.

Africa, sparrows in, 302.

*Agelaius phoeniceus*, 80, 266.

Ailanthus worms, 306.

Alabama, no sparrow law in, 107.

Alaska, no sparrow law in, 107.

Albinism, albinos, 31.

Algeria, House Sparrow in, 302.

    Spanish Sparrow in, 302.

Amaranthus seeds, 311, 328.

*Ambrosia artemisiifolia*, 146.

American Naturalist, extracts from, 304, 305.

American Ornithologists' Union, 11, 304, 315-318.

    Verdict of, 315-318.

Amount of grain consumed in France, 302.

*Ampelis cedrorum*, 80, 270, 272, 280.

*Ammodramus sandwichensis savanna*, 80, 270, 280,  
    323.

*Ampelopsis vitifolia*, 41.

Ancients, Sparrow known to the, 301.

Angleworms, 292. (See Earthworm.)

*Anisoplia fructicola*, 305.

*Anisopteryx (Palaearctica) vernata*, 109, 110, 128, 129,  
    130, 131, 132, 285, 286, 291, 292, 293, 295, 299, 300,  
    301.

Annual increase, 29.

Ant, black, 296.

    red, 102, 291.

Ants, 102, 112, 113, 114, 115, 128, 130, 138, 140, 141,  
    142, 287, 291, 295, 318.

    winged, 102, 130, 140, 291.

Ants' eggs eaten, 102.

Antiope butterfly, 291.

*Antrostomus vociferus*, disappearance of, 283.

Apple, pecked by Sparrow (figure), 58.

Apple buds and blossoms plucked, 45, 46, 47, 240,  
    241, 242.

Apple buds in stomachs, 242.

Apple pulp in stomachs, 145.

Apple pollen eaten, 344.

Apple seeds not eaten, 57-58.

Apple-tree worms, 102.

Apple-trees and cankerworms, 109, 110.

Apples attacked in America, 43, 54, 57, 58, 59, 244,  
    247, 248, 249, 250.

    Australia, 349, 351.

Aphides, 102, 125, 129, 130, 289, 296, 328, 332, 345,  
    347, 348.

*Aphodius fmetarius*, 112, 116.

*granarius*, 112, 116.

    sp., 111, 116, 296.

Apparatus for Sparrow-catching, 183, 191.

Apricots, in America, 48, 244.

    In Australia, 349, 350, 351, 352, 353.

Apricot buds and blossoms plucked, 45, 241, 351.

Arachnids, 120, 121, 294.

Aretilids, 112.

Area occupied in the United States and Canada,  
    26-27.

Aristotle mentions the Sparrow, 301.

Arizona, no sparrow law in, 167.

Arkansas bird law, 167.

Arkansas goldfinch, 80.

Army worm, 99, 102, 128, 129, 130, 131, 287, 288, 289,  
    290, 294, 295.

    Fall, 118.

Arsenic, 174, 175, 177, 233, 235, 238, 349, 351.

Arseniate of soda, 174, 177.

Arsenious oxide, 174.

Arsenite of calcium, 174, 177.

    of copper, 174, 178.

Artichoke, 49, 66.

*Atriplex patulum*, seeds eaten, 305.

Attachment to young, 103.

Attacks, made in squads, 94, 266-267, 269, 270, 271,  
    276, 277, 279, 280, 281, 282.

    Unprovoked, 92-94, 97, 263, 264.

Australia, Sparrow in, 302-303, 320, 348-357.

    Grapes damaged in, 55-56.

    Poison used in, 132-133.

Auxiliary barrel, 164.

*Avena sativa*, 146.

Bagworm, 102, 121, 131, 324-325.

Bags torn from grapes, 54, 323-324.

Baltimore Oriole, 60, 80, 81, 108-109, 265, 268, 269, 371,  
    272, 273, 274, 275, 278, 282, 283, 324-325.

    Eats cherries and pears, 60.

    Eats hairy caterpillars, 108-109.

Bank Swallow, 60.

Barley, in America, 68, 72, 73, 74, 253, 255, 256, 259,  
    260.

    In Australia, 349.

- Barley, in England, 330, 344, 345.  
 Barn Martin, 282.  
 Barn Swallow, 80, 86, 89, 262, 266, 271, 272, 275, 277, 278, 282, 283.  
 Bartlett pears, 55, 58.  
   Buds eaten, 242.  
 Beans, 48, 250, 344.  
   Shoots eaten, 250.  
 Bee-bird, Bee-martin, 80, 265, 271.  
 Bee-niller in Sparrow's nest, 320.  
 Beef in stomach of young, 145.  
 Bee-, 102, 114, 116, 135, 138, 140, 141, 289.  
 Bees and grapes, 49-50, 55, 246.  
 Bees injure fruit, 50.  
 Beet, leaves eaten, 48, 63, 64.  
   Seed eaten, 48, 64, 65, 244.  
   Sprouts eaten, 245, 248, 250.  
 Beetle, elm-leaf, 130, 238, 268.  
   Goldsmith, 102, 285.  
   Tiger, 102, 130, 295.  
 Beetles, 102, 103, 124, 129, 135, 137, 139, 286, 290, 293, 296, 297, 299, 305, 325, 331, 337, 344, 345, 347.  
 Beneficial and injurious birds, 81, 327, 334.  
 Beneficial and injurious insects, 101, 121, 287, 291.  
 Beneficial insects in stomachs, 134, 135, 136, 137, 138, 139, 140, 141, 142.  
 Bergorie, Rougier de la, 302.  
 Bermuda, birds expelled from, 283.  
   Sparrow in, 283.  
 Berries, 57, 60, 244, 245, 247, 248, 249, 251, 345.  
 Bewick's Wren, 80, 264, 276.  
 Bibliography, outline of, 301-304.  
 Bindweed, black or corn, 343, 345.  
   Seed eaten, 67, 343, 345.  
 Bird laws in the United States, 167-178.  
 Bird protection in England, 334.  
 Birds, in cities, 99, 100.  
   Killed by Sparrows, 84, 86, 87, 88, 90, 91, 93, 94, 95, 270, 276, 279, 283, 307, 339.  
   List of those molested, 80.  
   Preying on Sparrows, 150.  
 Birds of prey, beneficial, 327.  
 Bitter-sweet berries and thrunses, 278.  
 Bitterweed seed, 144, 146.  
 Black ant, 296.  
 Blackberries, 48, 55, 56, 57, 246, 248, 249, 327.  
 Black-billed Cuckoo, 108-109.  
 Blackbird, Boat-tailed, 92.  
   Crow, 32, 80, 92, 267, 268, 269, 271, 276.  
   English (*Merula*), 335.  
   Red-winged, 80, 266.  
 Blackbirds, 70, 74, 76, 77, 80, 246, 254, 262, 265, 278, 279, 282, 290-291, 335.  
 Blackbirds and army-worms, 290-291.  
 Blackbirds and corn, 254.  
 Blackbirds and cutworms, 290-291.  
 Blackbirds and fruit, 246.  
 Blackbirds and rice, 76, 77.  
 Blackbirds protected in England, 335.  
 Black-capped Titmouse, 80.  
 Black-caps (raspberries), 57.  
 Black cherries, 249.  
 Black hawk, 146.  
 Black Martin, 80, 84, 261, 269, 278.  
 Blades of grass in stomachs, 144, 312, 325.  
 Blight and Sparrows, 334-335.  
 Blizzard of March, 1888, 33.  
 Blossoms and buds destroyed, 40, 42-48, 240-243, 244, 245, 246, 247, 249, 250, 251, 310, 311, 312, 325, 327, 328.  
 Blow-flies, 107, 118-119.  
 Blue-backed Swallow (= Tree Swallow), 80.  
 Bluebird, 80, 81, 82-87, 88, 91, 93, 94, 96, 97, 126, 261, 262, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 297, 320, 327.  
   Eggs destroyed, 83.  
   Food of, 126, 290-291, 320.  
   Nestlings killed, 84, 93.  
   Robbed of food, 94, 297.  
   Summary of evidence, 82-83.  
 Bluebird, Western, 80.  
 Blue-bottle flies, 112, 118, 138, 345.  
 Blue-jay, Jay, 31, 32, 80, 235, 234, 264, 265, 267, 268, 269, 271, 272, 277, 282.  
 Boat-tailed Blackbird, 92.  
 Bobolink, 76, 80, 95, 280.  
 Bomare, Valmont de, 302.  
 Borers, 102.  
 Bot-flies, bots, 102, 128, 129, 130, 131, 132, 287, 289, 294, 299.  
 Bounties, amount paid in Michigan, 162-163.  
   By towns, 235, 238, 239.  
   Cost of, 154-164.  
   In Australia, 340, 350.  
   In England, 98, 303, 348.  
   In Germany, 321.  
   In Michigan, 36, 150, 162-163, 235, 236.  
   In Montana, 161-162.  
   In Ohio, 150.  
   Not expedient, 36, 153-164.  
 Bounties and taxation, 160.  
 Bounty-law, an ideal, 155.  
 Bounty-laws, objections to, 158-161.  
 Box-elder buds, 44.  
 Box-inhabiters, 82-88.  
 Boxes for nests, removed, 36.  
*Brachymyces heeri*, 113, 116.  
 Bread, rice, etc., in crops, 136, 137, 138, 139, 140, 141, 143, 144, 145.  
 Breeding age, 28, 30, 311.  
 Breeding season, 27.  
 Breeding in winter, 238.  
 Brewer-Coues controversy, 303.  
 British estimate of Sparrows, 89.  
 British evidence, 330-348.  
 Bronzy cutworm, 102, 286.  
 Broods, late and early, 27, 30, 238.  
   Number and size of, 27, 29-30, 232, 233, 234, 238, 317, 342.  
 Brown Thrasher or Thrush, 80, 266, 278, 280.  
 Brown Towhee, 80.  
*Bruchus pisi*, 128.  
 Buckwheat, 68, 77, 255, 256, 257, 258.  
 Buds, 40, 42-43, 45, 240-243, 244, 245, 246, 247, 249, 250, 251, 296, 310, 311, 312, 325, 327, 328.  
   Partial list of those eaten, 45.  
 Buds and blossoms, 40, 42-48, 240-243, 244, 245, 246, 247, 249, 250, 251, 296, 310, 311, 312, 325, 327.  
 Buds and insects, 42-43, 242.  
 Buffalo-moth, 102.  
 Bugs, 102, 135, 139, 142, 287, 288, 296, 297.

- 2-48, 240-243,  
 312, 325, 327.  
 7, 80.  
 97, 126, 261,  
 271, 272, 273,  
 282, 283, 297.  
 Bunting, Indigo, 274.  
 Bunting, Painted = Painted Finch, *q. v.*  
 Butcher-bird, 81, 276.  
 Buttercup, seed eaten, 343.  
 Butterflies, 99, 102, 103, 129, 130, 131, 285, 286, 288,  
 291, 294, 299, 300, 301, 345.  
 Butterfly, Antiope, 291.  
     Cabbage, 102, 130, 131, 288, 294, 300, 301,  
     335.  
     Turnus, 102, 291.  
     Vanessa, 102.  
     Yellow, 102.  
 Butterfly larvae, 102, 288, 299.  
 Cabbage, heads pecked, 248.  
     Leaves eaten, 48, 61, 63, 249, 251, 255, 344,  
     349.  
     Plants eaten, 63, 249, 251, 252, 344.  
     Seed eaten, 48, 64, 65, 244, 245, 247, 249.  
 Cabbage butterfly, 102, 130, 131, 288, 294, 300, 301,  
 335.  
 Cabbage moth, 102, 297, 345.  
 Cabbage worm or caterpillar, 99, 102, 128, 129, 130,  
 131, 285, 286, 287, 288, 289, 290, 292, 297,  
 299, 300, 344.  
 California, no sparrow law in, 167.  
*Caloptenus virittatus*, 329.  
     *ferentialis*, 111, 119.  
     *fenur-rubrum*, 119, 127, 301, 313, 329.  
     *spretus*, 119.  
     *sp.*, 111, 114, 119.  
 Canada Tree Sparrow, 192.  
 Canadian area occupied by Sparrow, 26.  
 Canadian climate, 33, 308.  
 Canary, Wild, 80, 265.  
 Canker-worm, 99, 102, 109-110, 121-122, 128, 129, 130,  
 131, 132, 263, 285, 286, 291, 292, 293,  
 295, 299, 300, 301, 317.  
     Spring, 121-122.  
 Canker-worm moth eaten by Robin, 110.  
 Canker-worms and Chipping Sparrow, 263.  
 Canker-worms exterminate themselves, 110.  
 Canker-worms, work of, 109-110.  
 Cape of Good Hope, Sparrows at, 335.  
*Carabida*, 102, 127, 300, 328.  
 Carabid larva, 102, 291.  
*Caradrina cubicularis*, 342.  
 Cardinal Grosbeak, Cardinal, 80, 268, 280.  
*Cardinalis cardinalis*, 80, 268, 280.  
 Carex seeds, 312.  
 Carolina Dove, 280.  
 Carolina Wren, 80, 276, 277, 280.  
*Carpodacus frontalis*, 80, 262.  
     *purpureus*, 80, 263, 270, 276, 280.  
 Carrot, seed eaten, 65.  
     Sprouts eaten, 49, 64, 245.  
 Catawba grape, 324.  
 Catbird, 80, 264, 265, 266, 268, 269, 272, 273, 274, 275,  
 276, 278, 279-280, 281, 283.  
     Food of, 126.  
     Mobbed, 278.  
 Catching Sparrows, 178-191.  
 Caterpillar, fall, 102.  
     Grape-vine, 102, 287.  
     Tent, 102, 129, 131, 288, 300.  
     Tree, 102, 287.  
     White, 129, 290.  
 Caterpillars, 99, 102, 124, 128, 129, 130, 131, 135, 139,  
 142, 284, 285, 287, 288, 289, 290, 291, 293, 294, 297, 299,  
 300, 306, 308, 330, 331, 332, 338, 334, 335, 336, 337, 338,  
 339, 340, 342, 344, 345, 347.  
 Caterpillars, hairy, 99, 107-109, 129, 130, 286, 290,  
 292, 295.  
     Smooth, 99, 102, 131, 285, 296.  
     In stomachs, 111, 114, 118, 141.  
     Killed by rain, 108.  
     Protected by Sparrow, 107-110.  
 Catkins of poplar eaten, 41.  
 Cats, effect of, on birds, 31, 95, 238.  
     Killed by poison, 352.  
     Mobbed by Sparrows, 273, 277.  
 Cat-tailed millet, 252.  
 Cauliflower, 49, 63, 249, 344, 349.  
 Cecropia moth, 291.  
 Cedar berries eaten, 250.  
 Cedar-bird, Cherry-bird, 80, 270, 272, 280.  
 Cedar trees, injured by filth, 241.  
     Barked by Sparrows, 147.  
 Cerambycid beetle in Cuckoo's stomach, 123.  
*Cerastium animum*, 146.  
*Cerastium triviale*, 343.  
 Cereals, number of reports on, 68.  
 Cereals in stomachs, 134, 135, 136, 137, 138, 139, 140,  
 141, 142, 143, 144, 145, 146.  
*Chaetocnema denticulata*, 112, 113, 114, 115, 117.  
*Chaetura pelagica*, 80, 278, 282.  
 Chaffinch destroyed in England, 333, 343.  
 Change in nesting habits, 24.  
 Change of public opinion, 35.  
 Chats, 274.  
 Checks on increase, in America, 31-40, 232, 253, 234,  
 235, 236, 237, 238, 239.  
     In Europe, 97-98.  
*Chelidon erythrogaster*, 80, 86, 89, 262, 266, 271, 272,  
 275, 277, 278, 282, 283.  
*Chenopodium album*, 343.  
     *bonus-henricus*, 343.  
 Chenopodium seeds, 311, 343.  
 Cherries, 46, 48, 54, 55, 56, 57, 59, 244, 245, 246, 247,  
 248, 249, 250, 251, 252, 349, 351, 353.  
     Choke, 249.  
     Wild, 48, 249.  
 Cherries and insects, 250.  
 Cherry-bird, Cedar-bird, 80, 270, 272, 280.  
 Cherry-buds and blossoms, 45, 46, 56, 146, 242, 243.  
 Cherry-buds inclosing insects, 43.  
 Cherry-tree worms, 102.  
 Chewink, 80.  
 Chickadee, Black-capped, 80.  
 Chickadees, 80, 152-153, 267, 271.  
 Chicken-corn, 75.  
 Chickens and Sparrows, 61, 149, 256, 277.  
 Chickens, mobbed, 277.  
 Chickweed, 305, 343.  
 Chimney Swift or Swallow, 80, 278, 282.  
 Chinch-bug, 102, 129, 131, 288.  
 Chipping Sparrow, Chippy, 80, 81, 87, 93, 95, 262,  
 263, 264, 265, 266, 267, 269, 270, 271, 272, 277, 278,  
 279, 280, 282, 283, 306, 309, 327.  
     Eggs destroyed, 271.  
     Nestlings killed, 93.  
 Chloride of mercury, 177.  
 Choke-cherry eaten, 249.

- Chordeiles virginianus*, 283.  
 Chovy, 342.  
 Chrysomelids, 111, 117, 296.  
*Cicada septendecim*, 102, 129, 130, 266, 288, 289, 291, 297, 299.  
*Cicada*, seventeen-year, 102, 129, 130, 266, 288, 289, 291, 297, 299.  
     Kind not specified, 99, 102, 129, 285, 290, 298.  
*Cicindela*, 102, 180, 295.  
 Circular of American Ornithologists' Union, 315-316.  
 Circulars of Department of Agriculture, 197-198.  
 Clatern water fouled, 148.  
 Clear-winged flies, 102, 294.  
 Cliff Swallow, 80, 88, 89, 262, 268, 272, 273, 274-275, 276, 282, 283, 307, 327.  
 Climate and increase, 32-34, 308.  
 Climate of Canada, 308.  
 Clinton grape, 324.  
*Clivicola riparia*, 80.  
 Clover, red, 146.  
     White, 146.  
 Clover seed, 66, 68, 144, 145, 257, 311, 325, 328.  
*Coccidae*, 296.  
*Coccinellids*, 102, 291.  
*Coccyzus americanus*, 80, 108-109, 123, 324-325.  
     *erythrophthalmus*, 108-109.  
 Cockchafer, 342.  
 Cocoons of codling-moth, 319-320.  
 Codling-moth, 102, 129, 131, 289, 290, 299, 300, 319-320.  
 Codling-moth and Bluebird, 320.  
 Codling-worm, 102, 129, 131, 289.  
*Colaptes auratus*, 80, 269, 281, 282.  
*Colaptes brunnea*, 117.  
     *costipennis*, 117.  
     *aurata*, 111, 113, 117.  
 Cold, effects of, 32-33, 308.  
 Coleoptera (beetles), 102, 103, 116-118, 120, 121, 127, 129, 286, 289, 290, 293, 296, 297, 299, 311, 328, 331.  
 Collector's guns, 164.  
 Colorado bird-law, 167.  
 Combustion, spontaneous, 148.  
 Common Sparrow, 80, 88, 269.  
 Concord grape, 51, 53, 55.  
 Connecticut bird-law, 168.  
 Contents of Sparrows stomachs, 100-101, 111, 123-125, 133-146, 296, 304, 311-314, 318, 320, 321-323, 325, 328-329, 331, 335, 336, 337, 342, 344-345, 347.  
 Continuous egg-laying, 28.  
*Contopus virens*, 80, 277.  
 Contributors, list of, 358-368.  
 Convolvulus seeds, 312.  
 Cooper's Hawk, 32.  
 Corn, Maize, 48, 61, 62, 64, 66, 68, 72, 74, 75, 77, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 244, 246, 248, 249, 253, 254, 255, 256, 259, 312, 322, 325, 344, 345.  
     Number of reports on, 68.  
     In the milk, green, 48, 61, 62, 64, 66, 75, 244, 249, 325.  
     Sprouts eaten, 48, 62.  
 Corn (grain) in England, 330, 336, 337, 339, 340, 341, 341, 345, 347.  
 Corn-silk eaten, 62, 64.  
 Corn insects (i. e., grain insects), not eaten, 348.  
 Corn-bindweed, 343, 345.  
 Cornices protected by netting, 36.  
 Cornell's Fancy (apples), 57.  
 Corrosive sublimate, 175, 177.  
*Coryus americanus*, 80, 85, 283.  
 Cost of bonnies, 154-164.  
 Cost of poison, 175.  
 Cost of rabbit extermination in Australia, 383.  
 Cottonwood buds, 44.  
 Cotton-worm, not touched, 128, 129, 131, 287, 291, 299.  
 Coues-Brewer controversy, 303.  
 Cowbird, Cow-blackbird, 246.  
*Crambus culmellus*, 345.  
     *vulvicapellus*, 118.  
 Crested Flycatcher, Great, 80, 266, 277.  
 Crickets, 102, 128, 267, 300.  
 Crocus eaten, 344.  
 Croton-bugs, 306.  
 Crow attacked, 80, 95, 283.  
 Crow Blackbird, 32, 80, 92, 267, 268, 269, 271, 276.  
 Cuckoo, Black-billed, 108-109.  
     Yellow-billed, 80, 108-109, 324-325.  
     Food of, 123, 292.  
 Cucumber blossoms eaten, 64.  
 Curculios, 102, 111, 131, 288, 328.  
 Currant buds and blossoms, 45, 46, 47, 242, 243.  
 Currant-moth, 102.  
 Currants, 48, 56, 59, 245, 246, 248, 249, 251, 312.  
 Currant-worm, 102, 130, 131, 292, 295, 298, 301.  
 Cutworm, Bronzy, 102, 288.  
 Cutworms, 102, 112, 113, 114, 129, 131, 140, 142, 264, 280, 286, 287, 290, 297.  
     Stolen from Robin, 264, 286.  
 Cyanide of potassium, 175.  
*Cyanocitta cristata*, 31-32, 80, 233, 234, 264, 265, 267, 268, 269, 271, 272, 277, 282.  
*Cynipidae*, 116.  
 Daddy long-legs (*Tipula*), 338, 345.  
 Dakota, no sparrow law in, 168.  
 Dandelion seed eaten, 343.  
 Dangerous poisons, 175.  
 Data, methods of collecting, 11-12.  
 Dead insects eaten, 132, 298.  
 Delaware bird-law, 168.  
 Delaware grapes, 53, 54, 55.  
*Dendroica aestiva*, 80, 81, 270, 272, 279, 280, 282, 283, 387.  
     *coronata*, 80, 283.  
 Depredations in England, 308, 309, 330-343.  
 Destruction of Sparrows by poison, 174-178.  
 Destruction of Sparrows' nests, eggs, and young, 87, 151, 180, 234, 237.  
 Diffusion, method of, 32-36.  
*Diplotaxis*, 112, 116.  
 Diptera, 118, 120, 128, 318, 329.  
 Dipterous pupae, 313, 329.  
 Disappearance of Night-hawk and Whippoorwill, 283.  
 Disappearance of Passenger Pigeon, 263.  
 Disappearance of Span-worms, 109-110.  
 Disease among caterpillars, 109-110.  
 Disease among Sparrows, 31.  
 Dissection of stomachs, 100-101, 105-106, 111-115, 123-125, 136, 137, 129, 130, 131, 133-146, 242, 248, 287, 288, 289, 290, 291, 293, 295, 296, 297, 298, 299, 311-314, 318, 320, 321-323, 325, 328-329, 331, 335, 336, 337, 338, 344-345, 347.

Dissection of stomachs, evidence derived from, 100-101.  
 Methods of, 321.  
 Dissections, showing many insects, 232-233, 331, 336, 337, 338, 344-345.  
 Showing few insects, 127, 129, 131, 291, 292, 293, 299, 318, 320, 323, 331, 335, 347.  
 Showing no insects, 128, 127, 129, 130, 287, 288, 289, 290, 291, 292, 295, 296, 297, 321-323.  
 Tables of, 133-144, 311-314, 321-323, 344-345.  
 Distribution, by States, 199-232.  
 Distribution in America, 308. (Map at end of Vol.)  
 District of Columbia bird-law, 168.  
 Diurnal lepidoptera, 130.  
*Dolichonyx oryzivorus*, 76, 80, 93, 280.  
 Domesticated doves or pigeons, 81, 95, 234, 264, 266.  
 Dove, Carolina or Mourning, 280.  
 Downy Woodpecker, 80, 268, 269, 272, 274, 275, 277, 279.  
 Dragon-flies, 102.  
 Drains choked with nests, 147-148, 352.  
 Dry peas eaten, 60.  
*Dryobates pubescens*, 80, 266, 269, 272, 274, 275, 277, 279.  
     *villosus*, 80, 266.  
 Dung-beetles, 116, 135, 137.  
 Dung-insects, 162, 116, 135, 137.  
 Dutchess grapes, injured by birds, 53.  
 Early colonies in America, 21.  
 Early history at Saint Louis, 191-192.  
 Early importations, 316-317.  
 Earthworms, 86, 94, 102, 264, 275, 292, 298.  
     Stolen from Robin, 86, 94, 264, 275.  
 Earwigs, 331, 347.  
 Eave Martin (European), 283.  
 Eave Swallow (= Cliff Swallow), 88, 89, 262, 271, 276, 282.  
 Eave troughs filled with nests, 148, 352.  
*Echinochloa lobatus*, 298.  
*Ecotopates migratorius*, 283.  
 Edges of grain fields suffer most, 179, 256, 257, 258, 260, 319, 338.  
 Effects of climate, 32-34, 232-233, 234, 236-237, 239.  
 Effects of continued shooting, 37.  
 Effects of legislation, 36.  
 Effects of storms, 33-34, 232-233, 234, 236-237.  
 Effects of temperature, 32-33, 236, 233.  
 Effects on birds in Canada, 309.  
 Effects on birds in England, 330, 332, 333, 335, 336, 337, 339, 340, 344, 348.  
 Effects on insects, 98-133.  
 Effects on native birds, 78-79, 82-83, 200-283, 317, 320.  
     Amount and character of evidence, 78-79.  
     Synopsis of evidence, 79.  
         Bluebird, 82-87.  
         Chipping Sparrow, 93.  
         House Wren, 87-88.  
         Martins, 82-87.  
         Mockingbird, 91.  
         Robin, 90-91.  
         Swallows, 89-90.  
         Vireos, 82.  
 Egg-laying, continuous, 28.  
 Eggs of insects eaten, 102, 130, 285, 292, 293, 300.  
 Eggs of native birds destroyed, 83, 84, 90, 194, 271, 377, 379.

**Eggs of Sparrow:**  
 Bounty on, 161.  
 Description of, 161.  
 Destroyed by native birds, 274, 275, 282.  
 Methods of destroying, 163.  
 Number laid, 27, 41, 161.  
 Eggs and young destroyed, 37, 151, 180, 234, 237.  
 Egyptian rice, 74, 75.  
 Elder-berries, 311, 328.  
 Elm buds and blossoms, 44, 45, 46, 47, 48, 242, 243, 328.  
 Elm-leaf beetle (*Galeruca*), not destroyed, 121, 122, 130, 293, 298, 324.  
 Elms stripped by canker-worms and tussock moth, 108, 109-110.  
 Elm-tree worms, 297, 300.  
*Empidonax minimus*, 80, 269.  
 Enemies, natural, 31-32, 97-98.  
 England, food of Sparrows in, 325, 328-329, 330-332, 335, 336, 337, 338, 342, 344-345, 347, 348.  
     Habits of Sparrows in, 97-98, 308, 309, 330-343.  
 English farmers' opinions, 39, 40, 308.  
 English ivy, 41, 42, 240.  
 English peas, 245, 247.  
 English Skylarks pull grain, 341.  
 English Sparrow, figure of, 16.  
     The name a misnomer, 17.  
*Ennomos subsignaria*, 109, 125, 130, 131, 294.  
     Replaced by *Orgyia*, 121.  
*Ephemera*, 130, 285, 293, 297.  
 Epidemics unknown, 31.  
*Epilachna borealis*, 130, 298.  
*Eragrostis*, seeds eaten, 304.  
 Ermine moth, 345.  
*Erythroneura*, 112, 113, 118.  
*Euchistus*, 118.  
 European Blackbird, 335.  
 European Chaffinch, 333, 343.  
 European Greenfinch, 343.  
 European Martins, 98, 330, 332, 333, 335, 336, 337, 338, 339, 340, 346.  
 European Skylark, 341.  
 European Starling, 383.  
 European Swallow, 335.  
 European Tree Sparrow, at Saint Louis, 191-194.  
 European Thrushes, 335.  
 Evergreens injured, 41, 45, 241, 243.  
 Evidence, excluded, 12.  
     In detail, 197-357.  
     Samples of, how selected, 13.  
     Summaries of, 17-149.  
     Summaries, misleading, 13.  
 Evidence versus opinion, 12-13, 99.  
 Examination of stomachs. (See Dissection.)  
 Experiments with grain, spoiled, 252, 253, 254, 318, 320.  
 Experiments with poisons, 174-178.  
 Explanation of omissions, 12, 199.  
 Explanations relating to evidence, 197-199.  
 Extension into country, 24-26.  
 Extermination, recommendations for, 151-153.  
 Extermination of span-worms in Philadelphia, 109.  
 Extracts, from *American Naturalist*, 304-305.  
     From *Science*, 305.  
     From *Forest and Stream*, 305-318.

- Extracts from newspapers, 318-319.  
     From periodicals, 318-324.  
*Falco columbarius*, 32, 369.  
     *sparverius*, 32, 369.  
 Falcons, 369.  
 Fall army-worm, 118.  
 Fall caterpillar, 102.  
 Fall web-worm, 100, 102, 107, 118, 128, 130, 131, 286, 288, 297, 298, 324-325.  
 Fecundity, 28-29.  
 Field, the American, 0.  
 Field corn, 62, 74-75, 253, 254, 255, 256, 259.  
 Field mustard, 343.  
 Field Sparrow, 80, 267, 270.  
 Fig buds or blossoms, 45.  
*Figitina*, 116.  
 Figs, in America, 48, 50.  
     In Australia, 349, 350, 351, 352.  
     In New Zealand, 320.  
 Flith, injury by, 36, 40, 41, 146-147, 240, 241, 242, 243.  
 Finch, Grass, 80, 270.  
     House, 80, 242.  
     Painted, 80, 264, 260.  
     Purple, 80, 263, 270, 276, 280.  
     Western House, 89.  
     Yellow, 267.  
 Finches, 80, 152-153, 269, 281.  
     Food of, 323.  
 Fines, for bird-killing, 167-173.  
     For nest-robbing, 167-173.  
 Fin-leaved ivy, 42.  
 Fire-arms, forbidden in cities, 37.  
     Suggestions as to use of, 152, 164-165.  
 Fisher on Poisons, 174-178.  
 Flax, flax-seed, 49, 65, 66, 250.  
 Flea-beetles, 112, 113, 114, 117, 134, 138, 139, 140, 141, 142, 143.  
 Flea-bugs, 102.  
 Flemish Beauty pear, blossoms plucked, 46.  
 Flicker, Yellow-shafted, 80, 269, 281.  
 Flies, clear-winged, 102, 294.  
     Horse, 102, 129, 289.  
     House, 102, 299.  
     Ichneumon, 102, 294, 300.  
     Stable, 102.  
     Kinds not specified, 102, 103, 128, 129, 130, 138, 285, 287, 291, 292, 293, 295, 299.  
 Florent Prévoist, 302.  
 Florida, no sparrow law in, 168.  
 Flower-beds destroyed, 249.  
 Flower-seed eaten, 48, 65, 128, 245.  
 Flowers eaten, 65.  
 Flycatcher, Great Crested, 80, 266, 277.  
     Least, 80, 269.  
     Tyrant (=King-bird), 269.  
 Flycatchers, kinds not specified, 80, 88, 263, 269, 271, 275, 280.  
 Foliage, injury to, 40, 41, 42, 146, 240-243.  
 Food, Sparrows need for, 38-39, 182, 319.  
 Food of Bluebird, 126.  
 Food of Catbird, 126.  
 Food of native birds, 99, 304, 323.  
 Food of Robin, 126.  
 Food of Sparrow:  
     As shown by dissection, 296, 321-333, 325, 328, 329, 331, 335, 336, 337, 338, 342, 344-345, 347.  
     Food of Sparrow:  
         By months, 344-345.  
         In winter, 32-35.  
         Seasonal variation in, 124-125.  
         Tables of, 133-146.  
     Food of young Sparrows, 303, 330, 331, 335, 336, 337, 338, 340, 342-343, 344-345, 347.  
     Food-habits of Sparrows in England, 330-340.  
     Food-supply and increase, 32-35.  
     Forbes on food of native birds, 99, 304.  
     Forest and Stream, extracts from, 305-318.  
     Formula for poisons, 174-175.  
     Formicida, 116.  
     *Foreythia viridissima*, 44.  
     Foul cistern water, 148.  
     Fowler's solution (of arsenic), 174, 177.  
     Fowls, killed by poisoned wheat, 352.  
     Fox-tail grass (*Setaria*), 67, 145.  
     France Sparrows in, 302.  
     Freezing of Sparrows, 32-33, 238, 294, 238, 239.  
     Frost grapes eaten, 55.  
     Fruit buds, injury to, 40, 42-48, 240, 241, 242, 243, 250, 347.  
     Fruits, injury to, by Sparrows, 42, 43, 48-60, 243-252, 255, 310.  
         By wasps and bees, 49-50.  
         List of those injured, 43.  
     Fruit-seed in stomachs, 136, 137, 138, 139, 140, 141, 142, 143, 145.  
     *Galeoscoptes carolinensis*, 80, 126, 264, 265, 266, 268, 269, 272, 273, 274, 275, 276, 278, 279-280, 281, 283.  
     *Galeruca californiensis*, 121-122.  
     *Galeruca xanthomelana*, 130, 293, 298, 324.  
     Garden corn, 62, 243, 248, 249.  
     Garden pea, 146.  
     Garden seeds, injury to, 61-66, 243-251.  
         List of those injured, 48.  
         Scratched up, 64.  
     Garden vegetables, injury to, 60-64, 243-252.  
     Gas-lamps, nests in, 147.  
     Gastrophilus larvae, 132.  
     Gentry on House Sparrow, 303.  
     Geographical distribution, 23, 199-232, 302-303.  
         In America, 199-232, and map at end of volume.  
     Geometrid larvae, 109, 128, 131, 311, 328.  
     Georgia, no sparrow law in, 168.  
     Germany, Sparrows in, 97-98.  
     Gnats, 102, 287.  
     Golden-crowned Kinglet, 80, 94, 263, 267.  
     Golden-winged Woodpecker, 80, 269, 281, 282.  
     Goldfinch, 80, 81, 88, 91, 263, 265, 267, 270, 271, 274, 275, 276, 277, 278, 280, 281.  
         Arkansas, 80.  
     Goldsmit beetle, 102, 285.  
     Gooseberries, 48, 57, 247, 249, 251, 344.  
     Gooseberry buds and blossoms, 46, 249, 323, 334, 344, 347.  
     Gooseberry caterpillar or worm, 334, 339.  
     Goosefoot, 343.  
     Grackle, Purple, 32, 80, 92, 267, 268, 269, 271, 276.  
     Grackles, kind not specified, 80, 279, 281.  
     Grain, experiments with, spoiled, 262, 263, 264, 316, 320.  
         In America, 68-73, 262-360.  
         In Australia, 343, 349, 350, 351.



## Grain—Continued.

- In England, 309, 330-348.  
 In the milk, 319, 330, 337, 347.  
 In the stack, 253, 254, 255, 256, 257, 258, 259, 260.  
 Injury to, 68-78, 252-260.  
 Kinds injured, 68.  
 List of States reporting greatest loss, 68.  
 Number of reports on, 68.  
 Grain-cars transport Sparrows, 178, 309.  
 Grain-fields, edges injured most, 179, 256, 257, 258, 260, 319, 338.  
 Grapes, bags torn from, 54, 323-324.  
   Buds and blossoms of, plucked, 45, 46, 47, 146, 240, 241, 243, 325, 327.  
   In Australia, 55, 349, 350, 351, 352, 353.  
   In California, 49.  
   In New Zealand, 320.  
   Injury to, 48, 49-56, 57, 58, 59, 244, 245, 246, 247, 248, 249, 250, 251, 252, 320, 323, 327, 349, 350, 351, 352, 353.  
   Kinds of, most injured, 54, 55.  
   List of States reporting most damage to, 53.  
   Seeds and pulp of, taken, 51, 53, 55, 245, 248.  
   Wild, 53, 250.  
 Grapes and bees or wasps, 49-50, 55.  
 Grapes and native birds, 49, 270.  
 Grape-vine caterpillar, 102, 277.  
 Grape-vines, effects upon, 41, 42, 43.  
 Grass in Sparrows' stomachs, 144, 312, 325.  
 Grass-bird, 80.  
 Grass Finch, 80, 270.  
 Grasshoppers, 78, 99, 102, 103, 127, 128, 129, 130, 131, 132, 134, 141, 142, 143, 285, 286, 287, 288, 289, 290, 292, 293, 295, 296, 297, 299, 300, 301, 304, 306, 310, 312, 313, 328, 329, 347.  
 Grass seed, consumption of, 64, 65, 66-68, 76, 253, 257.  
   In stomachs, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 311, 312, 322, 325.  
 Graybird, 271.  
 Great Carolina Wren, 277.  
 Great Crested Flycatcher, 80, 266, 277.  
 Great Northern Shrike, 31, 150, 233, 238.  
 Greenfinch (European), 343.  
 Greenlets (= Vireos), 280.  
 Green vegetables destroyed, 61-64.  
 Grosbeak, Cardinal, 80, 268, 280.  
   Rose-breasted, 323.  
 Grosbeaks, 80, 266, 268, 280, 323.  
   Food of, 323.  
 Ground bird, 271.  
 Ground sparrow, 80.  
 Ground squirrels, 161-162.  
 Grubs or larvæ, 43, 78, 102, 103, 123, 130, 135, 285, 286, 287, 288, 289, 290, 292, 293, 294, 295, 296, 297, 298, 299.  
   In peach buds, 43.  
 Grub-worms in crop, 78.  
*Gryotalpa*, 113, 119.  
 Gun, restriction by, 37-40.  
 Guns for Sparrow shooting, 164.  
 Gutters choked by nests, 147-148, 352.  
*Habia ludoviciana*, 323.

## Habit of insect-eating, 98-99.

- Habits of European Tree Sparrow, 192.  
 Habits of House Sparrow in England, 308, 330, 339-348.  
 Habits of insects concerned, 115-129.  
 Hail storms, effects of, 234, 237.  
 Hair Sparrow. (*See* Chipping Sparrow.)  
 Hair-worms, 345.  
 Hairy caterpillars and Sparrows, 99, 107-109, 129, 130, 286, 290, 292, 293, 306.  
 Hairy caterpillars and native birds, 108-109.  
 Hairy Woodpecker, 80, 266.  
 Hairy worms, 109, 122, 130, 290.  
*Habitus*, 114, 115.  
*Halicta affinis*, 305.  
 Hanging-worm (*Ennomos*), 294.  
 Harmless English birds, 334.  
*Harpalus vagans*, 102, 300.  
*Harporhynchus rufus*, 80, 266, 278, 280.  
 Haw, black, 146.  
   Buds and blossoms of, 144, 325.  
 Hawk, Cooper's, 32.  
   Pigeon, 32, 309.  
   Sharp-shinned, 32.  
   Sparrow, 32, 150, 309.  
 Hawks, kind not specified, 309.  
 Hedges injured by filth, 41, 243.  
*Helix alternata*, in Cuckoo's stomach, 123.  
 Hemiptera, 112, 129, 289, 296.  
 Hemp, hemp-seed, 49, 65, 248.  
 Hens attacked by Sparrows, 81, 140, 276, 277.  
 Hen and chickens driven from food, 140.  
 Herbemont grape, 324.  
 Hermit Thrush, 80, 273.  
 Hessian-fly, not attacked, 288.  
 Heteroptera, 113, 114, 118, 121.  
 Hexapoda, 120.  
 High-holder (= Golden-winged Woodpecker), 282.  
 Hill on Sparrow-catching, 178-191.  
*Hirundo urbana*, 330, 332, 333, 335, 336, 337, 338, 339, 340, 346.  
 Hoadley's work, 11.  
 Homoptera, 112, 118.  
 Honey-bees, 49-50, 102, 289.  
 Honeysuckle, berries eaten, 250.  
 Hornets and grapes, 49.  
 Horse-chestnut, defoliated by *Orygia*, 108.  
 Horse-droppings, importance of, to Sparrows, 34, 104.  
 Horse-flies, 102, 129, 289.  
 House Finch, 80, 262.  
   Western, 89.  
 House flies, 102, 113, 119, 139, 289.  
 House Martin, 267, 270, 271, 272.  
   European, 98, 330, 332, 333, 335, 336, 337, 338, 339, 340, 346.  
 House Sparrow = English Sparrow, 17.  
   European, at Saint Louis, Mo. 191-194.  
   Indian, 303.  
 House (Chipping) Sparrow, 93, 264.  
 House Swallow, 266.  
 House Wren, 80, 82, 83, 85, 87-88, 93, 96, 97, 262, 263, 264, 265, 266, 267, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 280, 282, 283, 309, 327.  
 Hummingbird, Ruby-throated, 80, 93, 277.

- Hungarian grass, 76.  
*Hyalaspis americana*, 116.  
Hymenoptera, 111, 112, 113, 114; 115-116, 120, 121, 122, 123, 140, 141, 142.  
*Hyphantria cunea* (*textor*), 106, 109, 107, 112, 114, 118, 121, 126, 128, 129, 136, 131, 266, 268, 267, 294, 324-325.  
*textor* (*cunea*), in Cuckoo's stomach, 121.  
*Icterus galbula*, 60, 81, 106-109, 265, 266, 269, 271, 272, 273, 274, 275, 278, 282, 283, 324-325.  
*spurius*, 80, 83, 268, 278, 280.  
Ichneumonida, 112, 114, 116, 136, 141.  
Ichneumon flies, 102, 294, 300.  
Idaho, no sparrow law in, 168.  
Ideal bounty-law, 155.  
Illinois bird-law, 168.  
Importation, 17-21, 316-317.  
Direct from Europe, 19.  
Tables of, 19-21.  
Inch-worm (Measuring-worm), 295.  
Increase, actual and theoretical, 29.  
Annual, 29.  
Checks on, 31-41.  
Rapidity of, 29-30.  
Rate of, 27-31, 252, 233, 234, 235, 236, 237, 238, 239.  
Relation of climate to, 32-34.  
Relation of food to, 33-35.  
Increase and public opinion, 35.  
Increase and storms, 33, 34.  
Increase of native birds explained, 96.  
Incubation, period of, 27.  
Indiana bird-law, 168.  
Indian corn, 68, 74, 312, 322, 325. (*See* Corn.)  
Indian House Sparrow, 303.  
Indian Territory, no sparrow law in, 168.  
Indifferent insects in stomachs, 135, 138, 139, 140, 141, 142, 143.  
Indigo Bird or Bunting, 80, 274.  
Inexpediency of bounties, 153-164.  
Injuries, miscellaneous, 146-149.  
Injurious and beneficial insects, 101, 287, 291.  
Injurious insects in stomachs, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143.  
Injury by filth, 36, 46, 41, 146-147, 240, 241, 242, 243.  
Injury to buds and blossoms, 40-43, 240-243.  
To foliage, 40, 41, 42, 146, 240-243.  
To fruits, 42, 43, 48-60, 243-252, 255, 310.  
To garden seeds, 48, 64-66, 243-251.  
To grain, 68-78, 179, 252-260, 309, 315, 319, 320, 330-348, 349, 350, 351.  
To trees and vines, 40-43, 240-243.  
To vegetables, 48-49, 60-64, 243-252.  
Insect contents of stomachs, 111-115, 123-128, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 305.  
Insect defoliators of shade-trees, 324, 325.  
Insect diet of young, 96, 103, 104, 132, 317, 320, 331, 333, 336, 337, 338, 340, 342, 345, 347.  
Insect eggs eaten, 102, 130, 285, 292, 295.  
Insect food of Sparrow, 98-133, 256, 310.  
General summary of evidence, 98-100.  
Percentage in stomachs examined, 104.  
Seasonal variation in, 105-108.  
Table showing variation in, 106.  
Insectivorous birds, 43, 60, 348.  
Insectivorous habits, 43, 96-123, 256, 256, 283-301, 303, 306, 317, 348.  
Insects, beneficial and injurious, 96, 101, 287, 291.  
Comparative abundance of, at different seasons, 105.  
In Australia, 349.  
In buds and blossoms, 42-43, 290.  
In cherries, 250.  
In England, 330-348.  
In wheat, 102.  
List of those said to be eaten by Sparrows, 102.  
Stolen from Bluebirds, 94.  
Supposed destruction of, 76.  
Introduction to America, 17.  
Investigation in South Australia, 303.  
Iowa bird-law, 168.  
Israella grape, 63.  
Ivy, English, 41, 42, 240.  
Fin-leaved, 42.  
Japan plum (loquat), 50.  
Japanese jessamine, buds eaten, 44.  
Jay, Blue-jay, 31-32, 60, 233, 234, 264, 265, 267, 268, 269, 271, 272, 277, 282.  
Jug Swallow (= Cliff Swallow), 68.  
Juncos, 80, 262, 269, 270.  
June-bug, 102.  
Kansas bird-law, 168-169.  
Katydid, 102, 119, 131, 300.  
Kentucky bird-law, 169.  
Kekuka Lake vineyards, 52.  
Kingbird, 80, 92, 94, 265, 268, 269, 271, 275, 276, 277, 278, 281.  
Kinglet, Golden-crowned, 80, 94, 263, 267.  
Kinglets, 152, 153.  
Knot-grass, 343, 345.  
Lace-wing flies, 300.  
*Lachnosterna fusca*, 112, 113, 114, 116.  
Lady-birds (*Epilachna*), 298.  
Lady-bugs (*Coccinellidae*), 102, 291.  
*Lantus borealis*, 31, 233, 238, 276.  
*Laphygma frugiperda*, 114, 115, 118.  
Lark, Meadow, 80, 274, 277.  
Shore, 80.  
Larvæ or grubs, 102, 103, 129, 130, 285, 286, 287, 288, 289, 290, 292, 293, 294, 295, 296, 297, 298, 299.  
Lawn-grass, seed and shoots eaten, 67.  
Laws, now in force in United States, 167-173.  
Repealed, 236.  
Repeal of, advocated, 150.  
Leaf-hoppers, 113, 118, 138, 142.  
Leaf-rollers, 102, 129, 289, 295.  
Least Flycatcher, Least Pewee, 80, 269.  
Leaves, of trees and vines plucked, 41, 42, 46, 145.  
Of vegetables injured, 48, 61, 62, 63-64.  
*Lecanium hemisphaericum*, 130, 298.  
Legislation, affecting Sparrows in United States, 150-151, 167-173.  
Effects of, 36.  
Recommendations for, 150-164.  
Summary of, 150-151.  
Lepidoptera, 118, 120, 121, 122, 139, 306.  
Lepidopterous larvæ, 529.  
Lettuce, plants or leaves destroyed, 43, 61, 63, 64, 245, 246, 248, 250, 396.

Lettuce seed eaten, 40, 64, 65, 66, 245, 246, 249, 250.  
 Lilac buds or blossoms, 45, 47.  
 Lima-bean, 146.  
 Linnet, 80.  
 Lintner on caterpillar protection, 107-110.  
*Liopus*, 113, 117.

List of:

Contributors, 356-388.  
 Fruits injured, 48.  
 Garden seeds injured, 48.  
 Grains injured, 68.  
 Insects said to be eaten, 102.  
 Native birds molested, 80.  
 Places where Sparrows were introduced, 19-21.  
 States infested by Sparrows, 26.  
 States reporting most injury to fruits and vegetables, 48.  
 States reporting most injury to grain, 68.  
 States reporting most injury to grapes, 53.  
 Vegetables injured, 48.  
 Weed-seeds eaten (in England), 343.

Locust, seventeen-year (*Cicada*), 286.  
*Locustida*, 119, 131.  
 Locust-leaves picked off, 41.  
 Locusts (grasshoppers), 111, 114, 115, 119, 127, 132.  
 Locusts, kind not specified, 102, 131, 132, 288, 297, 299.  
 London purple, 174, 177, 178.  
 Longicorn beetles, 113, 117.  
 Loquats, 59, 349, 351, 353.  
 Louisiana bird-law, 169.  
 Lucerne damaged, 349.  
 Luna moth, 102, 291.  
*Lycosa scutellata*, 112, 120.  
 Maggots, 102, 119, 131, 299.  
 Maine bird-law, 169.  
 Maise, Corn, injury to, 68, 72, 74-75, 244, 253, 254, 255, 256, 259, 312, 322, 325, 344, 345.  
 Number of reports on, 68.

Man, increase checked by, 35-40.  
 Mangol-wurzel, leaves eaten, 344.  
 Map. See end of volume.  
 Maples, buds and blossoms eaten, 44, 45, 146, 241, 242, 243, 311, 328.  
 Leaves picked off, 41, 290.  
 Ruined by filth, 41.

Maple-moth, 290.  
 Maple-worm, 129, 290.  
 Market, Sparrows in, 39, 819.  
 Martin, Barn, 282.  
 Bee (= Kingbird), 80, 265, 371.  
 Black, 80, 84, 261, 269, 278.  
 Eave or Window, 283.  
 European, 98, 283, 330, 332, 333, 335, 336, 337, 338, 339, 340, 346.  
 House, 267, 270, 271, 272.  
 Purple, 80, 82-87, 96, 193-194, 261, 262, 264, 265, 266, 269, 270, 272, 275, 276, 278, 279, 280, 281.  
 Summer, 267.

Martina, kind not specified, 80, 81, 82, 87, 88, 93, 261, 262, 263, 265, 266, 267, 269, 270, 271, 272, 273, 274, 276, 277, 278, 290, 281, 282, 286, 320.

Martina, nests and eggs destroyed, 83, 84, 86, 194, 195.

Neatlings killed, 84, 86.  
 Sparrows and their young and eggs destroyed by, 274.

Martins and Sparrows in England, 330, 332, 333, 335, 336, 337, 338, 339, 340, 346.  
 Maryland, no sparrow law in, 169.  
 Massachusetts bird-law, 169.  
 Mauritius, Sparrows introduced at, 335.  
 May-beetles, May-bugs, 102, 115, 135, 136, 138, 141, 288, 300.

May-dice, 102, 130, 142, 286, 293, 297.  
 Maynard on food of Sparrows, 321-323.  
 Meadow grasshoppers, 119, 132.  
 Meadow Lark, 80, 274, 277.  
 Measuring-worms, span-worms, 99, 100, 102, 109, 110, 128, 129, 130, 131, 132, 285, 286, 291, 292, 293, 294, 295, 297, 300, 301, 311, 317, 328.  
 Measuring-worm moth, 102, 293.

*Megascops asio*, 32.  
*Melanerpes erythrocephalus*, 80, 264, 265, 262.  
*Melanopus femur-rubrum*, 129, 289.  
 Melon-bugs, 102, 129, 289.  
*Melospiza fasciata*, 80, 81, 94, 264, 267, 270, 272, 276, 279, 280, 283, 295, 323.  
*Merula migratoria*, 80, 86, 88, 90-91, 93-94, 95, 97, 108-109, 126, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 286, 281, 282, 297, 305, 309, 324-325.

Meapilus, 59.  
*Meteorus hyphantrix*, 325.  
 Methods of catching Sparrows, 183-191.  
 Methods of collecting information, 11-12.  
 Methods of diffusion of Sparrows, 23-28.  
 Methods of examining stomachs, 321.  
 Methods of restriction recommended, 150-166, 174-178, 354-357.

Michigan bounty act, 162-163, 169-170.  
 Migrating Thrush (= Robin), 268.  
 Migration, abundance of birds during, 97.  
 Migration of European Tree Sparrow, 341.  
 Migration of House Sparrow, not known, 341.  
 Millers or moths, 102, 103, 129, 130, 131, 138, 141, 265, 286, 287, 288, 289, 290, 291, 292, 294, 295, 297, 299, 300.  
 Millet, 68, 75, 76, 253, 254, 255.

Pearl, 75.  
 Russian, 75, 76.

Millo maize, 68, 75, 76, 253.  
*Mimus polyglottos*, 80, 81, 88, 91-92, 261, 264, 265, 266, 268, 269, 272, 276, 280.

Miner's seedling (grape), 55.  
 Minnesota, no sparrow law in, 170.  
 Minnesota winters, 83.  
 Miscellaneous injuries, 146-149.  
 Mississippi bird-law, 170.  
 Missouri bird-law, 170.  
 Mobbing native birds, 93-94, 273, 276, 277, 278, 279.  
 Mocking-bird, 80, 81, 88, 91-92, 261, 264, 265, 266, 268, 269, 272, 276, 280.

Neatlings killed, 91.  
 Mole-cricket, 113, 119, 140.  
 Molestation of other birds, 78-96, 260-283, 330, 332, 333, 335, 336, 337, 338, 339, 340, 346.  
*Monomorium pharaonis*, 113, 115, 116.

- Montana bird-law, 170.  
 Montana bounty-law on prairie-dogs and ground-squirrels, 161-162.  
 Mosquitoes, 102, 299.  
 Moth, buffalo, 102.  
     Cabbage, 102, 297.  
     Canker-worm, 110.  
     Cecropia, 291.  
     Luna, 102, 291.  
 Moths or millers, 102, 103, 129, 130, 131, 138, 141, 285, 286, 287, 288, 289, 290, 291, 292, 294, 295, 297, 299, 300.  
     Eaten after singeing, 131.  
 Mourning Dove, 280.  
 Mouse-ear chickweed, 343.  
 Mud Swallow (= Cliff Swallow), 80, 273, 274.  
 Mulberries, 48, 250.  
 Mullein, 120.  
 Multiplication. (See Increase.)  
*Musca cressa*, 112, 118-119.  
     *domestica*, 113, 119.  
*Muscida*, 102, 128, 291.  
 Mustard, 49, 249.  
     Field, 343.  
 Mutilated or dead insects eaten, 131, 132.  
*Myiarchus crinitus*, 80, 266, 277.  
*Myrmecodia*, 110.  
 Myrtle Warbler, 80, 283.  
     Killed by Sparrow, 283.  
*Myzine 6-cincta*, 111, 113, 114, 115.  
 Native birds, effects on, 78-98, 179, 260-283, 309, 317, 320.  
     Encouragement of, 153-153.  
     Food of, 99, 323.  
     Killed by Sparrows, 84, 86, 87, 88, 90, 91, 93, 94, 95, 270, 276, 279, 283, 307, 339.  
     List of those molested, 80.  
     Neglected, 100.  
 Native sparrows, 80, 90, 323.  
 Natural checks, in America, 31-35  
     In Europe, 97, 98.  
 Natural enemies, 31-32, 97-98.  
 Nebraska bird-law, 170.  
 Nectar from blossoms, 344 (foot-note).  
 Nectarines in Australia, 349, 351.  
 Negative evidence, on bird-molestation, 86-87.  
     On bud-destruction, 42-43.  
     On fruit destruction, 49-51.  
     On grain destruction, 77-78.  
 Neglect of native birds, 100.  
*Nephelodes violans*, 102, 286.  
 Nesting boxes removed, 36.  
 Nesting habits, change in, 24.  
 Nesting places, scarcity of, 34, 95.  
 Nesting rubbish chokes gutters, spouts, etc., 147-148, 352.  
 Nestlings of native birds, killed by Sparrows, 84, 86, 87, 88, 90, 91, 93, 276, 279.  
 Nestlings of Sparrow, killed by native birds, 271, 282.  
     Food of, 103, 104, 124, 125, 128, 129, 132, 287, 289, 290, 291, 292, 293, 295, 296, 297, 299, 300, 305, 331, 337, 338, 340, 342, 344, 345.  
     Stomach, contents of, 108-104, 124.  
 Nestlings in August, 237.  
 Nests of native birds at Cleveland, Ohio, 277.  
 Nests of Sparrow, in gas-lamps, 147.  
     In gutters, spouts, etc., 147-148.  
     In trees, 24.  
 Nests and eggs, destruction of, 36, 37, 38, 41, 165.  
 Nets and their use, 151, 165, 183-191.  
 Netting, over fruit and vegetables, 47, 65.  
 Netting Sparrows, 178-181.  
 Neuroptera, 110, 120, 260.  
 Nevada bird-law, 170-171.  
 New Hampshire bird-law, 171.  
 New Jersey bird-law, 171.  
 New Mexico, no sparrow law in, 171.  
 New York bird-law, 171.  
 New Zealand, habits of Sparrow in, 302-303, 320, 357.  
     Poison used in, 132.  
 New-sown grain damaged, 255, 259.  
 Newspapers, extracts from, 318-319.  
*Nezara hiliaris*, 123.  
 Niagara grape injured by birds, 53.  
 Night-hawk, disappearance of, 283.  
 Noctuidæ, 112, 297.  
 Noctuid larvæ, 113, 114, 115, 131.  
 Noise of the Sparrow, 149.  
 Nonpareil, painted Finch, 80, 264, 280.  
 North Carolina, no sparrow law in, 171.  
 Northern Shrike, Butcher Bird, 31, 233, 238, 276.  
 Norton grape, 324.  
 Notes of the Sparrow, 149.  
 Noxious insects in Sparrows' stomachs, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143.  
 Noxious and innoxious insects, 121.  
 Number of broods and young reared by Sparrow, 27, 192, 193.  
 Number of eggs laid by Sparrow, 27, 193.  
 Nuthatch, White-bellied, 80.  
 Nuthatches, 80, 152-153, 279.  
 Nuttall Ornithological Club, 303-304.  
*Nux comica*, 174, 177, 350.  
 Oats, injury to, 68, 71, 72, 73-74, 77, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 263, 254, 255, 256, 257, 258, 259, 260.  
     In stomachs, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146.  
     Number of reports on, 68.  
 Objections to bounties, 158-161.  
 Observation, data derived from, 101.  
*Odipoda carolina*, 127, 301, 313, 329.  
 Official Sparrow-killers, 150, 151-152.  
 Ohio, bounty-law in, 150, 171-172.  
     Estimated cost of exterminating Sparrows, in, 154-161.  
     Estimated number of Sparrows in, 154.  
 Old-field Sparrow, 279.  
 Olives injured, 349.  
 Omissions explained, 12, 199.  
 Opinion versus evidence, 12-13, 199.  
 Orange buds and blossoms injured, 45, 47.  
 Orange peel in stomach, 145.  
 Orchard Oriole, 80, 83, 268, 278, 280.  
 Oregon, no sparrow law in, 172.  
 Organised attacks on native birds, 86-87.  
*Orygia leucostigma*, 100, 102, 107, 109, 121, 125-126, 129, 130, 131, 291, 292, 293, 294, 324-325.

- Ohio, 277.  
 etc., 147-148.  
 38, 41, 103.  
 7, 65.  
 302-303, 320.  
 238, 276.  
 134, 135.  
 Sparrow,  
 136, 137,  
 146, 253,  
 139, 140.  
 arrows,  
 54.  
 25-126,  
*Orygia leucostigmata* replaces *Ennomos* and *Paletia*-  
*orita*, 109, 121.  
 Original testimony in detail, 198-201.  
 Oriole, Baltimore, 80, 81, 108-109, 265, 266, 269, 271,  
 272, 273, 274, 275, 278, 282, 283, 324-325.  
 Orchard, 80, 83, 268, 278, 280.  
 Orioles, kind not specified, 80, 263, 265, 266, 267, 268,  
 269, 270, 273, 274, 275, 279, 282, 283.  
 Orioles and grapes, 324.  
 Ornamental trees or vines injured, 49, 41, 42.  
 Ornithologists' Union, American, 11, 304.  
 Orthoptera, 102, 119, 120, 121, 127, 269.  
*Otocoris alpestris*, 80.  
 Outline of Sparrow history, 301-304.  
 Owl, Mottled or Screech, 32, 150, 238.  
 Painted Finch (Nonpareil), 80, 264, 280.  
 Pairing of young Sparrows, 28.  
 Pale-flowered persicaria, 343.  
*Palaearcta vernata*, 99, 102, 100, 110, 121-122, 126, 128,  
 129, 130, 131, 132, 285, 286, 291,  
 292, 293, 295, 299, 300, 301.  
 Replaced by *Orygia*, 121-122.  
*Panicum sanguineum*, 304.  
 Paper bags and grapes, 53, 323-324.  
*Papilio turnus*, 102, 291.  
 Parasites of caterpillars, 109-110.  
 Parasites of Sparrows, 31.  
 Paris green, 174, 178.  
 Parkman's Wren, 80.  
 Parula damaged, 40, 64.  
*Parus atricapillus*, 80.  
 Passenger Pigeon, disappearance of, 283.  
*Passer domesticus*, figure of, 16.  
*hispaniolensis*, 302.  
*indicus*, 303.  
*montanus*, in Saint Louis, Mo., 10, 191-194.  
 Migrant in Europe, 541.  
*Passerina ciris*, 80, 264, 280.  
*cyanea*, 80, 274.  
 Peaceful relations with native birds, 85, 86, 91, 96,  
 266, 267, 268, 278, 274, 275, 278, 279, 280, 283.  
 Peach buds or blossoms destroyed, 44-45, 46, 47,  
 103, 240, 241, 242, 325, 327.  
 Peach buds with grubs in them, 43.  
 Peaches, injury to, 48, 58, 244, 219, 270, 349, 353.  
 Pear buds or blossoms, destroyed, 43, 45-46, 144,  
 146, 240, 241, 242, 299,  
 318, 325, 327.  
 With insects, 43, 299.  
 Pearl millet, 75.  
 Pears, injury to, 48, 54, 55, 58-59, 60, 247, 248, 249,  
 270, 349, 351, 352.  
 Peas, blossoms eaten, 48, 61, 64, 247, 251.  
 Dry, eaten, 60.  
 English, eaten, 245.  
 Found in Sparrows' crops, 61.  
 Green, eaten, 48, 54, 61, 62, 65, 124, 244, 245, 246,  
 248, 249, 250.  
 In Australia, 340, 353.  
 In England, 380, 381, 382, 386, 389, 340, 344, 345,  
 347.  
 Sweet, 64.  
 Vines eaten, 48, 61, 63, 64, 146, 245, 250, 251.  
 Pennsylvania Sparrow law, 172.  
 Pepper, 46.  
 Blossoms of, 64.  
 Percentage of animal matter in food of nestling  
 Sparrows, 103, 124.  
 Percentage of insect food in stomachs exam-  
 ined, 106, 104, 124, 304, 305, 325, 326, 327, 328, 342,  
 346, 347.  
 Percentage of insect food in young Sparrows,  
 103, 124, 305.  
 Percentage of insectivorous Sparrows, 314.  
 Percentage of stomachs containing insects, 314,  
 326-329.  
 Period of incubation, 27.  
 Periodicals, extracts from, 318-324.  
 Perilla, 115, 119.  
 Persicaria, pale-flowered, 343.  
 Persimmon trees, insects eaten from, 267.  
 Petitions, 236.  
*Petrochelidon lunifrons*, 80, 88, 89, 262, 268, 272, 273,  
 274, 275, 276, 282, 283, 307, 327.  
 Pewee, Phoebe, 80, 98, 268, 269, 270, 271, 272, 274,  
 276, 277, 282, 283, 569.  
 Pewee, Least, 80, 269.  
 Wood, 80, 277.  
*Phaeolus lunatus*, 146.  
*Phleum pratense*, 146.  
 Phoebe, Pewee, 80, 88, 268, 269, 270, 271, 272, 274,  
 276, 277, 282, 283, 309.  
 Phosphorized wheat, 350.  
 Phosphorus, 175, 349.  
*Phyllopertha horticola*, 342.  
*Phytonomus*, 117.  
*Pieris rapae*, 294.  
 Larva of, 131, 288, 300.  
 Pigeon, domesticated, attacked, 61, 95, 264, 266.  
 Feeding on army-worms,  
 etc., 290-291.  
 Passenger or Wild, disappearance of, 283.  
 Pigeon grass, 304.  
 Pigeon Hawk, 32, 309.  
 Pine buds eaten, 241.  
 Pines injured by filth, 41, 241.  
*Pipilo erythrophthalmus*, 80.  
*Pinus sativum*, 146.  
 Plantain seeds eaten, 345.  
 Plant lice, 102, 129, 130, 289, 296, 328, 345, 347, 348.  
 Plum blossoms without insects, 46.  
 Plum buds and blossoms, 45, 46, 146, 242, 243, 320,  
 323, 327.  
 Plum curculio, 102, 131, 288.  
 Plum, Japan, 59.  
 Plums eaten, 48, 54, 56, 57, 58, 244, 248, 249, 349, 350,  
 351, 352.  
*Podiceps*, 118.  
 Poison, administered improperly, 38.  
 Cost of, 175.  
 Danger of, to native birds, 239.  
 Destruction by, 37, 38, 151, 165, 174-178, 233,  
 234, 235, 236, 238, 239, 324, 340, 350, 351, 352,  
 357.  
 Suggestions and precautions as to, 151,  
 165, 175-176.  
 Use of, forbidden in cities, 37.  
 Use of, in winter advocated, 38.  
 Used in Australia, 182, 349, 350, 351, 352, 357.  
 Used in England, 239.  
 Poisoned grain, cost of, 175.  
 Poisoned water, 349, 350.

- Poisoned wheat in Australia, 192-193.  
 Poisons, formule for preparation of, 174-175.  
 Pollen eaten, 344.  
*Polygonum aviculare*, 343.  
     *convolvulus*, 343, 345.  
     *lapathi-folium*, 343.  
*Polygonum* seeds eaten, 67, 304, 312, 343, 345.  
*Poocetes gramineus*, 80, 270.  
 Poplar buds and catkins, 44.  
 Potato beetle, Potato bug, 102, 129, 130, 238, 293.  
*Potentilla*, beetle found on, 117.  
 Poultry robbed of food, 149.  
 Prairie-dogs, bounty on, 161-162.  
 Precautions in use of poison, 175-176.  
 Prefatory letter, 9.  
 Premiums, advocated, 153, 238.  
     By clubs, 166.  
     In Australia, 340, 350.  
     In England, 239, 251-252, 260.  
     In Germany, 302, 321.  
 Prévost, M. Florent, 302.  
 Prizes for Sparrow-killing, 153.  
*Progne subis*, 80, 82-87, 96, 193-194, 261, 262, 264, 265, 266, 269, 270, 272, 275, 276, 278, 279, 280, 281.  
 Proportion of animal food in Sparrows' stomachs, 126.  
 Proportions of different foods in Sparrows' stomachs, 124.  
 Protection of caterpillars by Sparrows, 107-110.  
 Protective laws, 150-151.  
     Repeal of, 35-36, 150-151.  
 Prunes destroyed, 244.  
*Prunus domestica*, 146.  
 Prussia, premiums in, 302.  
*Psoc.*, 114, 115, 119, 140.  
 Pub. opinion, change of, 35.  
 Publications, extracts from various, 324-357.  
     Partial list of, 301-304.  
 Published testimony, 351-357.  
     American, 304-329.  
     Foreign, 330-357.  
 Purple Finch, 80, 263, 270, 276, 280.  
     Mobbed by Sparrows, 276;  
 Purple Grackle, 32, 80, 92, 267, 268, 269, 271, 276.  
 Purple Martin, 80, 82-87, 96, 193-194, 261, 262, 264, 265, 266, 269, 270, 272, 275, 276, 278, 279, 280, 281.  
 Pyralids, 118.  
*Pyrranga* (see Tanager), 80.  
*Pyrgita* [*Passer*] *domestica*, 305.  
*Pyrus communis*, 146.  
 Quarrels, unprovoked, 92-94, 97, 263, 264.  
 Quince buds and blossoms destroyed, 45, 46, 242.  
*Quiscalus quiscula*, 32, 80, 92, 267, 268, 269, 271, 276.  
 Rabbits in New South Wales, 353.  
 Radish, beds destroyed, 386.  
     Leaves and sprouts eaten, 48, 63, 250, 344.  
     Seed eaten, 48, 65, 246, 247.  
     Wild, 343.  
 Rag-weed seed eaten, 250.  
 Range of Sparrow in America, 190-232.  
 Rape-seed eaten, 65.  
*Raphanus raphanistrum*, 343.  
 Rapidity of increase, 29-30.  
 Raspberries eaten, 48, 54, 55, 56, 57, 59, 70, 243, 246, 247, 248, 249, 251, 327.  
 Raspberry buds destroyed, 46.  
 Rate of increase, 27-31, 232, 233, 294, 235, 236, 237, 238, 239.  
 Rate of spread, 26-27, 191-192.  
 Recommendations, for legislation, 150-164.  
     To the people, 164-166.  
 Red ants, 102, 291.  
 Redbird, 80, 264, 265, 266, 280.  
 Red clover, 146.  
 Red-eyed Vireo, 80, 265, 269.  
 Red-headed Woodpecker, 80, 264, 265, 282.  
 Red June apple, 57.  
 Red maggot on grain, 348.  
 Redpoll, 80, 263.  
 Red spider, 345.  
 Red squirrel mobbed by Sparrows, 273.  
 Redstart, 80.  
 Red-winged Blackbird, 80, 266.  
*Regulus satrapa*, 80, 94, 263, 267.  
 Relation to canker-worms, 109-110.  
 Relation to caterpillars, 107-109.  
 Relation to insects, 98-133, 283-301.  
 Relation to native birds, 78-93, 260-283.  
 Relation to span-worms, 109-110.  
 Removal of nesting boxes, 36.  
 Repeal of protective laws, 35-36, 150.  
 Replacement of *Ennomos* and *Palaearctia* by *Orygia*, 121-122.  
 Replacement of smooth worms by hairy caterpillars, 121-122.  
 Replacement of Sparrows by native birds, 152-153.  
 Report of Sparrow investigation in Australia, 346-352.  
 Resolutions adopted in Australia, 355.  
 Restriction and prevention, 164-166.  
 Restriction, by shooting, 179, 236.  
     By trap and gun, 37-40.  
     In Australia, 354-357.  
     In England, 334.  
 Results of dissection, 133-146.  
 Résumé of dissections in Europe, 123-125.  
 Rewards for eggs and heads in Australia, 349, 350.  
 Rhode Island sparrow law, 172.  
 Rice, attacked in the field, 76, 77.  
     Eaten from stack, 259.  
     Injury to, 68, 76-77, 259.  
 Rice, Egyptian 74, 75.  
     Wild (*Zizania*), 76.  
 Rice, bread, etc., in stomachs, 136, 137, 138, 139, 140, 141, 143, 144, 145.  
 Rice-birds and rice, 70, 76, 77.  
 Riley on insectivorous habits, 2, 111-132.  
 Ripe cherries fed to young, 56.  
 Ripe pears eaten, 247, 248.  
 Roaches eaten, 306.  
 Robin, 80, 86, 88, 90-91, 93-94, 95, 97, 108-109, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 309, 324-325.  
     Destroys fruit, 60, 270, 324.  
     Eats hairy caterpillars, 108-109.  
     Eats moth of canker-worm, 110.  
     Eggs and young destroyed, 90, 279.  
     Food of, 126.  
     Killed by Sparrow, 65, 277.  
     Robbed of insect and worms, 56, 94, 264, 275, 297, 305.

Robin, Wood (= Wood Thrush), 278.  
*Romaleum atomarium*, 123.  
 Rose aphid, 123.  
 Rose-breasted Grosbeak, food of, 323.  
 Rose-bug, 102, 131.  
 Rose-slugs, 102, 125, 128.  
 Roosts and filth, 40.  
 Roosts raided at night, 36.  
 Rough-winged Swallow, 80.  
 Rougier de la Bergerie, 302.  
 Ruby-throated Hummingbird, 80, 95, 277.  
*Rumex crispus*, 343.  
 Russian Empire, Sparrows in, 23.  
 Russian millet, 78, 79.  
 Rye, injury to, 68, 74, 253, 254, 256, 260, 330.  
     In Sparrow's craw, 74.  
 Sagacity of Sparrows, 181, 235.  
 Saint Louis, House and Tree Sparrows at, 191-194.  
 Salsify, 49, 248, 249.  
 Samples of evidence, how selected, 13.  
 Sand Swallow (= Bank Swallow), 80.  
 Sap-sucker, 80.  
 Sassafras seeds eaten, 250.  
 Savanna Sparrow, 80, 270, 280.  
     Food of, 323.  
*Sayornis phoebe*, 80, 68, 268, 269, 270, 271, 272, 274, 276, 277, 282, 283, 309.  
 Scale insects eaten, 130, 131, 297.  
 Scandinavia, Sparrows in, 23.  
 Scarabæidæ, 115.  
 Scarcity of nesting places, 34.  
*Science*, extracts from, 305.  
*Scotiids*, 115.  
 Scottish thistle in Van Dieman's Land, 308.  
 Scratching up seed, 64-65, 66, 67, 69, 244, 246, 250, 255.  
 Screech Owl, Mottled Owl, 32, 150, 238.  
 Seasonal variation in food, 124-125.  
 Seasonal variation in insect diet, 103-106.  
*Secale cereale*, 146.  
 Seckel pears, 55.  
 Sedge (*Carex*), 312.  
 Seed-eaters sometimes insectivorous, 99.  
 Seed gardens, injury to, 65.  
 Seed oats injured, 74.  
 Seed pods eaten, 64.  
 Seeds in stomachs. (*See* Stomach contents.)  
*Selandria*, 125, 128.  
*Setaria glauca*, 146, 304.  
     *verticillata*, 305.  
     *viridis*, 304.  
*Setaria*, seed eaten, 67, 76, 145, 146, 304, 305.  
*Setophaga ruticilla*, 80.  
 Seventeen-year cicada or locust, 130, 289.  
 Shad flies, 286.  
 Shade trees, buds or blossoms plucked, 45, 441, 243.  
     Freed from worms, 43.  
     Leaves plucked, 42.  
 Shade trees and their insect defoliators, 324, 325.  
 Sharp-shinned Hawk, 82.  
 Shocked grain injured, 253, 254, 255, 256, 257, 258, 259, 260.  
 Shooting, allowed in city, 88.  
     Expense of, 88.  
     On grain-fields, 74.  
     Restriction by, 179, 236.  
 Shooting-clubs, 166.

Shooting matches, 166.  
 Shoots of vegetables, 61, 62, 63, 64, 244, 245, 246, 247, 249, 250, 251.  
 Shore Lark, 80.  
 Shrike, Great Northern, 31, 159, 233, 234, 276.  
 Shrikes, 234, 309.  
*Sialia mexicana*, 80.  
     *sialia*, 80, 81, 82-87, 88, 91, 93, 94, 96, 97, 120, 261, 262, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 290-291, 297, 320, 327.  
*Sinapis arvensis*, 343.  
 Singed insects eaten, 131, 298.  
*Sitones flavescens*, 117.  
*Sitta carolinensis*, 80, 279.  
 Skylark, English, 341.  
 Slugs on rose-bushes, 102, 125, 128.  
 Small fruits injured, 48, 56-57, 58.  
 Small grain, number of reports on, 68.  
 Smartweed (*Polygonum*), 304.  
 Smooth caterpillars or worms, 99, 102, 131, 132, 285, 286.  
     Replaced by hairy worms, 121-122.  
 Snail in Cuckoo's stomach, 123.  
 Snails, scarcity of, 285.  
 Snapping-bugs in Sparrow's nest, 320.  
 Snout-beetles, 111, 112, 117-118, 135, 136, 137, 138, 139, 140, 141.  
 Snow-birds (*Junco*), 80, 262, 269, 270.  
*Solenopsis*, 112, 116.  
 Song of the Sparrow, 149.  
 Song-birds, effects upon, 80, 91, 270, 274, 320.  
 Song Sparrow, effects upon, 80, 81, 94, 261, 267, 270, 272, 278, 279, 280, 283, 295, 323.  
     Food of, 295, 323.  
     Killed by *Passer*, 94.  
 Sonnini's "Dictionaire," extract from, 301.  
 Sorghum, injury to, 68, 75-76, 259.  
     Varieties of, 75.  
 South Australia, distribution of Sparrow in, 348.  
 South Carolina bird-law, 172.  
 Spanish Sparrow in Africa, 302.  
 Span-worms, measuring-worms, 99, 100, 102, 109, 110, 128, 129, 130, 131, 132, 285, 286, 291, 292, 293, 294, 295, 297, 299, 300, 301, 311, 328.  
     Disappearance of, from Philadelphia, 109.  
     Replacement of, by *Orgyia*, 121-122.  
 Sparrow, Canada Tree, 192.  
     Chipping, 80, 81, 87, 93, 95, 262, 263, 264, 265, 266, 267, 269, 270, 271, 272, 277, 278, 279, 280, 282, 283, 306, 309, 327.  
     Common, 80, 88, 269.  
     English, the term a misnomer, 17.  
     European Tree, 191-194.  
     European House, the proper name of *Passer domesticus*, 17.  
     Field, 80, 267, 270.  
     Ground, 80.  
     House (= English), 17.  
     House (Chipping), 264.  
     Indian House, 303.  
     Native, 80, 90, 276.  
     Old-field, 270.  
     Savanna, 80, 270, 280, 323.  
     Song, 80, 81, 94, 264, 267, 270, 272, 278, 279, 280, 283, 295, 323.



- Sparrow, Spanish, 302.  
 Summer, 276.  
 Tree, 80, 270, 271, 272, 280.  
 Vesper (= Grass Finch), 80, 270.
- Sparrow-clubs, 166, 239, 334.  
 Sparrow Hawk, 32, 150, 300.  
 Sparrow hunts, 166, 238.  
 Sparrow-hunters in Prussia, 302.  
 Sparrow-killers, official, 150, 151-152.  
 Sparrow-trapping, 178-191.  
 Sparrows as food, 38-39, 160, 166, 182.  
*Sphenophorus parvulus*, 112, 113, 114, 117-118.  
     *robustus*, 118.  
     *sculptilis*, 118.  
     *13-punctatus*, 118.  
     *zece*, 112.  
*Sphinx carolina*, 102.  
*Sphyrapicus varius*, 95.  
 Spice-wood seeds eaten, 250.  
 Spiders, 102, 103, 112, 120, 120, 130, 138, 139, 285, 291,  
 293, 294, 295, 299, 300, 339, 345.  
 Spinach, injured, 49, 64.  
     Wild, 343.  
*Spinus psaltria*, 89.  
     *tristis*, 80, 81, 88, 91, 263, 265, 267, 270, 271, 274,  
     275, 276, 277, 278, 280, 281.  
*Spizella monticola*, 80, 192, 270, 271, 272, 280.  
     *pusilla*, 80, 270.  
     *socialis*, 80, 81, 87, 93, 95, 262, 263, 265, 266,  
     267, 269, 270, 271, 272, 277, 278, 279, 280, 282,  
     283, 306, 309, 327.  
 Spontaneous combustion in nests, 149.  
 Sporting purposes, Sparrows for, 178-191.  
 Spouts choked with nesting rubbish, 147-148, 352.  
 Spread, into country, 23-26, 259.  
     Manner of, 18-28.  
     Rate of, 26-27.  
 Spring canker-worm, 121-122.  
 Sprouting grain pulled, 259, 260, 341, 344.  
 Sprouts of vegetables eaten, 61, 62, 63, 64, 244, 245,  
 246, 247, 249, 250, 251.  
 Squads of Sparrows attack other birds, 86, 87, 94,  
 266-267, 269, 270, 271, 276, 277, 279, 280, 281, 282.  
 Squash blossoms destroyed, 64.  
 Squash-bug, 102.  
 Squirrel mobbed, 273.  
 Stable flies eaten, 102.  
 Stacked grain injured, 69, 70, 71, 72, 253, 254, 255,  
 256, 257, 258, 259, 260.  
 Staphylinid beetle, 296.  
 Starling, European, 333.  
 State laws on bird protection, 167-173.  
 States, distribution of Sparrow in, 199-232.  
 States, list of those—  
     Occupied by Sparrow, 26.  
     Reporting most injury to fruits and vegeta-  
     bles, 48.  
     Reporting most injury to grain, 68.  
     Reporting most injury to grapes, 53.  
 Statues defaced by filth, 147.  
*Steigolopteryx serripennis*, 80.  
*Stellaria media*, 305, 343.  
 Stomach contents of Cuckoo, 123.  
 Stomach contents of Sparrows, 100-101, 111, 123-  
 125, 133-146, 296, 304, 311-314, 318, 320, 321-323, 325  
 329-329, 331, 335, 338, 337, 342, 344-345, 347.
- Stomach contents of Sparrows—Continued.  
 Method of determining, 111, 133, 321-322.  
 Tables of, 133-146.  
 Stomachs, number examined, 100-101.  
     With few insects, 127, 131, 291, 296, 298,  
     299.  
     With many insects, 328-329, 331, 336, 337,  
     338, 344-345.  
     With no insects, 126, 127, 129, 130, 287,  
     288, 289, 291, 293, 295, 296, 297.  
 Storms, effects of, 32-34, 232-233, 234, 236-237.  
 Strawberries, 48, 54, 55, 56, 57, 60, 63, 244, 245, 246,  
 247, 248, 249, 250, 251, 327.  
 Street refuse, importance of, to the Sparrow, 34.  
 String-beans, 146.  
 Strychnine, 174, 175, 176, 177, 234, 236, 238, 324,  
 349, 351, 352.  
     Experiments with, 176.  
*Sturnella magna*, 80, 274, 277.  
 Sugar-corn, 62, 249.  
 Suggestions as to poisons, 175.  
 Sulphur fumes at roosts, 349.  
 Summaries of evidence, 17-149.  
     Why misleading, 13.  
 Summary of food in England, 345.  
 Summary of insects in stomachs, 120.  
 Summary of reports on insects, 98-110, 123-131.  
 Summer Martin, 267.  
 Summer Sparrow, 276.  
 Summer Warbler, 282, 283.  
 Summer Yellow-bird (= Yellow Warbler), 270,  
 272, 279.  
 Sunflower, seed eaten, 48, 64, 65-66, 245, 247, 248,  
 251, 304.  
     Wild, seed eaten, 66.  
 Superabundance of nesting places, 96.  
 Swallow, Bank, 80.  
     Barn, 80, 86, 89, 202, 206, 271, 272, 273,  
     277, 278, 282, 283.  
     Blue-backed = Tree Swallow, q. v.  
     Chimney (see *Swift*), 80, 278.  
     Cliff, 80, 88, 89, 262, 268, 272, 273, 274,  
     275, 276, 282, 283, 307, 327.  
     Eave (= Cliff Swallow), 88, 262, 271, 276,  
     282.  
     European, 335.  
     Fork-tailed (= Barn Swallow), 68.  
     House, 266.  
     Jug or Mud (= Cliff), 80, 88, 273, 274.  
     Rough-winged, 80.  
     Sand (= Bank), 80.  
     Tree, 80, 82, 84, 85, 86, 88, 90, 96, 97, 262,  
     265, 269, 270, 272, 282, 283, 327.  
     Violet-green, 80.  
     White-bellied or White-breasted. (See  
     Tree.)  
 Swallows, kind not specified, 80, 81, 86, 88, 89, 90,  
 262, 264, 265, 266, 268, 269, 271, 272, 273,  
 276, 278, 279, 282, 307.  
     Killed by Sparrows, 90, 307.  
     Sparrows killed by, 282.  
 Swede turnip buds destroyed, 344.  
 Sweet apples, 250.  
 Sweet corn, 62, 66, 244, 246, 249, 254, 255.  
 Sweet peas, 49, 64.  
 Swift, Chimney, 80, 278, 282.

duced.  
21-322.

291, 296, 298,

331, 336, 337,

129, 130, 287,  
96, 297,  
3-237.

244, 245, 246,

arrow, 34.

6, 238, 324,

123-131.

bler), 270,

5, 247, 248,

1, 272, 273,

g. v.

2, 273, 274,

271, 276,

88.

3, 274.

6, 97, 262,

ed. (See

88, 89, 90,

272, 273,

Sycamore pollen eaten, 344.

Synopsis of evidence relating to native birds, 261.

Synopsis of replies relating to insectivorous habits, 284.

Synopsis of replies relating to trees and vines, 240.

Synopsis of testimony relating to fruits and vegetables, 213-244.

Synopsis of testimony relating to grain crops, 252.

Tables showing—

Approximate spread of the Sparrow, 27.

Cost of bounties, 158.

Distribution of Sparrow in the United States and Canada, with dates of first appearance, 199-232.

Injury to buds and blossoms, 45.

Injury to fruits and vegetables, 48.

Injury to grain, 68.

Places and dates of introduction, 19-21.

Probable effects of bounties, 157.

Seasonal variation in insect diet, 106.

Stomach contents, 133-146, 311-314, 322, 344-345.

Theoretical increase, 29.

*Tachycineta bicolor*, 80, 82, 84, 85, 86, 88, 90, 96, 97, 262, 265, 269, 270, 272, 282, 283, 307, 309, 327.

*thalassina*, 80.

Tanagers, 80, 270.

*Taraxacum officinale*, 343.

*Tarentula*, 112, 120.

Taxes recommended in Australia, 352.

Temperature, effects of, 236, 239.

Tender shoots eaten, 244, 245, 246, 247, 249, 250, 251.

Tennessee bird-law, 172.

Tent caterpillar, 102, 129, 131, 238, 300.

Eggs of, 300.

*Teras contaminiana*, 345.

*Termes flavipes*, 130, 291.

Termites, white-ants, 102, 129, 130, 291, 294.

Testimony, amount of, 12.

Methods of collecting, 11-12.

Original, in detail, 198-301.

Published, American, 304-329.

Foreign, 330-357.

*Tettix*, 111, 119.

Texas bird-law, 173.

Thatched roofs destroyed, 146-149, 338.

Theoretical increase, 29.

Thrasher, Brown, 80, 266, 278, 280.

*Thrips*, not eaten, 348.

Thrush, Brown, 80, 265, 278, 280.

Hermit, 80, 273.

Migrating (= Robin), 268.

Wood, 80, 274, 275, 278.

Thrushes, kind not specified, 80, 265, 268, 272, 273, 275, 278, 280, 335.

Protected in England, 335.

*Thryothorus ludovicianus*, 80, 276, 277, 280.

*beuickii*, 80, 264, 276.

Thunder-storms, effects of, 32-34, 232-233, 234, 236-237.

*Thyridopteryx*, 121, 324-325.

Tiger-beetle (*Cicindela*), 102, 130, 295.

Timothy, 146, 311, 325.

*Tiphia inornata*, 112, 113, 114, 115.

*Tipula*, 338, 345.

Titmouse, Black-capped, 80.

Kind not specified, 80, 269.

Tobacco seed, 49.

Tobacco-moth, 129.

Tobacco-worm, 102, 128, 131.

Tomato, injury to, 48, 59, 247, 249, 251.

Tomtit, 80, 280.

Towhee, Chewink, 80.

Towhee, Brown, 80.

Towns forsaken by Sparrows, 70.

Transportation, accidental, in cars, 23, 309.

Trapping Sparrows, 37-40, 178-191.

Traps and nets, suggestions as to use of, 151, 164-165.

Trap-shooting with Sparrows, 178-191.

Tree caterpillar, 102, 287.

Tree hopper, 140.

Tree lice, 102, 269.

Tree Sparrow, 80, 270, 271, 272, 280.

Canada, 192.

European, 191-194.

Tree Swallow (= White-bellied Swallow), 80, 82, 84, 85, 86, 88, 90, 96, 97, 262, 265, 269, 270, 272, 282, 283, 327.

Killed by Sparrow, 270.

Trees, injury to, 40-48, 240-243.

*Trifolium pratense*, 146.

*repens*, 146.

*Triticum vulgare*, 146.

*Trochilus colubris*, 80, 95, 277.

*Troglodytes aëdon*, 80, 82, 83, 85, 87-88, 93, 96, 97, 262, 263, 264, 265, 266, 267, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 280, 282, 283, 309, 327.

*aëdon parkmannii*, 80.

Tuberose buds destroyed, 49, 64.

Tulips destroyed, 49, 249.

*Turdus aor laschka pallasi*, 80, 273.

*matelinus*, 80, 274, 275, 278.

Turnip leaves or sprouts eaten, 48, 63, 245.

Turnip seed eaten, 48, 64, 65, 244, 245, 246, 247, 218.

Turnips pecked, 245.

Turnus butterfly, 102, 291.

Turpentine as poison, 349.

Tussock-moth (*Orgyia*), 100, 102, 107-109, 121, 129, 130, 131, 291, 292, 293, 294, 324-325.

*Tyrannus tyrannus*, 80, 92, 94, 265, 268, 269, 271, 275, 276, 277, 278, 281.

Tyrant Flycatcher (= King-bird), 269.

*Ulmus americanus*, defoliated by *Orgyia*, 108.

Undetermined vegetable matter in stomachs, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145.

Unprovoked attacks on native birds, 92-94, 97, 263, 264.

Unusual nests of the Sparrow, 307.

Useful birds in England, 334.

Utah, no sparrow law in, 173.

Valmont de Bomare, 302.

Value of Sparrows for food, 182.

Van Dieman's Land, Scottish thistle in, 308.

*Vanessa antiopa*, 102, 291.

*Vanessa* butterfly, 102, 291.

Vaporer-moth. (See Tussock-moth.)

Vegetables, injury to, 60-66, 243-252.

List of those injured, 48.

Seed eaten, 64-66, 244-252.

- Venango grape, 55.  
*Verbascum thapsus*, 120.  
*Verbena hastata*, seeds of, in stomach, 312.  
 Verdict of American Ornithologists' Union, 316-318.  
 Vermont bird-law, 173.  
 Vesper Sparrow (= Grass Finch), 80, 270.  
 Vines, buds of, eaten, 40-42, 43, 45, 46, 47, 243.  
     Injury to, 40-42, 43, 45, 46, 47, 240-243.  
 Vineyards badly damaged, 51, 54.  
 Vineyards of Western New York, 52-53.  
 Violet-green Swallow, 80.  
*Vireo gilvus*, 80, 92, 264, 282.  
     *noveboracensis*, 80, 92.  
     *olivaceus*, 80, 265, 269.  
 Vireo, Red-eyed, 80, 265, 269.  
     Warbling, 80, 92, 264, 282.  
     White-eyed, 80, 92.  
 Vireos, kind not specified, 80, 81, 88, 92, 370, 327.  
     Nestlings killed, 92.  
 Virginia, no sparrow law in, 173.  
 Virginia Yellow-bird, 283.  
*Vitis*, 146.  
 Voice of English Sparrow, 140, 192.  
 Voice of European Tree Sparrow, 192.  
 Warbler, Myrtle, 80, 283.  
     Summer, 282, 283.  
     Yellow, 80, 81, 270, 272, 279, 280, 282, 283, 327.  
     Yellow-rump (= Myrtle), 80, 283.  
 Warblers, kind not specified, 80, 282, 263, 264, 266, 267, 269, 275, 281, 327.  
     In England, 335, 337.  
 Warbling Vireo, 80, 92, 264, 282.  
     Nestlings killed, 92.  
 Wariness. (See Sagacity.)  
 Washington Territory, no sparrow law in, 173.  
 Wasps, 49-50, 102, 115-116, 134, 135, 136, 138, 139, 140, 141, 142, 289.  
 Wasps and grapes, 49-50.  
 Wasps injure over-ripe fruit, 49-50.  
 Water-beetles, 342.  
 Water-pipes choked with nests, 143.  
 Web caterpillars, 126, 308.  
 Web-worm, fall web-worm, 100, 118, 123, 128, 129, 130, 286, 288, 297, 298, 324-325.  
     Number eaten by Cuckoo, 123.  
 Weed seed, destruction of, 52, 65, 66-68, 124, 250, 253, 311, 312, 322, 328, 328, 336, 343, 345.  
     In Sparrows' stomachs, 52, 136, 137, 138, 139, 140, 141, 142, 143, 144, 146.  
     List of kinds eaten in England, 343.  
 Weeds, a protection in vineyards, 52.  
 Weevils, 102.  
 Western Bluebird, 80.  
 Western House Finch, 69.  
 West Virginia bird-law, 173.  
 Wheat:  
     Damaged by Sparrow, 60-73, 74, 76, 253, 254, 255, 256, 257, 258, 259, 260, 325.  
     Distant from town, 69.  
     Experiments spoiled, 73.  
     Found in stomachs, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146.  
     In Australia, 349, 351, 357.  
     In barns, 71.  
     In England, 330, 331, 332, 336, 337, 339, 340, 344, 345, 347.  
     In the mill, 71.  
     In shock, stack, and crib, 69, 70, 71, 72, 253, 254, 255, 256, 257, 258, 259, 260.  
     Late-sown, 69.  
     New-sown, 69.  
     Number of reports on, 68.  
     Scratched up, 69.  
 Wheat, Clawson, 73.  
     Diehl Mediterranean, 73.  
     Martin Amber, 73.  
 Wheat-fields, edges damaged, 70, 72.  
 Wheat insects, 102.  
 Whippoorwill, disappearance of, 283.  
 White of Selbourne, 333, 346.  
 White ants, 102, 129, 130, 291, 294.  
 White arsenic, 174, 177.  
 White-bellied Nuthatch, 80.  
 White-bellied Swallow (= Tree Swallow), 80, 82, 84, 85, 86, 88, 90, 96, 97, 262, 265, 269, 270, 272, 282, 283, 307, 309, 327.  
 White-breasted Swallow (= White-bellied Swallow), 309, 327, 307.  
 White cabbage butterfly, 130.  
 White caterpillar, 129, 290.  
 White clover, beetles feeding on, 117.  
     Seed eaten, 146.  
 White elm, buds eaten, 242.  
 White-eyed Vireo, 80, 92.  
 White grubs, 116, 289, 297.  
 White-marked tussock-moth, 121, 324-325. (Also see Tussock-moth.)  
 Widmann on European Sparrows at Saint Louis, 10, 191-194.  
 Wild Canary (= Goldfinch), 80, 265.  
 Wild cherries, 48.  
 Wild grapes, 55, 250.  
 Wild radish, 343.  
 Wild rice, 76.  
 Wild spinach, 343.  
 Wild sunflower, 66.  
 Willow-moth, 312.  
 Window casings soiled, 147.  
 Window Martin, European, 283.  
 Winged ants, 102, 128, 130, 140, 291.  
 Winter-killed Sparrows, 32-33, 233, 234, 235, 238, 239.  
 Winter weather, effects of, 33, 308.  
 Wire-worms, 345.  
 Wisconsin bird-law, 173.  
 Wistaria buds eaten, 45.  
 Woodpecker, Downy, 80, 260, 269, 272, 274, 275, 277, 279.  
     Golden-winged, 80, 260, 281, 282.  
     Hairy, 80, 266.  
     Red-headed, 80, 264, 265, 282.  
     Yellow-bellied, 80, 95.  
 Woodpeckers, kind not specified, 80, 91, 132-153, 267, 275.  
     Nestlings killed, 91.  
 Wood Pewee, 80, 277.  
 Wood Pigeon, harmful in England, 335.  
 Wood Robin (= Wood Thrush), 278.

Wood Thrush, 80, 274, 275, 278.

Worms, apple-tree, 102.

Hairy, 100, 130, 290.

Kind not specified, 102, 120, 284, 288, 289, 290, 293, 294, 295, 297, 299, 300, 301.

Sparrows driven out by, 308.

Stolen from Bluebird, 94.

Stolen from Robin, 275, 305.

Wounded grasshoppers eaten, 289.

Wren, Bewicks, 80, 264, 276.

Carolina, 80, 276, 277, 280.

Great Carolina, 277.

House, 80, 82, 83, 85, 87-88, 93, 96, 97, 262, 263, 264, 265, 266, 267, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 280, 282, 283, 309, 327.

Parkman's, 80.

Wrens, 80, 81, 83, 85, 86, 87-88, 96, 97, 262, 264, 265, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282.

Nestlings attacked, 87.

Nestlings killed, 88, 93.

Wrens in England, 335.

Wyoming, no sparrow law in, 173.

*Xiphidium*, 111, 119.

*Xylaspis*, 112.

Yarrell's figure of Sparrow, 16.

Yellow-bellied Woodpecker, 80, 95.

Killed by Sparrow, 95.

Yellow-billed Cuckoo, 80, 108-109, 324-325.

Eats hairy caterpillars, 108-109.

Yellow-bird, 66, 80, 88, 91, 265, 267, 270, 271, 274, 275, 276, 277, 278.

Eats sunflower seed, 66.

Nestlings killed by Sparrow, 91.

Summer (=Yellow Warbler), 270, 272, 279.

Virginia, 283.

Yellow butterfly, 102.

Yellow Finch, 267.

Yellow-jackets and grapes, 50.

Yellow-rumped Warbler (=Myrtle Warbler), 80, 283.

Yellow-shafted Flicker (=Golden-winged Woodpecker, 269, 281, 282.

Yellow Underwing (moth), 345.

Yellow Warbler, 80, 81, 270, 272, 279, 280, 282, 283, 327.

Eggs and young destroyed, 327.

Young birds killed by Sparrows, 90, 91, 276, 307, 339.

Young grapes damaged, 47, 249.

Young Martins starve in dry seasons, 193.

Young plants eaten by Sparrows, 244, 245, 246, 247, 249, 250, 251.

Young seed-pods eaten, 64.

Young Sparrows, age at which they begin to breed, 30, 234, 311.

Date of hatching, 27, 105, 237.

Destruction of, 165, 180.

Food of, 61, 99, 103, 124, 125, 128, 129, 132, 285, 286, 287, 288, 289, 290, 291, 292, 293, 295, 296, 297, 299, 300, 305, 317-318, 320, 328-329, 330, 331, 335, 336, 337, 338, 340, 342, 344, 345.

Insect food of, 90, 103, 124, 125, 128, 129, 132, 285, 286, 287, 288, 289, 290, 291, 292, 293, 295, 296, 297, 299, 300, 305, 330, 331, 335, 336, 337, 338, 340, 342, 344, 345.

Killed by Martins, 274.

Number hatched and reared, 27, 30, 232, 233, 234, 236.

Vegetable food of, 61, 331, 337, 345.

Young turnips eaten, 245.

Young vegetables destroyed, 63-64.

*Zea mays*, 146.

*Zenaidura macroura*, 280.

*Zizania aquatica*, 76.



